



CITY OF CUPERTINO

AGENDA

CITY COUNCIL

This will be a teleconference meeting without a physical location.

Thursday, January 13, 2022

6:45 PM

Televised Special Meeting

TELECONFERENCE / PUBLIC PARTICIPATION INFORMATION TO HELP STOP THE SPREAD OF COVID-19

In accordance with Government Code 54953(e), this will be a teleconference meeting without a physical location to help stop the spread of COVID-19.

Members of the public wishing to observe the open session meeting may do so in one of the following ways:

- 1) Tune to Comcast Channel 26 and AT&T U-Verse Channel 99 on your TV.**
- 2) The meeting will also be streamed live on and online at www.Cupertino.org/youtube and www.Cupertino.org/webcast**

Members of the public wishing comment on an item on the agenda may do so in the following ways:

- 1) E-mail comments by 4:30 p.m. on Thursday, January 13 to the Council at citycouncil@cupertino.org. These e-mail comments will also be forwarded to Councilmembers by the City Clerk's office before the meeting and posted to the City's website after the meeting.**
- 2) E-mail comments for during the times for public comment during the meeting to the City Clerk at cityclerk@cupertino.org. The City Clerk will read the emails into the record, and display any attachments on the screen, for up to 3 minutes (subject to the Mayor's discretion to shorten time for public comments). Members of the public that wish to share a document must email cityclerk@cupertino.org prior to speaking.**

3) Teleconferencing Instructions

Members of the public may provide oral public comments pertaining to the agenda during the teleconference meeting as follows:

Oral public comments will be accepted during the teleconference meeting. Comments may be made during the public comment period for each agenda item.

To address the City Council, click on the link below to register in advance and access the meeting:

Online

https://cityofcupertino.zoom.us/webinar/register/WN_zlrkw-2BQvSd4T7DZjEcyw

Phone

Dial: 669-900-6833 and enter Webinar ID: 960 2832 3865 (Type *9 to raise hand to speak, *6 to unmute yourself). Unregistered participants will be called on by the last four digits of their phone number.

Or an H.323/SIP room system:

H.323:

162.255.37.11 (US West)

162.255.36.11 (US East)

Meeting ID: 960 2832 3865

SIP: 96028323865@zoomcrc.com

After registering, you will receive a confirmation email containing information about joining the webinar.

Please read the following instructions carefully:

1. You can directly download the teleconference software or connect to the meeting in your internet browser. If you are using your browser, make sure you are using a current and up-to-date browser: Chrome 30+, Firefox 27+, Microsoft Edge 12+, Safari 7+. Certain functionality may be disabled in older browsers, including Internet Explorer.
2. You will be asked to enter an email address and a name, followed by an email with instructions on how to connect to the meeting. Your email address will not be disclosed to the public. If you wish to make public comment pertaining to the agenda but do not wish to provide your name, you may say "Cupertino Resident" or similar designation.
3. When the Mayor calls for the item on which you wish to speak, click on "raise hand," or, if you are calling in, press *9. Speakers will be notified shortly before they are called to speak.
4. When called, please limit your remarks to the time allotted and the specific agenda topic.

In compliance with the Americans with Disabilities Act (ADA), anyone who is planning to attend this teleconference City Council meeting who is visually or hearing impaired or has any disability that needs special assistance should call the City Clerk's Office at 408-777-3223, at least 48 hours in advance of the Council meeting to arrange for assistance. In addition, upon request, in advance, by a person with a disability, City Council meeting agendas and writings distributed for the meeting that are public records will be made available in the appropriate alternative format.

NOTICE AND CALL FOR A SPECIAL MEETING OF THE CUPERTINO CITY COUNCIL

NOTICE IS HEREBY GIVEN that a special meeting of the Cupertino City Council is hereby called for Thursday, January 13, 2022, commencing at 6:45 p.m. In accordance with Government Code 54953(e), this will be a teleconference meeting without a physical location to help stop the spread of COVID-19. Said special meeting shall be for the purpose of conducting business on the subject matters listed below under the heading, "Special Meeting."

SPECIAL MEETING

ROLL CALL

PUBLIC HEARINGS

1. Subject: Consider a development proposal to demolish an existing commercial building and residential unit, remove and replace four (4) protected trees, and construct a mixed-use development consistent of 18 units (five apartments, five single-family homes, and eight townhomes), and 4,500 square feet of commercial space. (Application No(s): EA-2018-06, Z-2018-02, DP-2018-07, TM-2018-04, U-2018-04, ASA-2018-09, TR-2018-39; Applicant(s): Dan Shaw (SCR Enterprises); Location 10625 South Foothill Boulevard; APN#s 342-16-087, -088)
Recommended Action: The Planning Commission recommends that the City Council:
 - A. Adopt Resolution No. 22-001, adopting the Mitigated Negative Declaration and associated mitigations as conditions of approval (EA-2018-06);
 - B. Introduce and Conduct the first reading of Ordinance No. 22-2236 "An Ordinance of the City Council of the City of Cupertino approving the Rezoning of two parcels from Planned Development with General Commercial Uses (P(CG)) to Planned Development with General Commercial and Residential Uses (P(CG, Res))" (Z-2018-02);
 - C. Adopt Resolution No. 22-002 approving the Development Permit (DP-2018-07);
 - D. Adopt Resolution No. 22-003 approving the Architectural and Site Approval Permit (ASA-2018-09);
 - E. Adopt Resolution No. 22-004 approving the Conditional Use Permit (U-2018-04);
 - F. Adopt Resolution No. 22-005 approving the Tree Removal Permit (TR-2018-39); and
 - G. Adopt Resolution No. 22-006 approving the Tentative Map Permit (TM-2018-04)

[Staff Report](#)

[A – Draft Resolution for EA-2018-06](#)

[B – Draft Ordinance for Z-2018-02](#)

[C – Draft Resolution for DP-2018-07](#)

[D – Draft Resolution for ASA-2018-09](#)

[E – Draft Resolution for U-2019-04](#)

[F – Draft Resolution for TR-2018-39](#)

[G – Draft Resolution for TM-2018-04](#)

[H - Initial Study - Mitigated Negative Declaration](#)

[I – Environmental Review Committee Recommendation](#)

[J – Project Plans](#)

2. **Subject:** Consider a development proposal to demolish an existing commercial building and construct a new nine (9) unit single-family home development including one (1) home containing an Accessory Dwelling Unit (ADU). (Application No(s): EA-2020-001, Z-2020-001, DP-2020-001, TM-2020-001, ASA-2020-003, and U-2020-001; Applicant(s): Alan Enterprise LLC; Location: 22690 Stevens Creek Boulevard; APN#s 341-14-066, 342-14-104 & 105)

Recommended Action: The Planning Commission recommends that the City Council:

1. Adopt Resolution No. 22-007 adopting the Mitigated Negative Declaration (EA-2020-001) (Attachment A);
2. Introduce and conduct the first reading of Ordinance No. 22-2237, “An Ordinance of the City Council of the City of Cupertino approving the Rezoning of three parcels from Planned Development Zoning with General Commercial uses (P(CG)) to Planned Development Zoning with General Commercial and Residential uses (P(CG, Res))” (Z-2020-001) (Attachment B);
3. Adopt Resolution No. 22-008 approving the Development Permit (DP-2020-001) (Attachment C);
4. Adopt Resolution No. 22-009 approving the Architectural and Site Approval (ASA-2020-003) (Attachment D);
5. Adopt Resolution No. 22-010 approving the Use Permit (U-2020-001) (Attachment E); and
6. Adopt Resolution No. 22-011 approving the Tentative Map (TM-2020-001) (Attachment F).

[Staff Report](#)

[A - Draft Resolution for EA-2020-001](#)

[B - Draft Ordinance for Z-2020-001](#)

[C - Draft Resolution for DP-2020-001](#)

[D - Draft Resolution for ASA-2020-003](#)

[E - Draft Resolution for U-2020-001](#)

[F - Draft Resolution for TM-2020-001](#)

[G - IS-MND](#)

[H - ERC Recommendation](#)

[I - Project Plans](#)

[J - Comment Received](#)

ADJOURNMENT

The City of Cupertino has adopted the provisions of Code of Civil Procedure §1094.6; litigation challenging a final decision of the City Council must be brought within 90 days after a decision is announced unless a shorter time is required by State or Federal law.

Prior to seeking judicial review of any adjudicatory (quasi-judicial) decision, interested persons must file a petition for reconsideration within ten calendar days of the date the City Clerk mails notice of the City's decision. Reconsideration petitions must comply with the requirements of Cupertino Municipal Code §2.08.096. Contact the City Clerk's office for more information or go to <http://www.cupertino.org/cityclerk> for a reconsideration petition form.

In compliance with the Americans with Disabilities Act (ADA), anyone who is planning to attend this teleconference meeting who is visually or hearing impaired or has any disability that needs special assistance should call the City Clerk's Office at 408-777-3223, at least 48 hours in advance of the meeting to arrange for assistance. In addition, upon request, in advance, by a person with a disability, meeting agendas and writings distributed for the meeting that are public records will be made available in the appropriate alternative format.

Any writings or documents provided to a majority of the Cupertino City Council after publication of the packet will be made available for public inspection in the City Clerk's Office located at City Hall, 10300 Torre Avenue, Cupertino, California 95014, during normal business hours; and in Council packet archives linked from the agenda/minutes page on the Cupertino web site.

IMPORTANT NOTICE: Please be advised that pursuant to Cupertino Municipal Code section 2.08.100 written communications sent to the Cupertino City Council, Commissioners or City staff concerning a matter on the agenda are included as supplemental material to the agenda item. These written communications are accessible to the public through the City's website and kept in packet archives. Do not include any personal or private information in written communications to the City that you do not wish to make public, as written communications are considered public records and will be made publicly available on the City website.



CITY OF CUPERTINO

Agenda Item

21-10287

Agenda Date: 1/13/2022

Agenda #: 1.

Subject: Consider a development proposal to demolish an existing commercial building and residential unit, remove and replace four (4) protected trees, and construct a mixed-use development consistent of 18 units (five apartments, five single-family homes, and eight townhomes), and 4,500 square feet of commercial space. (Application No(s): EA-2018-06, Z-2018-02, DP-2018-07, TM-2018-04, U-2018-04, ASA-2018-09, TR-2018-39; Applicant(s): Dan Shaw (SCR Enterprises); Location 10625 South Foothill Boulevard; APN#s 342-16-087, -088)

The Planning Commission recommends that the City Council:

- A. Adopt Resolution No. 22-001, adopting the Mitigated Negative Declaration and associated mitigations as conditions of approval (EA-2018-06);
- B. Introduce and Conduct the first reading of Ordinance No. 22-2236 "An Ordinance of the City Council of the City of Cupertino approving the Rezoning of two parcels from Planned Development with General Commercial Uses (P(CG)) to Planned Development with General Commercial and Residential Uses (P(CG, Res))" (Z-2018-02);
- C. Adopt Resolution No. 22-002 approving the Development Permit (DP-2018-07);
- D. Adopt Resolution No. 22-003 approving the Architectural and Site Approval Permit (ASA-2018-09);
- E. Adopt Resolution No. 22-004 approving the Conditional Use Permit (U-2018-04);
- F. Adopt Resolution No. 22-005 approving the Tree Removal Permit (TR-2018-39); and
- G. Adopt Resolution No. 22-006 approving the Tentative Map Permit (TM-2018-04)



COMMUNITY DEVELOPMENT DEPARTMENT

CITY HALL
10300 TORRE AVENUE • CUPERTINO, CA
95014-3255 TELEPHONE: (408) 777-3308 • FAX: (408) 777-3333
CUPERTINO.ORG

CITY COUNCIL STAFF REPORT

Meeting: January 13, 2021

Subject

Consider a development proposal to demolish an existing commercial building and residential unit, remove and replace four (4) protected trees, and construct a mixed-use development consistent of 18 units (five apartments, five single-family homes, and eight townhomes), and 4,500 square feet of commercial space. (Application No(s): EA-2018-06, Z-2018-02, DP-2018-07, TM-2018-04, U-2018-04, ASA-2018-09, TR-2018-39; Applicant(s): Dan Shaw (SCR Enterprises); Location 10625 South Foothill Boulevard; APN#s 342-16-087, -088)

Recommended Actions

The Planning Commission recommends that the City Council:

- A. Adopt Resolution No. 22-XXX, adopting the Mitigated Negative Declaration and associated mitigations as conditions of approval (EA-2018-06);
- B. Introduce and Conduct the first reading of Ordinance No. 21-XXXX "An Ordinance of the City Council of the City of Cupertino approving the Rezoning of two parcels from Planned Development with General Commercial Uses (P(CG)) to Planned Development with General Commercial and Residential Uses (P(CG, Res))" (Z-2018-02);
- C. Adopt Resolution No. 22-XXX approving the Development Permit (DP-2018-07);
- D. Adopt Resolution No. 22-XXX approving the Architectural and Site Approval Permit (ASA-2018-09);
- E. Adopt Resolution No. 22-XXX approving the Conditional Use Permit (U-2018-04);
- F. Adopt Resolution No. 22-XXX approving the Tree Removal Permit (TR-2018-39); and
- G. Adopt Resolution No. 22-XXX approving the Tentative Map Permit (TM-2018-04)

EA-2018-06, Z-2018-02, DP-2018-07,

ASA-2018-09, U-2019-04,

TM-2018-04, TR-2018-39

Canyon Crossing
10625 South Foothill Boulevard

January 13, 2021

Page 2

Discussion

Project Data:

General Plan Land Use Designation	Commercial/Residential	
Neighborhood Area	Inspiration Heights	
Zoning Designation	P (CG) Planned Development Zoning with General Commercial Uses	
Net/Gross Lot Area	1.378 acres/1.546 acres	
	Allowed/Required	Proposed
Residential Density	15 du/acre	12.98 du/acre
Height of Structures	Up to 30 feet	30 feet
Rowhomes/Townhomes		8
Single Family Homes		5
Apartments		5
Commercial Sq. Ft.		4,500 sq. ft.
Setbacks		
<i>Front*</i>	N/A	0'
<i>Side*</i>	N/A	13'2"
<i>Side*</i>	N/A	10'
<i>Rear*</i>	N/A	6'
Parking Auto		
<i>Residential (Townhomes/Single Fam.)</i>	37	37
<i>Residential (Apartments)</i>	10	10
<i>Commercial</i>	18	18
<i>Total</i>	65	65
Bicycle Parking		
<i>Class I</i>	3	5
<i>Class II</i>	5	18
<i>Total</i>	8	23
Project Consistency		
General Plan Land Use Designation	Yes	
Zoning:	Yes, with Zone Map Amendment	
Environmental Assessment	Initial Study with a Mitigated Negative Declaration	

* The site is located in a Planned Development (P) zoning district. Chapter 19.80 of the Municipal Code allows the establishment of specific development standards and regulations with the approval of definitive plans for a site.

Background:

Application Requests

The applicant, Dan Shaw of SCR Enterprises, is requesting permits to allow the construction of a mixed-use development on a 1.378 net acre site currently occupied by a commercial shopping building and a residential unit. The project would demolish an existing commercial building and residential unit, remove and replace four (4) protected trees, and construct a mixed-use development consistent of 18 units (five apartments, five single family homes, and eight townhomes), and 4,500 square feet of commercial space.

The following City permits would be required: Zone Map Amendment, Development Permit, Architectural and Site Approval, Tree Removal, and Use Permit. A Vesting Tentative Map is proposed to divide the property from two parcels to 15 parcels for 13 homes, on mixed-use parcel, and a common parcel. Prior to approval of permits, the City has to also adopt a Negative Declaration as the appropriate environmental review for the project pursuant to state law.

Site and Location Description

The project known as Canyon Crossings (on the former Foothill Market site) is located in the Inspiration Heights neighborhood area of the General Plan. The shopping center is on approximately 1.546 gross acres located on South Foothill Boulevard/Stevens Canyon Road. The surrounding land uses include a townhome development to the north,




Figure 1: Project Vicinity

duplexes and rowhomes to the east and single family homes to the south and west (see Figure 1). The existing commercial and residential buildings (13,225 square feet) are currently vacant.

Analysis:

General Plan and Zoning Compliance

The proposed use is consistent with the General Plan Land Use Designation of Commercial/Residential. The applicant has applied for a Zone Map Amendment (Z-2018-02) to allow for a mixed-use development. The City's General Plan and Planned Development zoning designation allows flexible development standards in developing projects and site-specific regulations when reviewing projects. Additionally, because the project was not listed as a Priority Housing Site in the City's *General Plan: Community Vision 2015-2040* (General Plan), the project is required to obtain a Use Permit (U-2019-04) as part of the entitlement process.

The General Plan's Community Form Diagram establishes several development standards in the City, including height and density. The site has a maximum height of 30 feet and a maximum density of 15 dwelling units per acre. The project proposes a density of 12.98 dwelling units per acre.

Staff has evaluated the project's consistency with the General Plan and concludes that based on the conformance with the General Plan Land Use Designation, the proposed Zone Map Amendment, and the Initial Study Mitigated Negative Declaration (further discussed in detail in the Environmental Review section of this Staff Report), the proposed project supports several of the City's other General Plan goals including:

- **Policy LU-1.3: Land Use in All City-wide Mixed-Use Districts** - *Encourage land uses that support the activity and character of mixed-use districts and economic goals.*
- **Policy LU-5.2: Mixed-Use Villages** - *Where housing is allowed along major corridors or neighborhood commercial areas, development should promote mixed-use villages with active ground floor uses and public space. The development should help create an inviting pedestrian environment and activity center that can serve adjoining neighborhoods and businesses.*
- **Goal LU-26 – Retain commercial areas adjacent to neighborhoods and retrofit or encourage redevelopment as neighborhood centers in a pedestrian-oriented and bike-friendly environment.**
- **HE-1.3.4: Flexible Development Standards** - *The City recognizes the need to encourage a range of housing options in the community. The City will continue to:*
 - *Offer flexible residential development standards in planned residential zoning districts, such as smaller lot sizes, lot widths, floor area ratios and setbacks, particularly for higher density and attached housing developments.*
 - *Consider granting reductions in off-street parking on a case-by-case basis for senior housing.*

Should the proposed project be approved, 17 units would be allocated from the neighborhood development allocation. No commercial space will be allocated because of the existing commercial buildings.

Development Regulations

The project site defers to the development standards of the General Plan, and Planned Development “P” zoning designation. The “P” zoning designation is detailed in Cupertino Municipal Code Chapter 19:80 Planned Development Zones. The “P” zoning designation is intended to provide a means of guiding land development or redevelopment of the City that is uniquely suited for planned coordination of land uses and land development. While in the Planned Development zoning district, development has to adhere to Multifamily (R3) zoning regulations, as an alternative, applicants can, in conjunction with rezoning, apply for a discretionary review of the project and propose alternative standards. Once established, the development standards approved as part of the definitive plan for the project become the zoning requirements for the site. The applicant has proposed the alternative standards for the project as indicated in the tables in this section:

	Required	Proposed
Front Setback along Foothill Blvd. and Stevens Canyon Blvd. *	N/A	0
Side Setback (North)*	N/A	13 feet 2 inches
Side Setback (South)*	N/A	10 feet
Rear Setback *	N/A	6 feet
Private Open Space*	N/A	60 square feet unit minimum
Height	30 feet	30 feet

** The site is located in a Planned Development (P) zoning district. Chapter 19.80 of the Municipal Code allows the establishment of specific development standards and regulations with the approval of definitive plans for a site.*

The project proposes several different building types and models with varying sizes, setbacks and heights. The mixed-use commercial and residential building, with ~4,500 sq. ft. and 5 apartments is located at the front property line with a proposed front setback of zero (0) feet. To the rear and sides of the building are two drive aisles providing access to the site and the 8 townhomes and 5 single family residential units. (See Figure 2 below) The following table indicates the setbacks, heights and the private open space for the residential units in the development:

Figure 2: Site Plan

The project has drawn from the open space requirements in the Heart of the City Specific Plan for the proposed project. Therefore, the applicant proposes open space within the project as indicated in the following table:

	Heart of the City Requirements	Proposed
Common Open Space		
<i>Residential</i>	2,700 sq. ft. (150 sq. ft. per unit)	2,990 sq. ft.
<i>Commercial</i>	112.5 sq. ft. (2.5% of 4,500 sq. ft.)	1,657 sq. ft.
Private Open Space	60 sq. ft./unit and no dimension less than 6 feet	Varies by unit (see Table above)

Site Planning and Architectural Design

The proposed development is located where Foothill Boulevard transitions into Stevens Canyon Road. The project has one frontage along Foothill Boulevard/Stevens Canyon, and proposes two driveways – one aligned with McClellan Road and the other with St. Andrews Avenue – for access to the public right of way.

The project proposes to locate the less intensive use, the townhomes closer to the abutting existing residential uses and the mixed-use building closer to Stevens Canyon Road, to create a separation from the exclusively residential uses. A plaza is proposed at the entrance closest to McClellan Road. With the prominent location of the plaza, the project creates an active space for the site and commercial component. The applicant proposes different site furniture such as tables, benches, and planters to enhance the area. The development frontage is bookended by prominent planting areas to help transition the area from residential to commercial, and to partially screen parking facilities from the right of way. Parking toward the public right of way (in addition to underground parking) is provided to ensure ease of access for commercial users. The site also incorporates different paving materials near active pedestrian uses to help users be aware of the active uses.




Figure 3: Commercial and Residential Common Open Space

The mixed-use building uses prominent corners, contrasting materials, and a metal cap to help break the massing of the proposed building. While only a portion of the building contains a commercial component at the ground floor (the remaining portion

encompasses the ramp into the underground garage), the continued use of aluminum storefront windows throughout the ground floor frontage aids in developing a pedestrian scaled environment.

The site uses similar colors, materials, and architectural styles to connect the mixed-use building to those of the single-family residences.

Landscaping of the site incorporates various types of ground cover and plantings. Proposed plantings are to be of low water use. Along the perimeter where the proposed homes abut existing single-family homes, the project incorporates *Pittosporum tenuifolium* as privacy plantings to screen views into adjacent properties.

Tree Removal and Replacement

The development proposes to remove and replace four (4) protected development trees. The trees identified for removal would be directly impacted by development and would require removal. The trees proposed for removal are one persimmon tree (12" DBH), one oak (16" DBH), one palm tree (16" DBH), and one redwood (52" DBH).

The applicant is proposing to replace the removed trees with six (6) 24" box Coast Live Oak and one (1) 36" box Coast Live Oak consistent with the City's requirements. Additionally, the applicant proposes nine (9) additional trees throughout the site as well as various plantings throughout the site. The replacement trees and all vegetation in the development will be protected.

Traffic, Circulation and Parking Analysis

As part of the environmental analysis, traffic impacts of the proposed project were evaluated. These impacts were found to be less than significant based on generating 132 fewer daily vehicle trips, 31 fewer daily Vehicle Miles Traveled (VMT), and 11,209 fewer annual VMT than the existing use. Additionally, the project would not generate a demand for transit that would exceed the capacity of the system. Coupled with the project being consistent with adopted policies, plans, or programs regarding pedestrian and bicycle facilities that project would have a less than significant impact.

The proposed development has been parked to meet the City's automobile parking requirements found in Chapter 19.124: Parking Regulations. There is no required bicycle parking for the townhomes and small lot single-family homes. However, the mixed use building has provided more bicycle parking than required by the Municipal Code.

Vesting Tentative Map

The project proposes 15 separate parcels to be created from the two existing parcels. Lots 1 – 13 would be occupied by the townhomes, Lot 14 would be the mixed-use commercial

residential building, and Lot 15 would be the common parcel to provide access throughout the site. A condition of approval has been added to the Tentative Map to require reciprocal access throughout the site and a formation of a property owner's association.

Below Market Rate Units

The project would provide 15% Below Market Rate (BMR) units consistent with the City's BMR Manual when the project was submitted. To be consistent with the City's 15% BMR program requirements, the applicant would provide a total of three (3) affordable units, two (2) for sale units and one (1) apartment. One (1) for sale unit would be provided to a moderate income household, and the other to a median income household. The apartment must be provided to a very-low income household. The units must be affordable for 99 years. The City would administer the BMR housing units.

Signage

Signage details are not included in this permit application. Staff will review the signage proposal with the property owner at the time the applicant applies for a sign permit through the Building Division.

Project History

On September 14, 2018 the applicant submitted an application that was deemed complete on January 6, 2021. The project was evaluated in the Draft Initial Study and Mitigated Negative Declaration. The Initial was heard before the Environmental Review Committee on October 28, 2021 where the Committee recommended adoption of the Initial Study and Mitigated Negative Declaration with a 5-0-0 vote, see Attachment I.

Other Department/Agency Review

The City's Building Division, Public Works Department, Environmental Services Division, Cupertino Sanitary District and the Santa Clara County Fire Department have reviewed and conditioned the project.

Housing Accountability Act

The Housing Accountability Act (HAA), California Government Code Section 65589.5(j), requires that when a proposed housing development complies with the applicable, objective general plan and zoning standards, but a local agency proposes to deny the project or approve it only if the density is reduced, the agency must base its decision on written findings supported by substantial evidence that:

1. The development would have a specific adverse impact on public health or safety unless disapproved, or approved at a lower density; and

2. There is no feasible method to satisfactorily mitigate or avoid the specific adverse impact, other than the disapproval, or approval at a lower density.

Subdivision (j) of the HAA also requires the local agency to identify and provide written documentation of the reasons why a proposed housing development is inconsistent, not in compliance, or not in conformity with an applicable plan, program, policy, ordinance, standard, requirement, or other provision within 30 days of the date that the application for the housing development project is determined to be complete if the housing development project contains 150 or fewer housing units.

The proposed project has been determined to comply with applicable, objective general plan and zoning standards, including maximum height, density, minimum setbacks, useable common and private open space, and number of parking spaces. Thus, subdivision (j) of the Housing Accountability Act applies. Staff is not aware of any basis to make the findings listed above.

Environmental Review

A Draft Initial Study and Mitigated Negative Declaration (IS/MND) has been prepared for the project (See Attachment H.) The Mitigated Negative Declaration (MND) identifies mitigation measures in the following areas, to reduce the potential environmental impacts of the project to less than significant levels:

- *Air Quality:* Construction shall comply with BAAQMD's recommendations for reducing construction emissions of fugitive dust, and shall ensure construction emissions are reduced.
- *Biological Resources:* The project shall protect nests of raptors and other birds when in active use.
- *Cultural and Tribal Resources:* The project shall incorporate mitigations in the event any cultural resources or archaeological are found on site. This includes consulting with a tribal representative as well as paleontologist.
- *Noise Levels:* Construction shall comply with the Noise Ordinance and best management practices for noise mitigation, and ensure mechanical equipment selected meet the City's noise ordinance.
- *Geology and Soils:* The project shall incorporate mitigation in the event any fossil-bearing deposits are discovered on-site.
- *Utilities:* Demonstrate to the City and Cupertino Sanitary District that the project would not exceed peak wet weather flow capacity of the Santa Clara sanitary sewer system.

As part of the environmental analysis, Staff consulted with the Tamien Nation per the regulations of Assembly Bill 52. The Tamien Nation requested modifications to the

EA-2018-06, Z-2018-02, DP-2018-07,

ASA-2018-09, U-2019-04,

TM-2018-04, TR-2018-39

Canyon Crossing

10625 South Foothill Boulevard

January 13, 2021

Page 11

Cultural and Tribal Resources. As a result of the consultation, Staff updated to the Cultural and Tribal Resources mitigation to include tribal consultation. The mitigation now specifically references the Tamien Nation as the tribe to consult, see Attachment H.

The mitigation measures have been added as condition of approval for this project.

The Notice of Intent (NOI) to adopt a MND was placed in the newspaper. In addition, the NOI was mailed to notify neighbors and interested parties that a Draft MND had been prepared which the City intends to adopt. The 20-day Public Review Period for the Draft MND was between March 25, 2021 and April 13, 2021.

The Environmental Review Committee (ERC) heard the item at its October 28, 2021 and after the public hearing, recommended that the City Council adopt a Mitigated Negative Declaration (EA-2018-06) on a 5-0-0 vote with the identified mitigation measures with the identified mitigation measures (Attachment A and I).

Public Outreach and Noticing

The following table is a brief summary of the noticing done for this project:

Notice of Public Hearing, Site Notice & Legal Ad	Agenda
<ul style="list-style-type: none"> ▪ Site Signage (<i>10 days prior to the hearing</i>) ▪ Legal ad placed in newspaper (<i>at least 10 days prior to the hearing</i>) ▪ Public hearing notices were mailed to property owners within 300' of the project site (<i>10 days prior to the hearing</i>) 	<ul style="list-style-type: none"> ▪ Posted on the City's official notice bulletin board (<i>one week prior to the hearing</i>) ▪ Posted on the City of Cupertino's website (<i>one week prior to the hearing</i>)

Public Comment

No public comments have been provided.

Planning Commission Meeting:

At the Planning Commission meeting, the following topics were discussed:

- Outreach
- Unit Mix
- Potential commercial tenant(s) in the commercial space
- Circulation (vehicular and bicycle).

Upon discussion, the Planning Commission voted 5-0 to recommend that the City Council approve the project.

Sustainability Impact

No sustainability impacts.

Fiscal Impact

No fiscal impact.

Conclusion

Planning Commission recommends approval of the project since the project and conditions of approval address all concerns related to the proposed development and all of the findings for approval of the proposed project, consistent with Chapters 19.156, 19.168, 19.48, and 14.18 of the Cupertino Municipal Code, may be made.

Next Steps

If Council adopts the Planning Commission recommendation, the project will be approved contingent on the second reading of the Zoning Ordinance amendment (see Resolution Z-2020-001). All approvals granted by the City Council in conjunction with the zoning map amendment will be effective 30 days after the second reading of the ordinance. Council may also choose to deny the project, continue the hearing, or take other action permissible under the Municipal Code.

Prepared by: Erick Serrano, Senior Planner

Piu Ghosh, Planning Manager

Reviewed by: Benjamin Fu, Director of Community Development

Approved for Submission by: Dianne Thompson, Assistant City Manager

ATTACHMENTS:

A – Draft Resolution for EA-2018-06

B – Draft Ordinance for Z-2018-02

C – Draft Resolution for DP-2018-07

D – Draft Resolution for ASA-2018-09

E – Draft Resolution for U-2019-04

F – Draft Resolution for TR-2018-39

G – Draft Resolution for TM-2018-04

H – Initial Study/Mitigated Negative Declaration

I – Environmental Review Committee Recommendation

J – Project Plans

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL ADOPTING A
MITIGATED NEGATIVE DECLARATION, MITIGATION MEASURES, AND A
MITIGATION MONITORING AND REPORTING PROGRAM FOR THE
DEVELOPMENT OF EIGHTEEN (18) RESIDENTIAL UNITS
AND 4,500 SQ. FT. OF COMMERCIAL SPACE AT 10625 SOUTH FOOTHILL
BOULEVARD (APN: 342-16-087 & 088)

SECTION I: PROJECT DESCRIPTION

Application No.: EA-2018-06
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

SECTION II: ENVIRONMENTAL REVIEW PROCESS

WHEREAS, the City of Cupertino received an application on September 14, 2018 for a Zoning Map Amendment, Development Permit, Architectural and Site Approval, Use Permit, Tentative Map, and Tree Removal Permit, to allow the development of a new mixed-use development consisting eighteen (18) residential units and 4,500 sq. ft. of commercial with associated site and landscaping improvements, and associated environmental review ("Project"); and,

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, the Project is described in the March 2021 "Public Draft Initial Study for Canyon Crossings Mixed-Use Project" ("Draft IS/MND"); and

WHEREAS, on March 25, 2021 the City issued a Notice of Intent to Adopt a Mitigated Negative Declaration; and

WHEREAS, on March 25, 2021, the IS/MND for the project was distributed to responsible agencies and the public for review and comment for a 20-day period that ended April 13, 2021; and

WHEREAS, the IS/MND concluded that significant environmental effects on Air Quality, Biological Resources, Cultural Resources, Geology and Soils, Noise, Tribal and Cultural Resources, and Utilities and Service Systems would be avoided or reduced to less-than-significant levels by mitigation measures (“MM”) identified in the IS/MND; and

WHEREAS, on October 28, 2021, the City of Cupertino’s Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, the Planning Commission independently reviewed and considered the IS/MND together with the comments and the responses to those comments prior to taking action on the Project; and

WHEREAS, the comments received by the Planning Commission do not require major revisions to the IS/MND due to new or substantially more severe significant effects on the environment; and

WHEREAS, text revisions made after publication of the Draft IS/MND, which are found in the October 2021 Final Draft Initial Study, merely clarify, amplify or make insignificant modifications to the IS/MND, and recirculation of the IS/MND is not required.

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff’s presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 5-0-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the City Council has independently reviewed and considered the IS/MND together with the comments and the responses to those comments prior to taking action on the Project; and

WHEREAS, the comments received by the City Council do not require major revisions to the IS/MND due to new or substantially more severe significant effects on the environment; and

WHEREAS, on January 13, 2022 prior to taking action on the Project, the City Council held a duly noticed public hearing to receive staff’s presentation and public testimony, and to further consider the information contained in the IS/MND, along with all staff

reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of the IS/MND, comments on the IS/MND, maps, facts, exhibits, testimony, staff reports, public comments, and other evidence submitted in this matter, the City Council:

1. Finds that the IS/MND for the Project has been completed in compliance with CEQA and reflects the independent judgment and analysis of the City.
2. Finds that, on the basis of the whole record before it, there is no substantial evidence that the Project as proposed and mitigated will have a significant effect on the environment.
3. Finds that the text revisions to the IS/MND merely clarify, amplify or make insignificant modifications to the IS/MND; therefore, recirculation of the IS/MND is not required.
4. Adopts the Mitigated Negative Declaration for the Project.
5. Adopts and incorporates into the Project all of the mitigation measures identified in the IS/MND. The City Council further makes the mitigation measures, which are listed below, required conditions of approval of the Project to the extent they are within the responsibility and jurisdiction of the City:

a. AIR QUALITY

Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM10 and PM2.5) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:

- Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible.
- Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites.
- Cover all trucks hauling soil, sand, and other loose materials.

- Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust.
- Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material.
- Hydroseed or apply non-toxic soil stabilizers to inactive construction areas.
- Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand).
- Limit vehicle traffic speeds on unpaved roads to 15 miles per hour.
- Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established.
- Install sandbags or other erosion control measures to prevent silt runoff from public roadways.
- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.

Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:

- Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations.
- Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower.
- Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site.
- Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations.
- Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is

restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met.

b. BIOLOGICAL RESOURCES

Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).

- Preconstruction surveys shall:
 - Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period.
 - Be conducted no more than 14 days prior to the start of tree removal or construction.
 - Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped.
 - Document locations of active nests containing viable eggs or young birds.
- Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include:
 - Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.
 - Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status.
 - An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife.

c. CULTURAL RESOURCES

Mitigation Measure CULT-1: A representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the Tamien Nation in a manner requested by the Tamien Nation at least five (5) days before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site Tamien Nation representative.

If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:

- All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and Tamien Nation representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out.
- The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a Tamien Nation representative regarding the significance of the find and appropriate mitigations as follows:
 - If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5.
 - If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the Tamien Nation to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.
- All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards.

d. GEOLOGY AND SOILS

Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:

- In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted.
- The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery.
- The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5.
- The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find.
- If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation.

e. NOISE

Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:

- At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint.
- The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall

demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:

- At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.
- During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.
- Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.
- During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible.
- During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations.
- Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase.
- Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes.

- During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.

Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:

- Selection of equipment that emits low noise levels;
- Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or
- Locating equipment in less noise-sensitive areas, where feasible.

Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

f. TRIBAL CULTURAL RESOURCES

Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.

g. UTILITIES AND SERVICE SYSTEMS

Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the

satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:

1. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or
2. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.

The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the *Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara*, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.

6. Adopts the Mitigation Monitoring and Reporting Program for the Project, as amended, attached hereto as Exhibit EA-1, and incorporated herein by reference, which incorporates all the mitigation measures identified in the Final IS/MND.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <p>_____</p> <p>Darcy Paul, Mayor</p>	<p>_____</p> <p>Date</p>
---	--------------------------

City of Cupertino	
ATTEST:	
<hr/> Kirsten Squarcia, City Clerk	<hr/> Date

Mitigation Monitoring and Reporting Program

CANYON CROSSING

10625 S. FOOTHILL BLVD.

APN: 342-16-087 & 088

OCTOBER 2021

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p><u>AIR QUALITY</u></p> <p>Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM10 and PM2.5) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:</p> <ul style="list-style-type: none"> • Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible. • Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites. • Cover all trucks hauling soil, sand, and other loose materials. • Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust. • Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material. • Hydroseed or apply non-toxic soil stabilizers to inactive construction areas. • Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand). • Limit vehicle traffic speeds on unpaved roads to 15 miles per hour. • Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established. • Install sandbags or other erosion control measures to prevent silt runoff from public roadways. 	<p>During the construction and post-construction phases, the project proponent shall be responsible for implementing these measures, including improvements.</p>	<p>Improvements related to these measures shall be printed on all construction documents, contracts, and project plans and shall be reviewed by the Director of Community Development and the Director of Public Work prior to the issuance of grading and/or building permits.</p>	<p>City of Cupertino Public Works and Building Departments</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<ul style="list-style-type: none"> All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe. 			
<p>Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:</p> <ul style="list-style-type: none"> Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations. Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower. Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site. Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations. Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met. 	<p>Project proponent to ensure inclusion of these requirements in all contracts and permit documents. Prior to the issuance of any construction permit.</p>	<p>Provide documentation demonstrating compliance (i.e. specifications of vehicles and equipment) and on the construction drawings clearly show the requirement for Level 3 Diesel Particulate Filters emissions standards for construction equipment over 50 horsepower.</p>	<p>City of Cupertino Public Works, Planning, and Building Departments</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).</p> <ul style="list-style-type: none"> • Preconstruction surveys shall: <ul style="list-style-type: none"> • Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period. • Be conducted no more than 14 days prior to the start of tree removal or construction. • Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped. • Document locations of active nests containing viable eggs or young birds. • Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include: <ul style="list-style-type: none"> • Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion 	<p>Project proponent to add this to all construction plans and contracts to ensure biologist conducts pre-construction surveys as required.</p>	<p>If grading and/or tree removal begins during the stated dates in the mitigation measure, A final report of nesting birds, including any protection measures, shall be submitted to the Director of Community Development prior to the start of demolition.</p>	<p>City of Cupertino Planning Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.</p> <ul style="list-style-type: none"> Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status. An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife. Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status. An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with California Department of Fish and Wildlife. The protection measures shall remain in effect until the young have left the nest and are foraging independently or the nest is no longer active. 			
<p>Mitigation Measure CULT-1: A tribal representative shall be permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the Tribe in a manner requested by the Tribe at least 48 hours before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site tribal representative.</p>	<p>During site excavation, the project proponent shall be responsible for implementation of Archaeological monitoring. Monitoring shall be conducted during earthmoving activities by a qualified archaeologist.</p>	<p>All archaeological monitoring and reporting measures shall be included in all construction documents, and construction management plans, contracts, and project plans and shall be reviewed by the</p>	<p>Community Development Public Works & Building Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:</p> <ul style="list-style-type: none"> • All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and tribal representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out. • The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a tribal representative regarding the significance of the find and appropriate mitigations as follows: • If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5. • If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the appropriate tribe(s) to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented. • All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards. 	<p>During construction, the project proponent and contractor shall be responsible for notification of any discoveries.</p>	<p>Community Development Department</p>	

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.	During site excavation, the project proponent shall be responsible for implementation of Archaeological monitoring. Monitoring shall be conducted during earthmoving activities by a qualified archaeologist. During construction, the project proponent and contractor shall be responsible for notification of any discoveries.	All archaeological monitoring and reporting measures shall be printed on all construction documents, contracts, and project plans and shall be reviewed by the Director of Community Development	Director of Community Development, Public Works & Building Department
Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans: <ul style="list-style-type: none"> • In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted. • The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery. • The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5. • The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find. 	At the construction phase, the project proponent and contractor shall be responsible for completing all improvements.	All attenuation measures shall be printed on construction documents, contracts, construction management plan, and project plans and reviewed by the Director of Public Works prior to issuance of grading and/or building permits.	City of Cupertino Public Works & Building Department

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<ul style="list-style-type: none"> If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation. 			
<p>Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:</p> <ul style="list-style-type: none"> At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be 	<p>At the construction phase, the project proponent and contractor shall be responsible for completing all improvements.</p>	<p>All attenuation measures shall be printed on construction documents, contracts, construction management plan, and project plans and reviewed by the Director of Public Works prior to issuance of grading and/or building permits.</p>	<p>City of Cupertino Public Works, and Planning and Building Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:</p> <ul style="list-style-type: none"> • At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City. • During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible. • Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors. • During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible. 			

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<ul style="list-style-type: none"> During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations. Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase. Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes. During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws. 			
<p>Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses (i.e., the Cupertino Hotel) during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts</p>	<p>At the construction phase, the project proponent and contractor shall be responsible for completing all improvements.</p>	<p>At the construction phase, the project proponent and contractor shall be responsible for completing all improvements.</p>	<p>City of Cupertino Public Works, and Planning and Building Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:</p> <ul style="list-style-type: none"> • Selection of equipment that emits low noise levels; • Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; • Locating equipment in less noise-sensitive areas, where feasible. 			
<p>Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.</p>	<p>At the construction phase, the projectproponent andcontractor shall beresponsible forcompleting allimprovements.</p>	<p>All attenuation measures shall be printed on constructiondocuments, contracts, construction management plan, andproject plans and reviewed by the Director of PublicWorks prior toissuance of grading and/or building permits.</p>	<p>City of Cupertino Public Works, and Planning and Building Department</p>
<p>Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:</p> <ol style="list-style-type: none"> 1. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or 2. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed 	<p>Prior to the issuance of any construction permit.</p>	<p>Demonstrate that the proposed hotel would not exceed the peak weather flow capacity of the Santa Clara sanitary sewer.</p>	<p>Department of Public Works and Cupertino Sanitary District</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.</p> <p>The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the <i>Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara</i>, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.</p>			

ORDINANCE NO. _____

**AN ORDINANCE OF THE CITY COUNCIL
OF THE CITY OF CUPERTINO APPROVING THE REZONING OF TWO
PARCELS FROM PLANNED DEVELOPMENT WITH GENERAL
COMMERCIAL USES (P(CG)) TO PLANNED DEVELOPMENT WITH
GENERAL COMMERCIAL AND RESIDENTIAL USES (P(CG, RES))
LOCATED AT 10625 SOUTH FOOTHILL BOULEVARD**

Application No: Z-2018-02
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

The City Council of the City of Cupertino finds that:

WHEREAS, an application was received by the City (Application no. Z-2018-02) for the rezoning of a property from Planned Development with Commercial intent (P(CG)) to Planned Development with General Commercial and Residential intent (P(CG, Res)).

WHEREAS, the rezoning will be consistent with the City's General Plan land use map, proposed uses and surrounding uses; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 et seq.) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 et seq.) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, the Final Draft Initial Study and Mitigated Negative Declaration was presented to the Planning Commission on November 23, 2021 at a regularly scheduled Planning Commission Meeting; and,

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing,

and recommended on a 5-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the necessary public notices have been given and the Planning Commission held one public hearing, recommending to the City Council that the rezoning be granted per resolution No. (Z-2018-02);

WHEREAS, on January 13, 2022 and February 1, 2022, upon due notice, the City Council has held at least two public hearings to consider the Rezoning; and;

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Ordinance; and;

WHEREAS, the City Council of the City of Cupertino held a duly noticed public hearing on January 13, 2022, and after considering all testimony and written materials provided in connection with that hearing introduced this ordinance and waived the reading thereof.

**NOW, THEREFORE, THE CITY COUNCIL OF THE OF CITY OF CUPERTINO
DOES ORDAIN AS FOLLOWS:**

That after careful consideration of the facts, exhibits, testimony and other evidence submitted in this matter, the City Council adopts the Rezoning based upon the findings described above, the public hearing record and the Minutes of Planning Commission Meeting of November 23, 2021, and subject to the conditions specified below:

Section 1. The recitals set forth above are true and correct, and are hereby incorporated herein by this reference as if fully set forth in their entirety.

Section 2. The City Council finds the following as set forth by Municipal Code 19.152.020.C:

1. That the proposed zoning is in accord with Title 19 of the Municipal Code and the City's Comprehensive General Plan (Community Vision 2040).

With the proposed zoning modification to allow for both general commercial and residential uses the project would be consistent with the General Plan Land Use Map that allows for general commercial and/or residential development. The Planned Development district allows the City flexibility to approve project specific development standards different from the standards outlined in the Zoning regulations for the site.

2. The proposed zoning is in compliance with the provisions of the California Environmental Quality Act (CEQA).

As set forth above, the City examined the environmental effects of the Project, including the zoning amendments adopted herein, and in the Initial Study and Mitigated Negative Declaration prepared in accordance with the California Environmental Quality Act. On January 13, 2022 the City Council adopted resolution ____ to approve the Initial Study and Mitigated Negative Declaration with the Mitigation Monitoring and Reporting Program. Any potential impacts associated with project have been analyzed, and mitigations to reduce any potential impacts to less than significant with mitigation have been adopted. Therefore, the proposed zoning complies with the provisions of CEQA.

3. The site is physically suitable (including, but not limited to, access, provision of utilities, compatibility with adjoining land uses, and absence of physical constraints) for the requested zoning designation(s) and anticipated land use development(s).

The site being rezoned will have access to existing utilities and is compatible with adjoining residential land uses.

4. The proposed zoning will promote orderly development of the City.

The site being rezoned will promote orderly development in the City through incorporation of applicable development standards and provide for continued commercial opportunities.

5. That the proposed zoning is not detrimental to the health, safety, peace, morals and general welfare of persons residing or working in the neighborhood of subject parcels.

The proposed zoning is not detrimental to the health, safety, peace, morals and general welfare since the proposed uses are consistent with the City's General Plan Land Use Element. Additionally, where any potential health or safety impacts have been identified in the Project's CEQA analysis, mitigation measures have been identified which would be mitigate the impact.

Section 3. The City Council approves the following:

1. That the property described in attached Exhibit Z-1 have a zoning designation as that shown in the following table and is incorporated into the Master Zoning Map (Exhibit Z-2) of the City of Cupertino; and

APN	Current Zoning	New Zoning
342-16-087	P(CG)	P(CG, Res)
342-16-088	P(CG)	P(CG, Res)

2. The approved plan for the project indicates the setbacks, minimum common and private open space, maximum floor area ratio, height and other development standards. Any future changes to these standards would require a rezoning of the property.

Section 4. The City Council finds the Rezoning is within the scope of the Initial Study and Mitigated Negative Declaration and directs the Director of Community Development to file a Notice of Determination with the Santa Clara County Recorder in accordance with CEQA guidelines.

Section 5. This Ordinance shall be effective thirty (30) days following its adoption.

INTRODUCED at a special meeting of the Cupertino City Council on January 13, 2022 and **ENACTED** at a regular meeting of the Cupertino City Council on _____, 2022 by the following vote:

Members of the City Council

AYES:


NOES:

ABSENT:

ABSTAIN:

SIGNED: _____ Darcy Paul, Mayor City of Cupertino	 _____ Date
ATTEST: _____ Kirsten Squarcia, City Clerk	 _____ Date
APPROVED AS TO FORM: _____ Christopher Jensen, City Attorney	 _____ Date

- Planned Development with General Commercial and Residential Intent, P(CG, Res)
- Planned Development with Residential Intent,
- Residential Single Family
- Duplex
- Subject Property



Property Details	
APNs:	342-16-087, -088
Address:	10625 South Foothill Boulevard
Acreage	
Zone Change	
From:	Planned Development with General Commercial Intent
	Planned Development with

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING A DEVELOPMENT PERMIT TO CONSTRUCT A MIXED-USED
DEVELOPMENT CONSISTING OF EIGHTEEN (18) RESIDENTIAL UNITS AND 4,500
SQUARE FEET OF COMMERCIAL SPACE LOCATED AT 10625 SOUTH FOOTHILL
BOULEVARD (APN: 342-16-087 & 088)

SECTION I: PROJECT DESCRIPTION

Application No.: DP-2018-07
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

SECTION II: FINDINGS FOR DEVELOPMENT PERMIT:

WHEREAS, the City of Cupertino received an application for a Development Permit as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 5-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 5-0 vote that the City Council approve Zone Map Amendment (Z-2018-02), in substantially similar form to the Resolution presented (Resolution No. 6938) approve the Vesting Tentative Map (TM-2018-04), in substantially similar form to the Resolution presented (Resolution No. 6940), approve the Development Permit (DP-2018-07) in substantially similar form to the Resolution presented (Resolution No. 6939), approve the Architectural and Site Approval Permit (ASA-2018-09) in substantially similar form to the Resolution presented (Resolution No. 6941), approve the Use Permit (U-2018-04) in substantially similar form to the Resolution presented (Resolution No. 6942), approve the Tree Removal Permit (TR-2018-39) in substantially similar form to the Resolution presented (Resolution No. 6943); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on December 21, 2021, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January, 13 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Development Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Development Permit.

WHEREAS, the City Council finds as follows with regard to this application:

1. The proposed development, at the proposed location, will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience;

The project is consistent with the General Plan, and the Zoning Ordinance with the adoption of the Zone Map Amendments (Z-2018-02). The project has been designed to be compatible with and respectful of adjoining land uses. Additionally, all mitigation measures that are within the responsibility and jurisdiction of the City have been adopted and will be made conditions of approval in order to mitigate potential impacts to a less than significant level. Therefore, the project will not be detrimental or injurious to properties or improvements in the

vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience.

2. The proposed development will be located and conducted in a manner in accord with the Cupertino Comprehensive General Plan and the purpose of the City's zoning ordinances.

The General Plan land use designation for the property is Commercial/Residential. The proposed use is consistent with the General Plan. The subject property will be zoned Planned Development with General Commercial and Residential intent with the approval of the Zone Map Amendment (Z-2018-02). Projects that are not on the City's list of approved Housing Element sits are required to obtain a Use Permit (U-2018-04), which the project is seeking and subject to approval, see Condition of Approval (COA) #3 in Section III. The proposed development has met the applicable development standards in the General Plan and the City of Cupertino's Municipal Code. Therefore, the proposed development is consistent with the purpose of the City's zoning ordinance.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Development Permit, Application No. DP-2018-07, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application no. DP-2018-07 as set forth in the Minutes of the City Council Meeting of December 21, 2021, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPARTMENT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated September 15, 2020 consisting of 55 sheets labeled as Canyon Crossings Mixed-Use Development, A0-A6, E1.1, L1.0-L3.1, C1-C14, and ST2 prepared by LPMD Architects, TS Civil Engineering, and Reed Associates, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks,

property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. **CONCURRENT APPROVAL CONDITIONS**

The conditions of approval contained in file nos. Z-2018-02, TM-2018-04, U-2018-04, ASA-2018-09, TR-2018-39, and EA-2018-06 shall be applicable to this approval.

4. **ANNOTATION OF THE CONDITIONS OF APPROVAL**

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. **CONSULTATION WITH OTHER DEPARTMENTS**

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

6. **DEVELOPMENT ALLOCATION**

The applicant shall receive an allocation of 17 of the residential unit allocations for the Citywide housing allocation.

7. **BICYCLE PARKING**

The applicant shall provide bicycle parking and bike racks for the proposed project in accordance with the City's Parking Regulations under Chapter 19.124 of the Cupertino Municipal Code.

8. **COMMON OPEN SPACE**

The residential common open space shall provide amenities for passive and/or active recreation including but not limited to play structures, barbeque areas, picnic tables etc. and shall not be retained as only a hardscaped or landscaped area. The commercial open space shall provide amenities for users of the commercial space and can be used to provide outdoor dining, benches, seating etc.

9. **BELOW MARKET RATE HOUSING PROGRAM**

The applicant shall participate in the City's Below Market Rate (BMR) Housing Program by dedicating 15% of the units. The applicant shall record a covenant, which shall be subject to review and approval by the City Attorney, to be recorded prior to the issuance of building permits. Two 3BR townhome units shall be provided as BMR units. Two of the units shall be made available at moderate income levels and one unit shall be made available at median income levels in

compliance with the City's BMR Manual. The applicant is to provide one (1) 2BR apartment available to be made designated for a very-low income level in compliance with the City's BMR Manual.

10. BMR UNIT DESIGN REQUIREMENTS

The Applicant shall detail how the following requirements shall be met prior to building permit issuance:

- a) BMR units shall be comparable to market-rate units in terms of unit type, number of bedrooms per unit, quality of exterior appearance and overall quality of construction.
- b) Interior features and finishes in the affordable units shall be durable, of good quality and consistent with the contemporary standards of new housing.

11. BMR AGREEMENT

Prior to the recordation of a final map or issuance of any building permit, an affordable housing agreement shall be recorded against the property. The affordable housing agreement shall include, but not be limited to the following:

- a) Total number of BMR units, type, location (site map), square footage, number of bedrooms, and construction scheduling of market-rate and BMR units;
- b) Provisions to ensure concurrent construction and completion of BMR units and market-rate units;
- c) Affordability levels for each BMR unit;
- d) Provisions for income certification and screening of potential occupants of BMR units;
- e) Restriction control mechanisms;
- f) Financing of ongoing administrative and monitoring costs;
- g) Other reasonably required provisions to implement the Affordable Housing Plan.

12. BMR UNIT TERMS OF AFFORDABILITY:

Prior to occupancy, the proposed project shall record covenants that require the units to be occupied at rents, or offered for sale at a price that is affordable to very low-income households for a period not less than 99 years from the date of first occupancy of the unit.

13. PUBLIC ART REQUIREMENT

Public art shall be provided for the project in accordance with General Plan Policy 2-66 and the City's Public Art Ordinance (Chapter 19.148 of the Cupertino Municipal Code). The minimum expenditure for the artwork, including, but not limited to design, fabrication, and installation is one (1) percent of the construction valuation for the first \$100 million on construction valuation, or 0.9% of construction valuation for valuation in excess of \$100 million. The project pro

forma shall be provided to the City to confirm the project budget. The public art plans (including location and design) shall be reviewed by the Fine Arts Commission during the building permit stage, in advance of final occupancy. Once approved by the Fine Arts Commission, the public artwork shall be installed to the satisfaction of the City prior to final occupancy. In the event the developer or property owner determines that the placement of artwork on a particular property may not be feasible, the developer or property owner may apply to the Fine Arts Commission for an in-lieu payment alternative as indicated in Chapter 19.148 of the Cupertino Municipal Code. The in lieu payment shall be 1.25% of the construction valuation.

14. DEMOLITION REQUIREMENTS

All demolished building and site materials shall be recycled to the maximum extent feasible subject to the Building Official. The applicant shall provide evidence that materials were recycled prior to occupancy.

15. FORMATION OF A PROPERTY OWNER'S ASSOCIATION

A Property Owner's Association shall be formed to maintain the common areas of the property. The Conditions, Covenants and Restrictions (CC&Rs) shall be reviewed and approved by the City Attorney and the Director of Community Development prior to recordation. The following terms shall be incorporated into the Association's Conditions, Covenants and Restrictions:

- The members/board shall meet at a minimum of once/year
- The Association dues shall cover:
 - Maintenance of common area on the property in compliance with the approved project and conditions of approval, including hardscaping, parking, landscaping and accessory facilities and amenities, such as trash bins/areas, common amenity areas, tree grates, outside trash bins, fences, etc,
 - Building and site repair on a regular schedule, or as otherwise necessary, and building renovation and replacement as necessary to ensure that the property is maintained.
 - Permits, including tree removal permits, required for maintenance and repair of facilities in the common areas
- Any changes to the exterior of the development must be reviewed by the Property Owner's Association.
- Any changes to the CC&R's must be reviewed and approved by the City
- Disbanding of the Association shall require an amendment to the permit.

16. PRE-CONSTRUCTION MEETING AND CONSTRUCTION MANAGEMENT PLAN

A demolition and construction management plan shall be submitted and reviewed prior to building permit issuance. Prior to commencement of construction activities, the applicant shall arrange for a pre-construction meeting with the pertinent departments (Building, Planning, and Public Works) to review the prepared construction management plan, to ensure that construction complies with the conditions of approval, staging of construction equipment is appropriate, tree protection measures are in place, public access routes are identified, and noise and dust control measures are established. The plan shall include but not be limited to the following:

- a. Compliance with CEQA Mitigation Measures
- b. Appropriate construction staging area
- c. Hours of construction
- d. Compliance with the City noise ordinance
- e. Best management practices
- f. Staging of construction equipment shall not occur within ____ feet of any residential property.
- g. Any other measures as determined to be appropriate by the Director of Community Development

17. GRADING AND CONSTRUCTION HOURS AND NOISE LIMITS

The applicant shall indicate compliance with the following grading and construction hours and noise limit requirements on all demolition, construction and grading permits, and in the construction management plan(s), unless otherwise indicated.

- a. All grading activities shall be limited to the dry season (April 15 to October 1), unless permitted otherwise by the Director of Public works.
- b. Construction hours and noise limits shall be compliant with all requirements of Chapter 10.48 of the Cupertino Municipal Code.
- c. Grading, street construction, underground utility and demolition hours for work done more than 750 feet away from residential areas shall be limited to Monday through Friday, 7 a.m. to 8 p.m. and Saturday and Sunday, 9 a.m. to 6 p.m. Grading, street construction, demolition or underground utility work within 750 feet of residential areas shall not occur on Saturdays, Sundays, holidays, and during nighttime period as defined in Section 10.48.053(b) of the Municipal Code.
- d. Construction activities shall be limited to Monday through Friday, 7 a.m. to 8 p.m. and Saturday and Sunday, 9 a.m. to 6 p.m. Construction activities are not allowed on holidays as defined in Chapter 10.48 of the Municipal Code.

Nighttime construction is allowed if compliant with nighttime standards of Section 10.48 of the Cupertino Municipal Code.

- e. Rules and regulations pertaining to all construction activities and limitations identified in this permit, along with the name and telephone number of an applicant appointed disturbance coordinator, shall be posted in a prominent location at the entrance to the job site.
- f. The applicant shall be responsible for educating all contractors and subcontractors of said construction restrictions.

The applicant shall comply with the above grading and construction hours and noise limit requirements unless otherwise indicated.

18. **ACOUSTIC STUDY AND REDUCTION OF INTERIOR NOISE LEVELS**

Prior to the issuance of building permits, the project applicant shall submit an acoustic study to the satisfaction of the City's Community Development Director to demonstrate that unit interiors meet an interior noise level due to exterior noise of 45 dBA CNEL, consistent with State and local noise standards. The study shall be based on precise grading and architectural plans including specific construction method details and materials to calculate the necessary exterior to interior noise reduction of approximately 30 dBA to achieve 45 dBA CNEL. The precise exterior to interior reduction would be determined in the acoustical study when precise grading plans with building elevations, footprints and architectural plans are available. The applicant will be required to incorporate into the project design all required noise insulation features and techniques necessary to reduce interior noise levels to achieve the interior noise standard. To achieve the required interior noise levels, features such as upgraded exterior wall and roof assemblies, upgraded windows, and exterior doors may be required. In addition, a "windows closed" condition will be required with minimum supply of fresh air per UBC requirements.

19. **GREEN BUILDING**

The project shall be constructed in accordance with the City's Green Building Ordinance (Chapter 16.58 of the Cupertino Municipal Code). The applicant shall obtain LEED Silver certification or an alternative reference standard in accordance with the ordinance since the project proposes more than nine (9) homes. Third party LEED certification or alternative reference standard is required per the ordinance criteria.

20. **BUILDING AND FIRE CODE**

The applicant shall apply for and obtain building permits to allow the construction of the approved project. The applicant shall provide information and plans to

allow the Building Official and the Fire Marshall or their designee that the proposed plans comply with Building and Fire Codes in effect at the time of application for a building permit.

21. TRASH AND DELIVERY ACTIVITIES

A detailed refuse and truck delivery plan shall be prepared by the applicant. The plan shall specify locations of trash facilities, refuse pick up schedules and truck delivery schedules and routes. All trash facilities must be screened and enclosed to the satisfaction of the Public Works Department. The final plan shall be submitted to the City for review and approval prior to issuance of building permits.

22. EXTERIOR BUILDING MATERIALS/TREATMENTS

The final building exterior plan shall closely resemble the details shown on the original approved plans. Final building exterior treatment plan (including but not limited to details on exterior color, materials, architectural treatments, doors, windows, lighting fixtures, and/or embellishments) shall be reviewed and approved by the Director of Community Development prior to issuance of building permits to ensure quality and consistency. Any exterior changes determined to be substantial by the Director of Community Development shall either require a modification to this permit or a new permit based on the extent of the change.

Future changes to the exterior building materials/treatments must be reviewed and approved by the Property Owner's Association. However, any changes to the building materials that do not match the approved materials shall require an amendment to this permit or a new permit.

23. DARK SKY COMPLIANCE AND/OR BIRD SAFE COMPLIANCE

Prior to issuance of Building Permits, the applicant/property owner shall submit final plans in compliance with the approved lighting plans to comply with development standards of Cupertino Municipal Code Section 19.102.030 Bird-Safe Development Requirements and/or Section 19.102.040 Outdoor Lighting Requirements. In the event changes are proposed from the approved plans, said changes must be reviewed and approved by the Director of Community Development or their designee. The applicant shall provide all documentation required to determine compliance with the Municipal Code. The final lighting plan (including a detailed photometric plan) shall be reviewed and approved by the Director of Community Development prior to building permit issuance. A report from a licensed lighting engineer may be required to confirm all exterior lighting throughout the site complies with the City's Ordinance.

24. ROOFTOP EQUIPMENT SCREENING

All mechanical and other equipment on the building or on the site shall be screened so they are not visible from public street areas or adjoining developments. The height of the screening shall be taller than the height of the mechanical equipment that it is designed to screen. A line of sight plan may be required to demonstrate that the equipment will not be visible from any public right-of-way. The location of the equipment and necessary screening shall be reviewed and approved by the Director of Community Development prior to issuance of building permits.

25. RESTAURANT ODOR ABATEMENT

All new restaurants shall install odor abatement systems to reduce odor impacts from the restaurants to the adjacent community. The odor abatement systems shall be installed prior to final occupancy of the associated restaurant(s). Detailed plans shall be reviewed and approved by the Director of Community Development prior to issuance of building permits.

26. SIGN PROGRAM

A sign program is required for this project. The sign program shall be approved by the Director of Community Development prior to issuance of sign permits.

27. SITE IMPROVEMENTS

All proposed site improvements shall be completed prior to final occupancy of any structures approved in conjunction with the project.

28. NOISE LEVELS AND ABATEMENT

Project uses and all equipment installed on the site shall comply with the City's Community Noise Control Ordinance at all times. Installation of any mechanical or other equipment shall be evaluated to determine that the installation meets the City's Community Noise Control Ordinance. Any documentation or studies required to determine this shall be provided by the applicant as his/her sole expense. Should the project exceed any of the stipulated maximum noise levels outlined in the City's Community Noise Control Ordinance, an acoustical engineer may be required to submit noise attenuation measures to the satisfaction of the Director of Community Development at the applicant's expense.

29. INGRESS/EGRESS EASEMENT

The applicant shall record an appropriate deed restriction and covenant running with the land, subject to approval of the City Attorney, for all parcels that share a common private drive or private roadway with one or more other parcels. The deed restriction shall provide for necessary reciprocal ingress and egress easement

to and from the affected parcels. The easements shall be recorded at such time as interest in one or more of the affected parcels is initially sold or transferred to another party.

30. COMMERCIAL/INSTITUTIONAL KITCHEN ODOR ABATEMENT

All new kitchens for commercial or institutional uses shall install odor abatement systems to reduce odor impacts to the adjacent community. In the event, alterations are made to any portion of the ventilation system of an existing commercial or institutional kitchen, odor abatement equipment shall be installed. The odor abatement systems shall be installed prior to final occupancy of the associated restaurant(s). Detailed plans shall be reviewed and approved by the Director of Community Development prior to issuance of building permits.

31. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall

cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

32. NOTICE OF FEES, DEDICATIONS, RESERVATIONS OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions.

Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

SECTION IV: CONDITIONS ADMINISTERED BY THE PUBLIC WORKS DEPARTMENT

1. STREET IMPROVEMENTS & DEDICATION

Provide street dedication in fee title and frontage improvements along the project to the satisfaction of the Director of Public Works.

Street improvements may include, but not be limited to, new detached sidewalk, new ADA ramps, curb and gutter, driveways, pavement, storm drain lateral, street light, utility pole relocation, and street tree installations.

At street improvement plan stage, provide a striping plan to show the existing and proposed striping (show dimensions and radius, etc.) along Stevens Canyon Road. Striping (including lane transition) shall meet the Caltrans Highway Design Manual.

2. PEDESTRIAN AND BICYCLE IMPROVEMENTS

Developer shall provide pedestrian and bicycle related improvements (eg. walkway and bicycle racks, etc.) consistent with the Cupertino Bicycle Transportation Plan and the Pedestrian Transportation Guidelines, and as approved by the Director of Public Works.

3. **STREET LIGHTING INSTALLATION**

At street improvement plan stage, street lighting shall be designed and installed as approved by the Director of Public Works. Lighting fixtures shall be positioned so as to preclude glare and other forms of visual interference to adjoining properties, and shall be no higher than the maximum height permitted by the zone in which the site is located.

4. **GRADING**

Grading shall be performed to the satisfaction of the Director of Public Works in accordance with Chapter 16.08 of the Cupertino Municipal Code. 401 Certifications and 404 permits maybe required. Please contact Army Corp of Engineers and/or Regional Water Quality Control Board as appropriate.

5. **DRAINAGE**

Drainage shall be provided to the satisfaction of the Director of Public Works. Hydrology and pre- and post-development hydraulic calculations must be provided to indicate whether additional storm water control measures are to be constructed or renovated. The storm drain system may include, but is not limited to, subsurface storage of peak stormwater flows (as needed), bioretention basins, vegetated swales, and hydrodynamic separators to reduce the amount of runoff from the site and improve water quality. Any storm water overflows or surface sheeting should be directed away from neighboring private properties and to the public right of way as much as reasonably possible.

All storm drain inlets shall be clearly marked with the words “No Dumping – Flows to Creek” using permanently affixed metal medallions or equivalent, as approved by the Environmental Programs Division.

6. **C.3 REQUIREMENTS**

C.3 regulated improvements are required for all projects creating and/or replacing 10,000 S.F. or more of impervious surface (collectively over the entire project site). The developer shall reserve a minimum of 4% of developable surface area for the placement of low impact development measures, for storm water treatment, unless an alternative storm water treatment plan, that satisfies C.3 requirements, is approved by the Director of Public Works.

The Applicant must include the use and maintenance of site design, source control and storm water treatment Best Management Practices (BMPs), which must be designed per approved numeric sizing criteria. A Storm Water Management Plan, Storm Water Facilities Easement Agreement, Storm Water Facilities Operation and Maintenance Agreement, and certification of ongoing operation and maintenance of treatment BMPs are each required.

All storm water management plans are required to obtain certification from a City approved third party reviewer.

7. **SUBDIVISION AGREEMENT**

The project developer shall enter into a subdivision agreement with the City of Cupertino providing for payment of fees, including but not limited to checking and inspection fees, storm drain fees, park dedication fees and fees for under grounding of utilities. Said agreement shall be executed prior to recordation of Final Map.

Fees:

- a. Checking & Inspection Fees: Per current fee schedule (\$4,482 or 5% improvement cost)
- b. Grading Permit: Per current fee schedule (\$3,450 or 6% of improvement costs)
- c. Final Map Fee: Per current fee schedule \$11,527
- d. Storm Drainage Fee: Per current fee schedule \$11,850 (Residential 83%: \$3,777 per AC + \$286/unit & Commercial – 17%: \$10,169 per AC)
- e. Transportation Impact Fee: Per current fee schedule \$134,626 (single family \$6,631 per unit; multi-family - \$4,112 per unit; retail - \$10.67/sf.)
- f. Encroachment Permit Fee: Per current fee schedule (\$3,095 or 5% of improvement cost)
- g. Park Fees: Per current fee schedule: \$1,080,000 (\$60,000/unit)
- h. Storm Management Plan Fee Per current fee schedule \$1,484
By Developer
Per current fee schedule \$4,132

Bonds:

Faithful Performance Bond: 100% of Off-site and On-site Improvements

Labor & Material Bond: 100% of Off-site and On-site Improvement

On-site Grading Bond: 100% of site improvements.

-The fees described above are imposed based upon the current fee schedule adopted by the City Council. However, the fees imposed herein may be modified at the time of recordation of a final map or issuance of a building permit in the event of said change or changes, the fees changed at that time will reflect the then current fee schedule.

-The fees described above are imposed based upon the current fee schedule adopted by the City Council. However, the fees imposed herein may be modified at the time of recordation of a final map or issuance of a building permit in the event of said change or changes, the fees changed at that time will reflect the then current fee schedule.

8. **FINAL MAP**

A final map will be subject to City Council approval and shall be recorded prior to issuance of building permits. Existing buildings must be demolished prior to recordation of the final map as building(s) cannot straddle between lot lines. The proposed Public Utility, Sanitary, Storm Drainage, and Emergency Vehicular Access Easements shown on Tentative Maps are subject to change based on the final street improvements and utility design.

9. **GATEWAY MONUMENT SIGN**

At street improvement plan stage, the Applicant shall fabricate and install a gateway monument sign in the median of Stevens Creek Boulevard, east of Hwy 85. The precise location, design and size of the gateway monument sign shall be to the satisfaction of the Director of Public Works.

10. **STORM DRAINAGE**

Prior to the Final Map approval, the Applicant shall address and mitigate the storm drainage impact as the result of the environmental impact study.

Drainage shall be provided to the satisfaction of the Director of Public Works. Hydrology and pre- and post-development hydraulic calculations must be provided to indicate whether additional storm water control measures are to be constructed or renovated. The storm drain system may include, but is not limited to, subsurface storage of peak stormwater flows (as needed), bioretention basins, and Low Impact Development measures to reduce the amount of runoff from the site and improve water quality.

All storm drain inlets shall be clearly marked with the words “No Dumping – Flows to Creek” using permanently affixed metal medallions or equivalent, as approved by the Environmental Programs Division.

Project will be required to install stormwater trash capture facilities that meet the requirements established by Municipal Regional Permit. Trash capture devices shall be located onsite and shall be situated so as to ensure trash carried by storm water is collected onsite and does not flow directly to the City storm drain system. Applicant's engineer shall design and size the trash capture devices to ensure that in the event the devices cause an obstruction to onsite stormwater flow, onsite flooding does not occur.

11. ROADWAY EASEMENT VACATION

A portion of an existing roadway easement is to be vacated. Easement vacation is subject to City Council approval. Roadway easement must be vacated prior to Final Map or as part of Final Map approval.

12. TRANSPORTATION IMPACT FEES

The Project is subject to the payment of Transportation Impact Fees under City's Transportation Impact Fee Program under (Chapter 14.02 of the Cupertino Municipal Code).

13. PARKS

The residential project is subject to the payment of park fees in-lieu of park land dedication under City's Park Land Dedication Fee (Chapter 13.08 of the Cupertino Municipal Code) or the Dedications and Reservations (Chapter 18.24 of the Cupertino Municipal Code).

14. SURVEYS

A Boundary Survey and a horizontal control plan will be required for all new construction to ensure the proposed building will be set based on the boundary survey and setback requirements.

15. TRASH, RECYCLING AND COMPOST ENCLOSURES

Trash enclosure plans must be designed in accordance with the City's "Public Works Guidelines" posted at www.cupertino.org/nowaste, and to the satisfaction of the Environmental Programs Manager. Clearance by the Public Works Department is required prior to obtaining a building permit. (CMC 9.18.210 H & K)

Applicant shall enter into an agreement with the City that indemnifies and holds harmless both the City and the refuse and recycling collection company (Recology) from and against any harm, damage or maintenance that may occur or become necessary to onsite paving stone driveway surfaces.

16. OPERATIONS & MAINTENANCE AGREEMENT

Developer shall enter into an Operations & Maintenance Agreement with the City prior to final occupancy. The Agreement shall include the operation and maintenance for non-standard appurtenances in the public road right-of-way that may include, but is not limited to, sidewalk, pavers, and street lights.

17. UNDERGROUND UTILITIES

Developer shall comply with the requirements of the Underground Utilities Ordinance No. 331 and other related Ordinances and regulations of the City of Cupertino, and shall coordinate with affected utility providers for installation of underground utility devices. Developer shall submit detailed plans showing utility underground provisions. Said plans shall be subject to prior approval of the affected Utility provider and the Director of Public Works.

18. TRANSFORMERS & CABINETS

Electrical transformers, telephone cabinets and similar equipment shall be placed in underground vaults. The developer must receive written approval from both the Public Works Department and the Community Development Department prior to installation of any above ground equipment. Should above ground equipment be permitted by the City, equipment and enclosures shall be screened with fencing and landscaping such that said equipment is not visible from public street areas, as determined by the Community Development Department. Transformers shall not be located in the front or side building setback area.

19. WATER BACKFLOW PREVENTERS

Domestic and Fire Water Backflow preventers and similar above ground equipment shall be placed away from the public right of way and site driveways to a location approved by the Cupertino Planning Department, Santa Clara County Fire Department and the water company.

20. BEST MANAGEMENT PRACTICES

Utilize Best Management Practices (BMPs), as required by the State Water Resources Control Board, for construction activity, which disturbs soil. BMP plans shall be included in grading and street improvement plans.

21. NPDES CONSTRUCTION GENERAL PERMIT

When and where it is required by the State Water Resources Control Board (SWRCB), the developer must obtain a Notice of Intent (NOI) from the SWRCB, which encompasses preparation of a Storm Water Pollution Prevention Plan (SWPPP), use of construction Best Management Practices (BMPs) to control storm water runoff quality, and BMP inspection and maintenance.

22. EROSION CONTROL PLAN

Developer must provide an approved erosion control plan by a Registered Civil Engineer. This plan should include all erosion control measures used to retain materials on site. Erosion control notes shall be stated on the plans.

23. WORK SCHEDULE

Every 6 months, the developer shall submit a work schedule to the City to show the timetable for all grading/erosion control work in conjunction with this project.

24. TRAFFIC CONTROL PLAN

The developer must submit a traffic control plan by a Registered Traffic Engineer to be approved by the City. The plan shall include a temporary traffic control plan for work in the right of way as well as a routing plan for all vehicles used during construction. All traffic control signs must be reviewed and approved by the City prior to commencement of work. The City has adopted Manual on Uniform Traffic Control Devices (MUTCD) standards for all signage and striping work throughout the City.

25. STREET TREES

Street trees shall be planted within the Public Right of Way to the satisfaction of the Director of Public Works and shall be of a type approved by the City in accordance with Ordinance No. 125.

26. FIRE PROTECTION

Fire sprinklers shall be installed in any new construction to the approval of the City.

27. SANTA CLARA COUNTY FIRE DEPARTMENT

A letter of clearance for the project shall be obtained from the Santa Clara County Fire Department prior to issuance of building permits. Clearance should include written approval of the location of any proposed Fire Backflow Preventers, Fire Department Connections and Fire Hydrants (typically Backflow Preventers should be located on private property adjacent to the public right of way, and fire department connections must be located within 100' of a Fire Hydrant).

28. FIRE HYDRANT

Fire hydrants shall be located as required by the City and Santa Clara County Fire Department as needed.

29. DEDICATION OF UNDERGROUND WATER RIGHTS

Developer shall “quit claim” to the City all rights to pump, take or otherwise extract water from the underground basin or any underground strata in the Santa Clara Valley.

30. UTILITY EASEMENTS

Clearance approvals from the agencies with easements on the property (including PG&E, AT&T, and California Water Company, and/or equivalent agencies) will be required prior to recordation of Final Map or issuance of building permits, whichever comes first. Provide letters from PG&E and AT&T to state their concurrence with the proposed easement relocation.

**SECTION V: CONDITIONS ADMINISTERED BY THE SANTA CLARA COUNTY
FIRE DEPARTMENT**

1. DEVELOPMENT REVIEW:

Review of this Developmental proposal is limited to acceptability of site access and water supply as they pertain to fire department operations and shall not be construed as a substitute for formal plan review to determine compliance with adopted model codes. Prior to performing any work the applicant shall make application to, and receive from, the Building Department all applicable construction permits.

2. EMERGENCY RADIO RESPONDER COVERAGE

As noted on Sheet A1.1) Emergency responder radio coverage in new buildings. All new buildings shall have approved radio coverage for emergency responders within the building based upon the existing coverage levels of the public safety communication systems of the jurisdiction at the exterior of the building. This section shall not require improvement of the existing public safety communication systems. Refer to CFC Sec. 510 for further requirements. This system is required for Building 1.

3. PUBLIC/PRIVATE FIRE HYDRANTS REQUIRED

(As noted on Sheet C8A) Provide public fire hydrant(s) at location(s) to be determined jointly by the Fire Department and San Jose Water Company. Maximum hydrant spacing shall be 500 feet, with a minimum single hydrant flow of (to be determined at a later date) residual. Fire hydrants shall be provided along required fire apparatus access roads and adjacent public streets. CFC Sec. 507, and Appendix B and associated Tables, and Appendix C. Approved Hydrant Plan (PC 20-1062) included in plan set. Please note that FDC location will be further reviewed for compliance with SCCFD SP-2.

4. **FIRE SPRINKLERS REQUIRED:**

(As noted on Sheet A0) Approved automatic sprinkler systems in new and existing buildings and structures shall be provided in the locations described in this Section or in Sections 903.2.1 through 903.2.18 whichever is the more restrictive. For the purposes of this section, firewalls used to separate building areas shall be constructed in accordance with the California Building Code and shall be without openings or penetrations. NOTE: The owner(s), occupant(s) and any contractor(s) or subcontractor(s) are responsible for consulting with the water purveyor of record in order to determine if any modification or upgrade of the existing water service is required. A State of California licensed (C-16) Fire Protection Contractor shall submit plans, calculations, a completed permit application and appropriate fees to this department for review and approval prior to beginning their work. CFC Sec. 903.2 as adopted and amended by LOSMC.

5. **WATER SUPPLY REQUIREMENTS**

Potable water supplies shall be protected from contamination caused by fire protection water supplies. It is the responsibility of the applicant and any contractors and subcontractors to contact the water purveyor supplying the site of such project, and to comply with the requirements of that purveyor. Such requirements shall be incorporated into the design of any water-based fire protection systems, and/or fire suppression water supply systems or storage containers that may be physically connected in any manner to an appliance capable of causing contamination of the potable water supply of the purveyor of record. Final approval of the system(s) under consideration will not be granted by this office until compliance with the requirements of the water purveyor of record are documented by that purveyor as having been met by the applicant(s). 2016 CFC Sec. 903.3.5 and Health and Safety Code 13114.7.

6. **PARKING**

When parking is permitted on streets, in both residential/commercial applications, it shall conform to the following:

- parking is permitted both sides of the street with street widths of 36 feet or more
- parking is permitted on one side of the street with street widths of 28 – 35 feet
- no parking is permitted when street widths are less than 28 feet

7. **FIRE LANE MARKING REQUIRED:**

As noted on Sheet A1.1) Provide marking for all roadways within the project. Markings shall be per fire department specifications. Installations shall also conform to Local Government Standards and Fire Department Standard Details and Specifications A-6. CFC Sec. 503.3.

8. **TWO WAY COMMUNICATION SYSTEM:**

(As noted on Sheet A1.1) Two-way communication systems shall be designed and installed in accordance with NFPA 72 (2016 edition), the California Electrical Code (2013 edition), the California Fire Code (2016 edition), the California Building Code (2016 edition), and the city ordinances where two way system is being installed, policies, and standards. Other standards also contain design/installation criteria for specific life safety related equipment. These other standards are referred to in NFPA 72.

9. **FIRE ALARM SYSTEM REQUIREMENT**

(As noted on Sheet A1.1) The building shall be provided with a fire alarm system in accordance with CFC #907.2.9.

10. **REQUIRED EMERGENCY ACCESS**

(As noted on Sheet A1.1) Minimum clear width: The minimum clear width of fire department access roads shall be 20 feet. Facilities, buildings, or portions of buildings hereafter constructed shall be accessible to fire department apparatus by way of an approved fire apparatus access road (including bridges and culverts) with an asphalt, concrete or other approved driving surface capable of supporting the imposed load of fire apparatus weighing at least 75,000 pounds (34050 kg) or as otherwise determined by the fire code official. The proposed location of the new structure and revised locations of parking spaces impedes the minimum required access to portions of both the new and existing structures. CFC Sec. 503 and SCCFD SD&S A-1.

11. **GROUND LADDER ACCESS**

(As noted Sheet A1) Ground-ladder access rescuer from second and third floor rooms shall be made possible for fire department operations. With the climbing angle of seventy-five degrees maintained, an approximate walkway width along either side of the building shall be no less than seven feet clear. Landscaping shall not be allowed to interfere with the required access. CFC Sec. 503 and 1029 NFPA 1932 Sec. 5.1.8 through 5.1.9.2. Required for all residential townhouses/rowhouses and each emergency egress window.

12. **ADDRESS IDENTIFICATION**

New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Where required by the fire code official, address numbers shall be provided in additional approved locations to facilitate emergency response. Address numbers shall be Arabic numbers or alphabetical letters. Numbers shall be a minimum of 4 inches (101.6 mm) high with a minimum stroke width of 0.5 inch (12.7

mm). Where access is by means of a private road and the building cannot be viewed from the public way, a monument, pole or other sign or means shall be used to identify the structure. Address numbers shall be maintained. CFC Sec. 505.1

13. CONSTRUCTION SITE FIRE SAFETY

All construction sites must comply with applicable provisions of the CFC Chapter 33 and our Standard Detail and Specification SI-7. Provide appropriate notations on subsequent plan submittals, as appropriate to the project. CFC Chp. 33.

14. ROADWAY VEHICLE SUPPORT

(As noted on Sheet A1.1) Documentation letter from a structural engineer verifying that the roadway over the underground parking structure shall be capable of supporting 75,000 pounds provided.

SECTION VI: CONDITIONS ADMINISTERED BY THE OFFICE OF COMMUNITY DEVELOPMENT – BUILDING DIVISION

1. CALIFORNIA BUILDING CODE:

The proposed scope of work shall comply with the 2019 California Building Code Chapter 11A.

SECTION VII: CONDITIONS ADMINISTERED BY THE CUPERTINO SANITARY DISTRICT

- District will require developer/owner to enter into an Installer's Agreement. If the project is approved in Planning Phase and moves into final design, please have the developer/engineer contact CUSD to initiate the Installer's Agreement.
- New Cupertino Sanitary District Permit Fees & Service Charges were approved on December 5th, 2018 and were implemented on December 18th, 2018.
- Cupertino Sanitary District **Lateral Plan Check Fee (\$300) (O.C. 7102.3.1)** will be required during the Building Permit Phase
- Cupertino Sanitary District **Grease Control Device Plan Check Fee (\$800) (O.C. 7102-3.2)** will be required during the Building Permit Phase for Restaurant.
- Cupertino Sanitary District **Treatment Plant Capacity Fee – Non-Residential Fee** is required for the subject improvements (**O.C. 7202**) during the Building Permit Phase
 - Commercial Retail Store (Greater than 5,000 SF) is \$0.81/SF
 - Full Service Restaurant is \$15.51/SF
- Cupertino Sanitary District **Pump Zone Fee** is required for the subject improvements. (**O.C. 7202**) during the Building Permit Phase
 - Commercial Retail Store (Greater than 5,000 SF) is \$0.38/SF
 - Full Service Restaurant is \$6.37/SF

- Disconnecting & Capping Fee (\$1000) is required for the five existing laterals.
 - Five (5) existing sanitary sewer laterals serving property shall be abandoned and disconnected from the Sanitary sewer mainline and manholes.
 - See attached APN map in submittal 1 for reference.
- To install New Property Line Cleanout (PLCO) as per District Standard, see details 9/12 in Submittal 1.
- Offsite and onsite sewer manholes (MH) shall be constructed to CuSD standards.
- Grant Sanitary Sewer Easements dedicated to CUSD for mainlines located within property.
- Sanitary sewer mainlines within private property shall be located within roadway for ease of maintenance.
- On site sewer that serves more than one legal parcel, District will require “DISTRICT SANITARY SEWER EASEMENT”, not PRIVATE/PUE.
- Restaurant and Kitchen area must connect to adequately sized Grease control device. Grease control devices must be sized by Cupertino Sanitary District.
- On Sheet C8, it required the 2.5” force main from basement sump pump to go with sand/oil separator. Attached CUSD standard details 15 for reference. (Only if it is connected to a sewer line to pump out sewer in the basement. It is not applicable if it is a sump pump to pump out the basement in case it floods – for SD purpose)
- A backflow device will be requires if the elevation of the lowest finished floor with plumbing is less than 12” above the nearest upstream manhole.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

SIGNED: <hr style="width: 25%; margin-left: 0;"/> Darcy Paul, Mayor City of Cupertino	<hr style="width: 25%; margin-left: 0;"/> Date
---	--

ATTEST:	
<hr/> Kirsten Squarcia, City Clerk	<hr/> Date

RESOLUTION NO. ____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING AN ARCHITECTURAL AND SITE APPROVAL PERMIT TO
CONSTRUCT A MIXED-USED DEVELOPMENT CONSISTING OF
EIGHTEEN (18) RESIDENTIAL UNITS AND 4,500 SQUARE FEET OF
COMMERCIAL SPACE LOCATED AT 10625 SOUTH FOOTHILL BOULEVARD
(APN: 342-16-087 & 088)

SECTION I: PROJECT DESCRIPTION

Application No.: ASA-2018-09
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

SECTION II: FINDINGS FOR ARCHITECTURAL AND SITE APPROVAL:

WHEREAS, the Planning Commission of the City of Cupertino received an application for an Architectural and Site Approval Permit as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 5-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 5-0 vote that the City Council approve Zone Map Amendment (Z-2018-02), in substantially similar form to the Resolution presented (Resolution No. 6938) approve the Vesting Tentative Map (TM-2018-04), in substantially similar form to the Resolution presented (Resolution No. 6940), approve the Development Permit (DP-2018-07) in substantially similar form to the Resolution presented (Resolution No. 6939), approve the Architectural and Site Approval Permit (ASA-2018-09) in substantially similar form to the Resolution presented (Resolution No. 6941), approve the Use Permit (U-2018-04) in substantially similar form to the Resolution presented (Resolution No. 6942), approve the Tree Removal Permit (TR-2018-39) in substantially similar form to the Resolution presented (Resolution No. 6943); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on December 21, 2021, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 13, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Development Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for an Architectural and Site Approval Permit; and

WHEREAS, the City Council finds as follows with regard to this application:

1. The proposal, at the proposed location, will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience;

Given that the project is consistent with the General Plan and applicable portions of the Municipal Code; all mitigation measures identified in the Initial Study/Mitigated Negative Declaration that are within the responsibility and jurisdiction of the City have been adopted and incorporated into the project to mitigate potential impacts to a less than significant level, the project will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience.

2. The proposal is consistent with the purposes of Chapter 19.168, the General Plan, any specific plan, zoning ordinances, applicable planned development permit, conditional use permits, variances, subdivision maps or other entitlements to use which regulate the subject property including, but not limited to, adherence to the following specific criteria:

- a) Abrupt changes in building scale should be avoided. A gradual transition related to height and bulk should be achieved between new and existing buildings.

The proposed project is a redevelopment of a commercial site with a residential unit to allow for a new multi-story mixed use development. The commercial component of the project has been located away from the adjoining single-family building. Additionally, the proposed small-lot single family homes have been located along the perimeter, and the project has incorporated various landscape elements to buffer the proposed project from the residential units. Further, the project uses similar design and material throughout to transition between structures.

- b) In order to preserve design harmony between new and existing building and in order to preserve and enhance property values, the materials, textures and colors of new building should harmonize with adjacent development by being consistent or compatible with design and color schemes with the future character of the neighborhoods and purposes of the zone in which they are situated. The location, height and materials of walls, fencing, hedges and screen planting should harmonize with adjacent development. Unsightly storage areas, utility installations and unsightly elements of parking lots should be concealed. The planting of ground cover or various types of pavements should be used to prevent dust and erosion, and the unnecessary destruction of existing healthy trees should be avoided. Lighting for development should be adequate to meet safety requirements as specified by the engineering and building departments, and provide shielding to prevent spill-over light to adjoining property owners.

The design quality of the development is consistent with the high-quality standards encouraged by City Staff. The architectural style is consistent throughout the development. Further, the planting plan provides extensive ground cover and canopy throughout the project, and provides planting screening for adjacent properties. Utility installation has been designed to be screened by landscaping and or incorporated into the building design. The final lighting for the development will be reviewed as part of the review of the project construction documents to ensure that they meet safety requirements and ensure consistency with the City's lighting regulations.

- c) The number, location, color, size, height, lighting and landscaping of outdoor advertising signs and structures shall minimize traffic hazards and shall positively

affect the general appearance of the neighborhood and harmonize with adjacent development; and

Signage approval is not included in this application.

- d) With respect to new projects within existing residential neighborhoods, new development should be designed to protect residents from noise, traffic, light and visually intrusive effects by use of buffering, setbacks, landscaping, walls and other appropriate design measures.

The project abuts residential development along the side and rear of the property. The project proposes increased setbacks when abutting single-family homes. Additionally, the project incorporates landscape plantings along the perimeter to help screen the development. Further, the project will be required to meet the City's noise and lighting regulation to avoid any intrusive effects. Finally, the primary vehicle access to the site is located furthest away from the adjacent residential buildings.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06), subject to the conditions which are enumerated in this Resolution, beginning on PAGE 3 herein, and subject to the conditions contained in all other Resolutions approved for this Project,

The application for an Architectural and Site Approval, Application No. ASA-2018-09, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application no. ASA-2018-09 as set forth in the Minutes of the City Council Meeting of January 13, 2022, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated September 15, 2020 consisting of 55 sheets labeled as Canyon Crossings Mixed-Use Development, A0-A6, E1.1, L1.0-L3.1, C1-C14, and ST2 prepared by LPMD Architects, TS Civil Engineering, and Reed Associates, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. CONCURRENT APPROVAL CONDITIONS

The conditions of approval contained in file nos. Z-2018-02, TM-2018-04, U-2018-04, DP-2018-07, TR-2018-39, and EA-2018-06 shall be applicable to this approval.

4. ANNOTATION OF THE CONDITIONS OF APPROVAL

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. EXTERIOR BUILDING MATERIALS/TREATMENTS

The final building exterior plan shall closely resemble the details shown on the original approved plans. Final building exterior treatment plan (including but not limited to details on exterior color, materials, architectural treatments, doors, windows, lighting fixtures, and/or embellishments) shall be reviewed and approved by the Director of Community Development prior to issuance of building permits to ensure quality and consistency. Any exterior changes determined to be substantial by the Director of Community Development shall either require a modification to this permit or a new permit based on the extent of the change.

Any future exterior changes must be reviewed and approved by the Property Owner's Association prior to permit application with the City. Substantial changes to materials from previously approved materials must be reviewed and approved for the development as a whole with review and approval of a new Architectural and Site Approval permit.

6. LANDSCAPE INSTALLATION REPORT

The project is subject to all provisions delineated in the Landscape Ordinance (CMC, Chapter 14.15). A landscape installation audit shall be conducted by a certified landscape professional after the landscaping and irrigation system have been installed. The findings of the assessment shall be consolidated into a landscape installation report.

The landscape installation report shall include, but is not limited to: inspection to confirm that the landscaping and irrigation system are installed as specified in the landscape and irrigation design plan, system tune-up, system test with

distribution uniformity, reporting overspray or run-off that causes overland flow, and preparation of an irrigation schedule.

The landscape installation report shall include the following statement: "The landscape and irrigation system have been installed as specified in the landscape and irrigation design plan and complies with the criteria of the ordinance and the permit."

7. LANDSCAPE INSTALLATION/REHABILITATION SUBMITTAL

Prior to issuance of building permits, the applicant shall submit a Prescriptive Compliance Application per sections 14.15.040 A, B, and C of the Landscape Ordinance. The Water-Efficient Design Checklist (Appendix A of Chapter 14.15), landscape design plans, and irrigation plans shall be reviewed and approved to the satisfaction of the Director of Community Development prior to issuance of building permits. A full Landscape Documentation Package submittal will be required if more than 500 square feet of landscaping is proposed.

8. LANDSCAPE AND IRRIGATION MAINTENANCE

Per the City's Landscape Ordinance (CMC, Chapter 14.15), a maintenance schedule shall be established and submitted to the Director of Community Development or his/her designee, either with the landscape application package, with the landscape installation report, or any time before the landscape installation report is submitted.

- a) Schedules should take into account water requirements for the plant establishment period and water requirements for established landscapes.
- b) Maintenance shall include, but not be limited to the following: routine inspection; pressure testing, adjustment and repair of the irrigation system; aerating and de-thatching turf areas; replenishing mulch; fertilizing; pruning; replanting of failed plants; weeding; pest control; and removing obstructions to emission devices.
- c) Failed plants shall be replaced with the same or functionally equivalent plants that may be size-adjusted as appropriate for the stage of growth of the overall installation. Failing plants shall either be replaced or be revived through appropriate adjustments in water, nutrients, pest control or other factors as recommended by a landscaping professional.

Note that all landscape and trees planted is considered protected per the City's Protected Trees Ordinance. Tree Removal permits are required prior to removal of any trees.

9. LANDSCAPE PROJECT SUBMITTAL

Prior to issuance of building permits, the applicant shall submit a full Landscape Documentation Package, per sections 14.15.050 A, B, C, and D of the Landscape Ordinance, for projects with landscape area 500 square feet or more or elect to submit a Prescriptive Compliance Application per sections 14.15.040 A, B, and C for projects with landscape area between 500 square feet and 2,500 square feet. The Landscape Documentation Package or Prescriptive Compliance Application shall be reviewed and approved to the satisfaction of the Director of Community Development prior to issuance of building permits, and additional requirements per sections 14.15.040 D, E, F, and G or 14.15.050 E, F, G, H, and I will be required to be reviewed and approved prior to final inspections.

10. SOIL ANALYSIS REPORT

A soils analysis report shall document the various characteristics of the soil (e.g. texture, infiltration rate, pH, soluble salt content, percent organic matter, etc) and provide recommendations for amendments as appropriate to optimize the productivity and water efficiency of the soil.

The soil analysis report shall be made available to the professionals preparing the landscape and irrigation design plans in a timely manner either before or during the design process. A copy of the soils analysis report shall be submitted to the Director of Community Development as part of the landscape documentation package.

11. LANDSCAPE AND IRRIGATION PLANS

The applicant shall submit detailed landscape and irrigation plans to be reviewed and approved by ___ prior to issuance of building permits. The landscape plan shall include water conservation and pesticide reduction measures in conformance with Chapter 14.15, Landscape Ordinance, and the pesticide control measures referenced in Chapter 9.18, Stormwater Pollution Prevention and Watershed Protection, of the Cupertino Municipal Code.

12. DARK SKY COMPLIANCE AND/OR BIRD SAFE COMPLIANCE

Prior to issuance of Building Permits, the applicant/property owner shall submit final plans in compliance with the approved lighting plans to comply with development standards of Cupertino Municipal Code Section 19.102.030 Bird-Safe Development Requirements and/or Section 19.102.040 Outdoor Lighting Requirements. In the event changes are proposed from the approved plans, said changes must be reviewed and approved by the Director of Community

Development or their designee. The applicant shall provide all documentation required to determine compliance with the Municipal Code.

13. SIGNAGE

Signage is not approved with this use permit application. Signage shall conform to the City Sign Code.

14. TRANSFORMERS

Electrical transformers, telephone cabinets and similar equipment shall be placed in underground vaults. The developer must receive written approval from both the Public Works Department and the Community Development Department prior to installation of any above ground equipment. Should above ground equipment be permitted by the City, equipment and enclosures shall be screened with fencing and landscaping such that said equipment is not visible from public street areas, as determined by the Community Development Department. Transformers shall not be located in the front or street side building setback area.

15. UTILITY STRUCTURE PLAN

Prior to issuance of building permits, the applicant shall work with staff to provide a detailed utility plan to demonstrate screening or undergrounding of all new utility structures [including, but not limited to backflow preventers (BFP), fire department connections (FDC), post-indicator valves (PIV), and gas meters] to the satisfaction of the Director of Community Development, Public Works, Fire Department, and applicable utility agencies.

16. CONSULTATION WITH OTHER DEPARTMENTS

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

17. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project,

the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

18. NOTICE OF FEES, DEDICATIONS, RESERVATIONS, OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022, by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

SIGNED: _____ Darcy Paul, Mayor City of Cupertino	 _____ Date
ATTEST: _____ Kirsten Squarcia, City Clerk	 _____ Date

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING A USE PERMIT TO ALLOW A MIXED-USED
DEVELOPMENT CONSISTING OF EIGHTEEN (18) RESIDENTIAL
UNITS AND 4,500 SQUARE FEET OF COMMERCIAL SPACE ON A
NON-HOUSING ELEMENT SITE LOCATED AT 10625 SOUTH
FOOTHILL BOULEVARD (APN: 342-16-087 & 088)

SECTION I: PROJECT DESCRIPTION

Application No.: U-2018-04
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

SECTION II: FINDINGS FOR A USE PERMIT:

WHEREAS, the City of Cupertino received an application for a Use Permit as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 5-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 5-0 vote that the City Council approve Zone Map Amendment (Z-2018-02), in substantially

similar form to the Resolution presented (Resolution No. 6938) approve the Vesting Tentative Map (TM-2018-04), in substantially similar form to the Resolution presented (Resolution No. 6940), approve the Development Permit (DP-2018-07) in substantially similar form to the Resolution presented (Resolution No. 6939), approve the Architectural and Site Approval Permit (ASA-2018-09) in substantially similar form to the Resolution presented (Resolution No. 6941), approve the Use Permit (U-2018-04) in substantially similar form to the Resolution presented (Resolution No. 6942), approve the Tree Removal Permit (TR-2018-39) in substantially similar form to the Resolution presented (Resolution No. 6943); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on December 21, 2021, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 13, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Use Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Development Permit.

WHEREAS, the City Council finds as follows with regard to this application:

- a) The proposed development, at the proposed location, will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience;

Given that the project is consistent with the densities and land uses as allowed in the General Plan and Zoning Ordinance, with the approval of the Zone Map Amendment (Z-2018-02), the project will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience.

- b) The proposed development will be located and conducted in a manner in accord with the Cupertino General Plan and the purpose of the City's zoning ordinances.

The proposed development is in conformance with the Cupertino General Plan and Municipal

Code since the Project is consistent with the existing land use designations (Commercial, Residential), Municipal Code requirements, including but not limited to, parking regulations, open space, density.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Use Permit, Application No. U-2018-04, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application no. U-2018-04 as set forth in the Minutes of the City Council Meeting of January 13, 2022, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. **APPROVED EXHIBITS**

Approval is based on the plan set dated September 15, 2020 consisting of 55 sheets labeled as Canyon Crossings Mixed-Use Development, A0-A6, E1.1, L1.0-L3.1, C1-C14, and ST2 prepared by LPMD Architects, TS Civil Engineering, and Reed Associates, except as may be amended by conditions in this resolution.

2. **ACCURACY OF PROJECT PLANS**

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. **CONCURRENT APPROVAL CONDITIONS**

The conditions of approval contained in file nos. Z-2018-02, TM-2018-04, DP-2018-07, ASA-2018-09, TR-2018-39, and EA-2018-06 shall be applicable to this approval.

4. **ANNOTATION OF THE CONDITIONS OF APPROVAL**

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. **CONSULTATION WITH OTHER DEPARTMENTS**

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

6. **INDEMNIFICATION**

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary

by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

7. NOTICE OF FEES, DEDICATIONS, RESERVATIONS OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <p>_____</p> <p>Darcy Paul, Mayor City of Cupertino</p>	<p>_____</p> <p>Date</p>
<p>ATTEST:</p> <p>_____</p>	<p>_____</p> <p>Date</p>

Kirsten Squarcia, City Clerk	
------------------------------	--

RESOLUTION NO. ____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING OF A TREE REMOVAL PERMIT TO ALLOW THE REMOVAL
AND REPLACEMENT OF FOUR (4) PROTECTED TREES TO ACCOMMODATE
THE CONSTRUCTION OF A MIXED-USED DEVELOPMENT CONSISTING OF
EIGHTEEN (18) RESIDENTIAL UNITS AND 4,500 SQUARE FEET OF
COMMERCIAL SPACE LOCATED AT 10625 SOUTH FOOTHILL BOULEVARD
(APN: 342-16-087 & 088)

SECTION I: PROJECT DESCRIPTION

Application No.: TR-2018-39
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

SECTION II: FINDINGS FOR TREE REMOVAL:

WHEREAS, the City of Cupertino received an application for a Development Permit as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 5-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that

are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 5-0 vote that the City Council approve Zone Map Amendment (Z-2018-02), in substantially similar form to the Resolution presented (Resolution No. 6938) approve the Vesting Tentative Map (TM-2018-04), in substantially similar form to the Resolution presented (Resolution No. 6940), approve the Development Permit (DP-2018-07) in substantially similar form to the Resolution presented (Resolution No. 6939), approve the Architectural and Site Approval Permit (ASA-2018-09) in substantially similar form to the Resolution presented (Resolution No. 6941), approve the Use Permit (U-2018-04) in substantially similar form to the Resolution presented (Resolution No. 6942), approve the Tree Removal Permit (TR-2018-39) in substantially similar form to the Resolution presented (Resolution No. 6943); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on December 21, 2021, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 13, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Tree Removal Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Tree Removal Permit; and

WHEREAS, the City Council finds as follows with regard to this application:

- a) That the location of the trees restricts the economic enjoyment of the property by severely limiting the use of property in a manner not typically experienced by owners of similarly zoned and situated property, and the applicant has demonstrated to the satisfaction of the approval authority that there are no reasonable alternatives to preserve the tree(s).

In order to accommodate for the new development's residential and mixed-use buildings, proposed improvements, and parking facilities the existing trees cannot be preserved in their locations. The applicant proposes replacement trees throughout the site consistent with the

Municipal Code Ordinance requirements and proposes to additional trees and plantings where tree coverage and privacy plantings are needed.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Tree Removal Permit, Application No. TR-2018-39, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application No. TR-2018-39 as set forth in the Minutes of the City Council Meeting of January 13, 2022 Meeting, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated September 15, 2020 consisting of 55 sheets labeled as Canyon Crossings Mixed-Use Development, A0-A6, E1.1, L1.0-L3.1, C1-C14, and ST2 prepared by LPMD Architects, TS Civil Engineering, and Reed Associates, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. CONCURRENT APPROVAL CONDITIONS

The conditions of approval contained in file nos. Z-2018-02, TM-2018-04, U-2018-04, ASA-2018-09, DP-2018-07, and EA-2018-06 shall be applicable to this approval.

4. ANNOTATION OF THE CONDITIONS OF APPROVAL

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. TREE REPLACEMENT SIZE

The applicant shall provide adequate tree replacements for trees proposed to be removed in conformance with the replacement guidelines per Cupertino Municipal Code Section 14.18.160. The size of the proposed replacement trees shall be modified as follows to be consistent with the City's Protected Tree Ordinance unless deemed infeasible by the City's Consulting Arborist:

- a. Diameter of trunk size of removed tree up to 12 inches shall be replaced with one 24-inch box tree;
- b. Over 12 inches and up to 36 inches shall be replaced by two 24-inch box tree or one 36-inch box tree; and
- c. Over 36 inches shall be replaced with one 36-inch box tree.

If it is determined that it is physically not feasible to plant the required replacements trees, the Applicant may be allowed to pay an appropriate amount of in-lieu fees upon review and written approval of the Community Development Director.

6. ARBORIST REVIEW

Prior to building permit issuance, the number, location and species of trees shall be reviewed and approved by the City in consultation with the City's Consulting Arborist.

The replacement trees shall be planted prior to building permit final. The Applicant shall provide the Department of Community Development adequate documentation, including, but not limited to, photographs, receipts or invoices, to verify that replacements have been planted. The City's consulting arborist shall inspect the trees after planting and a report ascertaining the good health of the trees mentioned above shall be provided prior to issuance of final occupancy.

7. TREE PROTECTION

As part of the demolition or building permit drawings, a tree protection plan shall be prepared by a certified arborist for the trees to be retained. In addition, the following measures shall be added to the protection plan:

- For trees to be retained, chain link fencing and other root protection shall be installed around the dripline of the tree prior to any project site work.
- No parking or vehicle traffic shall be allowed under root zones, unless using buffers approved by the Project Arborist.
- No trenching within the critical root zone area is allowed. If trenching is needed in the vicinity of trees to be retained, the City's consulting arborist

- shall be consulted before any trenching or root cutting beneath the dripline of the tree.
- Wood chip mulch shall be evenly spread inside the tree projection fence to a four-inch depth.
- Tree protection conditions shall be posted on the tree protection barriers.
- Retained trees shall be watered to maintain them in good health.
- A covenant on the property shall be recorded that identifies all the protected trees, prior to final occupancy.

The tree protection measures shall be inspected and approved by the certified arborist prior to issuance of building permits. The City's consulting arborist shall inspect the trees to be retained and shall provide reviews prior to issuance of demolition, grading or building permits. A report ascertaining the good health of the trees mentioned above shall be provided prior to issuance of final occupancy.

8. PROTECTED TREES

The applicant understands that the replacement trees may not be removed without a Tree Removal Permit and that they shall be responsible for ensuring the proper maintenance and care of the trees. The applicant shall also disclose the location and species of all replacement trees on site upon sale of the property.

9. CONSULTATION WITH OTHER DEPARTMENTS

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

10. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs,

liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

11. NOTICE OF FEES, DEDICATIONS, RESERVATIONS, OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <hr/> <p>Darcy Paul, Mayor City of Cupertino</p>	 <hr/> <p>Date</p>
<p>ATTEST:</p> <hr/> <p>Kirsten Squarcia, City Clerk</p>	 <hr/> <p>Date</p>

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL APPROVING A VESTING
TENTATIVE MAP TO ALLOW A MIXED-USE DEVELOPMENT ON ONE
COMMON PARCEL AND FOURTEEN (14) INDIVIDUAL PARCELS LOCATED AT
10625 SOUTH FOOTHILL BOULEVARD (APN: 342-16-087 & 088)

SECTION I: PROJECT DESCRIPTION

Application No.: TM-2018-04
Applicant: Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard (APN#s 342-16-087 & 088)

SECTION II: FINDINGS FOR A TENTATIVE MAP:

WHEREAS, the City of Cupertino received an application for a Vesting Tentative Map as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 5-0-0 vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 5-0 vote that the City Council approve Zone Map Amendment (Z-2018-02), in substantially similar form to the Resolution presented (Resolution No. 6938) approve the Vesting

Tentative Map (TM-2018-04), in substantially similar form to the Resolution presented (Resolution No. 6940), approve the Development Permit (DP-2018-07) in substantially similar form to the Resolution presented (Resolution No. 6939), approve the Architectural and Site Approval Permit (ASA-2018-09) in substantially similar form to the Resolution presented (Resolution No. 6941), approve the Use Permit (U-2018-04) in substantially similar form to the Resolution presented (Resolution No. 6942), approve the Tree Removal Permit (TR-2018-39) in substantially similar form to the Resolution presented (Resolution No. 6943); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on December 21, 2021, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 13, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Vesting Tentative Map, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Use Permit; and

WHEREAS, the Planning Commission finds as follows with regard to this application:

- a. That the proposed subdivision map is consistent with the City of Cupertino General Plan.

The subject property is consistent with the General Plan since the property is permitted to have up to 15 dwelling units an acre. The proposed development is consistent with the intent of the policies of the General Plan for a mixed-use development on this site.

- b. That the design and improvements of the proposed subdivision are consistent with the General Plan.

The off-site improvements are consistent with the City's General Plan policies related to pedestrian and bicycle safety etc. by improving the street frontage, and minimizing curb-cuts.

- c. That the site is physically suitable for the type development contemplated under the approved subdivision.

The proposed subdivision is compatible with the adjoining land uses and no physical constraints are present that would conflict with anticipated land use development. There are no topographical anomalies that differentiate this property from adjacent properties. The site is located on the valley floor, as well as not listed within any environmentally sensitive zone.

- d. That the site is physically suitable for the intensity of development contemplated under the approved subdivision.

The subject property is physically suitable in size and shape in conformance to development standards and is appropriately configured to accommodate a multi-unit mixed-used development.

- e. That the design of the subdivision or the proposed improvements are not likely to cause substantial environmental damage nor substantially and avoidably injure fish and wildlife or their habitat.

The proposed subdivision design and improvements are not likely to cause serious public health problems nor substantially injure fish and wildlife or their habitat because the property is a developed site and located in an urbanized area where residential land use is allowed.

- f. That the design of the subdivision or the type of improvements associated therewith are not likely to cause serious public health problems.

The proposed development is consistent with the intent of the policies of the General Plan for a mixed-use development on this site, and the on-site and off-site improvements improve neighborhood walkability through improved sidewalk construction with size-appropriate driveway cuts and street and private trees planting.

- g. That the design of the subdivision and its associated improvements will not conflict with easements acquired by the public at large for access through or use of property within the proposed subdivision.

No easement or right-of-way exists currently that would be impeded or conflict with the proposed subdivision.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2018-06), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Vesting Tentative Map, Application No. TM-2018-04, is hereby approved, and that the subconclusions upon which the findings and conditions specified

in this Resolution are based are contained in the Public Hearing record concerning Application no. TM-2018-04 as set forth in the Minutes of the City Council Meeting of January 13, 2022 and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated September 15, 2020 consisting of 55 sheets labeled as Canyon Crossings Mixed-Use Development, A0-A6, E1.1, L1.0-L3.1, C1-C14, and ST2 prepared by LPMD Architects, TS Civil Engineering, and Reed Associates, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. CONCURRENT APPROVAL CONDITIONS

The conditions of approval contained in file nos. Z-2018-02, DP-2018-07, U-2018-04, ASA-2018-09, TR-2018-39, and EA-2018-06 shall be applicable to this approval.

4. ANNOTATION OF THE CONDITIONS OF APPROVAL

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. CONSULTATION WITH OTHER DEPARTMENTS

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

6. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties

or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

7. NOTICE OF FEES, DEDICATIONS, RESERVATIONS OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

CITY ENGINEER'S CERTIFICATE OF
ACCEPTANCE OF ENGINEERING/SURVEYING CONDITIONS
(Section 66474.18 California Government Code)

I hereby certify that the engineering and surveying conditions specified in Section IV. of this Resolution conform to generally accepted engineering practices.

Chad Mosley, Assistant Director of Public Works
City Engineer CA License 66077

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

SIGNED: _____ Darcy Paul, Mayor City of Cupertino	 _____ Date
ATTEST: _____ Kirsten Squarcia, City Clerk	 _____ Date

December 2021 | Revised Final Draft Initial Study



Canyon Crossings Mixed-Use Project Initial Study

for the City of Cupertino



December 2021 | Revised Final Draft Initial Study

Canyon Crossings Mixed-Use Project Initial Study

for the City of Cupertino

Prepared By:

PlaceWorks

Berkeley, California

510.848.3815

Table of Contents

TABLE OF CONTENTS	i
1. INTRODUCTION.....	2-1
1.1 Initial Study	2-1
1.2 Tiering Process	2-2
1.3 Report Organization	2-4
2. EXECUTIVE SUMMARY	2-1
2.1 Initial Study Checklist	2-1
2.2 Environmental Factors Potentially Affected	2-2
2.3 Determination	2-2
2.4 Summary of Impacts and Mitigation Measures	2-3
3. PROJECT DESCRIPTION	3-1
3.1 Project Location and Site Characteristics	3-1
3.2 Project Components	3-14
3.3 Required Permits and Approvals	3-32
4. ENVIRONMENTAL ANALYSIS.....	4-1
4.1 Discussion of Environmental Evaluation.....	4-1
I. Aesthetics.....	4-2
II. Air Quality	4-6
III. Biological Resources	4-17
IV. Cultural Resources	4-25
V. Energy	4-28
VI. Geology and Soils.....	4-31
VII. Greenhouse Gas Emissions.....	4-37
VIII. Hazards and Hazardous Materials	4-46
IX. Hydrology and Water Quality	4-53
X. Land Use and Planning.....	4-61
XI. Noise	4-63
XII. Population and Housing.....	4-71
XIII. Public Services	4-74
XIV. Parks and Recreation	4-76
XV. Transportation.....	4-78
XVI. Tribal Cultural Resources	4-89
XVII. Utilities and Service Systems	4-91

TABLE OF CONTENTS

XVIII. Wildfire.....	4-101
XIX. Mandatory Findings of Significance.....	4-104
5. MITIGATION MONITORING AND REPORTING PROGRAM.....	5-1
6. ORGANIZATIONS AND PERSONS CONSULTED.....	6-1
APPENDICES	
Appendix A: Air Quality and Greenhouse Gas Emissions Data	
Appendix B: Health Risk Assessment	
Appendix C: Noise Data	
Appendix D: Transportation Data	
Appendix E: Phase I Environmental Site Assessment	

In addition to these appendices, all documents cited in this report and used in its preparation are hereby incorporated by reference into this Initial Study. Copies of documents referenced herein are available for review at the City of Cupertino Community Development Department at 10300 Torre Avenue, Cupertino, California 95014.

LIST OF FIGURES

Figure 3-1	Regional and Vicinity Map.....	3-2
Figure 3-2	Aerial View of Project Site and Surroundings.....	3-3
Figure 3-3	Existing Conditions	3-5
Figure 3-4	Conceptual Site Plan.....	3-15
Figure 3-5	Mixed-Use Building Ground Floor	3-16
Figure 3-6	Mixed-Use Building Second Floor Apartments and Roof.....	3-17
Figure 3-7	Mixed-Use Building Subterranean Parking Level	3-18
Figure 3-8	Mixed-Use Building Elevation.....	3-19
Figure 3-9	Detached Single-Family Homes Elevation	3-21
Figure 3-10	Attached Single-Family Homes Elevation.....	3-22
Figure 3-11	Attached Single-Family Homes Elevation.....	3-23
Figure 3-12	Circulation Map	3-25
Figure 3-13	Proposed Landscape Plan.....	3-27
Figure 3-14	Proposed Lighting Plan	3-28
Figure 3-15	Utility Plan	3-30
Figure 4-1	Existing Pedestrian and Bicycle Facilities.....	4-82

TABLE OF CONTENTS

LIST OF TABLES

Table 1-1	General Plan EIR, General Plan, and the Proposed Project Comparison Table	2-3
Table 3-1	Demolition and Construction	3-31
Table 4-1	Existing Operation-Related Criteria Air Pollutant Emissions	4-7
Table 4-2	Construction-Related Criteria Air Pollutant Emissions Estimates	4-11
Table 4-3	Operational Criteria Air Pollutant Emissions Estimates	4-12
Table 4-4	Construction Risk Summary – Unmitigated	4-14
Table 4-5	Construction Risk Summary – Mitigated	4-15
Table 4-6	Existing GHG Emissions	4-38
Table 4-7	Project Operation and Construction GHG Emissions	4-38
Table 4-8	Cupertino Climate Action Plan Consistency Matrix	4-43
Table 4-9	Project-Related Construction Noise, Energy-Average (L_{eq}) Noise Levels, dBA	4-66
Table 4-10	Construction Equipment Vibration Levels	4-70
Table 4-11	Existing Vehicle Miles Traveled	4-81
Table 4-12	Proposed Vehicle Miles Traveled	4-83
Table 4-13	Project Trip Generation	4-83
Table 4-14	Water Demand for the Proposed Project	4-95
Table 4-15	WasteWater Demand for the Proposed Project	4-96
Table 4-16	Reasonably Foreseeable Development Projects in Cupertino	4-106
Table 5-1	Mitigation Monitoring and Reporting Program	5-2

TABLE OF CONTENTS

This page intentionally left blank.

1. Introduction

This document is an Initial Study for the Canyon Crossings Mixed-Use Project (proposed project) prepared by the City of Cupertino (City) to determine if the proposed project may have a significant effect on the environment. This Initial Study was prepared pursuant to the California Environmental Quality Act (CEQA) (Public Resources Code sections 21000 *et seq.*). Pursuant to Section 15051 of the State CEQA Guidelines,¹ the City is the lead agency for the proposed project.

The project site is located on a 1.57-acre site that is proposed for redevelopment by SCR Enterprises (the project applicant). The site is located at 10625 South Foothill Boulevard,² where South Foothill Boulevard meets Stevens Canyon Road. The project site is surrounded by single-family residential uses. The site is currently developed with three buildings, a surface parking lot, and associated landscaping. The proposed project would involve demolishing the existing structures and redeveloping the site with 4,536 square feet of commercial space and up to 18 residential units comprised of apartments, eight attached, and five detached single-family units. All proposed structures would have a maximum building height of 30 feet (two stories) and would include parking and associated landscaping. One level of below-grade parking garage would be located under the mixed-use building.

The project site is assigned Assessor's Parcel Numbers 342-16-087 and 342-16-088. The General Plan land use designation for the project site is Commercial/Residential and the Zoning District is Planning Development with General Commercial (P(CG)). The Commercial/Residential land use designation allows primarily commercial uses and secondarily residential uses, or a compatible combination of the two. The proposed project includes rezoning the project site to Planning Development with General Commercial and Residential (P(CG,Res)), to support the proposed residential uses intended to support commercial development. A detailed description of the proposed project is provided in Chapter 3, Project Description, of this Initial Study.

1.1 INITIAL STUDY

Pursuant to CEQA Guidelines Section 15063, an Initial Study is a preliminary environmental analysis that is used by the lead agency as a basis for determining what form of environmental review is required for a project. The CEQA Guidelines require that an Initial Study contain a project description, description of environmental setting, identification of environmental effects by checklist or other similar form, explanation of environmental effects, discussion of mitigation for significant environmental effects,

¹ The CEQA Guidelines are found in California Code of Regulations, Title, 14, Section 15000 *et seq.*

² There are several addresses assigned to the project site, but for the purposes of this Initial Study, a single address (10625 South Foothill Boulevard) is used to represent the entire project site.

INTRODUCTION

evaluation of the project's consistency with existing and applicable land use controls, and the name of persons who prepared the study.

1.2 TIERING PROCESS

The CEQA concept of "tiering" refers to the evaluation of general environmental matters in a broad program-level EIR, with subsequent focused or project-level environmental documents for individual projects that implement the program. Pursuant to CEQA Guidelines Section 15152 this Initial Study is tiered from the City's General Plan Amendment, Housing Element Update, and associated Rezoning Project Environmental Impact Report (EIR) that was certified by the Cupertino City Council in December 2014,³ and the subsequent addenda to the EIR that were approved by the City Council in October 2015,⁴ August 2019,⁵ and December 2019,⁶ together hereinafter "General Plan EIR." Pursuant to CEQA Guidelines Section 15150 this Initial Study incorporates by reference the discussions in the General Plan EIR.⁷ As previously stated, copies of documents referenced herein are available for review at the City of Cupertino Community Development Department at 10300 Torre Avenue, Cupertino, California 95014.

The analysis in this Initial Study concentrates on the project-specific issues pertaining to the proposed Canyon Crossings Mixed-Use project. CEQA and the CEQA Guidelines encourage the use of tiered environmental documents to reduce delays and excessive paperwork in the environmental review process. This is accomplished in tiered documents by eliminating repetitive analyses of issues that were adequately addressed in the program EIRs and by incorporating those analyses by reference.

In order to determine whether the proposed project was part of the development that was examined in the General Plan EIR, the following questions must be answered:

- Is the proposed project included in the scope of the development projected and analyzed in the General Plan EIR?
- Is the project site in an area designated for Commercial/Residential land uses in the General Plan and Planned Development with General Commercial and Residential Zoning District?
- Are the changes to population and employment associated with the proposed project included within the scope of the projections accounted for in the General Plan EIR?
- Is the proposed project within the scope of the cumulative analysis in the General Plan EIR?

The General Plan EIR included an evaluation of the project site as potential Housing Element Site 9 (Foothill at McClellan Center – Foothill Market), although the adopted General Plan did not designate this

³ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 2014.

⁴ City of Cupertino, approved First Addendum to the General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. October 2015.

⁵ City of Cupertino, approved Second Addendum to the General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. August 2019.

⁶ City of Cupertino, approved Third Addendum to the General Plan Amendment, Housing Element Update, and Associated Rezoning, State Clearinghouse Number 2014032007. December 2019.

⁷ Discussions are in Chapter 3, Project Description, and Chapter 4, Environmental Analysis, of this Initial Study.

INTRODUCTION

site as a Priority Housing Element Site. The evaluation in the General Plan EIR assumed potential redevelopment of commercial and residential uses with 27 maximum dwelling units and a maximum building height of 30 feet. The General Plan EIR evaluated a Zoning District change from Planned Development with General Commercial (P(CG)) to Planned Development with General Commercial and Residential (P(CG,Res)) to accommodate the construction of residential uses on-site. The project is consistent with the General Plan land use designation, but because the City Council did not identify this as a Housing Element site, the Zoning Map was not amended following the certification of the General Plan EIR. The approval of the proposed project would require an amendment to the Zoning Map to allow residential uses on the project site as proposed. The cumulative impacts of past, present, and probable future development, in conjunction with overall General Plan buildout, including residential development of the project site, were evaluated in the General Plan EIR. Accordingly, this Initial Study tiers from the General Plan EIR pursuant to CEQA Guidelines Section 15152 (Public Resources Code Section 21094). Table 1-1 identifies the development potential that was analyzed for the project site in the General Plan EIR, what type of development the General Plan currently anticipates for the project site, and what is proposed for the site as part of the project.

TABLE 1-1 GENERAL PLAN EIR, GENERAL PLAN, AND THE PROPOSED PROJECT COMPARISON TABLE

	General Plan EIR ^a	General Plan ^b	Proposed Project
Reference Name	Housing Element Site 9 (Foothill at McClellan Center – Foothill Market)	Neighborhoods: Inspirational Heights Neighborhood	Canyon Crossings
General Plan Land Use	Commercial/Residential	Commercial/Residential ^c	Commercial/Residential
Zoning District	Planned Development with General Commercial and Residential (P(CG, Res)) ^d	Planned Development with General Commercial (P(CG))	Planned Development with General Commercial and Residential (P(CG, Res))
Density	25 du/ac	15 du/ac ^e	11.5 du/ac
Maximum Height	30 feet	30 feet ^e	30 feet
Development Potential	Up to 27 net residential units ^f	Up to 24 net residential units	4,536 square feet commercial 18 residential units
Population ^g	80	70	52
Employees ^h	N/A	N/A	10

Notes: du/ac = dwelling units per acre

a. Certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR and Addenda, State Clearinghouse Number 2014032007. December 2014, October 2015, August 2019, and December 2019.

b. City of Cupertino General Plan (Community Vision 2015 – 2040).

c. City of Cupertino Land Use Map adopted November 15, 2005 and amended August 20, 2019.

d. Although the General Plan EIR evaluated an amendment to the Zoning District from Planned Development with General Commercial (P(CG)) to Planned Development with General Commercial and Residential (P(CG,Res)), the City did not change the Zoning Map at that time.

e. Chapter 2, Planning Areas, page PA-22 and PA-23; Chapter 3, Land Use and Community Design Element, page LU-16 and LU-17.

f. Although the site could accommodate up to 39 units based the 25 du/ac density, the General Plan EIR evaluated a realistic yield of 27 net units.

g. Estimates are based on the Association of Bay Area Governments (ABAG) 2019 projections that show an average household size of 2.87 persons for Cupertino in 2020. This is the standard approach for population estimates in Cupertino. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR.

h. The General Plan EIR applied a generation rate of 450 square feet of commercial space per employee.

Source: City of Cupertino, PlaceWorks, 2020.

INTRODUCTION

1.3 REPORT ORGANIZATION

This Initial Study is organized into the following chapters:

Chapter 1: Introduction. This chapter provides an introduction and overview of the Initial Study document.

Chapter 2: Executive Summary. A summary of the pertinent details for the proposed project, including lead agency contact information, proposed project location, and General Plan land use designation and Zoning Districts are in this chapter. This chapter also summarizes the significant impacts that could occur from construction and operation of the proposed project and identifies the mitigation measures recommended to reduce the impacts to a less-than-significant level.

Chapter 3: Project Description. This chapter describes the location and setting of the proposed project, along with its principal components, as well as a description of the policy setting and implementation process for the proposed project.

Chapter 4: Environmental Analysis. Making use of the CEQA Guidelines Appendix G, Environmental Checklist, this chapter identifies and discusses anticipated impacts from the proposed project, providing substantiation of the findings made.

Chapter 5: Mitigation Monitoring and Reporting Program. This chapter lists the impacts found to be significant and identifies the recommended mitigation measures categorized by impact area.

Chapter 6: Organizations and Persons Consulted. This chapter presents a list of City and other agencies and consultant team members that contributed to the preparation of the Initial Study.

2. Executive Summary

2.1 INITIAL STUDY CHECKLIST

1. **Project Title:** Canyon Crossings Mixed-Use Project
2. **Lead Agency Name and Address:** City of Cupertino Community Development Department
10300 Torre Avenue
Cupertino, CA 95014
3. **Contact Person and Phone Number:** Erick Serrano
Senior Planner
408-777-3205
4. **Location:** 10625 South Foothill Boulevard
Cupertino, CA 95014
5. **Applicant's Name and Address:** SCR Enterprises LLC
15700 Winchester Boulevard
Los Gatos, CA 95030
6. **General Plan Land Use Designations:** Commercial/Residential
7. **Zoning:** Planned Development with General Commercial P(CG)
8. **Description of Project:** See Chapter 3, Project Description
9. **Surrounding Land Uses and Setting:** See page 3-8 of Chapter 3, Project Description
10. **Other Required Approvals:** See page 3-32 of Chapter 3, Project Description
11. **Have California Native American Tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code Section 21080.3.1? If so, has consultation begun?** ~~The City has not received any request from any Tribes in the geographic area with which they are traditionally and culturally affiliated, or otherwise, to be notified about projects in Cupertino. The~~

EXECUTIVE SUMMARY

City received a request to be notified about projects in the city of Cupertino from the Tamien Nation on May 28, 2021, as the city is within the geographic area with which they are traditionally and culturally affiliated. The request was received following the release of the Public Review Draft IS/MND in March 2021. The City conducted the consultation process with the Tamien Nation and changes to Mitigation Measure CULT-1 were reflected in the Final IS/MND in October 2021. This Revised Final IS/MND reflects additional text changes to Mitigation Measure CULT-1 requested by the Tamien Nation after the preparation of the Final IS/MND. These changes do not constitute a substantial revision as defined in CEQA Guidelines Section 15073.5; therefore, the IS/MND does not need to be recirculated.

2.2 ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by the proposed project, involving at least one impact that is a potentially significant impact, as shown in Chapter 4, Environmental Analysis, of this Initial Study.

- | | | |
|--|---|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture & Forestry Resources | <input type="checkbox"/> Air Quality |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Energy |
| <input type="checkbox"/> Geology & Soils | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials |
| <input type="checkbox"/> Hydrology & Water Quality | <input type="checkbox"/> Land Use & Planning | <input type="checkbox"/> Mineral Resources |
| <input type="checkbox"/> Noise | <input type="checkbox"/> Population & Housing | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Recreation | <input type="checkbox"/> Transportation | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities & Service Systems | <input type="checkbox"/> Wildfire | <input type="checkbox"/> Mandatory Findings of Significance |

2.3 DETERMINATION

On the basis of this initial evaluation:

- ☐ I find that the proposed project COULD NOT have a significant effect on the environment and a NEGATIVE DECLARATION will be prepared.
- ☒ I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- ☐ I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- ☐ I find that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

EXECUTIVE SUMMARY

- ☐ I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Approved by: _____
Erick Serrano, Senior Planner

Date

2.4 SUMMARY OF IMPACTS AND MITIGATION MEASURES

Due to the location of the project site, the proposed project would have no impact on Agriculture, Forestry, or Mineral Resources; therefore, these topics are not discussed in detail in the Initial Study. The following lists the potentially significant impacts by topic that could occur from construction and operation of the proposed project and identifies mitigation measures to reduce the impacts to a less-than-significant level. All other topic areas were identified to have less-than-significant impacts. A detailed discussion of the project's impacts is provided in Chapter 4, Environmental Analysis, of this Initial Study.

AIR QUALITY

Impact AQ-1: Fugitive dust (PM₁₀ and PM_{2.5}) generated by the proposed project during construction could potentially result in significant regional short-term air quality impacts without implementation of the Bay Area Air Quality Management District's best management practices related to reducing fugitive dust emissions.

Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM₁₀ and PM_{2.5}) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:

- Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible.
- Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites.
- Cover all trucks hauling soil, sand, and other loose materials.
- Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust.
- Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material.

EXECUTIVE SUMMARY

- Hydroseed or apply non-toxic soil stabilizers to inactive construction areas.
- Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand).
- Limit vehicle traffic speeds on unpaved roads to 15 miles per hour.
- Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established.
- Install sandbags or other erosion control measures to prevent silt runoff from public roadways.
- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.

Impact AQ-2: The proposed project could expose sensitive receptors to substantial pollutant concentrations during construction.

Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:

- Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations.
- Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower.
- Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site.
- Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations.
- Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met.

BIOLOGICAL RESOURCES

Impact BIO-1: Demolition and construction activities could disturb active nests in trees and/or otherwise interfere with nesting of birds protected under federal and State law.

Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).

- Preconstruction surveys shall:

EXECUTIVE SUMMARY

- Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period.
 - Be conducted no more than 14 days prior to the start of tree removal or construction.
 - Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped.
 - Document locations of active nests containing viable eggs or young birds.
- Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include:
- Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.
 - Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status.
 - An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife.

CULTURAL RESOURCES

Impact CULT-1: The proposed project could cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines Section 15064.5.

Mitigation Measure CULT-1: A ~~tribal~~ representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the ~~Tribe-Tamien Nation~~ in a manner requested by the ~~Tribe-Tamien Nation~~ at least ~~48 hours~~ five (5) days before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site ~~tribal~~ Tamien Nation representative.

If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:

- All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and ~~tribal~~ Tamien Nation representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out.

EXECUTIVE SUMMARY

- The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a ~~tribal~~ Tamien Nation representative regarding the significance of the find and appropriate mitigations as follows:
 - If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5.
 - If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the ~~appropriate tribe(s)~~ Tamien Nation to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.
- All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards.

GEOLOGY AND SOILS

Impact GEO-1: Construction of the proposed project would have the potential to directly or indirectly affect an unknown unique paleontological resource.

Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:

- In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted.
- The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery.
- The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5.
- The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find.
- If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation.

EXECUTIVE SUMMARY

NOISE

Impact NOISE-1: The proposed project could result in the generation of a substantial temporary increase in ambient noise levels in the vicinity of the project site during the construction phase that would be in excess of standards established in the City of Cupertino Municipal Code.

Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:

- At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint.
- The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:
 - At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.
 - During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.
 - Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.

EXECUTIVE SUMMARY

- During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible.
- During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations.
- Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase.
- Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes.
- During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.

Impact NOISE-2: The proposed project could result in the generation of a substantial permanent increase in ambient noise levels in the vicinity of the project during the operation phase that could be in excess of standards established in the local noise ordinance.

Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:

- Selection of equipment that emits low noise levels;
- Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or
- Locating equipment in less noise-sensitive areas, where feasible.

Impact NOISE-3: The proposed project could result in the generation of excessive groundborne vibration in the vicinity of the project site during the construction phase that would be in excess of established thresholds.

Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

EXECUTIVE SUMMARY

TRIBAL CULTURAL RESOURCES

Impact TRC-1: The proposed project could cause a substantial adverse impact to an unknown Tribal Cultural Resource.

Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.

UTILITIES AND SERVICE SYSTEMS

Impact UTIL-1: Implementation of the proposed project may result in a determination by the wastewater treatment provider, which serves or may serve the proposed project, that it does not have adequate capacity to serve the project's projected demand in addition to the provider's existing commitments.

Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:

Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or

Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.

The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the *Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara*, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.

EXECUTIVE SUMMARY

This page intentionally left blank.

3. Project Description

The project applicant, SCR Enterprises, is proposing the Canyon Crossings Mixed-Use Project (proposed project) that would involve the construction of a commercial and residential development on a 1.57-acre site. The site is currently developed with three buildings, a surface parking lot, and associated landscaping. The largest building on the project site is a multi-tenant commercial building on the southwestern portion of the site. A smaller commercial building, with an attached, unoccupied residential unit that is used for storage, is on the northeast portion of the site. In addition, a detached and unoccupied single-family residential unit is on the northwest portion of the project site. The proposed project would involve demolishing all the existing structures and redeveloping the site with a mixed-use building including 4,536 square feet of neighborhood-serving commercial space and five apartments, as well as a mix of 13 attached and detached single-family units, for a combined total of 18 residential units. All proposed structures would have a maximum building height of 30 feet (two stories). All parking would be at the ground level except for a single-level subterranean parking garage located under the mixed-use building.

This chapter provides a detailed description of the proposed project, including the location, setting, and characteristics of the project site, the principal project features, construction phasing and schedule, as well as a list of the required permits and approvals.

3.1 PROJECT LOCATION AND SITE CHARACTERISTICS

3.1.1 REGIONAL LOCATION


As shown on Figure 3-1, the project site is in the City of Cupertino located in the northwestern portion of Santa Clara County. Cupertino is roughly 45 miles south of San Francisco and 13 miles west of downtown San José. Interstate 280 (I-280) and State Route 85 (SR-85) provide regional access to the project site.

3.1.2 LOCAL SETTING

The project site is located at 10625 South Foothill Boulevard⁸ in the southwest region of the city. The project site is on the west side of South Foothill Boulevard, where South Foothill Boulevard meets Stevens Canyon Road. The project site is intersected by McClellan Road to the north and St. Andrews Avenue to the south. As shown on Figure 3-2, the project site is bounded by single-family residential units to the north, south, and west, and the two-lane South Foothill Boulevard and Stevens Canyon Road to the east.

⁸ There are several addresses assigned to the project site, but for the purposes of this Initial Study, a single address (10625 South Foothill Boulevard) is used to represent the entire project site.

PROJECT DESCRIPTION




Source: City of Cupertino General Plan; PlaceWorks, 2020.




Figure 3-1
Regional and Vicinity Map

PROJECT DESCRIPTION



Source: Google Earth, 2019. PlaceWorks, 2020.



 Project Site

Figure 3-2
Aerial View of Project Site and Surroundings

PROJECT DESCRIPTION

The City parks nearest to the project site are Monta Vista Park to the northwest; McClellan Ranch Preserve to the northeast; and Linda Vista Park to the southeast. Additional information on parks is provided in Chapter 4, Environmental Analysis, in Section XIV, Parks and Recreation.

Public schools near the project site are Monta Vista High School in the Fremont Union High School District, and John F. Kennedy Middle School and Abraham Lincoln Elementary School in the Cupertino Union School District, each approximately 1 mile to the east of the site. Private schools and/or educational facilities near the project site include Saint Joseph of Cupertino School approximately 2 miles to the east, Futures Academy of Cupertino approximately 3 miles to the east, Bethel Lutheran School approximately 4 miles to the east, and Waldorf School of the Peninsula approximately 4 miles to the northwest. Other sensitive land uses near the project site include the Cupertino Healthcare and Wellness nursing home approximately 0.25 miles to the north, Namo Day Care approximately 0.30 miles to the north, Sunny View Bay Area Retirement Community approximately 0.75 miles to the north, and Cupertino Senior Center approximately 1.5 miles to the northeast.

The major employment centers within approximately 1 to 2 miles of the project site are the Bubb Road Special Area, and the De Anza College to the northeast, and the Permanente Quarry (Lehigh Cement Company), the Stevens Creek Quarry, Inc. to the southwest.


The nearest public airports are San José International Airport, approximately 8.5 miles to the northeast, and Palo Alto Airport, approximately 10 miles to the north. The nearest heliports are McCandless Towers Heliport, approximately 7 miles to the northeast, and County Medical Center Heliport, approximately 7.5 miles to the east. The nearest private (military/corporate) airport is Moffett Federal Airfield, approximately 7 miles to the north. The project site is not located within an airport land use plan.

3.1.3 EXISTING SITE SETTING

3.1.3.1 SITE CHARACTER

As shown on Figure 3-3, the site is currently developed with three structures: two commercial buildings and a vacant residential unit. The largest commercial building is a one-story building that is partially occupied by neighborhood-serving land uses on the west side of the project site. The second commercial building is a one-story building on the northeast corner of the project site. It is occupied by the Cupertino Bike Shop, which has an attached two-story residential unit on the west side of the building that is unoccupied and currently used for additional bike storage. The third structure is a vacant one-story residential unit on the northwest corner of the project site, with a detached shed and surrounding grassy areas. Combined, the existing commercial and residential buildings represent 13,225 square feet of building space. A concrete retaining wall separates the vacant, detached residential unit and associated shed from the rear of the Cupertino Bike Shop and parking lot. The site also contains surface parking.

PROJECT DESCRIPTION



Source: Google Earth Professional, 2018; PlaceWorks, 2020.



Project Site

Figure 3-3

Existing Conditions

PROJECT DESCRIPTION

The site was used for orchards and associated buildings in 1939. The orchards were removed in 1948. According to the Department of Toxic Substance Control, when orchards have been removed or became inactive prior to 1950 organic pesticides are not an issue warranting further testing.⁹ Following the removal of the orchards, the project site was developed with the existing smaller mixed-use building located on the site. The larger building on the site was constructed by 1963.¹⁰ Due to the age of the existing buildings, they may contain asbestos-containing materials or lead-based paint, which were not regulated in construction until the early 1970's.

Because the smaller building on the project site was developed in 1948, it has the potential to be considered a historic building; however, it is not currently listed on the National Register of Historic Places or the list of California Historical resources.¹¹

Surrounding uses in the vicinity of the project site include one-story and two-story single-family residential units.

3.1.3.2 VEGETATION AND LANDCOVER

Using data from the Classification and Assessment with Landsat of Visible Ecological Groupings (CALVEG)¹² habitat mapping program, the site is classified as an "urban area." Property with this classification tends to have low to poor wildlife habitat value due to replacement of natural communities, fragmentation of remaining open space areas and parks, and intensive human disturbance. According to the Vegetation Map shown in the Environmental Resources and Sustainability Element of the General Plan, the project site is within the urban forest (i.e., trees in the city).¹³ The City recognizes that every tree on both public and private property is an important part of Cupertino's urban forest and contributes significant economic, environmental, and aesthetic benefits of the community.¹⁴

Landscaping on-site includes two mature and non-native trees over 70 feet tall, a Redwood tree on the northeast corner that is proposed for removal, and a Palm tree on the southeast corner that would remain. The trees on-site are considered protected development trees pursuant to Cupertino Municipal Code (CMC) Section 14.18.050(c).¹⁵

⁹ California Department of Toxic Substances Control California Environmental Protection Agency, *Interim Guidance for Sampling Agricultural Properties*, page 3, August 7, 2008.

¹⁰ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, pages 8 and 9, January 12.

¹¹ California Office of Historic Preservation. 2019. California Historical Resources. Accessed May 6, 2019 at <http://ohp.parks.ca.gov/ListedResources/?view=county&criteria=43>.

¹² The CALVEG system was initiated in January 1978 by the Region 5 Ecology Group of the US Forest Service to classify California's existing vegetation communities for use in statewide resource planning. CALVEG maps use a hierarchical classification on the following categories: forest; woodland; chaparral; shrubs; and herbaceous.

¹³ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 6, Environmental Resources and Sustainability Element, Figure ES-1.

¹⁴ City of Cupertino, Tree Protection and Tree Removal link on the City's website, Accessed May 6, 2019 at <https://www.cupertino.org/our-city/departments/community-development/planning/residential-development/tree-protection-tree-removal>.

¹⁵ City of Cupertino, Municipal Code, Section 14.18.050 Protected Trees, Accessed May 6, 2019.

PROJECT DESCRIPTION

The California Natural Diversity Database (CNDDB) has no record of special-status plant or animal species on the project site but does show there are special-status plant and animal species within a 5-mile area surrounding the project site. Special-status species have been recorded in the open space areas in the project vicinity.

The California Department of Forestry and Fire Projection (CAL FIRE) has designated the project site as a Local Responsibility Area (LRA) and a non-very high fire hazard severity zone. The project site is near lands that CAL FIRE designates as a State Responsibility Area (SRA), which are approximately 0.5 miles to the west of the site.¹⁶ The project site is located within the wildland-urban interface, which is an area of transition between wildland (unoccupied land) and land with human development (occupied land).¹⁷

The site is generally flat with elevation of 429 feet above mean sea level with a regional topographic slope downward to the east.¹⁸ The surficial geology is young, unconsolidated Quaternary alluvium,¹⁹ which is described as Holocene-age younger alluvium and coarse-grained alluvium that are composed of unconsolidated, poorly sorted gravel, silt, sand, clay, and organic matter. No paleontological resources have been identified on the project site; however, the presence of Pleistocene deposits that are known to contain fossils indicates that the overall city, including the project site, could contain paleontological resources.²⁰

The existing impervious surface totals 46,584 square feet. Stormwater from the site drains to a network of City-maintained storm drains in Stevens Canyon Road and South Foothill Boulevard that collect runoff from city streets and carry it to the creeks that run through Cupertino to the San Francisco Bay. The project site is within an area where some of the storm drains are deficient in conveying the water from a 10-year storm, based on the 2018 *Storm Drain Master Plan*.

¹⁶ CAL FIRE. 2008. Cupertino, Very High Fire Hazard Severity Zones in LRA.
http://www.fire.ca.gov/fire_prevention/fhsz_maps/FHSZ/santa_clara/Cupertino.pdf

¹⁷ CAL FIRE. 2018. Wildland-Urban Interface Fire Threat.
<http://www.arcgis.com/home/item.html?id=d45bf08448354073a26675776f2d09cb>, accessed May 7, 2019.

¹⁸ Applied Water Resources, 2018, Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard/ Stevens Canyon Road, Cupertino, California, page 8, January 12.

¹⁹ US Geological Survey, 1994, Preliminary Quaternary Geologic Maps of Santa Clara Valley, Santa Clara, Alameda, and San Mateo Counties, California: A Digital Database, Open-File Report 94-231, by E.J. Helley, R.W. Graymer, G.A. Phelps, P.K. Showalter, and C.M. Wentworth.

²⁰ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, (December 2014) State Clearinghouse Number 2014032007 (October 2015), and approved Addenda (October 2015, July 2019, August 2019, and December 2019).

PROJECT DESCRIPTION

3.1.4 LAND USE DESIGNATION AND ZONING

3.1.4.1 GENERAL PLAN

The site is located in the Other Non-Residential/Mixed-Use Special Area²¹ and a Neighborhood Center.²² The site is located in the Inspiration Heights Neighborhood abutting the Monta Vista North Neighborhood.²³ The site has a General Plan land use designation of Commercial/ Residential.²⁴ A description of these designations is provided below.

Other Non-Residential/Mixed-Use Special Areas

The City has designated Special Areas along one of the four major mixed-use corridors in the city, which represent key areas within Cupertino where future development and reinvestment is generally focused. The Other Non-Residential/Mixed-Use Special Area include four key areas and all other nonresidential properties not referenced in an identified commercial area. The project site is at one of the four key areas identified as the west side of Stevens Canyon Road.²⁵ The Other Non-Residential/Mixed-Use Special Area describes the vision for Neighborhood Centers and states that such locations should be redeveloped using the “Neighborhood Commercial Center” concept described in the Land Use and Community Design Element of the General Plan (Chapter 2).²⁶ However, developing using this concept is not required. The vision statement describes that buildings in the Neighborhood Centers should be typically one to two stories tall but may be up to three stories in some instances where it is allowed.²⁷ The maximum residential density within Neighborhood Commercial Centers identified in the Community Form Diagram is 15 dwelling units per acre.²⁸

Inspiration Heights Neighborhood

Cupertino has 12 distinct neighborhoods that are each unique in their location, development pattern, identity, and access to community services. While the Inspiration Heights neighborhood is situated in the western foothills of Cupertino, the project site is located in the lower elevation portions of the neighborhood that is urbanized. The project site is on the western border of this neighborhood on Stevens Creek and Foothill Boulevards, which provides a transition with the adjoining neighborhoods on the valley floor. The vision for this neighborhood, as described in the General Plan, is to continue to be a

²¹ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, page PA-15.

²² City of Cupertino General Plan (Community Vision 2015-2040), Chapter 3, Land Use and Community Design Element, Figure LU-2, Community Form Diagram, page LU-17.

²³ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, Figure PA-2, Neighborhoods, page PA-18.

²⁴ City of Cupertino Land Use Map adopted November 15, 2005 and amended August 20, 2019.

²⁵ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 3, Land Use and Community Design Element, page LU-65.

²⁶ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, page PA-15.

²⁷ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, Vision, page PA-15.

²⁸ City of Cupertino General Plan, Community Vision 2040, Chapter 3, Land Use, Figure LU-2, Community Form Diagram, pages LU-16 and LU-17.

PROJECT DESCRIPTION

low-intensity and hillside residential area.²⁹ Future development should consider preservation of hillsides, riparian corridors, and plant and animal wildlife habitat through sensitive site and building design.³⁰

Commercial/Residential Land Use Designation

The Commercial/Residential land use designation allows primarily commercial uses and secondarily residential uses or a compatible combination of the two uses.³¹ Commercial use means retail sales, businesses, limited professional offices, and service establishments with direct contact with customers. This land use designation applies to commercial activities ranging from neighborhood convenience stores to regionally oriented specialty stores. Retail stores that would be a nuisance for adjoining neighborhoods or harmful to the community identity would be regulated by CMC Chapter 19.60, General Commercial Zones, and the associated commercial zoning ordinance use permit procedures. Smaller commercial parcels in existing residential areas, such as the project site, may be needed to provide local neighborhood serving retail; otherwise, they may be redeveloped at residential densities compatible with the surroundings. As previously stated, the maximum residential density on the project site is 15 dwelling units per acre.³²

3.1.4.2 ZONING DISTRICT

The project site is within the Planned Development with General Commercial (P(CG)) zoning district. As described in CMC Section 19.80.010, the Planned Development zoning district is intended to provide a means of guiding land development or redevelopment of the city that is uniquely suited for planned coordination of land uses. Development in this zoning district provides for a greater flexibility of land use intensity and design because of accessibility, ownership patterns, topographical considerations, and community design objectives.³³ CMC Chapter 19.80 also allows a project proponent to propose development standards for their specific project.

All Planned Development districts are identified on the zoning map with the letter coding "P" followed by a specific reference to the general type of use allowed in the particular planning development zoning district. The type of use allowed on the project site is General Commercial (CG), which allows commercial uses such as retail food, drug, apparel, or hardware stores, full-service restaurants, professional and commercial office services, laundry facilities, non-auto related repair services, and personal services, along with several other specialty uses.³⁴

²⁹ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, Vision, page PA-24 and PA-25.

³⁰ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 3, Land Use and Community Design Element, Inspiration Heights Neighborhood, page LU-75.

³¹ City of Cupertino General Plan (Community Vision 2015-2040), Appendix A: Land use definitions, Planning Areas, page A-4.

³² City of Cupertino General Plan, Community Vision 2040, Chapter 3, Land Use, Figure LU-2, Community Form Diagram, pages LU-16 and LU-17.

³³ City of Cupertino Municipal Code, Title 19, Zoning, Chapter 19.80, Planned Development, Section 19.80.010, Purpose.

³⁴ City of Cupertino Municipal Code, Title 19, Zoning, Chapter 19.60, General Commercial, Section 19.60.030, Permitted, Conditional and Excluded Uses in General Commercial Zoning Districts.

PROJECT DESCRIPTION

The proposed designation of General Commercial with Residential uses (CG, Res), which is consistent with the General Plan land use designation for the site, is a district in which uses are intended to be a mix of general commercial and residential.³⁵ The proposed project requires a zoning amendment to allow residential uses on the project site. This is discussed further, below, in Section 3.2, Project Components.

3.1.4.3 OTHER REQUIREMENTS

Setback Standards

Because the property is zoned Planned Development, any proposed commercial project would have to meet the specific front, side, or rear yard setbacks required when a lot abuts residential or agricultural zones based on CMC Chapter 19.64, General Commercial (CG) zoning district. However, in the event, the commercial property does not abut these zones, there are no stated setbacks, in which case, setback requirements for commercial property would be determined by City staff during project review.

The proposed project is a mixed-use single-family development on a small lot (1.57 acres). The City's Zoning Code does not have any adopted standards for the development of projects similar to the proposed project. However, pursuant to CMC Chapter 19.80, the Planned Development Zoning District allows a project proponent to propose zoning setbacks different from those required in the underlying Zoning District to allow flexibility in the project, as long as these are approved by the City Council. In any case, the setbacks in the Zoning Code or the setbacks proposed by the project, the project site must adhere to the General Plan requirement of maintaining sufficient space for adequate light, requirement for air and visibility at intersections, and the requirement for general conformity to yard requirements of adjacent or nearby zones, lot or parcels. The General Plan does not have any applicable setback requirements for this property.

Landscaping

CMC Chapter 14.15, Landscape Ordinance, implements the California Water Conservation in Landscaping Act of 2006 by establishing new water-efficient landscaping and irrigation requirements. Any building or landscape project that involves more than 2,500 square feet of landscape area is required to submit a Landscape Project Submittal to the Director of Community Development for approval. Existing and established landscaped areas greater than 1 acre in size, including cemeteries, are required to submit water budget calculations and audits of established landscapes.³⁶

Tree Requirements

CMC Chapter 14.12, Trees, establishes regulations for the planting, care, and maintenance of public trees, and provides for the continuous maintenance of the public trees, with the goal of encouraging

³⁵ City of Cupertino Municipal Code, Title 19, Zoning, Chapter 19.80, Planned Development, Section 19.80.030, Establishment of Districts- Permitted and Conditional Uses.

³⁶ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.15, Landscape Ordinance.

PROJECT DESCRIPTION

preservation of trees. The City funds the planting and maintenance of public trees through payment of reimbursement costs as a conditions of building permit issuance.³⁷

CMC Chapter 14.18, Protected Tree Ordinance, provides regulations for the protection, preservation, and maintenance of trees of certain species and sizes.³⁸ Removal of a protected tree requires a permit from the City. “Protected” trees include trees of a certain species and size on private property in all zoning districts; heritage trees whether on private or public property in all zoning districts; any tree required to be planted or retained as part of an approved development application, building permit, tree removal permit, or code enforcement action in all zoning districts; and approved privacy protection planting in single-family residential (R-1) zoning districts. Since the existing development is on property that requires a development application, all existing trees on the site are considered protected.³⁹

Bird Safe Design Ordinance

The City of Cupertino draft Bird Safe Design Ordinance, CMC Chapter 19.102, Glazing and Lighting Standards, which contains specific building and site design measures to reduce bird mortality from windows or other specific glass features known to increase the risk of bird collisions and to reduce light pollution known to contribute to bird mortality and reduced visibility of the night sky. These guidelines, once adopted, would be applicable to any project that is required to obtain a building permit or a Permit pursuant to Title 19, Zoning, including the proposed project.

CMC Section 19.102.030, Bird-safe Development Requirements, includes:

- Glass requirements for new or replacement windows of twelve square feet or more and facades requiring no more than 10 percent of the surface area of the façade be untreated glass between the ground and 60 feet above ground. Treatments can include opaque glass, window muntins, exterior insect screens, exterior netting, or special glass treatments such as fritting to provide visual cues and reduce the likelihood of bird collisions.
- Indoor lighting requirements to program automatic sensors and timer to turn off at 11:00 p.m., within two hours after business closes, or the addition of filtering with the use of interior or exterior blinds.
- Design requirements to avoid funneling of flight paths along buildings or trees to building facades; avoid use of highly reflective glass or highly transparent glass; and avoid glass skyways or walkways, freestanding glass walls, transparent building corners, or other design elements where trees, landscaping, water features, or the sky is visible from the exterior.

CMC Section 19.102.140, Outdoor Lighting Requirements, includes requirements to reduce light pollution throughout the city. These requirements prohibit outdoor lighting that blinks, flashes, or rotates; outdoor lighting that projects above the horizontal plane; lighting that unnecessarily illuminates other lots or interferes with the enjoyment of that lot; high-intensity discharge lighting for recreation courts or private property; and spotlights. Outdoor lighting that is not prohibited, must abide by the following:

³⁷ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.12, Trees.

³⁸ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.18, Protected Trees.

³⁹ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.18, Protected Trees.

PROJECT DESCRIPTION

- All outdoor light must be fully shielded fixtures directed downward to meet the particular need and away from adjacent properties.
- Illumination levels cannot exceed one foot-candle onto an adjacent property and maximum light intensity cannot exceed a maintained value of ten foot-candles when measured at finished grade.
- All light sources must have a maintained correlated color temperature of 3,000 Kelvin or less.
- All outdoor lighting must be turned off by 11:00 p.m. or when people are no longer present in exterior areas, except for security lighting required and designed according to the California Building Code.
- Automated control systems should be used to meet lighting requirements.
- Lighting design must compliment building and landscaping, and fixtures must be appropriate in height, intensity, and scale to the use.

3.1.4.4 UTILITIES AND ENERGY

Energy Conservation

The California Green Building Standards Code (Part 11, Title 24, known as “CALGreen”) was adopted as part of the California Building Standards Code (Title 24, California Code of Regulations) to apply to the planning, design, operation, construction, use, and occupancy of every newly constructed building or structure, unless otherwise indicated in the California Building Standards Code, throughout the State of California.⁴⁰ CALGreen established planning and design standards for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), water conservation requiring new buildings to reduce water consumption by 20 percent, material conservation, and internal air contaminants. The local building permit process enforces the building efficiency standards. CMC Chapter 16.58, Green Building Standards Code, adopts the CALGreen requirements and makes it part of the CMC along with local amendments for projects in the city. The City’s Green Building Ordinance contains mandatory, minimum required green building techniques, including measures affecting water use efficiency and water conservation.

CMC Sections 16.58.100 through 16.58.220 sets forth the standards for green building requirements by type of building. As shown on Table 101.10 in CMC Section 16.58.220, mixed-use project with residential and non-residential components shall comply by either: (1) meeting the applicable requirements for each use; or (2) meeting the applicable requirements for the use that comprises the majority of the project’s square footage where uses are attached and/or combined in a building. For the residential component, new construction greater than nine homes is required to be Green Points Rated certified at minimum 50 points, Silver in Leadership in Energy & Environmental Design (LEED), or Alternate Reference Standard per Section 101.10.2.⁴¹ For the non-residential component, development less than 25,000 square-feet is

⁴⁰ California Code of Regulations, Title 24, Part 11, January 1, 2020, California Green Buildings Standards Code, <https://codes.iccsafe.org/content/CAGBSC2019/copyright>.

⁴¹ Leadership in Energy & Environmental Design (LEED) is a green building certification program that recognizes best-in-class building strategies and practices that reduce consumption energy, and water, and reduce solid waste directly diverted to landfills. LEED certified buildings are ranked in order of efficiency from Certified, Silver, Gold and Platinum being the highest

PROJECT DESCRIPTION

required to comply with the CALGreen Building Code per Chapter 5 of the California Green Building Standards Code. CMC Section 16.58.230 permits applicants to apply an alternate green building standard for a project in lieu of the minimum standards outlined in CMC Section 16.58.220 that meet the same intent of conserving resources and reducing solid waste.

The California Energy Code (Part 6, Title 24) was adopted as part of the California Building Standards Code (Title 24) to reduce wasteful and unnecessary energy consumption in newly constructed and existing buildings. The City of Cupertino has adopted the California Energy Code, with local amendments into, as CMC Chapter 16.54, Energy Code. CMC Section 16.54.100(2), Scope for Newly Construction Building, requires all newly constructed buildings to be All-Electric Buildings. All-Electric Buildings are defined as a building that has no natural gas or propane plumbing installed within the building, and that uses electricity as the sole source of energy for its space heating, water heating.⁴² The City is currently in the process of approving reach codes, which will go above California Energy Code requirements to reduce energy and water, and associated greenhouse gas emissions.

Solid Waste Reduction

Consistent with CALGreen, CMC Chapter 16.72, Recycling and Division of Construction and Demolition Waste, requires that a minimum of 65 percent of all non-hazardous construction and demolition debris must be recycled or salvaged and that all applicants have a waste management plan for on-site sorting of construction debris. Additionally, in December 2017, the City adopted a Zero Waste Policy.⁴³ According to the Zero Waste Policy, the City will require, through the City's waste hauling franchise agreement, steadfast and ongoing efforts by the City's franchisee to maintain a minimum residential and commercial waste diversion rate of 75 percent with a goal of reaching and maintaining 80 percent by 2025.

Water Quality

CMC Chapter 9.18, Storm Water Pollution Prevention and Watershed Protection provides regulations and gives legal effect to the Municipal Regional Storm Water National Pollutant Discharge Elimination System (NPDES) Permit (MRP) issued to the City. This chapter also ensures ongoing compliance with the most recent version of the City's MRP regarding municipal storm water and urban runoff requirements. This chapter applies to all water entering the storm drain system generated on any private, public, developed, and undeveloped lands within the city. The CMC contains permit requirements for construction projects and new development or redevelopment projects to minimize the discharge of storm water runoff.

ranking with the greatest efficiency standard. LEED Silver certified buildings typically reduce is the third highest ranking out of the four, with just being certified being the lowest and Gold and Platinum being the second highest.

⁴² CMC Section 16.54.110, Definitions and Rules of Construction.

⁴³ City of Cupertino, Public Works, Garbage & Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed November 30, 2018.

PROJECT DESCRIPTION

3.2 PROJECT COMPONENTS

The project applicant proposes to redevelop the project site with a mixed-use commercial and residential development consisting of one mixed-use building with commercial and residential uses and a mix of residential buildings with associated amenities, infrastructure, and landscaping. Combined the project would have 18 residential units and 4,536 square feet of neighborhood-serving commercial space. The conceptual site plan for the proposed project is shown on Figure 3-4. The following provides a detailed description of the key project components. A complete set of preliminary site plans are available on the City's website at www.cupertino.org/canyoncrossing and at the City of Cupertino Community Development Department at 10300 Torre Avenue, Cupertino, California 95014.

3.2.1 PROPOSED BUILDINGS

3.2.1.1 MIXED-USE BUILDING

The proposed project's mixed-use building would have 4,536 square feet of neighborhood-serving commercial space on the ground floor and five apartment units on the second floor. Apartments would be comprised of two one-bedroom units between 918 square feet and 1,003 square feet, and three two-bedroom units ranging between 1,240 square feet and 1,500 square feet. The mixed-use building would front South Foothill Boulevard/ Stevens Canyon Road. See Figures 3-5 through 3-6.

A trash and recycling enclosure would be located on the ground floor on the southern side of the mixed-use building and would be accessed by the waste management company on trash day from the internal roadway network. See Figure 3-4.

One-level of subterranean parking would be provided below the mixed-use building and surface parking spaces would be provided on the northeast corner of the site. Vehicular parking would meet the standards of the Americans with Disabilities Act (ADA). Class 2 bicycle racks⁴⁴ would be included at the ground level and Class 1 bicycle lockers⁴⁵ would be provided for residents in the subterranean parking area. See Figure 3-7. The surface parking spaces are illustrated on Figure 3-4.


As shown in Figure 3-8, the proposed mixed-use building would be a maximum of 30 feet tall (two stories). The mechanical equipment and heating, ventilation, and air conditioning (HVAC) unit would be located on the roof of the mixed-use building and would be screened by a parapet⁴⁶ facing Stevens Canyon Road.

⁴⁴ Class 2 parking facilities include bicycle racks to which the frame and at least one wheel can be secured with a user-provided lock.

⁴⁵ Class 1 facilities protect the entire bicycle from theft, vandalism, and inclement weather and are appropriate for long-term storage.

⁴⁶ A parapet is a low protective wall along the edge of a roof, bridge, or balcony.

PROJECT DESCRIPTION



Source: TS Civil Engineering, 2020.



SURFACE LEGEND

STAMPED CONCRETE	
PAVERS	
AC PAVEMENT	

LEGEND

PROPERTY LINE
ADJACENT PROPERTY LINE
STREET CENTER LINE
BUILDING SETBACK LINES
EASEMENT
ROAD/PAVEMENT
CURB
CURB AND GUTTER
CONCRETE
CONTOUR MAJOR
CONTOUR MINOR
BUILDING
BUILDING 2nd FLOOR
BLOCK RETAINING WALL

EXISTING

PROPOSED

Figure 3-4
Conceptual Site Plan





Figure 3-5
Mixed-Use Building Ground Floor

PROJECT DESCRIPTION




Source: LPMD Architects, 2020.



Figure 3-6
Mixed-Use Building Second Floor Apartments and Roof

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.



Figure 3-7
Mixed-Use Building Subterranean Parking Level

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-8
Mixed-Use Building Elevation

PROJECT DESCRIPTION

3.2.1.2 SINGLE-FAMILY RESIDENTIAL BUILDINGS

The proposed project would include a mix of attached and detached single-family residential buildings with a total of 13 single-family dwelling units. Each single-family dwelling unit would have a private driveway with an attached two-car garage that would front the internal roadway network and would be separated from the adjacent residential properties with back- and side-yard areas. The five detached single-family homes would have three bedrooms. The single-family homes are identified as numbers six through ten on Figure 3-4. The units range between 2,624 square feet and 2,642 square feet with floor area ratios between 1.11 and 1.15. The eight attached single-family homes would have three bedrooms each. The attached single-family homes are identified as numbers one through five and 11 through 13 on Figure 3-4. Two of these units are smaller at about 2,065 square feet, while the rest range between 2,481 square feet and 2,692 square feet in size. The proposed residential buildings would be a maximum of 30 feet tall (two stories). Figures 3-9 through 3-11 illustrate the elevations of each unit type.

3.2.1.3 RESIDENT AND PUBLIC AMENITIES

Each residential building would have its own private open space at the back of each unit. The backyards range in size from 264 square feet to 591 square feet in area. Each apartment unit includes a private deck that ranges from 61 square feet to 126 square feet. The proposed project also includes three common open space areas totaling 5,691 square feet. The common open space areas are labeled as Areas 1, 2, and Public Plaza on Figure 3-4. Area 1 is located on the southeastern corner of the site and is 1,044 square feet. Area 2 is located west of the mixed-use building near the center of the site and is 1,990 square feet. Area 3 is a public plaza to the north of the mixed-use building and is 2,657 square feet. The common open space areas and the public plaza would include landscaping and areas for gathering (i.e., tables, umbrellas, benches, etc.).

3.2.2 POPULATION AND EMPLOYEE ESTIMATES

Based on an average household size of 2.87 persons,⁴⁷ the proposed project would generate 52 residents.⁴⁸ Applying the generation rate of one job for every 450 square feet of commercial uses, the proposed project would generate 10 employees.⁴⁹ The single residential unit on site is not occupied at this time and the approximately 10,500 square feet of commercial buildings are partially occupied. Applying the same generation rates as the proposed project, the current uses at full occupancy could generate about 3 residents and 23 employees. Therefore, the net new occupants of the site would be 49 residents and minus 13 employees. It is anticipated that future residents and employees would be drawn largely from Cupertino and other communities in the San Francisco Bay Area.

⁴⁷ This analysis is based on the Association of Bay Area Governments (ABAG) 2019 projections of the average household size of 2.87 persons for Cupertino in 2020. This is the standard approach for population and housing analysis in Cupertino.

⁴⁸ 18 new units multiplied by 2.87 persons per unit equals 51.66 new residents.

⁴⁹ 4,356 square feet of commercial land use/450 square feet per employee = 9.68 employees.

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-9
Detached Single-Family Homes Elevation

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-10
Attached Single-Family Homes Elevation

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-11
Attached Single-Family Homes Elevation

PROJECT DESCRIPTION

3.2.3 CIRCULATION AND ACCESS

3.2.3.1 VEHICULAR ACCESS

As shown on Figure 3-12, the project would have two-lane entrance/exit circulation pattern with the access points at the South Foothill Boulevard/McClellan Road intersection and the Stevens Canyon Road/St. Andrews Avenue intersection. The project access points would modify the existing three-way (or “t”) intersections at South Foothill Boulevard/McClellan Road and Stevens Canyon Road/St. Andrews Avenue. The proposed project would extend McClellan Road and St. Andrews Avenue onto the project site; however, the on-site roadway extensions would be for use by future residents and customers only and would be privately maintained (i.e., not the responsibility of the City). The proposed attached single-family homes would be accessed via these roadway extensions, which would allow for two-way travel in and out of the single-family homes. The proposed single-family homes would be accessed via either driveway that would run along a north-south axis on the property. Entry to the subterranean parking under the mixed-use building would be accessed from the proposed on-site roadway.

Proposed emergency access routes are similar to the proposed vehicle access routes. Emergency personnel would also have access to the backyard areas of the residential buildings via gates or partitioned fences on the side yards or backyard of the residential buildings, that would remain unlocked. Waste management vehicles would follow the same vehicle route, with access to the two residential roads on the west side of the project site.


3.2.3.2 PEDESTRIAN AND BICYCLE ACCESS

Class II bike lanes currently exist on both sides of South Foothill Boulevard and Stevens Canyon Road along the length of the project site. Bicyclists would access the project site from the existing Class II bike lanes via the internal roadway network. Class III Bikeway or Bike Route designated signs and pavement markings for automobile and bicycle shared use are provided along McClellan Road on both sides of the roadway.⁵⁰

Pedestrian access to the site would be via the proposed monolithic sidewalk along the eastern border of the project site along the west side of South Foothill Boulevard and Stevens Canyon Road, which would connect with the internal sidewalks on the project site. The proposed sidewalk would also connect to the existing sidewalk to the north of the project site on west side of South Foothill Boulevard. Pedestrians would also have access to the site via the existing crosswalks marked with ladder stripping on Stevens Canyon Road connecting to McClellan Road and St. Andrews Avenue.

⁵⁰ Class II Bikeways are bike lanes for bicyclists that are generally adjacent to the outer vehicle travel lanes and have special lane markings, pavement legends, and signage. Class III Bike Routes are designated roadways for bicycle use by signs or other markings may or may not include additional pavement width for cyclists

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.




Figure 3-12
Circulation Map

PROJECT DESCRIPTION

3.2.4 LANDSCAPING

The proposed project would include 16,602 square feet of pervious landscaped surfaces. Figure 3-13 illustrates the proposed landscaping plan. The project site includes landscaping throughout the project site's interior and the surrounding perimeter, and additional landscaping in the common open space areas. For neighborhood privacy and to help reduce bird collisions, 5-foot screening shrubs would be planted along the north, south, and western borders of the project site, where the adjacent land use is residential. Trees and other landscaping would be planted along South Foothill Boulevard and Stevens Canyon Road as well as along the internal project roadway network. As stated above in Section 3.1.4, Land Use and Zoning, the project is required to submit a Landscape Project Submittal for approval by the City.

The proposed landscaping would be consistent with the surrounding Northern California landscape and would include native and/or adaptive, and drought resistant plant materials of similar water use grouped by hydrozones, which are areas where plants are organized based on similar water use.⁵¹ The majority of plantings would be drought tolerant grasses, shrubs, and trees that, once established, are adapted to a dry summer and intermittent rain in the winter season. There would also be appropriate landscaping in the bioretention areas required by the City's Municipal Regional Permit.

3.2.5 LIGHT AND GLARE


As shown in by Figure 3-14, the source, intensity, and type of exterior lighting for the project site would generally be provided for the purpose of orienting site users and for safety needs. All permanent on-site lighting would be low-level illumination, downward directed, and shielded to reduce light spill or glare into surrounding residential homes. There would be no up-lighting on the mixed-use building exterior. In landscaped and paved areas, light sources would be concealed and not visible from a public viewpoint. Unless used for safety, all outside lighting would be turned off by 11:00 p.m. All exterior surface and above-ground mounted fixtures would be complementary to the architectural theme and to the surrounding residential units.

The proposed project would not include reflective glass. Where glass features such as windows and doors are proposed, glazing treatments would vary; however, none of the exterior glass would have a light reflectance value of more than 15 percent.⁵²

⁵¹ The California Model Water Efficient Landscape Ordinance defines a hydrozone as a portion of the landscaped area having plants with similar water needs.

⁵²A light reflectance value or LRV is a measure of visible and usable light that is reflected from a surface when illuminated by a light source. LRV is expressed as a percentage from 0 to 100; the higher the number the more visible light that is reflected.


PROJECT DESCRIPTION




Source: Reed Associates Landscape Architecture, 2020.

Figure 3-13
Proposed Landscape Plan

PROJECT DESCRIPTION



Source: Source: LPMD Architects, 2020; MR Engineering Consultants, 2020.



PHOTOMETRIC DATA

Luminaire Schedule						
Symbol	Qty	Label	Arrangement	LLF	Description	Arr. Watts
⬢	11	Type A	SINGLE	0.900	Lithonia DSXO LED F11 30K T3M MVOLT HS L90, 14ft. Pole	72
⊙	4	Type B	SINGLE	0.900	Lithonia DSXB LED 12C 530 30K ASY D-SERIES	22

Calculation Surface							
Designation	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
Driveway / Parking Lot	Illuminance	Fc	3.75	21.0	0.55	6.8	38

Figure 3-14
Proposed Lighting Plan

PROJECT DESCRIPTION

The HVAC system would be shielded from view by a parapet facing Stevens Canyon Road (see Figure 3-8) at least 3 feet in height, which would also serve as a noise attenuation feature. The proposed project would not include reflective glass. Where glass features are proposed, glazing treatments would vary, and none of the exterior glass would have a light reflectance value of more than 15 percent.⁵³ The first floor of the mixed-use building and the second-floor apartments, including balcony railing elements, could have a combination of UV coatings, frosting, and fritting, which reduces glare and makes the glass visible to birds to reduce collisions.

3.2.6 UTILITIES AND ENERGY

The proposed utility infrastructure would connect to the existing water, sewer, storm drain system, natural gas and electricity network in the area, and would be served by an existing solid waste landfill.

3.2.6.1 WATER SUPPLY AND CONSERVATION

To support the proposed project, a new water line would be installed along the new main internal road to connect to the existing water lines along Stevens Canyon Road. Any new connections or replaced water lines would not encroach on undisturbed areas. All landscape zones would be irrigated as required by the Cupertino Landscape Ordinance, and water uses would be tailored to meet CALGreen Building Standards, which as described above in Section 3.1.4.2, Zoning, requires water conservation and requires new buildings to reduce water consumption by 20 percent.

3.2.6.2 SANITARY SEWER SERVICE


As shown on Figure 3-15, connections to the existing sanitary sewer system would be made on South Foothill Boulevard and Stevens Canyon Road.

3.2.6.3 STORMWATER MANAGEMENT

The proposed project would result in 43,419 square feet of impervious surfaces coverage. Compared to 47,975 square feet of impervious coverage in existing conditions, this would be a decrease of 4,556 square feet or 9 percent. The proposed project would include 16,602 square feet of pervious surfaces in the form of landscaping and two on-site bioretention facilities (1,540 square feet) that would hold and treat stormwater before it is released into the City's off-site storm drain infrastructure). As a result, the proposed project would result in a decrease in the amount of runoff from the project site. The project is required to comply with the Santa Clara Valley Urban Runoff Pollution Prevention Program C.3 requirements, which include minimization of impervious surfaces, measures to detain or infiltrate runoff from peak flows to match pre-development conditions, and agreements to ensure that the stormwater treatment and flow control facilities are maintained in perpetuity. The project also must comply with CMC Chapter 9.18 described above in Section 3.1.4.2, Zoning, which is intended to provide regulations and give legal effect to certain requirements of the NPDES permit issued to the City.

⁵³A light reflectance value or LRV is a measure of visible and usable light that is reflected from a surface when illuminated by a light source. LRV is expressed as a percentage from 0 to 100; the higher the number the more visible light that is reflected.

PROJECT DESCRIPTION



Source: TS Civil Engineering, 2020.





Figure 3-15
Utility Plan

PROJECT DESCRIPTION

3.2.6.4 SOLID WASTE SERVICES

Recology South Bay (Recology) would provide curbside recycling, garbage, and compost and landscaping waste service to the project.⁵⁴ All non-hazardous solid waste collected under the Recology franchise agreement is taken to Newby Island Sanitary Landfill for processing. Under the agreement between the City and Recology, Recology also handles recyclable materials (at no cost to customers). The proposed waste management for the proposed project would focus on waste, recycling, and composting.

3.2.6.5 OTHER UTILITIES (GAS, ELECTRIC, AND CABLE)

Pacific Gas & Electric (PG&E) would supply natural gas and electricity infrastructure to the project site.⁵⁵ The source of electricity would be provided through a partnership of Silicon Valley Clean Energy (SVCE), which provides a standard electricity offering from a 50 percent renewable portfolio,⁵⁶ and PG&E. SVCE also offers a 100 percent renewable option that electricity customers can opt into. The proposed development would achieve LEED Silver, or equivalent Alternative Reference Standard, consistent with the City's requirements.⁵⁷ Telephone service would be provided by AT&T and other providers. Cable television service would be available from a number of providers, including Comcast.

3.2.7 DEMOLITION, SITE PREPARATION, AND CONSTRUCTION

Demolition and construction would take place over a 10-month period, which is anticipated to begin in June 2021 and end in March 2022, subject to regulatory approval.⁵⁸ The project applicant proposes to demolish the existing buildings and remove almost all the existing on-site vegetation. Table 3-1 shows the approximate demolition and construction phasing.

Demolition would take place over a period of approximately two weeks, while grading and site preparation, including excavation for the subterranean garage, would be completed over a two-month period. Demolition and construction work would be conducted between 7:00 a.m. to 8:00 p.m. on weekdays, as provided for in CMC Section 10.48.053, Grading, Construction and Demolition. Demolition and construction is not permitted

TABLE 3-1 DEMOLITION AND CONSTRUCTION

Activity	Phase 1 (Workdays)
Demolition	11
Site Preparation	17
Grading	33
Building Construction	195
Paving	12
Landscaping	10

Source: Based on information from the project applicant, California Emissions Estimator Model Version 2016.3.25, and PlaceWorks, 2019.

⁵⁴ City of Cupertino, Garbage and Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed on January 16, 2019.

⁵⁵ City of Cupertino. 2019. Other Service Providers. <https://www.cupertino.org/our-city/departments/other-service-providers>. Accessed May 2, 2019.

⁵⁶ Silicon Valley Clean Energy. 2019. Your Choices. <https://www.svcleanenergy.org/choices/>, accessed on May 2, 2019 at

⁵⁷ Leadership in Energy & Environmental Design is a green building program that recognizes building strategies that reduce consumption energy, and water, and reduce solid waste directly diverted to landfills. Silver typically reduce is the third highest ranking, with just being certified being the lowest and Gold and Platinum being the second highest.

⁵⁸ New buildings would be constructed to the California 2019 Building Energy Efficiency Standards (effective January 1, 2020).

PROJECT DESCRIPTION

on weekends or holidays for sites within 750 feet of other residential properties.⁵⁹ Demolition debris, including soil, would be off-hauled for disposal in accordance with the City of Cupertino's Recycling and Diversion of Construction and Demolition Waste Ordinance.⁶⁰ Debris to be hauled would include shrubs and trees that were planted as part of the existing urbanized landscape, 1,616 square feet of building demolition debris, 294 tons of asphalt/concrete material, and 14,100 cubic yards of grading and soil export. Typical equipment to be used for demolition and site preparation would include excavators, a skid steer loader, a grader, a rubber-tired dozer, scrapers, and an off-highway truck.

The project construction would consist of approximately 23,990 square feet of building space, 16,602 square feet of landscaped areas, and 20,395 square feet of hardscape (e.g., curb, gutters, planters, retaining walls, etc.). No pile driving, rock blasting, or crushing would occur during the construction phase. Typical equipment to be used during construction of the project would include a backhoe, a crane, aerial lifts, a generator, a diesel pump, dumpers, rollers, and a paver.

During demolition and construction, vehicles, equipment, and materials would be staged and stored on a centrally located portion of the project site when practical. No long-term staging of equipment would occur around the perimeter of the site where adjacent to existing residential uses. No staging would occur in the public right-of-way. The construction site and staging areas would be clearly marked, and construction fencing would be installed to prevent disturbance and safety hazards. A combination of on- and off-site parking facilities for construction workers would be identified during demolition, grading, and construction.

3.3 REQUIRED PERMITS AND APPROVALS

Following approval of this Initial Study and adoption of the Mitigated Negative Declaration, the following discretionary permits and approvals from the City would be required for the proposed project:

- Zoning Map Amendment
- Architectural and Site Approval Permit
- Development Permit
- Final Map for Subdivision

In addition, permits for demolition, grading and building, and the certificate of occupancy would be required from the City. Encroachment permits from the City would also be required for any work performed in the public right-of-way.

⁵⁹ Cupertino Municipal Code, Title 10, Public Peace, Safety and Morals, Chapter 10.48, Community Noise Control, Section 10.48.053, Grading, Construction and Demolition.

⁶⁰ Cupertino Municipal Code, Title 16, Building and Construction, Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste.

4. Environmental Analysis

4.1 DISCUSSION OF ENVIRONMENTAL EVALUATION

The General Plan EIR included an analysis of the project site as potential Housing Element Site 9 (Foothill at McClellan Center – Foothill Market), although the adopted General Plan did not designate this site as a Priority Housing Element Site. The evaluation in the General Plan EIR assumed potential redevelopment of the existing commercial development to commercial and residential uses with 25 dwelling units per acre (or 27 net residential units) with a maximum of 30 feet in height.⁶¹ The cumulative impacts of past, present, and probable future development, in conjunction with overall General Plan buildout, including residential development of the project site, were evaluated in the General Plan EIR. The proposed project is anticipated to be completed in 2022 (subject to regulatory approval); thus, this Initial Study presents an analysis of the near-term impacts of the proposed project under existing conditions and 2025 cumulative conditions. Although the project site was evaluated as Housing Element Site 9 in the General Plan EIR, the adopted General Plan does not designate this site as a Priority Housing Element Site in the Housing Element.⁶²

Consistent with the analysis presented in the General Plan EIR, and due to the proposed project's location in an urbanized city setting, the project would not have a significant effect on agriculture, forestry or mineral resources. Maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency categorize land within Cupertino as Urban and Built-Up Land.⁶³ In addition, according to the 2006 mapping data from the California Department of Forestry and Fire Protection, the city does not contain any woodland or forestland cover.⁶⁴ Finally, the city does not contain land zoned for farmland or timberland production.⁶⁵ Consequently, there would be no impacts with regard to agriculture and forestry resources. The project site is not within an area designated as Mineral Resource Zone, which is an area containing mineral deposits.⁶⁶ Consequently, because the site has been developed and is not considered suitable for protection or conservation, there would be no impacts to mineral resources. For these reasons, these topics are not discussed further in this Initial Study. After the General Plan EIR was certified, the CEQA Guidelines were amended by the Governor's Office of Planning and Research, which is the entity charged with developing guidelines to help agencies implement CEQA, and adequacy of parking

⁶¹ PlaceWorks. 2015. City of Cupertino General Plan EIR, Chapter 3, Project Description, page 3-88.

⁶² City of Cupertino. 2015. City of Cupertino General Plan, Housing Element. Page H-16.

⁶³ California Resources Agency, Farmland Mapping and Monitoring Program. Santa Clara County Important Farmland 2010, accessed on May 9, 2019.

⁶⁴ California Department of Forestry and Fire Protection Fire and Resource Assessment Program, Land Cover Map, accessed on May 9, 2019.

⁶⁵ City of Cupertino, Zoning Map, <http://www.cupertino.org/index.aspx?page=291>, accessed on May 9, 2019.

⁶⁶ City of Cupertino, General Plan Community Vision 2015–2040, Chapter 6, Environmental Resources and Sustainability, Figure ES-2, Mineral Resources.

ENVIRONMENTAL ANALYSIS

is no longer considered to be a significant environmental impact. Accordingly, parking adequacy is not discussed further in this Initial Study.

I. AESTHETICS

Except as provided in Public Resources Code Section 21099 (transit priority area/major transit stop), would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a State scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.1, Aesthetics, of the General Plan EIR, addressed the impacts to visual resources associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The impacts were found to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

The project site contains partially vacant commercial buildings, a converted residential unit, and a vacant residential unit, bordered by surface parking and associated landscaping. The largest commercial building is a one-story building located on the west side of the project site and the second commercial building is a one-story building on the northeast corner of the project site. There is also a vacant, detached one-story residential unit on the northwest corner of the project site, with a detached shed and surrounding grassy areas. Surrounding uses include one to two-story single-family homes to the north, south, and west, with additional one to two-story homes across Stevens Canyon Road to the east. Landscaping on-site consists of one mature redwood tree and one mature palm tree in the southeast corner of the site, shrubs along Stevens Canyon Road, and mature trees and plantings surrounding the Cupertino Bike Shop and vacant residential unit.

ENVIRONMENTAL ANALYSIS

DISCUSSION

a) Would the proposed project have a substantial adverse effect on a scenic vista?

As discussed in Chapter 4.1, Aesthetics, of the General Plan EIR, the proposed project would have the potential to affect scenic vistas and/or scenic corridors if the redevelopment on the project site blocked views of areas that provide or contribute to such vistas. Potential effects could include blocking views of a scenic vista/corridor from specific publicly accessible vantage points or the alteration of the scenic vista/corridor. Such alterations could be positive or negative.

Public views of scenic corridors are views seen along a linear transportation route and public views of scenic vistas are views of specific scenic features. Scenic vistas are considered to be long-range views, while scenic corridors are comprised of short-, middle-, and long-range views. The General Plan does not have designated scenic corridors or vistas. However, for the purposes of this analysis, the westward views of the foothills and ridgelines of the Santa Cruz Mountains are considered scenic vistas, and the segment of I-280 from Santa Clara County line on the west to I-880 on the east also is considered a scenic corridor.

The analysis in the General Plan EIR found that building heights remaining at 30 feet would result in a less-than-significant impact to the long-range views of the Santa Cruz Mountain Range and foothills because the maximum heights of the existing on-site and surrounding buildings and mature trees currently limit the opportunity for views of scenic vistas from street-level public viewing. The project location is not considered a destination public viewing point nor is it visible from scenic vistas.

As described in Chapter 3, Project Description, of this Initial Study, the existing buildings would be removed and replaced by the proposed mixed-use development with surface and underground parking, with all structures being 30 feet tall at the highest point. Of the two mature trees on the site, the Redwood tree on the northeast corner is proposed for removal, and the Palm tree on the southeast corner would remain.

Because the proposed project would not involve height increases above the surrounding development and are the same as what was evaluated in then General Plan EIR and currently permitted in the General Plan, and because existing conditions currently limit views of scenic resources combined with the fact that the site and surrounding areas are not public viewing locations, impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

b) Would the proposed project substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a State scenic highway?

As discussed in Chapter 4.1, Aesthetics, of the General Plan EIR, the segment of I-280 in Cupertino is not an officially designated State Scenic Highway but is considered eligible for listing as a designated State Scenic Highway. The project site is approximately 1.4 miles to the south of the I-280/North Foothill Boulevard interchange, which is the arterial that connects the project site to I-280. The project site is not visible from I-280. Therefore, there would be no changes to the I-280 viewshed.

ENVIRONMENTAL ANALYSIS

Impacts to views of scenic resources from the I-280 view corridor were determined to be less than significant in the General Plan EIR. Because the project proposes building heights that are consistent with what was evaluated in the General Plan EIR and the surrounding development, and are permitted in the General Plan, and because the site is not visible from the I-280 viewshed, project impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

c) If the proposed project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

The project site is in an urbanized area that is not designated or otherwise identified as a public viewing location for surrounding scenic views. Public views of scenic resources including the westward views of the foothills and ridgelines of the Santa Cruz Mountains and the segment of I-280 from the Santa Clara County line on the west to I-880 on the east are partially obstructed under existing conditions due to the natural topography and the existing buildings in the project area.

The proposed project would result in a change from the existing one-story commercial and residential buildings to multiple two-story residential buildings and a mixed-use building, none of which would exceed the permitted height limit of 30 feet.

The project site is within the Commercial/Residential General Plan land use designation, which is intended to provide local neighborhood serving retail with residential densities compatible with the surroundings.⁶⁷ The proposed project includes a zoning amendment to change the existing Planned Development with General Commercial (P(CG)), to Planned Development with General Commercial and Residential (P(CG,Res)). The proposed amendment to the Zoning Map would allow residential development on the site which would not conflict with any land use or zoning regulations governing scenic quality.

The proposed development would be required to provide suitable setbacks from public rights-of-way and appropriate buffers and/or height transitions for buildings adjacent to the surrounding low-density residential developments. Furthermore, the proposed project would increase the landscaping to include at least 19 new trees in addition to the one mature Palm tree that is located on the southeast corner of the project site which will remain as part of the project. The proposed landscaping would include planting 15-gallon screening Kohuhu shrubs (*Pittosporum Tenuifolium*) along the entire western and eastern project boundary, and approximately half of the rear project boundary. Additional landscaping along the northern boundary of the site along South Foothill Boulevard will partially screen the proposed development and would enhance the visual quality of the sidewalk abutting the property where no landscaping currently exists. Combined, the existing and proposed trees would help to preserve the existing visual setting.

Furthermore, the project is subject to the City's discretionary review processes for the proposed Development Permit and Architectural and Site Approval Permit, in accordance with Chapters 19.12 and 19.168 of the Zoning Ordinance, which would ensure the proposed project would harmonize with adjacent development and not degrade the existing visual quality of the site and surrounding land uses.

⁶⁷ City of Cupertino. 2015. City of Cupertino General Plan, Appendix A, Land Use Definitions.

ENVIRONMENTAL ANALYSIS

Accordingly, consistent with the conclusions of the General Plan EIR, the proposed project would not substantially degrade the existing visual character of the site and its surroundings, or conflict with an applicable zoning and other regulations governing scenic quality and impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

d) *Would the proposed project create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?*

Nighttime illumination and glare impacts are the effects on adjoining uses and areas from a project's exterior lighting. Light and glare impacts are determined through a comparison of the existing light sources with the proposed lighting plan or policies. As discussed in Chapter 4.1, Aesthetics, of the General Plan EIR, the project site and surrounding areas contain existing sources of nighttime illumination. These include street and parking area lights, and exterior lighting on existing commercial buildings. Additional light and glare in the overall all area would be caused by surrounding land uses and traffic on surrounding roadways. As described in Chapter 3, Project Description, of this Initial Study, the proposed project would redevelop the project site and replace the existing sources of light and glare with new sources that are similar to the existing uses and consistent with the surrounding land uses. The source, intensity, and type of exterior lighting for the project site would be typical for single-family homes and for orienting site residents and customers of the mixed-used building, and for overall safety needs (i.e., lighting on signs, sidewalks, and parking). All permanent on-site lighting would be low-level illumination, downward directed, and shielded to reduce light spill or glare onto surrounding residential homes as shown on Figure 3-14. There would be no up-lighting on the mixed-use building exterior. In landscaped and paved areas, light sources would be concealed and not visible from a public viewpoint. All exterior surface and above-ground mounted fixtures would be complementary to the architectural theme and to the surrounding residential uses.

The proposed project would not include reflective glass. Where glass features are considered, glazing treatments would vary and none of the exterior glass would have a light reflectance value of more than 15 percent.⁶⁸ The second-floor balconies for the apartments would include railing elements, which could have a combination of UV coatings, frosting, and fritting, which reduces glare. The existing roadway and proposed landscaping surrounding the project would act as a buffer to prevent light spilling on to adjacent land uses. For these reasons, impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

⁶⁸A light reflectance value or LRV is a measure of visible and usable light that is reflected from a surface when illuminated by a light source. LRV is expressed as a percentage from 0 to 100; the higher the number the more visible light that is reflected.

ENVIRONMENTAL ANALYSIS**II. AIR QUALITY**

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project area is in non-attainment under applicable federal or State ambient air quality standards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.2, Air Quality, of the General Plan EIR, addressed the air quality impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Air quality impacts were found to be significant and unavoidable in the General Plan EIR because the project-specific details of future development were not available. The City adopted and incorporated mitigation measures into the General Plan to reduce air quality impacts. Mitigation Measures AQ-2a and AQ-2b are specific measures that are to be implemented by future projects, such as the proposed project, to reduce construction-related air quality impacts. Mitigation Measure AQ-2a require applicants for future development projects to comply with the current Bay Area Air Quality Management District (BAAQMD) basic control measures for reducing fugitive dust emissions (PM₁₀ and PM_{2.5}) during construction and Mitigation Measure AQ-2b provides additional measures if there are significant construction exhaust emissions.

EXISTING CONDITIONS

The environmental setting normally constitutes the baseline physical conditions by which a lead agency determines whether an impact is significant (CEQA Guidelines Section 15125(a)). However, lead agencies have discretion to consider conditions over a range of time periods to account for a temporary lull or spike in operations. As with any commercial use, the buildings on the project site experience periodic transitions in tenants and occupancy. Therefore, this analysis considers full occupancy associated with historic operations of the existing commercial use as the baseline.

The existing commercial uses generate criteria air pollutants from transportation sources, energy use (natural gas and purchased energy), and area sources such as landscaping equipment and architectural

ENVIRONMENTAL ANALYSIS

coatings. The current land use generates approximately 454 gross average daily trips on a weekday.⁶⁹ Existing emissions associated with the proposed project site are included in Table 4-1 below.

TABLE 4-1 EXISTING OPERATION-RELATED CRITERIA AIR POLLUTANT EMISSIONS

Category	Criteria Air Pollutants (tons per year)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Existing 2019 Emissions				
Area	0.06	0.00	0.00	0.00
Energy	0.00	0.00	0.00	0.00
On-Road Mobile	0.16	0.71	0.51	0.14
Total	0.23	0.71	0.51	0.14

Category	Criteria Air Pollutants (average pounds per day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Area	0.33	0.00	0.00	0.00
Energy	0	0.00	0.00	0.00
On-Road Mobile	.88	3.90	2.80	0.77
Total	1.21	3.90	2.80	0.77

Notes: Emissions may not total to 100 percent due to rounding; Reactive Organic Gases = ROG; Nitrogen Oxides = NO_x; Coarse Inhalable Particulate Matter = PM₁₀; Fine Inhalable Particulate Matter = PM_{2.5}
Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

Air Pollutants of Concern

Criteria Air Pollutants

Pollutants emitted into the ambient air by stationary and mobile sources are regulated by federal and State law under the federal Clean Air Act (National) and California Clean Air Act, respectively. Air pollutants are categorized as primary and/or secondary pollutants. Primary air pollutants are those that are emitted directly from sources. Carbon monoxide (CO), reactive organic gases (ROG), nitrogen oxides (NO_x), sulfur dioxide (SO₂), coarse inhalable particulate matter (PM₁₀), fine inhalable particulate matter (PM_{2.5}), and lead (Pb) are primary air pollutants. Of these, all of them except for ROGs are “criteria air pollutants,” which means that ambient air quality standards (AAQS) have been established for them. The National and California AAQS are the levels of air quality considered to provide a margin of safety in the protection of the public health and welfare. They are designed to protect those “sensitive receptors” most susceptible to further respiratory distress, such as asthmatics, the elderly, very young children, people already weakened by other disease or illness, and persons engaged in strenuous work or exercise. Healthy

⁶⁹ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

ENVIRONMENTAL ANALYSIS

adults can tolerate occasional exposure to air pollutant concentrations considerably above these minimum standards before adverse effects are observed.

Toxic Air Contaminants

In addition to criteria air pollutants, both the State and federal government regulate the release of TACs. The California Health and Safety Code Section 39655 defines a TAC as “an air pollutant which may cause or contribute to an increase in mortality or in serious illness, or which may pose a present or potential hazard to human health.” A substance that is listed as a hazardous air pollutant pursuant to Section 112(b) of the federal Clean Air Act (42 United States Code Section 7412[b]) is a toxic air contaminant. Under State law, the California Environmental Protection Agency, acting through the California Air Resources Board (CARB), is authorized to identify a substance as a TAC if it determines that the substance is an air pollutant that may cause or contribute to an increase in mortality or serious illness, or may pose a present or potential hazard to human health.

Where available, the significance criteria established by the BAAQMD are relied upon to make the determinations discussed below.

DISCUSSION

This section analyzes the types and quantities of air pollutant emissions that would be generated by the construction and operation of the proposed project at a project level. An update to the background discussion in the General Plan EIR of the air quality regulatory setting, meteorological conditions, existing ambient air quality in the vicinity of the project site, and air quality modeling is in Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study. The construction health risk assessment (HRA) for this project is in Appendix B, Health Risk Assessment, of this Initial Study.

a) Would the project conflict with or obstruct implementation of the applicable air quality plan?

BAAQMD is directly responsible for reducing emissions from area, stationary, and mobile sources in the San Francisco Bay Area Air Basin (SFBAAB) to achieve National and California AAQS. In April 2017, BAAQMD adopted its 2017 Clean Air Plan, which is a regional and multiagency effort to reduce air pollution in the SFBAAB. Regional growth projections are used by BAAQMD to forecast future emission levels in the SFBAAB. For the Bay Area, these regional growth projections are provided by the Association of Bay Area Governments (ABAG) and transportation projections are provided by the Metropolitan Transportation Commission (MTC) and are partially based on land use designations in city/county general plans. Typically, only large, regionally significant projects have the potential to affect the regional growth projections.

The proposed project would construct 18 residential units resulting in a density of 11.5 dwelling units per acre and, therefore, would not exceed the 15 dwelling units per acre limit designated in the General Plan or the 25 dwelling units per acre maximum that was evaluated in the General Plan EIR. Therefore, the proposed project would not directly result in any additional new population growth or employment growth beyond what was analyzed in the General Plan EIR. The proposed project is not considered a

ENVIRONMENTAL ANALYSIS

regionally significant project under CEQA Guidelines Section 15206 that would affect regional vehicle miles traveled (VMT) and warrant intergovernmental review by ABAG and MTC.

As discussed in Section XII, Population and Housing, below, the proposed project would not exceed the level of population or housing projected in City or regional planning efforts (*Plan Bay Area*) through 2040, and it would not have the potential to substantially affect housing, employment, and population projections within the region, which is the basis of the 2017 Clean Air Plan projections. Furthermore, the proposed project would create a net decrease in emissions on-site and would not exceed the BAAQMD's emissions thresholds (see Operational Impacts discussion in criterion (b) below). The BAAQMD emissions thresholds were established to identify projects that have the potential to generate a substantial amount of criteria air pollutants. Because the proposed project would result in an air quality benefit, the proposed project would not be considered by the BAAQMD to be a substantial emitter of criteria air pollutants. Therefore, the proposed project would not conflict with or obstruct implementation of the 2017 Clean Air Plan and impacts would be considered *less than significant*.

b) *Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project area is in non-attainment under applicable federal or State ambient air quality standards?*

This section analyzes potential impacts related to air quality that could occur from a combination of the proposed project with other past, present, and reasonably foreseeable projects within the SFBAAB. The SFBAAB is currently designated a nonattainment area for California and National O₃, California and National PM_{2.5}, and California PM₁₀ AAQS. Any project that produces a significant project-level regional air quality impact in an area that is in nonattainment adds to the cumulative impact. Due to the extent of the area potentially impacted by cumulative plus project emissions (the SFBAAB), a project's contribution to a cumulative impact is cumulatively considerable when project-related emissions exceed the BAAQMD emissions thresholds.

BAAQMD has identified thresholds of significance for criteria pollutant emissions and criteria air pollutant precursors, including ROG, NO_x, PM₁₀, and PM_{2.5}. Development projects below the significance thresholds would not generate sufficient criteria pollutant emissions to violate any air quality standard or contribute substantially to an existing or projected air quality violation. The following describes changes in regional impacts from short-term construction activities and long-term operation of the proposed project.

Regional Short-Term Construction Impacts

Construction activities produce combustion emissions from various sources, such as on-site heavy-duty construction vehicles, vehicles hauling materials to and from the site, and motor vehicles transporting the construction crew. Site preparation activities produce fugitive dust emissions (PM₁₀ and PM_{2.5}) from demolition and soil-disturbing activities, such as grading and excavation. Air pollutant emissions from construction activities on site would vary daily as construction activity levels change. Construction activities associated with the project would result in emissions of ROG, NO_x, CO, PM₁₀, and fine PM_{2.5}.

ENVIRONMENTAL ANALYSIS

Construction Fugitive Dust

Ground disturbing activities during construction would generate fugitive dust (PM₁₀ and PM_{2.5}). The amount of dust generated during construction would be variable and is dependent on the amount of material being disturbed, the type of material, moisture content, and meteorological conditions. If uncontrolled, PM₁₀ and PM_{2.5} levels downwind of actively disturbed areas could possibly exceed State standards. BAAQMD considers all impacts related to fugitive dust emissions from construction to be *less than significant* with implementation of BAAQMD's best management practices shown in Mitigation Measure AQ-1, which is required pursuant to General Plan EIR Mitigation Measure AQ-2a.

Impact AQ-1: Fugitive dust (PM₁₀ and PM_{2.5}) generated by the proposed project during construction could potentially result in significant regional short-term air quality impacts without implementation of the Bay Area Air Quality Management District's best management practices related to reducing fugitive dust emissions.

Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM₁₀ and PM_{2.5}) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:

- Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible.
- Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites.
- Cover all trucks hauling soil, sand, and other loose materials.
- Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust.
- Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material.
- Hydroseed or apply non-toxic soil stabilizers to inactive construction areas.
- Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand).
- Limit vehicle traffic speeds on unpaved roads to 15 miles per hour.
- Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established.
- Install sandbags or other erosion control measures to prevent silt runoff from public roadways.
- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.

Construction Exhaust Emissions

Analysis of construction emissions is based on the preliminary construction duration and normalized California Emissions Estimator Model (CalEEMod) default schedule developed for the proposed project. The proposed project would produce demolition debris and would require soil export for the underground

ENVIRONMENTAL ANALYSIS

parking that would occur near existing sensitive land uses. Construction emissions were quantified using the CalEEMod Version 2016.3.2.25 based on information provided by the project applicant, which was reviewed and approved by PlaceWorks and the City. The approximately 10-month construction period is assumed to begin in June 2021 and end in March 2022, subject to regulatory approval.

Potential construction-related air quality impacts are determined by comparing the average daily criteria air pollutants emissions generated by the proposed project-related construction activities to the BAAQMD significance thresholds in Table 4-2. Average daily emissions are based on the annual construction emissions divided by the total number of active construction days.

TABLE 4-2 CONSTRUCTION-RELATED CRITERIA AIR POLLUTANT EMISSIONS ESTIMATES

Year	Criteria Air Pollutants (tons/year) ^a					
	ROG	NO _x	Fugitive PM ₁₀ ^b	Exhaust PM ₁₀ ^b	Fugitive PM _{2.5} ^b	Exhaust PM _{2.5} ^b
2021	0.13	1.45	0.08	0.06	0.03	0.05
2022	0.11	0.36	0.01	0.02	0.00	0.02
Total	0.24	1.81	0.09	0.07	0.03	0.07

Criteria Air Pollutants (average lbs/day) ^a						
Average Daily Emissions ^c	2.34	17.30	0.86	0.70	0.29	0.67
BAAQMD Average Daily Project-Level Threshold	54	54	BMPs	82	BMPs	54
Exceeds Average Daily Threshold	No	No	N/A	No	N/A	No

Notes: Emissions may not total to 100 percent due to rounding. BMP = Best Management Practices; NA = not applicable; ROG = Reactive Organic Gases = ROG; Nitrogen Oxides = NO_x; Coarse Inhalable Particulate Matter = PM₁₀; Fine Inhalable Particulate Matter = PM_{2.5}

a. Construction phasing and equipment mix are based on the preliminary information provided by the project applicant. Where specific information regarding project-related construction activities was not available, construction assumptions were based on CalEEMod defaults, which are based on construction surveys conducted by South Coast Air Quality Management District of construction equipment and phasing for comparable projects.

b. Includes implementation of BMPs for fugitive dust control required by BAAQMD as mitigation, including watering disturbed areas a minimum of two times per day, reducing speed limit to 15 miles per hour on unpaved surfaces, and street sweeping.

c. Average daily emissions are based on the total construction emissions divided by the total number of active construction days. The total number of construction days is estimated to be about 209.

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.2.25

As shown in Table 4-2, criteria air pollutant emissions from construction equipment exhaust would not exceed the BAAQMD average daily pounds per day thresholds and impacts from project-related construction activities to the regional air quality would be *less than significant* and implementation of General Plan EIR Mitigation Measure AQ-2b is not required.

Operational Impacts

Typical long-term air pollutant emissions are generated by area sources (e.g., landscape fuel use, aerosols, architectural coatings, and asphalt pavement), energy use (natural gas), and mobile sources (i.e., on-road vehicles). The proposed project would result in new housing units, a parking garage, commercial space, and paved and landscaped surfaces, and associated vehicular trips.

ENVIRONMENTAL ANALYSIS

Table 4-3 identifies a net decrease in criteria air pollutant emissions associated with the proposed project compared to the baseline operation. As shown in Table 4-3, the operational emissions generated by the project would not exceed the BAAQMD daily pounds per day or annual tons per year project level threshold.⁷⁰ Therefore, the proposed project would not cumulatively contribute to the nonattainment designations of the SFBAAB and would result in an air quality benefit, by providing less criteria air pollutant emissions than existing conditions. Project-related operation activities to the regional air quality would be *less than significant*.

TABLE 4-3 OPERATIONAL CRITERIA AIR POLLUTANT EMISSIONS ESTIMATES

Category	Criteria Air Pollutants (tons per year)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Existing Land Use 2021 Projected Emissions				
Area	0.06	0.00	0.00	0.00
Energy	0.00	0.00	0.00	0.00
On-Road Mobile	0.14	0.59	0.53	0.14
Total	0.20	0.60	0.53	0.14
Proposed Land Use 2021 Emissions				
Area	0.19	0.00	0.00	0.00
Energy	0.00	0.02	0.00	0.00
On-Road Mobile	0.08	0.33	0.29	0.08
Total	0.27	0.35	0.29	0.08
Net Change 2021 Emissions				
Area	0.13	0.00	0.00	0.00
Energy	0.00	0.01	0.00	0.00
On-Road Mobile	-0.06	-0.26	-0.23	-0.06
Total	0.07	-0.25	-0.23	-0.06
BAAQMD Annual Project-Level tons/yr Threshold	10	10	15	10
Exceeds BAAQMD's lbs/day Threshold?	No	No	No	No

Category	Criteria Air Pollutants (average pounds per day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Existing Land Use 2021 Projected Emissions	1	3	3	1
Proposed Land Use 2021 Emissions	1	2	2	0
Net Change	0	-1	-1	-1
BAAQMD Average Daily Project-Level lbs/day Threshold	54	54	82	54
Exceeds BAAQMD's lbs/day Threshold?	No	No	No	No

Notes: Emissions may not total to 100 percent due to rounding; Reactive Organic Gases = ROG; Nitrogen Oxides = NO_x; Coarse Inhalable Particulate Matter = PM₁₀; Fine Inhalable Particulate Matter = PM_{2.5}
Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

⁷⁰ Further details are shown in Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study.

ENVIRONMENTAL ANALYSIS

Summary

As described, the proposed project would not have a significant long-term operational phase impact, however, without incorporation of fugitive dust control measures, construction activities could potentially result in significant regional short-term air quality impacts. Mitigation Measure AQ-1, required by the General Plan Mitigation Measure AQ-2a, would ensure that required fugitive dust control measures are implemented to control project-related fugitive dust generated during construction activities. Therefore, the project's contribution to cumulative air quality impacts would be *less than significant*.

c) *Would the project expose sensitive receptors to substantial pollutant concentrations?*

Development of the proposed project could expose sensitive receptors to elevated pollutant concentrations. Unlike the construction emissions shown in Table 4-2 in criterion (b), described in pounds per day, localized concentrations refer to an amount of pollutant in a volume of air (parts per millions [ppm] or micrograms per cubic meter [$\mu\text{g}/\text{m}^3$]) and can be correlated to potential health effects.

Construction Off-Site Community Risk and Hazards

The proposed project would elevate concentrations of TACs and $\text{PM}_{2.5}$ in the vicinity of sensitive land uses during construction activities. The nearest sensitive receptors to the project site include the adjacent one-story and two-story single-family residences approximately 20 to 50 feet from the site property lines to the north, west, and south. BAAQMD has developed screening tables for air toxics evaluation during construction that evaluate construction-related health risks associated with residential, commercial, and industrial projects.⁷¹ According to the screening tables, the surrounding residences are closer than the distance of 100 meters (328 feet) that would screen out potential health risks, and therefore, could be potentially impacted from the proposed construction activities. Consequently, a site-specific construction health risk assessment (HRA) of TACs and $\text{PM}_{2.5}$ has been prepared (see Appendix B of this Initial Study).

A quantified analysis of the project's construction emissions was conducted using the CalEEMod, Version 2016.2.25. Construction emissions were based on a 10-month construction duration, construction schedule, and off-road equipment list provided by the project applicant. The United States Environmental Protection Agency AERMOD, Version 9.7, dispersion modeling program was used to determine flagpole level pollutant concentrations, which were used to estimate excess lifetime cancer risk, chronic non-cancer hazard index for non-carcinogenic risk, and the $\text{PM}_{2.5}$ maximum annual concentrations at the nearest sensitive receptors. Results of the analysis are shown in Table 4-4.

⁷¹ Bay Area Air Quality Management District (BAAQMD), Screening Tables for Air Toxics Evaluation During Construction, Version 1.0, May 2010.

ENVIRONMENTAL ANALYSIS**TABLE 4-4 CONSTRUCTION RISK SUMMARY – UNMITIGATED**

Receptor	Cancer Risk (per million)	Chronic Hazards	PM _{2.5} (µg/m ³) ^a
Maximum Exposed Receptor - Off-site Residences	58.4	0.27	0.68
BAAQMD Threshold	10	1.0	0.30
Exceeds Threshold?	Yes	No	Yes

Note: micrograms per cubic meter = µg/m³; PM_{2.5} – fine particulate matter

Source: Cancer risk calculated using 2015 Office of Environmental Health Hazard Assessment Health Risk Assessment Guidance Manual; Lakes AERMOD View, 9.7.

The results of the HRA are based on the maximum receptor concentration over a 10-month construction exposure duration for off-site receptors.⁷² Risk is based on the updated Office of Environmental Health Hazard Assessment (OEHHA) Guidance Manual:⁷³

- Cancer risk for the maximum exposed off-site resident from only construction activities related to the proposed project were calculated to be 58.4 in a million and would exceed the BAAQMD's 10 in one million significance threshold. Utilizing the latest 2015 OEHHA Guidance Manual, the calculated total cancer risk conservatively assumes that the risk for the maximum exposed receptor (MER) consists of a pregnant woman in the third trimester that subsequently gives birth to an infant during the approximately 10-month construction period; therefore, all calculated risk values were multiplied by a factor of 10. In addition, it was conservatively assumed that the residents were outdoors 8 hours a day, 260 construction days per year, and were exposed to all of the daily construction emissions.
- For non-carcinogenic effects, the hazard index identified for each toxicological endpoint totaled less than one for off-site sensitive receptors from the proposed project. Therefore, chronic non-carcinogenic hazards are within acceptable limits.
- The highest PM_{2.5} annual concentrations at the maximum exposed off-site sensitive resident would exceed the BAAQMD significance threshold of 0.3 µg/m³. Therefore, PM_{2.5} emissions are not within acceptable limits.

Because the incremental cancer risk and maximum annual PM_{2.5} concentrations for the maximum exposed receptor would exceed BAAQMD's significance thresholds due to construction activities associated with the proposed project, impacts are *potentially significant*, and the following mitigation is required.

Impact AQ-2: The proposed project could expose sensitive receptors to substantial pollutant concentrations during construction.

⁷² Under the 2015 Office of Environmental Health Hazard Assessment Air Toxics Hot Spots Program Guidance Manual, the exposure duration has changed from 70 years to 30 years for operational risk to residents; however, the risk is still averaged over a 70-year lifetime.

⁷³ Office of Environmental Health Hazard Assessment, 2015. Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments.

ENVIRONMENTAL ANALYSIS

Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:

- Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations.
- Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower.
- Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site.
- Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations.
- Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met.

Mitigation Measure AQ-2, which is not a General Plan EIR mitigation measure, would reduce the project's localized construction emissions, as shown in the Table 4-5 below. The results indicate that, with mitigation, cancer risk and PM_{2.5} impacts would be less than the BAAQMD's significance thresholds for residential-based receptors. Therefore, the project would not expose off-site sensitive receptors to substantial concentrations of air pollutant emissions during construction and impacts would be *less than significant*.

TABLE 4-5 CONSTRUCTION RISK SUMMARY – MITIGATED

Receptor	Cancer Risk (per million)	Chronic Hazards	PM _{2.5} (µg/m ³) ^a
Maximum Exposed Receptor – Offsite Residences	7.5	0.036	0.09
BAAQMD Threshold	10	1.0	0.3
Exceeds Threshold?	No	No	No

Notes: micrograms per cubic meter = µg/m³; PM_{2.5} – fine particulate matter; Risks incorporate Mitigation Measure AQ-2, which requires all equipment of 50 horsepower or more be fitted with engines that meet the EPA's Tier 4 Interim emissions standards.

Source: Cancer risk calculated using 2015 Office of Environmental Health Hazard Assessment Health Risk Assessment Guidance Manual; Lakes AERMOD View, 9.7.

Operation On-Site Community Risk and Hazards

Types of land uses that typically generate substantial quantities of criteria air pollutants and TACs include industrial (stationary sources), manufacturing, and warehousing (truck idling) land uses. These types of major air pollutant emissions sources are not included as part of the proposed mixed-use project. The

ENVIRONMENTAL ANALYSIS

proposed project would not include stationary sources that emit TACs and would not generate a significant amount of heavy-duty truck trips (a source of diesel particulate matter [DPM]). Therefore, the proposed project would not expose sensitive receptors to substantial concentrations of air pollutant emissions during operation, and impacts would be *less than significant*.

Carbon Monoxide (CO) Hotspot Analysis

Areas of vehicle congestion have the potential to create pockets of carbon monoxide (CO), which are called hotspots. These pockets have the potential to exceed the State 1-hour standard of 20 ppm or the 8-hour standard of 9 ppm. The proposed project would not conflict with the Santa Clara Valley Transportation Authority (VTA) Congestion Management Program (CMP) because it would not hinder the capital improvements outlined in the CMP or alter regional travel patterns. VTA's CMP must be consistent with MTC's/ABAG's *Plan Bay Area*. An overarching goal of the regional *Plan Bay Area* 2040 is to concentrate development in areas where there are existing services and infrastructure rather than locate new growth in outlying areas where substantial transportation investments would be necessary to achieve the per capita passenger vehicle, vehicle miles traveled, and associated GHG emissions reductions. The proposed project is an infill residential development that is in close proximity to existing employment centers, roadways, transit, and bicycle and pedestrian routes, and for these reasons would be consistent with the overall goals of *Plan Bay Area* 2040.

Furthermore, under existing and future vehicle emission rates, a project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour—or 24,000 vehicles per hour where vertical and/or horizontal mixing is substantially limited—in order to generate a significant CO impact. Implementation of the proposed project would not increase traffic volumes at affected intersections by more than 44,000 vehicles per hour or 24,000 vehicles per hour where vertical and/or horizontal mixing is substantially limited (see Section XV, Transportation, below).⁷⁴ Therefore, impacts associated with CO hotspots would be *less than significant*.

d) *Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?*

Construction and operation of mixed-use developments would not generate odors that would affect a substantial number of people. The type of facilities that are considered to have objectionable odors include wastewater treatments plants, compost facilities, landfills, solid waste transfer stations, fiberglass manufacturing facilities, paint/coating operations (e.g., auto body shops), dairy farms, petroleum refineries, asphalt batch plants, chemical manufacturing, and food manufacturing facilities. While residential uses are not associated with foul odors that constitute a public nuisance, the proposed mixed-use building would have 4,536 square feet of neighborhood-serving commercial space on the ground floor that could include a food service such as a small coffee shop or a bakery that could generate odors to nearby off-site residents. For these types of uses, the City may require charcoal activated filters to be

⁷⁴ Bay Area Air Quality Management District (BAAQMD), 2011 Revised. California Environmental Quality Act Air Quality Guidelines.

ENVIRONMENTAL ANALYSIS

installed depending on what tenants lease the space over the life of the building operation. However, these are not the types of uses that lead to odors that affect a substantial number of people.

During construction activities, construction equipment exhaust and application of asphalt and architectural coatings would temporarily generate odors. Any construction-related odor emissions would be temporary and intermittent. Additionally, noxious odors would be confined to the immediate vicinity of the construction equipment. By the time such emissions reach any sensitive receptor sites, they would be diluted to well below any level of air quality concern.

Odors are also regulated under BAAQMD Regulation 1, Rule 1-301, Public Nuisance, which states that “no person shall discharge from any source whatsoever such quantities of air contaminants or other material which cause injury, detriment, nuisance or annoyance to any considerable number of persons or the public; or which endangers the comfort, repose, health or safety of any such persons or the public, or which causes, or has a natural tendency to cause, injury or damage to business or property.” Therefore, because construction-related odor emissions would be temporary and intermittent, mixed-use developments such as the proposed project are not considered the type of use that would generate odors that would affect a substantial number of people, and the proposed project is required to comply with BAAQMD Regulation 7, odor-related impacts to off-site land uses would be *less than significant*.

III. BIOLOGICAL RESOURCES

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Have a substantial adverse effect, either directly or through habitat modifications, on a plant or animal population, or essential habitat, defined as a candidate, sensitive or special-status species?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community type?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Have a substantial adverse effect on State or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species, their wildlife corridors or nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Conflict with any local ordinances or policies protecting biological resources?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Conflict with an adopted Habitat Conservation Plan, Natural Community Conservation Plan or other approved local, regional, or State habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.3, Biological Resources, of the General Plan EIR, addressed the impacts to biological resources associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts to biological resources were found to be less than significant with implementation of mitigation measures to ensure impacts to birds protected under the Migratory Bird Treaty Act (MBTA) would not be significant. The project is required to comply with General Plan EIR Mitigation Measure BIO-1, previously adopted and incorporated into the General Plan, to ensure the protection of nesting raptors and other birds when in active use, as required by the federal MBTA and the California Fish and Game Code (CFG Code).

EXISTING CONDITIONS

The project site and surrounding area is urbanized and contains roadways, structures, and other impervious surfaces. There are two mature trees on site, a Redwood tree proposed for removal, and a Palm tree that will remain. Existing conditions on and adjacent to the project site are developed and primarily dominated by landscaped and non-native vegetation. Based on a review of historical aerial photographs, the project site has been subject to historic disturbance, including mass grading. These conditions do not lend themselves to presence of rare plant and animal populations, and such species are not anticipated to be present prior to or during project construction.

As previously described in Chapter 3, Project Description, the CALVEG⁷⁵ habitat mapping program classifies the site as an “urban area” that tends to have low to poor wildlife habitat value due to replacement of natural communities, fragmentation of remaining open space areas and parks, and intensive human disturbance. The diversity of urban wildlife depends on the extent and type of landscaping and remaining open space, as well as the proximity to natural habitat. Trees and shrubs used for landscaping provide nest sites and cover for wildlife adapted to developed areas. Typical native bird species in the city of Cupertino include the mourning dove, scrub jay, northern mockingbird, American robin, brown towhee, American crow, and Anna’s hummingbird, among others. Introduced species include the rock dove, European starling, house finch, and house sparrow. Urban areas can also provide habitat for several species of native mammals such as the California ground squirrel and striped skunk, as well as the introduced eastern fox squirrel and eastern red fox. Introduced pest species such as the Norway rat, house mouse, and opossum are also abundant in developed areas.

A recent search of the CNDDDB shows that the project site does not contain any known special-status species on-site. However, special-status plant and animal species have been recorded within 5 miles of the project site. All of these special-status species were recorded outside of or near the city limits except for the Western leatherwood (*Dirca occidentalis*), Woodland woollythreads (*Monolopia congdonii*), Cooper’s hawk (*Accipiter cooperi*), White-tailed kite (*Elanus leucurus*), American peregrine falcon (*Falco peregrinus*), California tiger salamander (*Ambystoma californiense*), and the Santa Cruz black salamander (*Aneides*

⁷⁵ The CALVEG system was initiated in January 1978 by the Region 5 Ecology Group of the US Forest Service to classify California’s existing vegetation communities for use in statewide resource planning. CALVEG maps use a hierarchical classification on the following categories: forest; woodland; chaparral; shrubs; and herbaceous.

ENVIRONMENTAL ANALYSIS

flavipunctatus niger). These special-status species were not recorded near the site but at least 1 mile away.

The nests of most bird species are protected under the MBTA when in active use and there is a remote possibility that one or more species protected under the MBTA and CFG Code, could nest in the two existing trees and other landscaping on the project site. These include both the Cooper's hawk (*Accipiter cooperi*) and white-tailed kite (*Elanus leucurus*), which have reported CNDDDB occurrences within the city boundary, together with more common raptors such as red-tailed hawk, great horned owl, and American kestrel, all of which are protected by the MBTA and CFG Code when their nests are in active use. However, no essential habitat for these or other special-status species is present on the site due to its developed condition.

Numerous bat species found in the Cupertino area, most of which are relatively common, and are not considered special-status species. As previously stated, the CNDDDB does not show any occurrences of special-status bats on the site vicinity but does show records within several miles of Cupertino. The records include occurrences of Townsend's big-eared bat (*Corynorhinus townsendii*), hoary bat (*Lasiurus cinereus*), and Yuma myotis (*Myotis yumanensis*). These three species have no legal protected status under the State or federal Endangered Species Acts, but Townsend's big-eared bat is considered a Species of Special Concern by the California Department of Fish and Wildlife. These species have various priority rankings with the Western Bat Working Group, ranging from "High" for Townsend's big-eared bat, "Medium" for hoary bat, to "Low-Medium" for Yuma myotis. Bat species found in the Cupertino vicinity may forage and occasionally roost in the site vicinity, but suitable habitat conditions for maternity roosts does not exist on the site.

Wetlands and jurisdictional waters within the city boundary include creek corridors and associated riparian scrub and woodland, and areas of freshwater marsh around ponds, seeps, springs, and other waterbodies. Some remnant stands of riparian scrub and woodland occur along segments of the numerous creeks through the urbanized valley floor. The project site does not contain these creek corridors or contain other regulated waters; however, the Stevens Creek Corridor is approximately 0.25 miles to the east of the project site. Single-family residential neighborhoods act as a barrier between Stevens Creek and the project site.

There is no existing wildlife movement corridor designation on the site by any agency, including the United States Fish and Wildlife or the California Department of Fish and Wildlife. Furthermore, there are no open space areas or natural lands adjacent to the project site.

The existing palm tree located on the southeastern of the project site would remain as part of the proposed project. The redwood tree on the northern part of the project site would be removed.

ENVIRONMENTAL ANALYSIS

DISCUSSION

- a) *Would the project have a substantial adverse effect, either directly or through habitat modifications, on a plant or animal population, or essential habitat, defined as a candidate, sensitive or special-status species?*

As stated above in the existing conditions discussion, there are no known occurrences of special-status plant or animal species and no suitable habitat for such species on the project site, but there is a possibility that birds that are protected by the MBTA and CFG Code could nest in trees and other landscaping on the project site. However, no essential habitat for these or other special-status species is present on the site due to its developed condition. The analysis in the General Plan EIR found that impacts to special-status species, including nesting birds, would be reduced to less than significant with mitigation. Accordingly, the implementation of Mitigation Measure BIO-1, which is required by General Plan EIR Mitigation Measure BIO-1, would also be required for the project to reduce impacts to a *less-than-significant* level.

Nesting Birds

The analysis in the General Plan EIR found that impacts to special-status species, including nesting birds, would be reduced to less than significant with mitigation. Accordingly, the implementation of Mitigation Measure BIO-1, which is required by General Plan EIR Mitigation Measure BIO-1, would also be required for the project to reduce impacts to a *less-than-significant* level.

Impact BIO-1: Tree removal and demolition activities during site clearance could destroy active nests, and/or otherwise interfere with nesting of birds protected under federal and State law.

Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).

- Preconstruction surveys shall:
 - Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period.
 - Be conducted no more than 14 days prior to the start of tree removal or construction.
 - Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped.
 - Document locations of active nests containing viable eggs or young birds.
- Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include:

ENVIRONMENTAL ANALYSIS

- Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.
- Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status.
- An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife.

Bird Collision

Avian injury and mortality resulting from collisions with buildings, towers and other man-made structures is a common occurrence in city and suburban settings. Some birds are unable to detect and avoid glass and have difficulty distinguishing between actual objects and their reflected images, particularly when the glass is transparent and views through the structure are possible. Night-time lighting can interfere with movement patterns of some night-migrating birds, causing disorientation or attracting them to the light source. The frequency of bird collisions in a particular area is dependent on numerous factors, including: characteristics of building height, fenestration (the arrangement of windows and doors on the elevations of a building) and exterior treatments of windows and their relationship to other buildings and vegetation in the area; local and migratory avian populations, their movement patterns, and proximity of water, food and other attractants, time of year; prevailing winds; weather conditions; and other variables.

The proposed mixed-use building and residential buildings would alter the physical characteristics of the site; however, this change is not expected to contribute to a substantial increase in the risk of collisions to local and migratory birds. This is due to several reasons, including the fact that the site is currently developed with residential buildings of a similar height (30 feet), bulk, and surface treatment, as is the current surrounding area; that the existing site has few trees; and the proposed structures would have limited transparency (i.e., no large uninterrupted windows in the new buildings). Because the site vicinity is already developed with urban use and the site is currently developed with occupied structures, most birds, as under existing conditions, would likely acclimate to the presence of the new building once completed. The potential risk of bird collision with the new buildings would be extremely low.

While the design of the exterior treatment of the proposed buildings is in the conceptual phase and has not yet been finalized, and must still go through Design Review, there are design options to minimize the risk of bird collisions by using well-documented bird-safe designs for window treatments, roof top equipment, and night-time lighting. While any bird collisions that do occur should not have a substantial adverse effect on special-status bird species or more common bird species that may be flying through the vicinity, the applicant, as described in Chapter 3, Project Description, has committed to implementing bird-safe design measures in the new buildings, which would further address the low risk of collision. These include the following measures that would be part of the design of the new building:

ENVIRONMENTAL ANALYSIS

- **Non-Reflective Glass:** No reflective glass would be used in the building consistent with the San Francisco Bird Safe Recommendations⁷⁶ that state that reflective glass should be avoided, because some birds in certain circumstances might see vegetation in the reflection and fly into a building. None of the exterior glass in the new buildings will have a light reflectance value of more than 15 percent.
- **Fritted Glass:** Fritted glass is a non-reflective glass that is used to reduce glare and lower the danger to birds. Using fritted glass on the ground floor and second story windows and balcony railing elements, of the new mixed-use building would help prevent possible bird strikes. Fritting helps diminish the transparency of glass and is a documented approach to helping reduce the probability of bird collisions. Transparent glass used in “design traps” such as glass bridges or parapets can also be problematic. The project proposes glass railing elements on the second-floor balconies, which would incorporate UV coatings, frosting, and fritting to make them visible to birds to reduce collisions.
- **Building Lighting:** Overly lit buildings can be problematic, especially if there is up-lighting. The project is required to meet City code minimum standards on exterior lighting, and the new building would have no up-lighting. The source, intensity, and type of exterior lighting for the project site would generally be provided for the purpose of orienting site users and for safety needs. All on-site lighting would be low-level illumination and shielded to reduce light spill or glare.
- **Tree Screening:** The proposed project includes new 5-foot screening shrubs to be planted along the north, south, western, and the northern and southern edges of the eastern borders of the project site and 15 new trees, including one Miami crape myrtles (*Lagerstroemia l. ‘Miami’*), seven Saratoga bay laurels (*Laurus ‘Saratoga’*), and seven Coast live oak (*Quercus agrifolia*). Shrubs, including Cape rush (*Chondropetalum tectorum*) and Dwarf yeddo hawthorn (*Rhaphiolepis U. ‘Minor’*) would be planted along the eastern portion of the site, shielding the glass façade. These trees would help shield the first floors, which shielding would increase as the new trees grow over time.

The location of the project site, the building design features and selected materials, were determined to adequately address the remote potential for special-status bird species dispersing through the site vicinity to collide with the new structure and be injured or killed. These measures would serve to minimize the potential for bird strikes through the use of bird-friendly design guidelines in the treatment of windows and other aspects of the proposed buildings, and would ensure any potential impact would be *less than significant* for special-status birds and more common bird species.

Additionally, should the draft City of Cupertino draft Bird Safe Design Ordinance described in Chapter 3, Project Description, in Section 3.1.4.3, Other Requirements, be adopted by the City Council prior to project construction, the project applicant would be required to comply with the standards in the Ordinance which would also ensure any potential impact would be *less than significant* for special-status birds and more common bird species.

⁷⁶ San Francisco Planning Department, 2011. *Standards for Bird-Safe Buildings*, San Francisco, California. Adopted July 14;

ENVIRONMENTAL ANALYSIS

Roosting Bats

As described in the existing conditions, the CNDDDB records were recently searched for, among other species, occurrences of Townsend's big-eared bat (*Corynorhinus townsendii*), hoary bat (*Lasiurus cinereus*), and Yuma myotis bat (*Myotis yumanensis*). These three species have no legal protected status under the State or federal Endangered Species Acts, but Townsend's big-eared bat is considered a Species of Special Concern by the California Department of Fish and Wildlife. Bat species found in the Cupertino vicinity may forage and occasionally roost in the site vicinity, but suitable habitat conditions for maternity roosts is absent from the site. The potential for any special-status bat species to be present on the site is considered highly remote, given the urbanization of the site vicinity and intensity of human activity, which typically discourages possible occupation by special-status bats. Accordingly, the construction and operation of the proposed project would not result in the inadvertent loss of any bats and impacts would be *less than significant*.

b) *Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community type?*

As discussed in the existing conditions above, the proposed project is located in an urbanized area where no sensitive natural communities are found. The nearest creek is Stevens Creek, located approximately 0.25 miles to the east of the project site. The existing single-family residential neighborhoods act as a barrier between Stevens Creek and the project site. Based on the existing conditions and the fact that the proposed project would redevelop and underdeveloped site, impacts would be consistent with the conclusions in the General Plan EIR and would remain *less than significant*.

c) *Would the project have a substantial adverse effect on federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?*

As discussed in the existing conditions and determined in the General Plan EIR, development of the proposed project would occur in urbanized areas where no wetlands or jurisdictional waters occur on or near the project site; therefore, no impact would occur directly. Indirect impacts to wetlands and jurisdictional or other waters include: 1) an increase in the potential for sedimentation due to construction grading and ground disturbance, 2) an increase in the potential for erosion due to increased runoff volumes generated by impervious surfaces, and 3) an increase in the potential for water quality degradation due to increased levels in non-point pollutants. However, indirect impacts would be largely avoided through effective implementation of best management practices during construction and compliance with water quality controls. As discussed in Impact HYDRO-1, water quality impacts from construction and operation of the proposed project would be less than significant. Accordingly, indirect impacts to wetlands and jurisdictional waters would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

ENVIRONMENTAL ANALYSIS

- d) *Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species, their wildlife corridors or nursery sites?*

Development on the project site would occur in an urbanized area where sensitive wildlife resources and important wildlife movement corridors are no longer present because of the existing development. Wildlife species common to urban and suburban habitat could be displaced where existing structures are demolished and landscaping is removed as part of future development, but these species are relatively abundant, and adapted to human disturbance. As discussed in Chapter 3, Project Description, of this Initial Study, the proposed project would remove one mature Redwood tree on-site and most landscaping, and would replace the landscaping with additional trees and plants that would provide replacement habitat for wildlife species that may have adapted to the project site. Proposed project landscaping includes native, drought tolerant landscaping that is beneficial to the environment. Therefore, project impacts on the movement of fish and wildlife, wildlife corridors, or wildlife nursery sites would be would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

- e) *Would the project conflict with any local ordinances or policies protecting biological resources?*

As discussed in criteria (a) through (d), above, the project site is located in an urbanized area where sensitive biological and wetland resources are considered to be absent, and no major conflicts with the relevant policies or ordinances related to biological resources in the General Plan and/or CMC would occur. One tree is proposed to be removed as part of the project. However, because the existing development is on property that requires a development application, all existing trees on the site are considered protected.⁷⁷ Therefore, compliance with the City's Tree Ordinances (CMC Chapter 14.12 and Chapter 14.18), which requires replacement trees, would ensure impacts related to the removal of trees would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

- f) *Would the project conflict with an adopted Habitat Conservation Plan, Natural Community Conservation Plan or other approved local, regional, or State habitat conservation plan?*

No adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved conservation plan includes the city or the project site, and the proposed project would not conflict with any adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved conservation plan. Impacts would remain consistent with the conclusions in the General Plan EIR and *no impact* would occur.

⁷⁷ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.18, Protected Trees.

ENVIRONMENTAL ANALYSIS

IV. CULTURAL RESOURCES

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.4, Cultural Resources, of the General Plan EIR, addressed the impacts to cultural and Tribal Cultural Resources (TCRs) associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The impacts were found to be less than significant, and no mitigation measures were required. The following is a summary of Section, 4.4.1.2, Existing Conditions, of Chapter 4.4, which is based on the cultural resource analysis conducted by Tom Origer & Associates on July 24, 2013, included as Appendix D, Cultural Resources Data, of the General Plan EIR. The cultural resources study consists of archival research at the Northwest Information Center at Sonoma State University, examination of the library and files, field inspection, and contact with the Native American community. As shown in Table 4.4-2, *Cultural Resources in the Project Study Area and Vicinity*, and on Figure 4.4-1, *Cultural Resources*, of the General Plan EIR, there are no identified cultural resources on the project site.

EXISTING CONDITIONS

As shown in Table 4.4-2, *Cultural Resources in the Project Study Area and Vicinity*, and Figure 4.4-1, *Cultural Resources*, of the General Plan EIR, there are no identified cultural resources on the project site. Structures on the project site were developed in 1948 and 1968,⁷⁸ which is within the 45-year age limit established by the State Office of Historic Preservation for buildings that may be of historical value.⁷⁹ However, neither of the existing buildings have been designated on a federal, State, or local registry. Nor are the existing buildings associated with significant cultural events, persons in California's past, and they do not have any distinctive historical characteristics, and as such do not have any qualifying historical value.

⁷⁸ Applied Water Resources. 2018. Phase I Environmental Site Assessment 10625-10637 South Foothill Boulevard/Stevens Canyon Road Cupertino, California.

⁷⁹ Public Resources Code Section 5024.1.

ENVIRONMENTAL ANALYSIS

DISCUSSION

- a) *Would the project cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5?*

Under CEQA, both prehistoric and historic-period archaeological sites may qualify as historical resources.⁸⁰ Archaeological resources are addressed in criterion (b), and human remains are addressed below in criterion (c), below.

As discussed above in the existing conditions, the project site was developed in 1948 and again in 1968. As further described above, the existing buildings do not meet the criteria for listing in the California Register of Historical Resources. The General Plan EIR did not identify the project site as having existing buildings that are considered historic resources, and the existing buildings are not currently listed as California Historical Resources.⁸¹ Accordingly, impacts would remain consistent with the conclusions in the General Plan EIR and *less-than-significant* impacts to historical architectural resources would occur as a result of project development.

- b) *Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?*

While the project site is currently developed and the cultural resources study prepared for the General Plan EIR⁸² did not identify any known archaeological deposits on the project site, the site could still contain subsurface archaeological deposits, including unrecorded Native American prehistoric archaeological materials. If subsurface historical and pre-contact archaeological deposits that meet the definition of historical resource under CEQA Section 21084.1 or CEQA Guidelines Section 15064.5 are present at the project site, they could be damaged or destroyed by ground-disturbing construction activities (e.g., site preparation, grading, excavation, and trenching for utilities) associated with development allowed under the proposed project. Should this occur, the ability of the deposits to convey their significance, either as containing information about prehistory or history, or as possessing traditional or cultural significance to Native American or other descendant communities, would be materially impaired. Therefore, any project-related ground-disturbing activities have the potential to affect subsurface prehistoric archaeological resources that may be present. Implementation of Mitigation Measure CULT-1, which is not a General Plan EIR mitigation measure, would reduce impacts to unknown archaeological deposits to a *less-than-significant* level.

Impact CULT-1: The proposed project could cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines Section 15064.5.

⁸⁰ California Code of Regulations, Title 14, Chapter 3, Section 15064.5(c), Determining the Significance of Impacts on Historical and Unique Archeological Resources.

⁸¹ Office of Historic Preservation, Listed California Historical Resources. Accessed May 9, 2019 at <http://ohp.parks.ca.gov/ListedResources/?view=county&criteria=43>.

⁸² City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 4, 2014, Appendix D, Cultural Resources Data, Tom Origer & Associates on July 24, 2013.

ENVIRONMENTAL ANALYSIS

Mitigation Measure CULT-1: A ~~tribal~~ representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the ~~Tribe~~ Tamien Nation in a manner requested by the ~~Tribe~~ Tamien Nation at least ~~48 hours~~ five (5) days before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site ~~tribal~~ Tamien Nation representative.

If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:

- All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and ~~tribal~~ Tamien Nation representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out.
- The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a ~~tribal~~ Tamien Nation representative regarding the significance of the find and appropriate mitigations as follows:
 - If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5.
 - If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the ~~appropriate tribe(s)~~ Tamien Nation to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.
- All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards.

c) *Would the project disturb any human remains, including those interred outside of formal cemeteries?*

There are no known human remains on the project site; however, the potential to unearth unknown human remains during ground disturbing activities associated with the construction of the project could occur. Any human remains encountered during ground-disturbing activities associated with the proposed project would be subject to federal, State, and local regulations to ensure no adverse impacts to human remains would occur in the unlikely event human remains are found.

Health and Safety Code Section 7050.5, Public Resources Code Section 5097.98, and CEQA Guidelines Section 15064.5(e) contain the mandated procedures of conduct following the discovery of human remains. According to the provisions in CEQA, if human remains are encountered at the site, all work in the immediate vicinity of the discovery shall cease and necessary steps to ensure the integrity of the

ENVIRONMENTAL ANALYSIS

immediate area shall be taken. The Santa Clara County Coroner shall be notified immediately. The Coroner shall then determine whether the remains are Native American. If the Coroner determines the remains are Native American, the Coroner shall notify the Native American Heritage Commission (NAHC) within 24 hours, who would, in turn, notify the person the NAHC identifies as the Most Likely Descendant (MLD) of any human remains. Further actions shall be determined, in part, by the desires of the MLD. The MLD has 48 hours to make recommendations regarding the disposition of the remains after having been allowed access to inspect the project site. If the MLD does not make recommendations within 48 hours, the owner shall, with appropriate dignity, reinter the remains in an area of the property secure from further disturbance. Alternatively, if the owner does not accept the MLD's recommendations, the owner or the descendent may request mediation by the NAHC. This would be included as a condition of approval of the project to ensure implementation.

Therefore, with the required statutory and regulatory procedures described above, potential impacts related to the potential discovery or disturbance of any human remains accidentally unearthed during construction activities associated with the proposed project would impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

V. ENERGY

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with or obstruct a State or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.14, Utilities and Services Systems, of the General Plan EIR addressed energy impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Energy impacts were found to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

PG&E supplies electricity and natural gas to much of northern and central California – from Humboldt and Shasta counties in the north to Kern and Santa Barbara counties in the south – including the infrastructure for the City of Cupertino. Total electricity consumption in PG&E's service area is forecast to increase from 104,868 gigawatt-hours (GWh) in 2015 to 119,633 GWh in 2027.⁸³ The nearest PG&E substation to the

⁸³ California Energy Commission (CEC). 2017. California Energy Demand Updated Forecast, 2017-2027. <https://efiling.energy.ca.gov/getdocument.aspx?tn=214635>, accessed on December 28, 2018.

ENVIRONMENTAL ANALYSIS

project site is the Monta Vista Substation on California Oak Way approximately 0.75 miles northwest of the project site. The nearest electricity transmission lines to the project site are located above the project site along Stevens Canyon Road and South Foothill Boulevard.⁸⁴

The current project site is served by both electricity and natural gas connections. Electricity is supplied to the project site via infrastructure maintained by PG&E. Silicon Valley Clean Energy (SVCE), a locally controlled public agency that has a partnership with PG&E, supplies the electricity to the project site. SVCE provides a standard 50 percent renewable energy portfolio, in addition to a 100 percent renewable option that electricity customers can opt into. Natural gas and associated infrastructure are provided and maintained by PG&E.

Current energy demands are derived from the operation of multiple commercial uses located in the existing one-story buildings that were constructed around 1968 and 1948.⁸⁵ The larger of the two existing buildings is currently occupied by neighborhood-serving restaurant, and commercial uses. However, some of the commercial spaces are currently vacant. The existing commercial building on the northern portion of the project site is currently occupied by the Cupertino Bike Shop, which specializes in bicycle parts, apparel, and accessories. The two-story residential unit is currently vacant and is used as storage by the Cupertino Bike Shop. Current energy demand includes energy demand from vehicle trips which include 454 gross average daily trips and 662 daily VMT.⁸⁶

DISCUSSION

a) Would the project result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

Construction activities use energy from various sources, such as on-site heavy-duty construction vehicles, vehicles hauling materials to and from the site, and motor vehicles transporting the construction crew. The operation of the proposed commercial buildings would use energy for cooling, heating, lighting, and landscape equipment, and for vehicle trips to and from the commercial building. According to the existing trip estimates described in Section XV, Transportation, at full occupancy the proposed project would generate fewer average daily weekday vehicle trips than the existing commercial use (322 project trips compared to 454 existing trips) and less VMT (631 project daily per capita VMT compared to 850 existing daily per capita VMT).⁸⁷ This is further supported by the trip estimates generated by CalEEMod described in Section II, Air Quality, which shows fewer emissions from the transportation sector when comparing the project to existing conditions.⁸⁸

⁸⁴ California Energy Commission (CEC). 2012, October 25. Local Reliability Maps for 2013: Enlargement Maps. http://www.energy.ca.gov/maps/infrastructure/3part_enlargements.html.

⁸⁵ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, pages 8 and 9.

⁸⁶ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

⁸⁷ TJKM. July 2019. Draft Traffic Impact Study Report, 10625 South Foothill Boulevard, Cupertino, CA. Page 15 to 16, and supplemental memo dated October 16, 2019. See Appendix D of this Initial Study.

⁸⁸ California Emissions Estimator Model (CalEEMod), Version 2016.3.25. See Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study.

ENVIRONMENTAL ANALYSIS

The proposed project is an infill development project that would result in the redevelopment of the project site in a currently developed portion of the city. The project site currently has access to existing infrastructure and services; however, the proposed project would require the construction or installation of new infrastructure and capacity enhancing alterations to existing on-site facilities to connect the new residential buildings to water, stormwater, sanitary sewer, electricity, and natural gas lines. The construction of new infrastructure and capacity enhancing alterations would be necessary as part of the construction of the residential buildings and would be consistent with the design and installation of typical utility infrastructure for new mixed-use or residential buildings. Therefore, the construction or installation of new infrastructure and capacity enhancing alterations would not be a wasteful, inefficient, or unnecessary use of energy.

The proposed project would improve connectivity to existing bicycle and pedestrian facilities and locates a commercial building with neighborhood serving retail and residential uses near existing residential neighborhoods. As described in Section X, Land Use and Planning, of this Initial Study, the proposed project is consistent with the General Plan land use designation and as described in Section XII, Population and Housing, the proposed project would not result in new growth potential from what was considered in the General Plan EIR.

The proposed mixed-use and residential buildings would meet the 2019 Building and Energy Efficiency Standards of the California Public Resources Code, Title 24, Part 6, which applies to any project that is proposed to begin construction on or after August 2020. The 2019 Building Energy Efficiency Standards improve upon the 2016 Standards. The 2019 Standards require 53 percent or more energy efficiency for residential buildings, and 30 percent or more energy efficiency for non-residential buildings, respectively.⁸⁹

As described above in Chapter 3, Project Description, in Section 3.1.4.4, Utilities and Energy, the City enforces the CALGreen Building Standards, which establish planning and design standards for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), in CMC Chapter 16.58, Green Building Standards Code Adopted. CMC Chapter 16.58, Section 16.58.220, Table 101.10 requires that non-residential new construction under 25,000 square feet shall achieve a minimum green building requirement of CALGreen Building Code pursuant to Chapter 5 of the California Green Building Standards Code. CMC Chapter 16.58, Section 16.58.220, Table 101.10 also requires that residential new construction exceeding nine homes shall achieve a minimum green building requirement of Green Points Rated certified at minimum 50 points, Leadership in Energy and Environmental Design (LEED) Silver, or an alternate green building standard that is as stringent as LEED or other cited standards and is subject to third party verification. Energy conserving features of the proposed project would include new landscaping that is native and/or adaptive, and drought resistant to conserve water and subsequently save energy.

⁸⁹ California Energy Commission. March 2018. 2019 Building Energy Efficiency Standards. Accessed May 24, 2019 at https://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf.

ENVIRONMENTAL ANALYSIS

New buildings constructed in accordance with the General Plan land use designation and to the standards identified above would not result in wasteful, inefficient, or unnecessary consumption of energy resources. Accordingly, impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

b) *Would the project conflict with or obstruct a State or local plan for renewable energy or energy efficiency?*

As discussed below in criterion (b) of Section VII, Greenhouse Gas Emissions, the proposed project would not conflict with the current CARB 2017 *Climate Change Scoping Plan*, *Plan Bay Area*, or the *Cupertino Climate Action Plan*, all which involve planning for use of renewable energy planning and energy efficiency standards. Also, as previously discussed, the proposed project would build to the most current 2019 Building and Energy Efficiency Standards of the California Public Resources Code, Title 24, Part 6. Accordingly, impacts would be *less than significant*, and no mitigation measures would be required.

VI. GEOLOGY AND SOILS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv) Landslides, mudslides or other similar hazards?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined by Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.5, Geology, Soils, and Seismicity, of the General Plan EIR, addressed geological and seismic-related impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant, and no mitigation measures were required. The following discussion is based on project site information available in Section 4.5.1.2, Existing Conditions, of Chapter 4.5.

EXISTING CONDITIONS

The following describes the existing conditions on the project site with respect to geology and soil:

- **Geology.** The City of Cupertino lies in the west-central part of the Santa Clara Valley, a broad, mostly flat alluvial plain that extends southward from San Francisco Bay. The site is generally flat with an average elevation of 429 feet above mean sea level and the depth of groundwater is estimated to be 25 to 30 feet below ground surface. The soil is Urban Land Flaskan Complex, which is a well-drained sandy loam, sandy clay loam, gravelly sandy clay loam and very gravelly sandy clay loam soil.⁹⁰ Surficial geology is young, unconsolidated Quaternary alluvium,⁹¹ which is described as Holocene-age younger alluvium and coarse-grained alluvium that are composed of unconsolidated, poorly sorted gravel, silt, sand, and clay and organic matter.

Unique geologic features are those that are unique to the field of geology. Each rock unit tells a story of the natural processes operating at the time it was formed. The rocks and geologic formations exposed at the earth's surface or revealed by drilling and excavation are our only record of that geologic history. What makes a geologic unit or feature unique can vary considerably. For example, a geologic feature may be considered unique if it is the best example of its kind and has distinctive characteristics of a geologic principle that is exclusive locally or regionally, is a key piece of geologic information important to geologic history, contains a mineral that is not known to occur elsewhere in the County, or is used as a teaching tool.

Unique geological features are not common in Cupertino. The geologic processes are generally the same as those in other parts of the state, country, and even the world. The geology and soils on the project site are common throughout the city and region and are not considered to be unique.

- **Soils.** Web-accessible soil mapping data compiled by the USDA's Soil Conservation Survey and the California Soil Resource Laboratory hosted by University of California at Davis was used to identify the major soil types on the project site. The predominant soil types for the project site are soils of the Urban Land-Flaskan and Urban Land-Botella complexes generally formed on slopes of 2 to 9 percent.

⁹⁰ California Soil Resource Lab. Accessed May 24, 2019 at <https://casoilresource.lawr.ucdavis.edu/gmap/>.

⁹¹ US Geological Survey, 1994, Preliminary Quaternary Geologic Maps of Santa Clara Valley, Santa Clara, Alameda, and San Mateo Counties, California: A Digital Database, Open-File Report 94-231, by E.J. Helley, R.W. Graymer, G.A. Phelps, P.K. Showalter, and C.M. Wentworth.

ENVIRONMENTAL ANALYSIS

In almost all instances, these soils are reportedly deep and well drained, and are typified by low runoff.⁹²

- **Fault Rupture.** The San Francisco Bay Area is one of the most seismically active regions in the United States. The significant earthquakes that occur in the Bay Area are generally associated with crustal movement along well-defined active fault zones such as the San Andreas Fault system. Many of these zones exhibit a regional trend to the northwest. The site is not located within a State-designated Alquist-Priolo Earthquake Fault Zone (known formerly as a Special Studies Zone) or a Santa Clara County-designated Fault Rupture Hazard Zone.⁹³ No active fault traces are known to cross the site; however, the San Andreas Fault passes a few miles west of the city of Cupertino.
- **Liquefaction.** The site is not located within a seismically inducted liquefaction hazard zone, as mapped by the State of California and Santa Clara County. During cyclic ground shaking, such as seismic shaking during an earthquake, cyclically-induced stresses may cause increased pore water pressures within the soil matrix, resulting in liquefaction. Liquefied soil may lose shear strength that may lead to large shear deformations and/or flow failure. Liquefied soil can also settle as pore pressures dissipate following an earthquake.

Soils most susceptible to liquefaction are loose to moderately dense, saturated, non-cohesive soils with poor drainage, such as sands and silts with interbedded or capping layers of relatively low permeability soil.

- **Lateral Spreading.** Lateral spreading typically occurs as a form of horizontal displacement of relatively flat-lying alluvial material toward an open or “free” face such as an open body of water, channel, or excavation. In soils, this movement is generally due to failure along a weak plane and may often be associated with liquefaction. As cracks develop within the weakened material, blocks of soil are displaced laterally toward the open face. Cracking and lateral movement may gradually propagate away from the face as blocks continue to break free. Because of the low potential for liquefaction, the risk of lateral spreading at the site is also considered low.
- **Paleontological Resources.** A review of the University of California’s Museum of Paleontology’s fossil locality database was conducted for the City of Cupertino. No paleontological resources have been identified on the project site; however, the presence of Pleistocene deposits that are known to contain fossils indicates that the overall city could contain paleontological resources.

DISCUSSION

- a) *Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving: (i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based*

⁹² UC Davis Soil Resource Laboratory, 2018. California Soil Resource Lab, Online Soil Survey, URL: <https://casoilresource.lawr.ucdavis.edu/gmap/>, accessed May 24, 2019.

⁹³ Santa Clara County, 2012. Santa Clara County Geologic Hazard Zones, Map 18, updated October 26, 2012.

ENVIRONMENTAL ANALYSIS

on other substantial evidence of a known fault; (ii) Strong seismic ground shaking; (iii) Seismic-related ground failure, including liquefaction; (iv) Landslides, mudslides or other similar hazards?

Fault Rupture

As discussed in the General Plan EIR, only one Alquist-Priolo Earthquake Fault Zone has been mapped within the City of Cupertino, namely, the zone that flanks the San Andreas Fault in the southwestern most part of the city. Because the site is not located within a State-designated Alquist-Priolo Earthquake Fault Zone or Santa Clara County-designated Fault Rupture Hazard Zone, and no active faults are known to traverse the site, the risk of surface fault rupture is considered low. The impacts from project development as they relate to surface fault rupture are considered *less than significant*.

Strong Seismic Ground Shaking

The hazards posed by strong seismic ground shaking during a major earthquake, while variable, are nearly omnipresent in the San Francisco Bay Area. As discussed in the General Plan EIR, in the event of a large, magnitude 6.7 or greater seismic event, much of the city is projected to experience “strong” ground shaking, with the most intense shaking forecast for the northeast part of the city where the project is located. Adherence to applicable building code, including conformance to the California Building Code (CBC) and the City’s building permit requirements would ensure that the impacts associated with strong seismic ground shaking are minimized to the maximum extent practicable. The impacts of project development as they relate to strong seismic ground shaking would be *less than significant*.

Liquefaction

The project site is not located within an area mapped by the State of California or Santa Clara County as having a high potential for seismically induced liquefaction. As discussed in the General Plan EIR, the potential for seismically induced liquefaction in the vicinity appears low and is limited to a very narrow strip of alluvial deposits that flank Stevens Creek approximately 0.25 miles east of the project site. Accordingly, impacts associated with project development as they may relate to seismically induced liquefaction would be *less than significant*.

Landslides

The site is generally flat with elevation an average of 429 feet above mean sea level.⁹⁴ The project site is not located within an area mapped by the State of California or Santa Clara County as having a high potential for seismically induced landslides. Therefore, impacts associated with project development as they may relate to seismically induced landslides would be *less than significant*.

⁹⁴ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 8.

ENVIRONMENTAL ANALYSIS

b) Would the project result in substantial soil erosion or the loss of topsoil?

Substantial soil erosion or loss of topsoil during construction could, in theory, undermine structures and minor slopes during development of the project site. However, compliance with existing regulatory requirements, such as the implementation of grading erosion control measures specified in Appendix J, Grading of the CBC and CMC Section 16.08.110, Interim Erosion and Sediment Control Plan, would reduce impacts from erosion and the loss of topsoil.

Examples of these control measures are best management practices such as hydroseeding or short-term biodegradable erosion control blankets; vegetated swales, silt fences, or other forms of protection at storm drain inlets; post-construction inspection of drainage structures for accumulated sediment; and post-construction clearing of debris and sediment from these structures.

Section 16.08.110 of the CMC requires the preparation and submittal of *Interim Erosion and Sediment Control Plans* for all projects subject to City-issued grading permits, which would minimize the removal of topsoil, avoid overly steep cut and/or fill slopes, and protect existing vegetation during grading operations. These requirements are broadly applicable to residential development projects. Adherence to these regulations would help ensure that the impacts of project development as they relate to substantial soil erosion or loss of topsoil would be *less than significant*.

c) Would the project be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

As discussed in criterion (a), the project site is not located within an area mapped as having significant potential for seismically induced liquefaction. Because of the low potential for liquefaction, the risk of lateral spreading at the site would also be low. Therefore, the impacts of project development as they relate to liquefaction and lateral spreading would be *less than significant* and no mitigation measures would be required.

The site is generally flat with an average elevation of 429 feet above mean sea level.⁹⁵ The properties surrounding the project site are also at a similar elevation. The impacts of project development as they relate to landslides would be *less than significant*.

d) Would the project be located on expansive soil, as defined by Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

Expansive soils can undergo dramatic changes in volume in response to variations in soil moisture content. When wet, these soils can expand; conversely, when dry, they can contract or shrink. Sources of moisture that can trigger this shrink-swell phenomenon can include seasonal rainfall, landscape irrigation, utility leakage, and/or perched groundwater. Expansive soil can develop wide cracks in the dry season, and

⁹⁵ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 8.

ENVIRONMENTAL ANALYSIS

changes in soil volume have the potential to damage concrete slabs, foundations, and pavement. Special building/structure design or soil treatment are often needed in areas with expansive soils. Expansive soils are typically very fine-grained with a high to very high percentage of clay, typically montmorillonite, smectite, or bentonite clay.

The proposed project would be subject to the CBC regulations and provisions, as adopted in CMC Chapter 16.04, Building Code, and enforced by the City during plan review prior to building permit issuance. The CBC contains specific requirements for seismic safety, excavation, foundations, retaining walls, and site demolition, and also regulates grading activities, including drainage and erosion control. Thus, compliance with existing regulations and policies would ensure that the potential future development impacts permitted under the proposed project would be reduced. Therefore, the impacts of project development as they relate to expansive soils are considered *less than significant*.

e) Would the project have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

The development of the proposed project would not require the construction or use of septic tanks or alternative wastewater disposal systems. Therefore, *no impact* would occur.

f) Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

As discussed above in existing conditions, the geology and soils on the project site are common throughout the city and region and are not considered to be unique. While no paleontological resources have been identified on the project site, because the proposed project requires substantial excavation for the subterranean parking garage that could reach significant depths below the ground surface where no such excavation has previously occurred, there could be fossils of potential scientific significance that have not been recorded. Such ground-disturbing construction associated with development under the proposed project could cause damage to, or destruction of, paleontological resources. Impacts to paleontological resources would be reduced to a *less-than-significant* level with implementation of Mitigation Measure GEO-1, which is not a General Plan EIR mitigation measure.

Impact GEO-1: Construction of the proposed project would have the potential to directly or indirectly affect an unknown unique paleontological resource.

Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:

- In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted.
- The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery.
- The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the

ENVIRONMENTAL ANALYSIS

potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5.

- The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find.
- If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation.

VII. GREENHOUSE GAS EMISSIONS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.6, Greenhouse Gas Emissions, of the General Plan EIR, addressed the impacts from greenhouse gas emissions (GHG) associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program. GHG impacts under the General Plan EIR were found to be less than significant and no mitigation measures were required. This section analyzes the GHG emissions from the construction and operation of the proposed project. An update to the background discussion of the GHG regulatory setting and air quality modeling in the General Plan EIR is in Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study.

EXISTING CONDITIONS

The existing commercial uses generate greenhouse gas emissions from transportation sources, energy (natural gas and purchased energy), and area sources such as landscaping equipment and architectural coatings. The existing land uses generate approximately 454 average daily weekday trips⁹⁶ and 662 daily VMT.⁹⁷ Existing emissions based on full occupancy associated with historic operations associated with the existing commercial uses on the project site are included in Table 4-6 below.

⁹⁶ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

⁹⁷ Applies the same assumptions to existing conditions as TJKM Transportation Consultants applied in their October 2019 memo for the proposed project (see Appendix D of this Initial Study).

ENVIRONMENTAL ANALYSIS**TABLE 4-6 EXISTING GHG EMISSIONS**

Category	GHG Emissions (MTCO ₂ e/Year)	
	Existing Emissions	Percent of Total
Area	<1	<1%
Energy	5	1%
On-Road Mobile Sources	335	96%
Waste	7	2%
Water/Wastewater	1	<1%
Total	347	100%

Note: Emissions may not total to 100 percent due to rounding. MTCO₂e/year = metric tons of carbon dioxide equivalent per year.

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

DISCUSSION

- a) *Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?*

A project does not generate enough GHG emissions on its own to influence global climate change; therefore, this section measures the project's contribution to the cumulative environmental impact. Development of the proposed project would contribute to global climate change through direct and indirect emissions of GHG from transportation sources, energy use (natural gas and purchased energy), water use and wastewater generation, and solid waste generation. In addition, construction activities would generate a short-term increase in GHG emissions. The change in emissions generated by the proposed project was evaluated using the CalEEMod, Version 2016.3.25, and are shown in Table 4-7.

TABLE 4-7 PROJECT OPERATION AND CONSTRUCTION GHG EMISSIONS

Category	GHG Emissions (MTCO ₂ e/Year)			
	Existing Emissions	Project Emissions	Percent of Total	Net Change from Existing
Area	<1	2	1%	2
Energy	5	20	6%	16
On-Road Mobile Sources	335	294	88%	-41
Waste	7	7	2%	<1
Water/Wastewater	1	1	<1%	<1
Amortized Construction Emissions ^a	NA	11	3%	11
Total	347	255	100%	26.5%
BAAQMD Emissions Threshold (MTCO₂e)				660
Exceeds BAAQMD Thresholds?				No

Notes: Emissions may not total to 100 percent due to rounding. New buildings would be constructed to the 2019 Building & Energy Efficiency Standards (effective January 1, 2020). MTCO₂e/year = metric tons of carbon dioxide equivalent per year.

a. One-time, short-term emissions are converted to average annual emissions by amortizing them over the service life of a building, which is assumed to be 30 years.

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

ENVIRONMENTAL ANALYSIS

Construction Impacts

BAAQMD does not have thresholds of significance for construction-related GHG emissions, however, the BAAQMD advises that the lead agency should quantify and disclose GHG emissions that would occur during construction and make a determination on the significance of these construction-generated GHG emissions in relation to meeting Assembly Bill (AB) 32 GHG reduction goals. Therefore, this impact discussion applies BAAQMD's project-level operation threshold of 660 metric tons of carbon dioxide equivalent per year (MTCO₂e/year) for construction, which is based on BAAQMD's operational-related threshold of 660 MTCO₂e/year.⁹⁸ GHG emissions from construction activities are one-time, short-term emissions and, therefore, would not significantly contribute to long-term cumulative GHG emissions impacts from the proposed project. One-time, short-term emissions are converted to average annual emissions by amortizing them over the service life of a building. The total construction GHG emissions for the proposed project are estimated to be 253 MTCO₂e/year (See Appendix A). For buildings in general, it is reasonable to look at a 30-year time frame, because this is a typical interval before a new building requires the first major renovation.⁹⁹ As shown in Table 4-7 above, when amortized over a 30-year project lifetime, average annual construction emissions from the proposed project would represent a nominal source of GHG emissions and would not exceed BAAQMD's operational-related threshold. Construction emissions would be *less than significant*, and no mitigation measures would be required.

Operational Impacts

As shown in Table 4-7 above, development of the proposed project would result in a net decrease of GHG emissions at opening year (2022). As previously described, the proposed project would generate fewer daily weekday trips and less daily VMT than the existing land uses on the project site. Because transportation emissions would generate the majority of GHG emissions associated with the proposed project, this reduction in daily trips and VMT would provide a project benefit in reducing GHG emissions. Additionally, the new buildings would be more energy efficient than the existing structures and would be built to achieve the latest Title 24 Building and Energy Efficiency Standards. Operation of the proposed project would result in a net decrease in GHG emissions and would not exceed the BAAQMD bright-line screening threshold of 660 MTCO₂e.¹⁰⁰ Because long-term GHG emissions associated with the proposed project are anticipated to decrease, resulting in a project benefit to GHGs, *no impact* would occur.

⁹⁸ California Executive Order B-30-15 requires the state to reduce GHG emission 40% below 1990 levels by 2030. A 40% reduction from BAAQMD's 1,100 MTCO₂e/year threshold identified in the Bay Area Air Quality Management District, 2017, *California Environmental Quality Act Air Quality Guidelines*, p.2-4, is 660 MTCO₂e/per year.

⁹⁹ International Energy Agency, 2008, *Energy Efficiency Requirements in Building Codes, Energy Efficiency Policies for New Buildings*, March. While the BAAQMD CEQA Guidelines do not provide specific criteria in evaluating construction-related GHG emissions impacts, this methodology is consistent with the methodology utilized by the South Coast Air Quality Management District.

¹⁰⁰ California Executive Order B-30-15 requires the state to reduce GHG emission 40% below 1990 levels by 2030. A 40% reduction from BAAQMD's 1,100 MTCO₂e/year threshold identified in the Bay Area Air Quality Management District, 2017, *California Environmental Quality Act Air Quality Guidelines*, p.2-4, is 660 MTCO₂e/per year.

ENVIRONMENTAL ANALYSIS

b) *Would the project conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?*

Applicable plans adopted for the purpose of reducing GHG emissions include the CARB Scoping Plan, the MTC's/ ABAG's *Plan Bay Area 2040*, and Cupertino's *Climate Action Plan*. A consistency analysis with these plans is presented below.

CARB's Scoping Plan

In accordance with AB 32 and SB 32 the CARB 2017 *Climate Change Scoping Plan*¹⁰¹ (Scoping Plan) contains the State's strategy to achieve 1990 level emissions by year 2020 and a 40 percent reduction from 1990 emissions by year 2030. The Scoping Plan is applicable to State agencies and is not directly applicable to cities/counties and individual projects. Nevertheless, the Scoping Plan has been the primary tool that is used to develop performance-based and efficiency-based CEQA criteria and GHG reduction targets for climate action planning efforts.

Statewide strategies to reduce GHG emissions in the latest Scoping Plan (2017) include implementing SB 350, which expands the Renewables Portfolio Standard to 50 percent by 2030 and doubles energy efficiency savings; expanding the Low Carbon Fuel Standard to 18 percent by 2030; implementing the *Mobile Source Strategy* to deploy zero-electric vehicle buses and trucks; implementation of the *Sustainable Freight Action Plan*; implementation of the *Short-Lived Climate Pollutant Reduction Strategy*, which reduces methane and hydrofluorocarbons 40 percent below 2013 levels by 2030 and black carbon emissions 50 percent below 2013 levels by 2030; continuing to implement Senate Bill 375; creation of a post-2020 Cap-and-Trade Program; and development of an *Integrated Natural and Working Lands Action Plan* to secure California's land base as a net carbon sink. Statewide GHG emissions reduction measures that are being implemented as a result of the Scoping Plan would reduce the proposed project's GHG emissions.

The proposed project would be constructed to achieve the standards in effect at the time of development and would not conflict with statewide programs adopted for the purpose of reducing GHG emissions. As stated above, while the measures in the State's Scoping Plan are not directly applicable to individual development projects, the project's GHG emissions would be reduced through compliance with statewide measures that have been adopted since AB 32 and SB 32 were adopted. Therefore, the impact would be *less than significant*.

MTC's/ABAG's Plan Bay Area

Plan Bay Area 2040 is the Bay Area's Regional Transportation Plan (RTP)/Sustainable Community Strategy (SCS). To achieve MTC's/ABAG's sustainable vision for the Bay Area, the *Plan Bay Area 2040* land use concept plan for the region concentrates the majority of new population and employment growth in the region in Priority Development Areas (PDAs). PDAs are transit-oriented, infill development opportunity areas within existing communities. An overarching goal of the regional plan is to concentrate development

¹⁰¹ Note that the 2017 *Climate Change Scoping Plan* is an update to the 2008 and 2014 Scoping Plans.

ENVIRONMENTAL ANALYSIS

in areas where there are existing services and infrastructure rather than allocate new growth to outlying areas where substantial transportation investments would be necessary to achieve the per capita passenger vehicle, vehicle miles traveled, and associated GHG emissions reductions. Although the proposed project is not within a PDA, as discussed in Section XII, Population and Housing, growth associated with the proposed project is consistent with ABAG projections and would not exceed regional population and employment projections (see Chapter 4, General Plan EIR Consistency Analysis, of this Initial Study). The proposed project is an infill development project that would result in an increase in land use intensity in a portion of the city that has access to existing infrastructure and services, including transit service (see Section XV, Transportation). Therefore, the proposed project would not conflict with the land use concept plan for the City of Cupertino identified in the *Plan Bay Area 2040* and the impact would be *less than significant*.

City of Cupertino Climate Action Plan

The *Cupertino Climate Action Plan* (CAP) is a strategic planning document that identifies sources of GHG emissions within the city's boundaries, presents current and future emissions estimates, identifies a GHG reduction target for future years, and presents strategic goals, measures, and actions to reduce emissions from the energy, transportation and land use, water, solid waste, and green infrastructure sectors.

The emissions reduction strategies developed by the City followed the BAAQMD's CEQA Guidelines (2011) and the corresponding criteria for a Qualified Greenhouse Gas Emissions Reduction Program as defined by the BAAQMD, which in turn were developed to comply with the requirements of AB 32 and achieve the goals of CARB's *2008 Scoping Plan*. Since the adoption of the CAP in January of 2015, the Legislature adopted SB 32 (September 2016) and CARB adopted the *2017 Climate Change Scoping Plan* (December 2017), aimed at meeting SB 32's GHG reduction goal of 40 percent below 1990 levels by 2030.

Qualified GHG Reduction Strategy

A qualified GHG reduction strategy adopted by a local jurisdiction should include the following elements, described in the State CEQA Guidelines Section 15183.5. BAAQMD's revised CEQA Guidelines provides the methodology to determine if a GHG reduction strategy meets these requirements. The following includes a description of the BAAQMD methodology and how the Cupertino CAP meets the requirement.

1. Quantify GHG emissions, both existing and projected over a specified time period, resulting from activities within a defined geographic area.
 - Cupertino's CAP identifies a baseline GHG emissions inventory for year 2010 and business-as-usual forecasts for 2020, 2035, and 2050 for land uses within the City.

Establish a level, based on substantial evidence, below which the contribution to greenhouse gas emissions from activities covered by the plan would not be cumulatively considerable.

- Cupertino's CAP has established a goal (or level) of 15 percent below 2005 levels by 2020 and 35 percent below 2005 levels by 2035. The 2020 GHG reduction goal is in line with AB 32. However, the 2030 goal was adopted prior to SB 32.

ENVIRONMENTAL ANALYSIS

Identify and analyze the GHG emissions resulting from specific actions or categories of actions anticipated within the geographic area.

- The GHG emissions sources calculated in the baseline GHG emissions inventory include commercial, residential, and industrial electricity and natural gas use, on-road transportation, solid waste disposal, energy use related to water and wastewater, agricultural off-road equipment and emissions associated with fertilizer application, and off-road equipment use for construction and lawn and garden activities. GHG emissions from these activities were calculated from activity data such as kilowatt hours of electricity, therms of natural gas, tons of waste disposed, and vehicle miles traveled from trips with an origin or destination in Cupertino.

Specify measures or a group of measures, including performance standards, that substantial evidence demonstrates, if implemented on a project-by-project basis, would collectively achieve the specified emissions level.

- The Cupertino CAP has identified groups of measures and performance standards aimed at achieving these targets: Reduce Energy Use/Improve Facilities; Encourage Alternative Transportation/Convert Vehicle Fleet; Conserve Potable Water; Reduce Solid Waste; and Expand Green Infrastructure. The Cupertino CAP strategies achieve the near-term (i.e., 2020) GHG reduction target. Strategies for the post-2020 targets were not quantified.

Establish a mechanism to monitor the plan's progress toward achieving the target GHG emissions level and to require amendment if the plan is not achieving specified levels.

- The City has a sustainability division that implements and tracks the City's GHG reduction strategies and progress toward GHG reduction targets. The City's sustainability division prepares annual reports on CAP implementation and progress as part of the monitoring program, including projects and policies, data and metrics, as well as inventory updates to determine if the CAP is achieving its targeted goals.

Be adopted in a public process following environmental review.

- The City's 2015 addendum to General Plan EIR¹⁰² demonstrated that that adoption of the Cupertino CAP would not create any new or substantially more severe significant effects on the environment that were not analyzed in the General Plan EIR certified in 2014.¹⁰³

Based on the analysis above, the City's CAP is a qualified GHG reduction plan for the AB 32 targets.

In addition, a specific project proposal is considered consistent with the Cupertino CAP if it does not conflict with the required GHG reduction measures contained in the adopted CAP. Project consistency with the adopted GHG reduction measures are shown in Table 4-8:

¹⁰² City of Cupertino, approved General Plan Amendment, Housing Element Update, and Associated Rezoning EIR Final Addendum, State Clearinghouse Number 2014032007. October 2015.

¹⁰³ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 2014.

ENVIRONMENTAL ANALYSIS**TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX**

Measure	Consistency
Measure C-E-1 Energy Use Data and Analysis <i>Increase resident and building owner/tenant/operator knowledge about how, when, and where building energy is used.</i> <i>2035 GHG Reduction Potential: 850 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. This measure is not relevant because the proposed project receives energy through Silicon Valley Clean Energy (SVCE) and therefore utilizes renewable energy for the building. As described in Chapter 3, Project Description, energy conservation measures would be used as part of interior lighting for the new building, such as various glazing treatments on exterior facades and efficient irrigation for landscape to reduce water consumption by 20 percent. The proposed project would not conflict with implementation of this measure.
Measure C-E-2 Retrofit Financing <i>Promote existing and support development of new private financing options for home and commercial building retrofits and renewable energy development.</i> <i>2035 GHG Reduction Potential: 10,525 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. The project proposes new residential buildings that would comply with the 2019 Building Energy Efficiency Standards and CALGreen, at minimum, as stated on pages 3-11 and 3-12 of Chapter 3, Project Description. The proposed project would not conflict with implementation of this measure.
Measure C-E-3 Home & Commercial Building Retrofit Outreach <i>Develop aggressive outreach program to drive voluntary participation in energy- and water-efficiency retrofits.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. The proposed project includes the construction of new buildings and therefore these measures would not apply as a retrofit. Additionally, the proposed project would comply with the latest building code and utilize energy and water efficient fixtures. The proposed project would not conflict with implementation of this measure.
Measure C-E-4 Energy Assurance Plan <i>Develop a long-term community-wide energy conservation plan that considers future opportunities to influence building energy efficiency through additional or enhanced building regulations.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. The proposed project includes buildings that would comply with the 2019 Building Energy Efficiency Standards and CALGreen, at minimum, as stated on pages 3-15 of Chapter 3, Project Description.
Measure C-E-5 Community-Wide Solar Photovoltaic Development <i>Encourage voluntary community-wide solar photovoltaic development through regulatory barrier reduction and public outreach campaigns.</i> <i>2035 GHG Reduction Potential: 4,400 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. The proposed project would not conflict with implementation of this measure.
Measure C-E-6 Community-Wide Solar Hot Water Development <i>Encourage communitywide solar hot water development through regulatory barrier reduction and public outreach campaigns.</i>	Consistent. The City is the responsible party for this measure. The proposed project would not conflict with implementation of this measure.

ENVIRONMENTAL ANALYSIS**TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX**

Measure	Consistency
<i>2035 GHG Reduction Potential: 925 MT CO₂e/yr</i>	
Measure C-E-7 Community Choice Energy Option <i>Partner with other Santa Clara County jurisdictions to evaluate the development of a regional CCE option, including identification of the geographic scope, potential costs to participating jurisdictions and residents, and potential liabilities.</i>	Consistent. The City is the responsible party for this measure. The City of Cupertino is a member of Silicon Valley Clean Energy (SVCE) which partners with PG&E to provide clean electricity. The proposed project would receive energy from SVCE. The proposed project would not conflict with implementation of this measure.
<i>2035 GHG Reduction Potential: 56,875 MT CO₂e/yr</i>	
Measure C-T-1 Bicycle & Pedestrian Environment Enhancements <i>Continue to encourage multi-modal transportation, including walking and biking, through safety and comfort enhancements in the bicycle and pedestrian environment.</i>	Consistent. The City is the responsible party for this measure. As stated in Section XV, Transportation, of this Initial Study, the proposed project would not remove existing bicycle facilities along Stevens Creek Boulevard, nor would it conflict with the City's 2016 <i>Bicycle Transportation Plan</i> . Pedestrians would also have access to the site via the existing crosswalks on South Foothill Boulevard connecting to Stevens Canyon Road. Therefore, the proposed project would promote these alternative modes of transportation.
<i>Supporting Measure</i>	
Measure C-T-2 Bikeshare Program <i>Explore feasibility of developing local bikeshare program.</i>	Consistent. The City is the responsible party for this measure. The proposed project would not conflict with implementation of this measure. Class II bike lanes currently exist on both sides of South Foothill Boulevard and Stevens Canyon Road along the length of the project site. Bicyclists would access the project site from the existing Class II bike lanes via the internal roadway network.
<i>Supporting Measure</i>	
Measure C-T-3 Transportation Demand Management <i>Provide informational resources to local businesses subject to SB 1339 transportation demand management program requirements and encourage additional voluntary participation in the program.</i>	Consistent. The City is the responsible party for this measure. As described in Section XV, Transportation, of this Initial Study, the proposed project is an infill and would not conflict with implementation of this measure.
<i>2035 GHG Reduction Potential: 2,375 MT CO₂e/yr</i>	
Measure C-T-5 Transit Priority <i>Improve transit service reliability and speed.</i>	Consistent. The City is the responsible party for this measure. As described in Section XV, Transportation, of this Initial Study, the proposed project is an infill project, but is not located near a transit stop. However, the proposed project would not conflict with implementation of this measure.
<i>Supporting Measure</i>	
Measure C-T-6 Transit-Oriented Development <i>Continue to encourage development that takes advantage of its location near local transit options</i>	Consistent. The City is the responsible party for this measure. As described in Section XV, Transportation, of this Initial Study, the proposed project is an infill project and would not conflict with implementation of this measure.

ENVIRONMENTAL ANALYSIS

TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX

Measure	Consistency
<i>(e.g., major bus stops) through higher densities and intensities to increase ridership potential.</i>	
<i>Supporting Measure</i>	
Measure C-W-1 SB-X7-7 <i>Implement water conservation policies contained within Cupertino's Urban Water Management Plan to achieve 20 percent per capita water reductions by 2020.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. The proposed project would comply with SB X7-7, which requires California to achieve a 20 percent reduction in urban per capita water use by 2020 and would implement best management practices for water conservation to achieve the City's water conservation goals. As described in Chapter 3, Project Description, the project incorporates water conservation features for on-site irrigation. All landscape zones would be irrigated as required by the Cupertino Landscape Ordinance, and water uses would be tailored to meet CALGreen Building Standards, which requires water conservation and requires new buildings to reduce water consumption by 20 percent. The proposed project would not conflict with implementation of this measure.
Measure C-W-2 Recycled Water Irrigation Program <i>Explore opportunities to use recycled water for irrigation purposes to reduce potable water demands.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. City must build the infrastructure to provide recycled water for projects to use. As described in Chapter 3, Project Description, the project incorporates water conservation features for on-site irrigation. All landscape zones would be irrigated as required by the Cupertino Landscape Ordinance, and water uses would be tailored to meet CALGreen Building Standards, which requires water conservation and requires new buildings to reduce water consumption by 20 percent. The proposed project would not conflict with implementation of this measure.
Measure C-SW-1 Zero Waste Goal <i>Maximize solid waste diversion communitywide through preparation of a zero-waste strategic plan.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. As described in Chapter 3, Project Description, this Initial Study, pursuant to CMC Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, during construction, the project would reduce construction waste and divert materials from landfill and promote recycling of construction waste. The proposed project would not conflict with implementation of this measure.
Measure C-SW-2 Food Scrap and Compostable Paper Diversion <i>Continue to promote the collection of food scraps and compostable paper through the City's organics collection program.</i> <i>2035 GHG Reduction Potential: 750 MT CO₂e/yr</i>	Consistent. The City is the responsible party for implementing this measure. The proposed project would include compost and yard waste disposal services through the City's contracts with Recology South Bay. The materials would be collected by the City garbage waste hauler. The proposed project would not conflict with implementation of this measure.
Measure C-SW-3 Construction & Demolition Waste Diversion Program <i>Continue to enforce diversion requirements in City's Construction & Demolition Debris Diversion and Green Building Ordinances.</i> <i>2035 GHG Reduction Potential: 550 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. As described in Chapter 3, Project Description, of this Initial Study, the proposed project would comply with the City's Construction and Demolition Debris Diversion Ordinance (CMC Chapter 16.72), which requires applicable construction projects to divert 65 percent of construction waste. Pursuant to CMC Section 16.72.050, Information Required Before Issuance of Permit, the project would create a construction waste management plan to reduce construction waste and divert materials from landfill and promote recycling of construction waste. Prior to receiving a final building inspection, a construction recycling report would be submitted to show

ENVIRONMENTAL ANALYSIS**TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX**

Measure	Consistency
	the tons recycled and disposed by material type. The proposed project would not conflict with implementation of this measure.
Measure C-G-1 Urban Forest Program <i>Support development and maintenance of a healthy, vibrant urban forest through outreach, incentives, and strategic leadership.</i> <i>2035 GHG Reduction Potential: 725 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. As described in Chapter 3, Project Description, of this Initial Study, there are no trees or other landscaping on the project site, and the proposed project would include the planting of approximately 15 trees and 16,602 square feet of pervious landscaped surfaces. The new landscaping reduces storm water run-off, increases carbon dioxide plantings, and reduces the heat sink profile of the site. The proposed project would not conflict with implementation of this measure.

Source: City of Cupertino, PlaceWorks, 2020.

Development in Cupertino, including the proposed project, is required to adhere to City-adopted policy provisions, including those contained in the adopted CAP. The City ensures that the provisions of the Cupertino CAP are incorporated into projects and permits as part of development review and through conditions of approval. In general, the proposed project represents a benefit to GHG emissions compared to existing conditions because the mixed-use and infill development would locate housing and residential serving land uses in an existing neighborhood and would replace the older structures with newer, more energy efficient structures that achieve the 2019 Building and Energy Efficiency Standards and water efficiency standards and would decrease GHG emissions by 26.5 percent. Therefore, the impact would be *less than significant*.

VIII. HAZARDS AND HAZARDOUS MATERIALS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous materials, substances or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Be located on a site which is included on a list of hazardous material sites compiled pursuant to Government Code Section 65962.5 and, as a result, create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, result in a safety hazard for people living or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ENVIRONMENTAL ANALYSIS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.7, Hazards and Hazardous Materials, of the General Plan EIR, addressed the hazards- and hazardous materials-related impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant with mitigation measures to reduce impacts from development on sites with known hazardous contamination. General Plan EIR Mitigation Measures HAZ-4a and HAZ-4b, previously adopted and incorporated into the General Plan, are required to be implemented for sites with known contamination and potential residual contamination. As discussed in Chapter 4.7, the project site is not listed as a site with known contamination or potential residual contamination; therefore, the identified mitigation measures in the General Plan EIR do not apply to the proposed project.

The following is a summary of Section, 4.7.1.2, Existing Conditions, of Chapter 4.7, and project specific information from the Phase I Environmental Site Assessment (ESA) dated January 12, 2019, prepared for the project site by Applied Water Resources Corporation and reviewed by PlaceWorks and the City.

EXISTING CONDITIONS

Phase I ESA

The purpose of the Phase I ESA was to identify any recognized environmental conditions (RECs) associated with the presence of hazardous substances or petroleum products in the vicinity of the project site. The Phase I ESA included a review of federal, State, tribal, and local databases, site reconnaissance, and a review of historical sources. The assessment revealed no indications of RECs on the project site.¹⁰⁴

The site was used for orchards and associated buildings in 1939. The orchards were removed in 1948. According to the Department of Toxic Substance Control (DTSC), when orchards have been removed or became inactive prior to 1950, organic pesticides are not an issue warranting further testing.¹⁰⁵ Following the removal of the orchards, the project site was developed with the existing smaller mixed-use building

¹⁰⁴ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 14.

¹⁰⁵ California Department of Toxic Substances Control California Environmental Protection Agency, *Interim Guidance for Sampling Agricultural Properties*, page 3, August 7, 2008.

ENVIRONMENTAL ANALYSIS

located on the site, currently used as the Cupertino Bike Shop. The larger building on the site, currently used for a variety of commercial uses, was constructed by 1963.¹⁰⁶

The Cupertino Bike Shop located on the site is known to use approximately 75 to 100 gallons of aqueous parts cleaner per year, which is considered hazardous waste. However, the Phase I ESA describes the materials as being used appropriately and no indications of spills, releases, or violations were noted in the Phase I ESA.¹⁰⁷

The search of the DTSC's EnviroStor Database and the GeoTracker database search did not reveal any hazardous materials or leaking underground storage tanks also referred to as "LUST" sites on the project site.^{108,109} According to GeoTracker, there is a completed/closed soil contamination site approximately 500 feet to the northeast of the project site at a residential property. There is also one completed/closed voluntary cleanup site 0.5 miles to the northeast of the project site at the Blackberry Farm Play Area.¹¹⁰

Lead-Based Paints and Asbestos-Containing Materials

Based on the age of the buildings, there is a potential for asbestos-containing materials (ACM) and lead-based paint (LBP), which were not regulated in construction until the early 1970's. Neither ACM or LBP are known to have been used during construction of the existing structures.¹¹¹ ACMs and LBPs do not qualify as RECs regulated by the DTSC.¹¹²

Sensitive Receptors

Public schools near the project site are Monta Vista High School and John F. Kennedy Middle School and Abraham Lincoln Elementary School, each approximately 1 mile to the east of the site. Private schools near the project site include Saint Joseph of Cupertino School approximately 2 miles to the east, Futures Academy of Cupertino approximately 3 miles to the east, Bethel Lutheran School approximately 4 miles to the east, and Waldorf School of the Peninsula approximately 4 miles to the northwest. Other sensitive land uses near the project site include the Cupertino Healthcare and Wellness nursing home approximately 0.25 miles to the north, Namo Day Care approximately 0.30 miles to the north, Sunny View

¹⁰⁶ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, pages 8 and 9, January 12.

¹⁰⁷ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 7.

¹⁰⁸ Department of Toxic Substances Control. 2019. EnviroStor. Accessed May 28, 2019 at <https://www.envirostor.dtsc.ca.gov/public/>.

¹⁰⁹ State Water Resources Control Board. 2015. GeoTracker. Accessed May 28, 2019 at <https://geotracker.waterboards.ca.gov/>

¹¹⁰ Department of Toxic Substances Control. 2019. EnviroStor. Accessed May 28, 2019 at <https://www.envirostor.dtsc.ca.gov/public/>.

¹¹¹ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 14.

¹¹² Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California.

ENVIRONMENTAL ANALYSIS

Bay Area Retirement Community approximately 0.75 miles to the north, and Cupertino Senior Center approximately 1.5 miles to the northeast.

Airports

The nearest public airports are San José International Airport, approximately 8.5 miles to the northeast, and Palo Alto Airport, approximately 10 miles to the north. The nearest heliports are McCandless Towers Heliport, approximately 7 miles to the northeast, and County Medical Center Heliport, approximately 7.5 miles to the east. The nearest private (military/corporate) airport is Moffett Federal Airfield, approximately 7 miles to the north. The project site is not within the boundaries of an airport land use plan.

Wildfire

The California Department of Forestry and Fire Protection (CAL FIRE) has designated the project site as a Local Responsibility Area (LRA) and a non-very high fire hazard severity zone. The project site is near lands that CAL FIRE designates as State Responsibility Area (SRA), which are areas of the state where the State of California is financially responsible for the prevention and suppression of wildfires. SRA's do not include lands within city boundaries or in federal ownership. The SRA is approximately 0.5 miles to the west of the project site.¹¹³ The project site is located within the wildland-urban interface, which is an area of transition between wildland (unoccupied land) and land with human development (occupied land).¹¹⁴

DISCUSSION

- a) *Would the project create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials?*

Construction Impacts

Construction activities at the project site would involve the use of larger amounts of hazardous materials than would operation of the proposed project, such as petroleum-based fuels for maintenance and construction equipment, and coatings used in construction, which would be transported to the site periodically by vehicle and would be present temporarily during construction. These potentially hazardous materials would not be of a type or occur in sufficient quantities to pose a significant hazard to public health and safety or the environment, and their use during construction would be short-term. As with proposed project operation, the use, transport, and disposal of construction-related hazardous materials would be required to conform to existing laws and regulations. Compliance with applicable laws and regulations governing the use, storage, and transportation of hazardous materials would ensure that all potentially hazardous materials are used and handled in an appropriate manner, and would minimize the potential for safety impacts to occur. Consequently, associated impacts from construction of the proposed project would be *less than significant*.

¹¹³ CAL FIRE. 2008. Cupertino, Very High Fire Hazard Severity Zones in LRA.
http://www.fire.ca.gov/fire_prevention/fhsz_maps/FHSZ/santa_clara/Cupertino.pdf

¹¹⁴ CAL FIRE. 2018. Wildland-Urban Interface Fire Threat.
<http://www.arcgis.com/home/item.html?id=d45bf08448354073a26675776f2d09cb>, accessed May 7, 2019.

ENVIRONMENTAL ANALYSIS

Operational Impacts

The proposed mixed-use development would not involve the routine transport or disposal of hazardous materials. Project operation would involve the use of small amounts of hazardous materials for cleaning and maintenance purposes, such as cleansers, degreasers, pesticides, and fertilizers. These potentially hazardous materials would not be of a type or be present in sufficient quantities to pose a significant hazard to public health and safety or the environment. Furthermore, such substances would be used, transported, stored, and disposed of in accordance with applicable federal, State, and local laws, policies, and regulations. Any businesses that transport, generate, use, and/or dispose of hazardous materials in Cupertino are subject to existing hazardous materials regulations, such as those implemented by Santa Clara County Department of Environmental Health Hazardous Materials Compliance Division, and hazardous materials permits from the Santa Clara Fire Department (SCCFD). The SCCFD also conducts inspections for fire safety and hazardous materials management of businesses and multi-family dwellings, in accordance with the City of Cupertino Hazardous Materials Storage Ordinance in Title 9, Health and Sanitation, Chapter 9.12, Hazardous Materials Storage. Thus, associated impacts from the operational phase of the project would be *less than significant*.

b) *Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?*

As described under criterion (a), above, construction and operation of the proposed project would involve the storage and use of common cleaning substances, building maintenance products, paints, and solvents, as well as petroleum-based fuels for maintenance and construction equipment, and coatings used in construction. As described in the existing conditions, the existing buildings were developed in 1948 and 1963, and the Phase I ESA identified that, although all suspect ACMs and LBP are in good condition and do not currently pose a health or safety concern, the demolition of the buildings could release these hazardous materials. An impact could occur if construction and operation of the proposed project creates conditions where these hazardous materials could easily contaminate surrounding soil, water, or air. The most likely scenarios would be from rainwater runoff spreading contaminated waste. Stormwater runoff is discussed in Section IX, Hydrology and Water Quality, of this Initial Study and impacts were found to be less than significant.

Construction Impacts

Similar to the operation of the proposed project, the types of construction materials and equipment would be considered standard for this type of development. All spills or leakage of petroleum products during construction activities are required to be immediately contained, the hazardous material identified, and the material remediated in compliance with applicable State and local regulations. All contaminated waste would be required to be collected and disposed of at an appropriately licensed disposal or treatment facility. Furthermore, strict adherence to all emergency response plan requirements set forth by the Santa Clara County Department of Environmental Health Hazardous Materials Compliance Division

ENVIRONMENTAL ANALYSIS

would be required through the duration of the construction of each individual development project.¹¹⁵ Therefore, substantial hazards to the public or the environment arising from the routine use of hazardous materials during project construction would not occur.

While the Phase I ESA identifies the potential for ACMs and LBP on the project site, removal of these types of hazardous materials would require licensed contractors to remove and handle these materials in accordance with existing federal, State, and local regulations. These regulations include the USEPA's National Emission Standards for Hazardous Air Pollutants (Code of Federal Regulation Part 61), Bay Area Air Quality Management District's Regulation 11, Title 8 of the California Codes of Regulations, the Unified Program, and the City's General Plan Health and Safety Element Policy HS-6.1, which would insure that risks associated with the transport, storage, use, and disposal of such materials would be reduced to the maximum extent practical. Consequently, associated impacts from demolition phase of the project would be *less than significant* and no mitigation measures are required.

Operational Impacts

The proposed mixed-use development is not considered the type of project that would create a hazardous materials threat to the users of the site or the surrounding land uses. The Santa Clara County Hazardous Materials Compliance Division (HMCD) is the Certified Unified Program Agency (CUPA) for Santa Clara County including the City of Cupertino and is responsible for enforcing Chapter 6.95 of the California Health and Safety Code. As the CUPA, Santa Clara County HMCD is required to regulate hazardous materials business plans (HMBP) and chemical inventory, hazardous waste and tiered permitting, underground storage tanks, and risk-management plans. The HMBP is required to contain basic information on the location, type, quantity, and health risks of hazardous materials stored, used, or disposed of on development sites. The HMBP also contains an emergency-response plan, which describes the procedures for mitigating a hazardous release, procedures and equipment for minimizing the potential damage of a hazardous materials release, and provisions for immediate notification of the California Emergency Management Agency and other emergency-response personnel, such as the SCCFD. Implementation of the emergency response plan facilitates rapid response in the event of an accidental spill or release, thereby reducing potential adverse impacts. Furthermore, Santa Clara County Department of Environmental Health, Hazardous Materials Compliance Division is required to conduct ongoing routine inspections to ensure compliance with existing laws and regulations; to identify safety hazards that could cause or contribute to an accidental spill or release; and to suggest preventative measures to minimize the risk of a spill or release of hazardous substances. Compliance with these regulations would ensure that the risk of accidents and spills is minimized to the maximum extent practicable during the operation of the proposed project. Consequently, associated impacts would be *less than significant*.

¹¹⁵ Santa Clara County Ordinance Code, Division B11, Chapter XIII (Hazardous Materials Storage Ordinance), Chapter XIV (Toxic Gas Ordinance).

ENVIRONMENTAL ANALYSIS

- c) *Would the project emit hazardous emissions or handle hazardous materials, substances or waste within one-quarter mile of an existing or proposed school?*

There are no schools within 0.25 miles of the project site, but the Cupertino Healthcare and Wellness nursing home is approximately 0.25 miles to the north. As discussed in criterion (a) and (b), the proposed project would not involve the storage, handling, or disposal of hazardous materials in sufficient quantities to pose a significant risk to the public. Thus, *no impact* related to hazardous emissions or hazardous material handling to schools or other sensitive receptors that are within 0.25 miles of the project site would occur and no mitigation measures are required.

Also see Section II, Air Quality, criterion (c), which concludes that the potential for impacts to sensitive receptors due to the release of hazardous materials during construction would be less than significant with mitigation.

- d) *Would the project be located on a site which is included on a list of hazardous material sites compiled pursuant to Government Code Section 65962.5 and, as a result, create a significant hazard to the public or the environment?*

As stated in the existing conditions above, the project site was not identified as being on a listed site pursuant to California Government Code Section 65952.5. The Phase I ESA revealed no indications of RECs on the project site and concluded that hazardous materials used by the existing bike shop are being used appropriately, with no indications of spills, releases, or violations.¹¹⁶ Accordingly, impacts would be *less than significant*.

- e) *For a project within an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project result in a safety hazard for people living or working in the project area?*

The project site is not within an airport land use plan or within 2 miles of a public use airport. Thus, there would be *no impact* related to public airport hazards.

- f) *Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?*

The City of Cupertino Office of Emergency Services is responsible for coordinating agency response to disasters or other large-scale emergencies in the City of Cupertino with assistance from the Santa Clara County Office of Emergency Services and the SCCFD. The Cupertino Emergency Operations Plan (EOP)¹¹⁷ establishes policy direction for emergency planning, mitigation, response, and recovery activities within the city. The Cupertino EOP addresses interagency coordination, procedures to maintain communications with county and State emergency response teams, and methods to assess the extent of damage and management of volunteers.

¹¹⁶ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 14.

¹¹⁷ City of Cupertino, Office of Emergency Services. *Emergency Operations Plan*. September 2005.

ENVIRONMENTAL ANALYSIS

The proposed project would not block roads and would not impede emergency access to surrounding properties or neighborhoods. As described in Chapter 3, Project Description, of this Initial Study, emergency vehicle access would be provided at two points on the project site, with ingress and egress located at the intersections of Stevens Canyon Road and McClellan Road and Stevens Canyon Road and St. Andrews Avenue, as shown in Figure 3-12. The emergency circulation plan includes a fire truck circulation route in addition to designated fireman access routes to reach the rear of the structures.

During demolition and construction, vehicles, equipment, and materials would be staged and stored on a portion of the project site. The construction site and staging areas would be clearly marked, and construction fencing would be installed to prevent disturbance and safety hazards. No staging would occur in the public right-of-way. A combination of on- and off-site parking facilities for construction workers would be identified during demolition, grading, and construction. The proposed project would not interfere with an adopted emergency response plan, or emergency evacuation plan; therefore, impacts would be *less than significant*.

g) Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?

The project site is fully developed and is surrounded by built-out urban uses. The project site is located approximately 0.25 miles from the Urban Wildland Interface area designated in the City's adopted Urban Wildland Interface Fire Area map.¹¹⁸ The very high fire hazard severity zone located within the LRA is located in the central southern portion of the Cupertino, which is approximately 1.75 miles southeast of the project site. Because the project is located outside of a designated fire hazard area, the proposed project would not subject people or structures to wildfire hazards and impacts would be *less than significant*.

IX. HYDROLOGY AND WATER QUALITY

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

¹¹⁸ City of Cupertino Municipal Code, Title 16, Building and Construction, Chapter 16.74. Wildland Urban Interface Fire Area.

ENVIRONMENTAL ANALYSIS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
i) Result in substantial erosion or siltation on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;				
iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or				
iv) Impede or redirect flood flows?				
d) In a flood hazard, tsunami, or seiche zones, risk the release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.8, Hydrology and Water Quality, of the General Plan EIR, addressed the hydrology- and water quality-related impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant, and no mitigation measures were required. The following is a summary of Section, 4.8.1.2, Existing Conditions, of Chapter 4.8.

EXISTING CONDITIONS

The project site lies within the Stevens Creek Watershed,¹¹⁹ approximately 0.25 miles west of Stevens Creek, and approximately 1 mile north of Stevens Creek Reservoir. No creeks or natural drainage features are present on the project site. In addition to the natural drainage system within the watershed, a network of storm drains collects runoff from city streets and conveys it to four creeks, including Stevens Creek with ultimate discharge into San Francisco Bay.

The City of Cupertino Department of Public Works is responsible for the design, construction, and maintenance of City-owned facilities including public streets, sidewalks, curbs, gutters, and storm drains. The capacity of the storm drain facilities within the City of Cupertino was evaluated and documented in the 2018 *Storm Drain Master Plan*, which identifies areas within the system that do not have the capacity to handle runoff during a 10-year storm event, which is the City's design standard.

¹¹⁹ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 4, 2014, Chapter 4.8, Hydrology and Water Quality, Figure 4.8-1, Watersheds.

ENVIRONMENTAL ANALYSIS

As described in the 2018 *Storm Drain Master Plan*, the project site is in an area where some of the storm drains are deficient in conveying water from a 10-year storm. The project site would discharge stormwater to the City's storm drain system at two locations. Stormwater from the south portion of the site would discharge to the 18-inch storm drain that runs beneath St. Andrews Avenue, which currently does not have any capacity issues. However, the northern portion of the site would discharge to the City's existing 18-inch storm drain near the intersection of South Foothill Boulevard and McClellan Road. The storm drain beneath Stevens Canyon Road/South Foothill Boulevard that continues to Stevens Creek Boulevard is currently under capacity and is designated as high priority for replacement.¹²⁰ The City's proposed storm drain improvement to reduce flooding impacts would be to increase the storm drainpipe diameter to increase its carrying capacity.

The project site, as well as the entire city, is within the Santa Clara Subbasin of the Santa Clara Valley Groundwater Basin. In 2017, approximately 42 percent of the water used in Santa Clara County was pumped from groundwater.¹²¹ The depth of groundwater is estimated to be about 25 to 30 feet below ground surface or deeper.¹²² Therefore, construction dewatering will not be required. Most of the water supplied to the County is purchased from the Santa Clara Valley Water District (SCVWD), which receives surface water from the State Water Project (SWP) and the Central Valley Project. Additional details on water usage and local water purveyors are provided in Section XVII, Utilities and Service Systems, of this Initial Study.

The National Pollutant Discharge Elimination System (NPDES) permit program was established by the federal Clean Water Act (CWA) to regulate municipal and industrial discharges to surface waters of the United States from their municipal separate storm sewer systems (MS4s). Municipal storm water discharges in the City of Cupertino are subject to the Waste Discharge Requirements of the Municipal Regional Permit (MRP; Order Number R2-2015-0049, as amended by Order No. R2-2019-0004) and NPDES Permit Number CAS612008.

Construction activities that disturb one or more acres of land that could impact hydrologic resources must comply with the requirements of the State Water Resources Control Board (SWRCB) Construction General Permit (2009-0009-DWQ) as amended by 2010-0014-DWQ and 2012-0006-DWQ. Under the terms of the permit, applicants must file Permit Registration Documents (PRDs) with the SWRCB prior to the start of construction. The PRDs include a Notice of Intent, risk assessment, site map, Stormwater Pollution Prevention Plan (SWPPP), annual fee, and a signed certification statement. The PRDs are submitted electronically to the SWRCB via the Stormwater Multiple Application and Report Tracking System (SMARTS) website.

All new development or redevelopment projects that create and/or replace 10,000 square feet or more of impervious surfaces would be required to incorporate source control, site design, and stormwater treatment measures into the project, pursuant to the Santa Clara Valley Urban Runoff Pollution Prevention

¹²⁰ Schaaf & Wheeler Consulting Civil Engineers. 2018. *Cupertino Storm Drain Master Plan*.

¹²¹ Santa Clara Valley Water District, 2017. *Annual Groundwater Report for Calendar Year 2017*, page ES-1.

¹²² Applied Water Resources, 2018. *Phase I Environmental Site Assessment, 10625-10637 South Foothill/Stevens Canyon Road, Cupertino, CA*.

ENVIRONMENTAL ANALYSIS

Program C.3 requirements. The requirements include minimization of impervious surfaces, measures to detain or infiltrate runoff from peak flows, and agreements to ensure that the stormwater treatment and flow control facilities are maintained in perpetuity.

The San Francisco Bay RWQCB monitors surface water quality through implementation of the Water Quality Control Plan for the San Francisco Bay Basin (Basin Plan) and designates beneficial uses for surface water bodies and groundwater within the Santa Clara Valley. The Basin Plan also contains water quality criteria for groundwater. Groundwater quality in the Santa Clara subbasin is generally considered to be good, and water quality objectives are met in at least 95 percent of the County water supply wells without the use of treatment methods.¹²³

The project site is not located in a FEMA-designated 100-year floodplain or Special Flood Hazard Area. The project site is not within a dam inundation zone of Stevens Creek Reservoir or any other dams.¹²⁴ The City of Cupertino is more than 8 miles south of the San Francisco Bay and is more than 100 feet above mean sea level, which places the City at a distance beyond the impacts of a tsunami.¹²⁵ There are no large bodies of water within the City of Cupertino or near the project site; thus, the project site would not be impacted by a seiche.

DISCUSSION

a) *Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?*

Because the project would disturb one or more acres during construction, the project applicant would be required to comply with State's Construction General Permit and submit PRDs to the SWRCB prior to the start of construction. The PRDs include a Notice of Intent and a site-specific construction SWPPP that describes the incorporation of best management practices to control sedimentation, erosion, and hazardous materials contamination of runoff during construction. In addition, the City of Cupertino requires preparation of an erosion and sediment control plan and submittal with the site map/grading plan, pursuant to CMC Section 16.08.110, Interim Erosion and Sediment Control Plan. With implementation of these best management practices, water quality impacts during construction would be *less than significant*.

The proposed project would create and/or replace 10,000 square feet or more of impervious surfaces, and therefore would be required to incorporate source control, site design, and stormwater treatment measures into the project, pursuant to the Santa Clara Valley Urban Runoff Pollution Prevention Program C.3 requirements. A Stormwater Management Plan must also be prepared and submitted to the City for

¹²³ Santa Clara Valley Water District, 2016. Santa Clara Valley Water District, 2016. *2016 Groundwater Management Plan*.

¹²⁴ Santa Clara County Fire Department. 2012. Joint Stevens Creek Dam Failure Plan.

<https://www.cupertino.org/home/showdocument?id=7424> accessed on September 26, 2019.

¹²⁵ Association of Bay Area Governments, 2019. *Interactive Tsunami Inundation Map*.

<http://gis.abag.ca.gov/website/Hazards/?hlyr=tsunami>, accessed September 26, 2019.

ENVIRONMENTAL ANALYSIS

approval prior to the start of construction. The plan will detail how runoff and associated water quality impacts resulting from the proposed project will be controlled and managed.

The low impact development (LID) requirements include the preservation of open space and reduction of impervious surfaces, measures to detain or infiltrate runoff from peak flows during the 0.2 inches per hour storm event, and agreements to ensure that the stormwater treatment and flow control facilities are maintained in perpetuity. The proposed project would include 16,602 square feet of pervious area in the form of landscaping and two bioretention areas totaling 1,540 square feet. Bioretention areas percolate stormwater through the bioretention soil media, which acts as a filter removing pollutants such as suspended solids, metals, and nutrients and eventually discharging the runoff to the City's storm drain system. Implementation of these measures and compliance with the C.3 requirements of the MRP would ensure that post-development impacts to water quality would be *less than significant*.

The project must also comply with CMC Chapter 9.18, Storm Water Pollution Prevention and Watershed Protection, which is intended to provide regulations and give legal effect to certain requirements of the MRP permit issued to the City. CMC Chapter 9.18 also ensures ongoing compliance with the most recent version of the MRP regarding municipal storm water and urban runoff requirements and applies to all water entering the storm drain system generated on any private, public, developed, and undeveloped lands within the city. The CMC contains permit requirements for construction projects and new development or redevelopment projects to minimize the discharge of storm water runoff.

The City of Cupertino also requires submittal and approval of a Stormwater Management Plan (SMP) prior to the start of construction (CMC Section 9.18.120, Stormwater Management Plan Required for Regulated Projects). The SMP must include the C.3 impervious surface form, LID feasibility worksheets, site design measures to limit impervious surfaces, numeric sizing criteria for stormwater treatment facilities, source control measures to limit the discharge of pollutants to the storm drain system, and an operation and maintenance (O&M) plan, including certification that the treatment measures will be maintained for perpetuity.

The project applicant must also install full trash capture devices to collect litter and debris from the project site, prior to connecting to the City's storm drain system, as pursuant to CMC Section 9.18.115, Trash Load Reductions to Storm Drain Collection System, and the provisions of the MRP. A list of approved devices is available from the Public Works Department. The trash capture devices must be located onsite and situated so that trash carried by stormwater from the site is collected onsite does not flow directly into the City's storm drain system. The trash capture devices must be properly designed and sized to ensure that the devices do not cause an obstruction to onsite stormwater flow. The trash capture devices must also be maintained, following manufacturer's recommendations, for the life of the project. Implementation of these measures will improve the water quality of stormwater entering the City's storm drain system.

Adherence to applicable water quality regulations, preparation of a SWPPP, implementation of best management practices during construction, and compliance with the CMC would ensure that water quality standards are not violated during construction. Implementation of stormwater site design, source control, and stormwater treatment measures, compliance with C.3 provisions of the MRP and the City of

ENVIRONMENTAL ANALYSIS

Cupertino's stormwater requirements, and preparation of a SMP that describes the installation and operation and maintenance requirements for the bioretention areas would result in less-than-significant impacts during operation of the project. Consequently, potential impacts associated with water quality during construction and operation would be *less than significant*.

- b) *Would the project substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?*

The project would be connected to municipal water supplies and does not propose any groundwater wells on the property. Water is supplied to the site by the San José Water (SJW), which obtains its water from groundwater production (40 percent), purchases of surface water from the SCVWD (50 percent), and local mountain surface water (10 percent).¹²⁶ The 2015 *Urban Water Management Plan* (UWMP) for the SCVWD, which includes the area for the project site, states that there is sufficient water for SCVWD customers for normal, single-dry, and multiple-dry years until 2025. The SCVWD identifies actions within the water shortage contingency plan in its UWMP that would ensure water demand is met through 2040.¹²⁷ Therefore, the proposed project would not result in a depletion of groundwater supplies or result in a lowering of groundwater levels. Water supply is discussed in Section XVII, Utilities and Service Systems.

Groundwater beneath the site is more than 20 feet below ground surface (bgs). Therefore, no construction dewatering will be required. As a result, the development of the proposed project would not interfere with groundwater recharge that takes place in the McClellan Ponds recharge facility located within the City of Cupertino or the creeks and streams that run through the city. Therefore, the project would have a *less-than-significant* impact with respect to groundwater recharge.

The proposed project would be located on a site that is already developed and currently has about 47,975 square feet of existing impervious surfaces. The proposed project would result in a decrease of 4,556 square feet of impervious surfaces. In addition, the project would install two bioretention facilities, as discussed in criterion a), and landscaped areas would be installed along the perimeter and throughout the site, which would contribute to groundwater recharge by infiltration. As a result, the project would result in a decrease in the amount of runoff from the property. Therefore, the project would have a *less than significant* impact on groundwater supplies and groundwater recharge, and no mitigation measures are needed.

- c) *Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would: result in substantial erosion, siltation, or flooding on- or off-site; substantially increase the rate or amount of surface runoff in a manner which would result in flooding*

¹²⁶ San José Water Company, For Your Information, Education and Safety, Water Supply, https://www.sjwater.com/for_your_information/education_safety/water_supply, accessed on September 26, 2019.

¹²⁷ Santa Clara Valley Water District, 2015 *Urban Water Management Plan*, <https://www.valleywater.org/sites/default/files/SCVWD%202015%20UWMP-Report%20Only.pdf>, accessed on September 26, 2019.

ENVIRONMENTAL ANALYSIS

on- or off-site; create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or impede or redirect flood flows?

The proposed project would take place within the boundaries of a fully developed site that is currently connected to the City's storm drain system. The proposed redevelopment does not involve the alteration of any natural drainage channels or any watercourse.

As described in the 2018 *Storm Drain Master Plan*, the project site is within an area where some of the storm drains are deficient in conveying water from a 10-year storm. The southern portion of the site would discharge to the City's existing 18-inch storm drain that is located beneath St. Andrews Place. This storm drain currently does not have any capacity issues. However, the northern portion of the site would discharge to the City's existing 18-inch storm drain near the intersection of South Foothill Boulevard and McClellan Road. The storm drain at this location that continues north to Stevens Creek Boulevard is currently under capacity, and is designated as high priority for replacement;¹²⁸ however, the proposed project would not exacerbate this existing condition. The proposed project would provide two bioretention facilities on the project site. These would collect runoff from roof areas, parking lots, sidewalks and streets for treatment and flow control prior to discharge into the on-site storm drain system, which connects to the City's storm drain system beneath Stevens Canyon Road/South Foothill Boulevard and St. Andrews Avenue. The City has determined that the on-site stormwater treatment areas would meet the C.3 requirements of the MRP. In addition, the proposed project would result in a decrease in impervious surface area, resulting in a decrease in stormwater runoff to the municipal storm drain system as compared to existing conditions.

During construction, the project applicant would be subject to the NPDES construction permit requirements, including preparation of a SWPPP. The SWPPP includes erosion and sediment control measures to stabilize the site, protect slopes and channels, control the perimeter of the site, minimize the area and duration of exposed soils, and protect receiving waters adjacent to the site. Erosion and siltation impacts are minimized through compliance with these requirements and submittal of an erosion and sediment control plan to the City prior to the start of construction.

Once constructed, the requirements for new development or redevelopment projects include source control measures and site design measures that address stormwater runoff and would reduce the potential for erosion or siltation. In addition, Provision C.3 of the MRP would require the project to implement on-site stormwater treatment measures to contain site runoff, using specific numeric sizing criteria based on volume and flow rate. The bioretention areas will filter out sediment from the stormwater runoff.

The project would also be required to install stormwater trash capture devices that meet the requirements of the MRP. The trash capture devices must be located onsite and situated to ensure that trash carried by stormwater is collected onsite and does not flow directly into the City's storm drain system. With implementation of these erosion and sediment control measures and regulatory provisions

¹²⁸ Schaaf & Wheeler Consulting Civil Engineers. 2018. Cupertino Storm Drain Master Plan.

ENVIRONMENTAL ANALYSIS

to limit runoff for new development sites, the proposed project would not result in significant increases in erosion and sedimentation and these impacts would be *less than significant*.

In addition, the proposed development would result in a decrease in impervious surfaces as compared to existing conditions and would include on-site stormwater bioretention areas to temporarily retain peak flows prior to discharge to the City's storm drain system. To ensure that runoff from the site would not exceed the capacity of the City's storm drain system, the project applicant will prepare a hydrology and hydraulics report for review and approval by the Director of Public Works prior to the start of construction. The hydrology study shall include pre- and post-development flow rates and the ability of the bioretention areas to reduce the amount of runoff from the site and improve water quality. Also, the trash capture devices would be designed and sized to ensure that if the devices cause an obstruction to onsite stormwater flow, onsite flooding will not occur.

With compliance with these regulatory requirements, preparation of a hydrology/hydraulics study, and installation of on-site stormwater treatment systems to mitigate peak flows, the proposed project would not contribute to flooding on-site or off-site and impacts would be *less than significant*.

d) *In flood hazard, tsunami, or seiche zones, would the project risk the release of pollutants due to project inundation?*

The project site is not located near the San Francisco Bay or the Pacific Ocean and is not within a mapped tsunami inundation zone.¹²⁹ There are no large bodies of water in the vicinity of the project site; therefore, there would be no potential for seiches to impact the project site. The project site is also outside of the Stevens Creek Reservoir dam inundation zone.¹³⁰ In addition, the site is in a relatively flat area of the city and is outside of the ABAG mapped zones for earthquake-induced landslides or debris flow source areas.¹³¹ Therefore, *no impact* would occur with respect to the release of pollutants from these types of natural hazard events.

e) *Would the project conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?*

The San Francisco Bay RWQCB monitors surface water quality through implementation of the Water Quality Control Plan for the San Francisco Bay Basin, also referred to as the "Basin Plan," and designates beneficial uses for surface water bodies and groundwater within the Santa Clara Valley. The Basin Plan also contains water quality criteria for groundwater.

As required by storm water management guidelines discussed under criterion (a), best management practices and LID measures would be implemented across the project site during both construction and

¹²⁹ Association of Bay Area Governments, 2019. *Interactive Tsunami Inundation Map*. <http://gis.abag.ca.gov/website/Hazards/?hlyr=tsunami> accessed on September 26, 2019.

¹³⁰ Santa Clara County Fire Department. 2012. Joint Stevens Creek Dam Failure Plan. <https://www.cupertino.org/home/showdocument?id=7424> accessed on September 26, 2019.

¹³¹ Association of Bay Area Governments, 2019. Rainfall-Induced Landslides, Debris Flow Source Areas and Earthquake Induced Landslides. Accessed at <http://resilience.abag.ca.gov/landslides/> on September 26, 2019.

ENVIRONMENTAL ANALYSIS

operation of the proposed project. These measures would control and prevent the release of sediment, debris, and other pollutants into the storm drain system. Implementation of best management practices during construction would be in accordance with the provisions of the SWPPP and the erosion and sediment control plan, which would minimize the release of sediment, soil, and other pollutants. Operational best management practices would be required to meet the C.3 provisions of the MRP. These best management practices, along with the proposed LID measures, include the incorporation of site design, source control, and treatment control measures to treat and control runoff before it enters the storm drain system. The proposed treatment measures would include the use of two bioretention areas to treat and detain runoff prior to discharge to the City's storm drain system.

The project site is within the Santa Clara Valley Groundwater Basin, which is covered under the 2016 Groundwater Management Plan.¹³² This basin has been characterized by the Department of Water Resources as a medium-priority subbasin and therefore subject to the requirements to develop and implement a Groundwater Sustainability Plan. The Groundwater Management Plan states that the total recharge to the Santa Clara and Llagas subbasins exceeds the total outflow via groundwater pumping and subsurface outflow, with excess groundwater storage of 1,500 acre-feet. This indicates that the subbasins are in long-term balance and meet the criteria for sustainable groundwater conditions. Although SJW does use groundwater as a source of water supply, the Water Supply Evaluation prepared for the General Plan EIR included new development on the project site at a greater number of units than proposed under the project (27 net new units as compared to project's 18 new units); therefore, water supply impacts were adequately addressed in the General Plan EIR.

As discussed in criterion (b), the depth to groundwater is estimated to be 25 to 30 feet bgs and the proposed project would not require construction dewatering.

With implementation of these best management practices and LID measures in accordance with City and MRP requirements, the proposed project would not conflict with or obstruct the implementation of the Basin Plan of the Groundwater Management Plan, and potential impacts on water quality would be *less than significant*.

X. LAND USE AND PLANNING

Would the proposed project:		Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a)	Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b)	Cause a significant environmental impact due to a conflict with any land use plan, policy or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

¹³² Santa Clara Valley Water District, 2016 Groundwater Management Plan, Santa Clara and Llagas Subbasins.

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.9, Land Use and Planning, of the General Plan EIR, addressed impacts to land use and planning associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were determined to be less than significant, and no mitigation measures were required. The following is a summary of Section, 4.9.1.2, Existing Conditions, of Chapter 4.9.

EXISTING CONDITIONS

The General Plan land use designation for the project site is Commercial/Residential and the project site is within the (P(CG)) Zoning District. A complete description of the Commercial/Residential land use designation and (P(CG)) Zoning District is presented in Section 3.1.4, Land Use Designation and Zoning, in Chapter 3 of this Initial Study.

DISCUSSION

a) Would the project physically divide an established community?

Because the development of the proposed project would occur on a site that is currently developed, would retain existing roadway patterns, and would not introduce any new major roadways or other physical features through existing residential neighborhoods or other communities that would create new barriers, the project would not physically divide an established community. Therefore, *no impact* would occur.

b) Would the project cause a significant environmental impact due to a conflict with any applicable land use plan, policy or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

The proposed project does not include a request for any modification to the existing General Plan land use designation. However, the project does include a request to modify the existing General Commercial (P(CG)) Zoning District to a General Commercial with Residential (P(CG, Res)) Zoning District to allow residential uses on the project site. This request would make the Zoning District for the project site more consistent with the Commercial/Residential General Plan land use designation, which allows for residential uses. The proposed project (at 11.5 units per acres and with a building height of 30 feet at the highest point) is within the development parameters evaluated in the General Plan EIR (25 dwelling units per acre and a maximum building height of 30 feet tall) and the General Plan EIR found land use impacts to be less than significant. The proposed mixed-use development would be consistent with the types of development envisioned in the Inspiration Heights Neighborhood, Neighborhood Center, and Other Non-Residential/Mixed-Use Special Areas identified in the General Plan. Accordingly, the proposed project would also result in *less-than-significant* impacts with regard to conflicts with land use plans.

ENVIRONMENTAL ANALYSIS

XI. NOISE

Would the proposed project result in:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or in other applicable local, state, or federal standards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.10, Noise, of the General Plan EIR addressed the impacts from noise and vibration associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Noise impacts were found to be significant and unavoidable in the General Plan EIR because the project-specific details for future development were not available. No feasible mitigation measures were identified to reduce noise impacts to a less-than-significant level and project-specific noise evaluation is required to assess noise impacts from the proposed redevelopment of the site.

This section includes a summary of Section, 4.10.1.3, Existing Conditions, of Chapter 4.10, and analyzes the noise and vibration that would be generated by the construction and operation of the proposed project at a project level.

EXISTING CONDITIONS

Noise is defined as unwanted sound and is known to have several adverse effects on people including hearing loss, speech and sleep interference, physiological responses, and annoyance. Based on these known adverse effects of noise, the federal government, State of California, and City of Cupertino have established criteria to protect public health and safety and to prevent disruption of certain human activities. Noise terminology and fundamentals, pertinent existing local regulations traffic noise level increase calculations, and construction noise and vibration modeling can be found in Appendix C, Noise Data, of this Initial Study.

The project site is a bounded by adjacent single-family homes to the north, west, and south. South Foothill Boulevard and Stevens Canyon Road are located to the east of the project site, beyond which are single-family homes. The nearest sensitive receptors to the project site are the adjacent one-story and

ENVIRONMENTAL ANALYSIS

two-story single-family residences approximately 20 to 50 feet from the site property lines to the north, west, and south. The principal noise source affecting the project area is roadway traffic on Stevens Canyon Road and South Foothill Boulevard and surrounding residential roadways.

The nearest public airports are San José International Airport, approximately 8.5 miles to the northeast, and Palo Alto Airport, approximately 10 miles to the north. The nearest heliports are McCandless Towers Heliport, approximately 7 miles to the northeast, and County Medical Center Heliport, approximately 7.5 miles to the east. The nearest private airport is Moffett Federal Airfield, approximately 7 miles to the north. The project site is not located in within an airport land use plan.

The noise environment in the project area is approximately 60 to 70+ dBA Community Noise Equivalent Level (CNEL) based on the noise contour map in the General Plan Health and Safety Element (Attachment D. Community Noise), with ambient noise levels decreasing at further distance from Stevens Canyon Road. It is important to note that with the Supreme Court decision regarding the assessment of the environment's impacts on projects (*California Building Industry Association (CBIA) v. Bay Area Air Quality Management District (BAAQMD)*, 62 Cal. 4th 369 (No. S 213478) issued December 17, 2015), it is generally no longer the purview of the CEQA process to evaluate the impact of existing environmental conditions on any given project. As a result, while the noise from existing sources is taken into account as part of the baseline, the direct effects of existing outside (exterior) noise from nearby noise sources as it relates to land use compatibility of the project is no longer a required topic for impact evaluation under CEQA. No determination of significance is required or made in this Initial Study.

DISCUSSION

- a) *Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or in other applicable local, State, or federal standards?*

A significant stationary-source impact would occur if the activities or equipment at the proposed project site produce noise levels at nearby sensitive receptors in excess of local standards.

With respect to permanent traffic-related increases, noise impacts can be placed into three categories. The first is "audible" impacts, which refer to increases in noise level that are perceptible to humans. Audible increases in general community noise levels generally refer to a change of 3 decibels (dBA) or more since this level has been found to be the threshold of perceptibility in exterior environments. The second category, "potentially audible" impacts, refers to a change in noise level between 1 and 3 dBA. The last category includes changes in noise level of less than 1 dBA that are typically "inaudible" to the human ear except under quiet conditions in controlled environments. Only "audible" changes in noise levels at sensitive receptor locations (i.e., 3 dBA or more) are considered potentially significant. Note that a doubling of traffic flows (i.e., 10,000 vehicles per day to 20,000 per day) would be needed to create a 3 dBA increase in traffic-generated noise levels. For the purposes of this analysis, an increase of 3 dBA CNEL is often used as the threshold for a substantial increase.

ENVIRONMENTAL ANALYSIS

Project-Related Construction Noise

In terms of the proposed construction activities, the demolition, grading, and site paving activities are expected to generate the highest noise levels, since they involve the largest and most powerful equipment. Construction equipment for the proposed project would include equipment such as concrete saws, dozers, graders, tractors, loaders, backhoes, excavators, generators, forklifts, paving equipment, rollers, and a crane.

Two types of short-term noise impacts could occur during construction: (1) mobile-source noise from the transport of workers, material deliveries, and debris/soil hauling and (2) stationary-source noise from use of construction equipment. Construction activities are anticipated to last approximately 10 months. The following discusses construction noise impacts to the off-site sensitive receptors.

Construction Vehicles

The transport of workers and materials to and from the construction site would incrementally increase noise levels along local roadways. Individual construction vehicle pass-bys may create momentary noise levels of up to approximately 85 dBA (L_{max}) at 50 feet from the vehicle, but these occurrences would generally be infrequent and short lived. Therefore, noise impacts from construction-related truck traffic would be *less than significant* at noise-sensitive receptors along the construction routes and no mitigation measures would be required.

Construction Equipment

According to CMC Section 10.48.053, construction is allowed during “daytime hours” (7:00 a.m. to 8:00 p.m. Monday through Friday, and 9:00 a.m. to 6:00 p.m. on weekends) and exempt from the City’s daytime and nighttime maximum noise level limits, provided that such construction activities do not exceed 80 dBA at the nearest affected property or individual equipment items do not exceed 87 dBA at 25 feet. Only one of these two criteria must be met. In addition, construction is prohibited on holidays and within 750 feet of residential areas on weekends, holidays, and during the nighttime, unless a special exception has been granted, and during nighttime hours unless it meets the nighttime noise level standards. Even with these restrictions, project construction would temporarily increase ambient noise. However, noise levels would subside again after construction.

Noise generated by on-site construction equipment is based on the type of equipment used, its location relative to sensitive receptors, and the timing and duration of noise-generating activities. Each stage of construction involves different kinds of equipment and has distinct noise characteristics. Noise levels from construction activities are typically dominated by the loudest several pieces of equipment. The dominant equipment noise source is typically the engine, although work-piece noise (such as dropping of materials) can also be noticeable.

The noise produced at each construction stage is determined by combining the L_{eq} contributions from each piece of equipment used at a given time, while accounting for the on-going time-variations of noise emissions (commonly referred to as the usage factor). Heavy equipment, such as a bulldozer, can have

ENVIRONMENTAL ANALYSIS

maximum, short-duration noise levels of up to 85 dBA at 50 feet. However, overall noise emissions vary considerably, depending on what specific activity is being performed at any given moment. Noise attenuation due to distance, the number and type of equipment, and the load and power requirements to accomplish tasks at each construction phase would result in different noise levels from construction activities at a given receptor. Since noise from construction equipment is intermittent and diminishes at a rate of at least 6 dBA per doubling of distance (conservatively ignoring other attenuation effects from air absorption, ground effects, and/or shielding/scattering effects), the average noise levels at noise-sensitive receptors could vary considerably, because mobile construction equipment would move around the site with different loads and power requirements. Noise levels from project-related construction activities were calculated from the simultaneous use of all applicable construction equipment at spatially averaged distances (i.e., from the acoustical center of the general construction site) to the property line of the nearest receptors. Although construction may occur across the entire phase area, the area around the center of construction activities best represents the potential average construction-related noise levels at the various sensitive receptors.

The expected construction equipment mix was estimated and categorized by construction activity using the Federal Highway Administration Roadway Construction Noise Model. The associated, aggregate sound levels, grouped by construction activity, are summarized in Table 4-9.

TABLE 4-9 PROJECT-RELATED CONSTRUCTION NOISE, ENERGY-AVERAGE (L_{eq}) NOISE LEVELS, DBA

Construction Activity Phase	Noise Level at the Closest Distance from Construction Activities, dBA L_{eq}
	Residences (west)
	90 feet ^a
Demolition	81
Site Preparation	80
Utility Trenching	78
Grading (rough and fine)	80
Building Construction	78
Paving	81
Architectural Coating	69

Notes:

a. While the nearest sensitive receptors to the project site include the adjacent one-story and two-story single-family residences approximately 20 to 50 feet from the site property lines to the north, west, and south, this analysis is based on the distance from the acoustical center of the construction site to the nearest property line, which is 90 feet to the west.

Source: PlaceWorks, 2019.

Construction activities would increase noise levels at and near the proposed area of improvements. The highest expected construction-related noise levels, up to approximately 81 dBA L_{eq} , would occur at the residences to the west during demolition and paving phases, which would be greater than the 80 dBA limit in the CMC. Construction noise levels would create a substantial temporary increase in ambient noise levels in the vicinity of the project. This would be considered a potentially significant impact. With implementation of Mitigation Measure NOISE-1, which is not a General Plan EIR mitigation measure, project-related construction noise impacts to the nearby residences would be *less than significant*.

ENVIRONMENTAL ANALYSIS

Impact NOISE-1: The proposed project could result in the generation of a substantial temporary increase in ambient noise levels in the vicinity of the project site during the construction phase that would be in excess of standards established in the City of Cupertino Municipal Code.

Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:

- At least 90 days prior to the start of any construction, demolition, or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint.
- The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:
 - At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.
 - During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.
 - Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.
 - During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible.

ENVIRONMENTAL ANALYSIS

- During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations.
- Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase.
- Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes.
- During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.

Project-Related Operational Noise

Stationary-Source Noise

Noise from sources such as people talking and using outdoor common areas, or property maintenance may contribute to the total noise environment within the direct vicinity of the proposed project site. However, these types of noise are commonly associated with uses that already exist on the project site. As explained above, noise sources associated with landscape maintenance activities is exempted from the provisions of the CMC, provided said activities take place between the hours of 8:00 a.m. to 8:00 p.m. on weekdays, and 9:00 a.m. to 6:00 p.m. on weekends and holidays. Therefore, impacts from occasional property maintenance activities associated with the proposed project would be *less than significant*.

The mixed-use building will have the mechanical HVAC equipment on the rooftop enclosed by a parapet. The exterior mechanical and HVAC equipment associated with the proposed use are expected to be similar to the existing commercial uses. Typical HVAC units range from approximately 75 dBA L_{eq} at a distance of 3 feet. Future rooftop mechanical equipment associated with the mixed-use building would be located at least 90 feet from the nearest residential property lines to the east according to project rooftop plans (see Figure 3-6). In addition, noise from rooftop mechanical equipment associated with the mixed-use building would be attenuated by 5.5-foot parapet walls. At this distance and assuming approximately 5 dBA reduction from the parapet walls, the sound pressure level associated with a common central air conditioning unit would be reduced to approximately 40 dBA or less. Therefore, the noise level associated with future rooftop HVAC at the mixed-use building would be below the CMC Section 10.48.040 standards, which limit nighttime noise to 50 dBA and daytime noise to 60 dBA at nearby residential uses.

Future HVAC for the proposed residential units would be located on the ground in the backyard of each unit. Because mechanical specifications for these proposed units are not yet available, it is conservatively assumed that noise from these units would be up to 75 dBA L_{eq} at a distance of 3 feet and they could be located within approximately 15 feet from the nearest residential property lines to the west. At this distance, the sound pressure level associated with a common HVAC unit would be approximately 60 dBA. Therefore, the noise level associated with HVAC in the backyards of the future residential units could

ENVIRONMENTAL ANALYSIS

exceed the CMC Section 10.48.040 standards, which limit nighttime noise to 50 dBA at nearby residential. Therefore, this impact would be potentially significant. With implementation of Mitigation Measure NOISE-2, which is not a General Plan EIR mitigation measure, project-related operational noise impacts would be *less than significant*.

Impact NOISE-2: The proposed project could result in the generation of a substantial permanent increase in ambient noise levels in the vicinity of the project during the operation phase that would be in excess of standards established in the local general plan or noise ordinance.

Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:

- Selection of equipment that emits low noise levels;
- Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or
- Locating equipment in less noise-sensitive areas, where feasible.

Mobile-Source Noise

The proposed project is anticipated to result in a net decrease in traffic trips when compared to existing traffic trips associated with the existing commercial building. The trip generation associated with the previous use is estimated to be 454 daily trips. The proposed project is estimated to result in 322 gross daily trips, which is a net decrease of 132 daily trips. Therefore, since the project would result in a net decrease in trips, no increase from traffic noise would occur and impacts would be *less than significant*.

b) *Would the project expose people to or generate excessive groundborne vibration or ground borne noise levels?*

Operational Vibration

Operation of the proposed project would not generate substantial levels of vibration because there are no known sources of vibrational energy associated with the proposed project, such as industrial machinery or railroad operations. Thus, vibration effects or impacts from operations sources would be *less than significant* and no mitigation measures would be required.

Construction Vibration

Construction activities generate varying degrees of ground vibration, depending on the construction procedures, construction equipment used, and proximity to vibration-sensitive uses. The generation of

ENVIRONMENTAL ANALYSIS

vibration can range from no perceptible effects at the lowest vibration levels, to low rumbling sounds and perceptible vibrations at moderate levels, to slight damage at the highest levels. Table 4-10 lists reference vibration levels for different types of commonly used construction equipment.

TABLE 4-10 CONSTRUCTION EQUIPMENT VIBRATION LEVELS

Equipment	Approximate PPV Velocity at 25 Feet (in/sec)
Vibratory Roller	0.210
Large Bulldozer	0.089
Loaded Trucks	0.076
Jackhammer	0.035
Small Bulldozer	0.003

Notes: PPV = Peak Particle Velocity in inches per second

Source: Federal Transit Administration (FTA), *Transit Noise and Vibration Impact Assessment*, 2018.

Proposed construction would include demolition and grading, which would include equipment such as loaders and bulldozers. Paving activities may also generate construction vibration and would include equipment such as pavers and rollers. Using the vibration source level of construction equipment provided in Table 4-10 and the construction vibration assessment guidelines published by the Federal Transit Administration's (FTA), the vibration impacts associated with the proposed project were assessed in terms of potential architectural damage due to vibration.

The City does not have specific, vibration-related standards. Thus, project-related construction vibration was evaluated for its potential to cause minor architectural damage based on FTA's architectural damage criteria. The term 'architectural damage' is defined as minor surface cracks (in plaster, drywall, tile, or stucco) or the sticking of doors and windows. This is below the severity of 'structural damage' which entails the compromising of structural soundness or the threatening the basic integrity of the building shell. Building damage is typically not a concern for most projects, with the occasional exception of blasting and pile driving during construction. No blasting, pile driving, or hard rock ripping/crushing activities would be required during project construction. Since vibration-induced architectural damage could result from an instantaneous vibration event, distances are measured from the receptor facade to the nearest location of potential construction activities.

A peak particle velocity (PPV) of 0.2 inches/second (in/sec) is used as the threshold for "non-engineered timber and masonry buildings" (which would apply to the surrounding structures). At a distance of approximately 10 feet from the existing pavement to residential structures to the west, a jackhammer (or similar pavement breaking device) would generate vibration levels of approximately 0.14 in/sec PPV, which would not exceed the threshold of 0.2 in/sec PPV. Proposed driveways would be paved within approximately 35 feet of nearby residential structures to the west. At this distance, a vibratory roller would generate vibration levels of up to 0.13 in/sec PPV. However, if grading equipment such as a large dozer operates within approximately 15 feet of a nearby residential structure, the 0.2 in/sec PPV threshold may be exceeded. This is considered a potentially significant impact. With implementation of Mitigation

ENVIRONMENTAL ANALYSIS

Measure NOISE-3, which is not a General Plan EIR mitigation measure, project-related construction vibration impacts to the adjacent residences to the west would be *less than significant*.

Impact NOISE-3: The proposed project could result in the generation of excessive groundborne vibration in the vicinity of the project during the construction phase that would be in excess of established thresholds.

Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

c) *For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?*

The proposed project is not located within an airport land use plan or within 2 miles of an airport. The project would not expose people residing or working in the project area to excessive aircraft noise levels. There would be *no impact*.

XII. POPULATION AND HOUSING

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Induce substantial unexpected population growth or growth for which inadequate planning has occurred, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.11, Population and Housing, of the General Plan EIR, addressed the impacts to population growth and displacement associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were determined to be less than significant, and no mitigation measures were required.

ENVIRONMENTAL ANALYSIS

As discussed in the General Plan EIR, the General Plan would introduce approximately 12,998 new residents¹³³ and 16,855 new jobs¹³⁴ to Cupertino. These new residents and jobs combined with existing conditions would result in 71,200 residents, 24,040 households, and 33,110 jobs at the 2040 buildout horizon.¹³⁵ The proposed project is anticipated to be complete in 2022. As discussed in the General Plan EIR, according to the Association of Bay Area Governments (ABAG), Cupertino is projected to have 62,500 residents and 30,110 jobs by 2020 and 66,800 residents and 31,370 jobs by 2030.

EXISTING CONDITIONS

The site is currently developed with primarily commercial uses that are partially vacant and two residential units which are vacant or used as storage for a bike shop currently operating. Applying a generation rate of 1 job to 450 square feet for commercial land uses to the existing 9,000 square feet of commercial building and 1,500 square foot bike shop, the existing businesses are capable of generating up to approximately 23 jobs.

DISCUSSION

a) Would the project induce substantial unexpected population growth or growth for which inadequate planning has occurred, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

The proposed project would construct a 4,536 square-foot commercial building and 18 residential units, which would not result in any additional new population growth or employment growth beyond what was accounted for in the General Plan EIR. Table 4-15 in Section XIX, Mandatory Findings of Significance, shows the relationship of the proposed project to the other reasonably foreseeable projects in Cupertino and shows that the proposed when combined with the other reasonably foreseeable projects in Cupertino would not exceed the maximum buildout potential evaluated in the General Plan EIR.

As described in Chapter 3, Project Description, of this Initial Study, the operation of the project is estimated to generate up to 10 employees on the project site and the future homeowner's association (HOA), required by the City, could employ landscape and maintenance personnel for the common areas of the development. As described above, the existing commercial buildings are capable of supporting approximately 23 employees. Construction of the proposed project would result in a decrease of 13 supported employees on the project site. The proposed project is not a regionally significant employer and it is anticipated that future employees of the HOA or the commercial uses of the proposed project would come from Cupertino and surrounding Bay Area communities.

¹³³ Population is calculated by 4,421 units times 2.94 persons per household, which is the ABAG 2040 estimated generation rate.

¹³⁴ Jobs are calculated applying the City's generation rates as follows; 4,040,231 square feet of office allocation divided by 300 square feet equals 13,467 jobs; 1,343,679 square feet of commercial allocation divided by 450 square feet equals 2,986 jobs; and 1,339 hotel rooms at .3 jobs per room equals 402 jobs for a total of 16,855 jobs.

¹³⁵ City of Cupertino, 2015. Cupertino General Plan Community Vision 2015-2040, Housing Element, Table HE-2.

ENVIRONMENTAL ANALYSIS

The proposed project would directly contribute to housing through the construction of residential units. Based on a projected average household size of 2.87 persons,¹³⁶ it is assumed the proposed project would introduce 52 residents¹³⁷ to the project site, which would increase the number of residents on the site from 3 residents to approximately 52 residents at project buildout in 2022.

The 52 residents and 10 permanent jobs in combination with other future projects would not increase the overall City buildout to the year 2040 projections (see Table 4-15, Reasonably Foreseeable Development Projects in Cupertino, in Section XIX, Mandatory Findings of Significance). Therefore, the proposed project is well within the population projections considered in the General Plan EIR and adopted General Plan Housing Element. The growth occurring as a result of the project would be limited to the project site, and the project does not include infrastructure to allow indirect off-site development.

As discussed in Section X, Land Use and Planning, the project is consistent with the General Plan land use designation for the site (Commercial/Residential), but would require a Zoning Map amendment rezoning the site from P(CG) to P(CG, Res) to make the zoning consistent with the General Plan land use designation. Accordingly, there would be *no impacts* related to substantial unexpected population growth or growth for which inadequate planning has occurred.

b) Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

As discussed, in the Existing Conditions above, the project site currently has two residential units on-site; however, neither are used as habitable spaces. One is vacant and one is used for storage for a commercial business on-site. Because residents are not currently living on-site, the demolition of the existing residential structures would not directly displace housing or any residents. The project proposes the construction of 18 residential units on-site, which would not necessitate the construction of housing elsewhere. Therefore, the project would have *no impact* associated with the displacement of substantial numbers of housing.

¹³⁶ This analysis is based on the Association of Bay Area Governments (ABAG) 2019 projections of the average household size of 2.87 persons for Cupertino in 2020. This is the standard approach for population and housing analysis in Cupertino.

¹³⁷ 18 new units multiplied by 2.87 persons per unit equals 51.66 new residents.

ENVIRONMENTAL ANALYSIS**XIII. PUBLIC SERVICES**

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Libraries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.12, Public Services and Recreation, of the General Plan EIR, addressed the impacts to public service providers and public parks associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The General Plan EIR estimated that 80 new residents¹³⁸ could occupy the project site by 2040. Impacts were determined to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

The public service providers for the project site are as follows:

- The City contracts with the Santa Clara County Fire District (SCCFD) for fire protection, emergency, medical, and hazardous materials services.
- The City contracts with the Santa Clara County Sheriff's Office (Sheriff's Office) and West Valley Patrol Division for police protection services.
- The project site is within the Fremont Union High School District (FUHSD) and the project site is in the Monta Vista High School attendance area, which is located approximately 1 mile to the east of the project site.¹³⁹

¹³⁸ 27 units times 2.94 persons per household for Cupertino in 2040 equals 79.34 persons. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR. Applying the ABAG rates for population estimates is the standard approach for population and housing analysis in Cupertino.

¹³⁹ Fremont Union High School District, District Boundary Maps, Monta Vista High School Attendance Boundary, <https://www.fuhd.org/about-us/general-information/district-boundary-maps>, accessed November 15, 2018.

ENVIRONMENTAL ANALYSIS

- The project site is within the Cupertino Union School District (CUSD) which includes all elementary and middle schools in the city. The project site is in the attendance area of Abraham Lincoln Elementary School, located approximately 1 mile to the east of the project site, and John F. Kennedy Middle School located approximately 1 mile east of the project site.¹⁴⁰
- The Santa Clara County Library District governs and administers seven community libraries, one branch library, two bookmobiles, the Home Service Library, and the online library for all library users. The closest library to the project site is the Cupertino Library located at 10800 Torre Avenue in Cupertino.

A discussion of the existing conditions for each of these service providers is included in Chapter 4.12 of the General Plan EIR.

DISCUSSION

- a) *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services: fire protection, police protection, schools, and libraries?*

The primary purpose of the public services impact analysis is to examine the impacts associated with physical improvements to public service facilities required to maintain acceptable service ratios, response times or other performance objectives. Public service facilities need improvements (i.e., construction, renovation or expansion) as demand for services increase. Increased demand is typically driven by increases in population. The proposed project would have a significant environmental impact if it would exceed the ability of public service providers to adequately serve residents, thereby requiring construction of new facilities or modification of existing facilities.

As discussed in Section XII, Population and Housing, above, the proposed project would result in a net increase of 18 dwelling units and approximately 52 residents, which is the approximate number of dwelling units and residents anticipated and discussed in the General Plan EIR. As described in the General Plan EIR, the proposed project would include the payment of residential development impact fees, prior to issuance of construction permits, that provide support to public services to offset the project's fair share of impacts to public service providers. The proposed project also would include 4,536 square feet of neighborhood- serving commercial space that would result in a net decrease of 13 jobs on the project site, which is within the number of jobs anticipated and discussed in the General Plan EIR. Because impacts to public service providers were determined to be less than significant in the General Plan EIR and the proposed project would result in a similar number of residents, employees, and residential density considered in the General Plan EIR, impacts to public service providers as a result of the proposed project would also be *less than significant* and no mitigation measures would be required.

¹⁴⁰ Cupertino Union School District, <https://www.cusdk8.org/domain/96>, accessed November 15, 2018.

ENVIRONMENTAL ANALYSIS**XIV. PARKS AND RECREATION**

Would the proposed project:		Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a)	Increase the use of existing neighborhood and regional parks or other recreational facilities, such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
b)	Result in substantial adverse physical impacts associated with the provision of new or physically altered park and recreational facilities, or result in the need for new or physically altered park and recreational facilities, the construction of which could cause significant environmental impacts?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.12, Public Services and Recreation, of the General Plan EIR, addressed the impacts to public service providers and public parks associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and 80 new residents¹⁴¹ on the site at a program level. Impacts were determined to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

The City of Cupertino Recreation and Community Services and the Public Works Grounds Division and Facilities and Fleet Division are responsible for the operation and maintenance of the City's recreational facilities within the city boundary. The City of Cupertino owns or manages 224 acres of parks, trails, creek corridors, sports fields and recreation facilities at 32 sites.¹⁴² The City of Cupertino has an adopted parkland dedication standard of three acres of parkland for every 1,000 residents. According to the October 2019 *City of Cupertino Parks and Recreation System Master Plan*, there is approximately 3.7 acres of parkland per 1,000 residents.¹⁴³

The parks nearest to the project site are Monta Vista Park, located approximately 0.3 miles to the northwest; McClellan Ranch Preserve, located approximately 0.3 miles to the northeast; and Linda Vista Park, located approximately 0.3 miles to the southeast.

¹⁴¹ 27 units times 2.94 persons per household for Cupertino in 2040 equals 79.34 persons. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR. Applying the ABAG rates for population estimates is the standard approach for population and housing analysis in Cupertino.

¹⁴² *City of Cupertino Parks and Recreation System Master Plan, October 2019 (adopted by the City Council on February 18, 2020)*, page 4.

¹⁴³ *City of Cupertino Parks and Recreation System Master Plan, October 2019 (adopted by the City Council on February 18, 2020)*, page 51.

ENVIRONMENTAL ANALYSIS

Regional park facilities operated by the Midpeninsula Regional Open Space District (MROSD) and the Santa Clara County Parks could be used by residents of the project site. The closest Midpeninsula Regional Open Space District parks to Cupertino are the Fremont Older, Picchetti Ranch, and Rancho San Antonio, which are located just west of the city boundaries. Santa Clara County Park facilities that serve Cupertino include Rancho San Antonio County Park located south of I-280 and west of Foothill Boulevard, and the Stevens Creek County Park. Both County parks are roughly 1 mile from the project site. The privately operated Deep Cliff Golf Course is located approximately 0.3 miles to the southeast of the site.

DISCUSSION

a) *Would the project increase the use of existing neighborhood and regional parks or other recreational facilities, such that substantial physical deterioration of the facility would occur or be accelerated?*

As discussed in Chapter 3, Project Description, of this Initial Study, the proposed project includes 5,691 square feet (0.13 acres) of common open space available to residents and members of the general public. The proposed project includes a 2,657 square-foot outdoor common-use plaza and seating area on the northern section of the project site, adjacent to the ground floor commercial of the mixed-use building, for use by residents, visitors, and members of the public.

As discussed in Section XII, Population and Housing, above, the proposed project would result in 18 residential units and 52 new residents at the project site. Therefore, this would be less than what was evaluated in the General Plan EIR (80 new residents as compared to 52 new residents), which found impacts to be less than significant at General Plan buildout. The City's parkland-to-resident ratio is three acres of parkland for every 1,000 residents¹⁴⁴ Although the proposed project is not required to provide on-site parkland, the proposed project would include the payment of City-required impact fees to contribute to the City's parks and recreation fund. As discussed in the General Plan EIR, the proposed project would be required to comply with Cupertino Municipal Code Chapter 14.05, Park Maintenance Fee, Chapter 13.08, Park Land Dedication, and Chapter 18.24, Dedications and Reservations, which require the payment of impact fees to maintain existing parks and recreation facilities and offset the project's fair share of impacts to parklands. Therefore, considering the proposed project's provision of 0.13 acres of residential open space, in conjunction with the collection of impact fees that support the City's parks and recreation fund, the impacts to the City's recreational facilities would be *less than significant* and no mitigation measures would be required.

New residents of the project site would also be expected to use the regional park facilities operated by the MROSD and the Santa Clara County Parks. According to the MROSD's Budget and Action Plan for Fiscal Year 2017-18, a portion of the District's financing is provided by property taxes, which the project is required to pay. Because the project site would pay property taxes that fund the MROSD, the use of regional parks by the relatively small number of new residents of the proposed project would not result in substantial deterioration of those parks. The increase in usage that could potentially result from the proposed project is not likely to require the construction of new park facilities over and above the facilities

¹⁴⁴ Cupertino General Plan Community Vision 2015 to 2040, Chapter 9: Recreation, Parks and Community Services Element, "Park Standards."

ENVIRONMENTAL ANALYSIS

already foreseen in the long-range planning completed for the regional parks in the vicinity of the project site. Therefore, a *less-than-significant* impact to regional parks would occur and no mitigation measures would be required.

- b) *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered park and recreational facilities, or result in the need for new or physically altered park and recreational facilities, the construction of which could cause significant environmental impacts?*

As discussed in criterion (a) above, the proposed project includes open space features and would be required to pay impact fees that support the City's parks and recreation fund, which would create less-than-significant impacts to the City's recreational facilities. The project does not propose the construction of a park or any physical alterations to an existing park or recreational facilities; however, the payment of impact fees would go toward supporting the City's park fund that could be applied to the construction or expansion of recreational facilities that could have an adverse physical effect on the environment. It is not known at what time or location such facilities would be required or what the exact nature of these facilities would be, so it cannot be determined what specific environmental impacts would occur from their construction and operation. Because the payment of impact fees is the City requirement to offset the project's fair share of impacts to parklands, the City would be responsible for any environmental review in accordance with CEQA, as necessary, which would ensure that any environmental impacts are disclosed and mitigated to the extent possible for any future City project related to the expansion of or improvement to a City recreational facility. Accordingly, impacts to park and recreational facilities as a result of the proposed project would be *less than significant* and no mitigation measures would be required.

XV. TRANSPORTATION

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Would the project conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.13, Transportation and Circulation, of the General Plan EIR, addressed the impacts to the transportation network in the Cupertino area associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The General Plan EIR estimated that and 80 new residents¹⁴⁵ could occupy the project site by 2040. Impacts related to pedestrians, bicycles, transit, and emergency access were found to be less than significant and no mitigation measures were required. The General Plan EIR also found that the implementation of the General Plan would support and would not conflict with plans, programs and policies regarding bicycle or pedestrian facilities, or decrease the performance and safety of such facilities. As discussed in the General Plan EIR, the VMT per capita is projected to increase from 10.5 (2013) to 10.9 (2040).

METHODOLOGY

The following discussion of impacts is based in part on analysis regarding sight distance on Stevens Creek Road (June 17, 2019); pedestrian, bicycle, and transit facilities (July 12, 2019); and existing daily and peak hour trips, and vehicle miles traveled regarding (October 16, 2019), prepared for the proposed project by TJKM Transportation Consultants, and reviewed and approved by the City of Cupertino Transportation Division. The reports are included in Appendix D, Transportation Data, of this Initial Study.

EXISTING CONDITIONS

This section describes existing conditions in the immediate project site vicinity, including bicycle and pedestrian facilities, transit facilities, and VMT.

Existing Conditions

Pedestrian Facilities

Walkability is defined as the ability to travel easily and safely between various origins and destinations without having to rely on automobiles or other motorized travel. The ideal “walkable” community includes wide sidewalks, a mix of land uses such as residential, employment, and shopping opportunities, a limited number of conflict points with vehicle traffic, and easy access to transit facilities and services.

Pedestrian facilities consist of crosswalks, sidewalks, pedestrian signals, and off-street paths, which provide safe and convenient routes for pedestrians to access destinations such as institutions, businesses, public transportation, and recreation facilities.

¹⁴⁵ 27 units times 2.94 persons per household for Cupertino in 2040 equals 79.34 persons. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR. Applying the ABAG rates for population estimates is the standard approach for population and housing analysis in Cupertino.

ENVIRONMENTAL ANALYSIS

The project site does not have adequate pedestrian access, because sidewalks are present only on the one side of Stevens Canyon Road within the project vicinity. Existing pedestrian facilities in the vicinity of the project site are shown on Figure 4-1.

The *2018 Cupertino Pedestrian Transportation Plan* (Pedestrian Plan) contains goals, policies, and specific recommendations to increase the walkability of Cupertino, including the Pedestrian Guidelines. The Pedestrian Plan is a companion document to the *City of Cupertino Bicycle Transportation Plan* (discussed below). It includes specific recommendations to improve pedestrian conditions. Consistent with the Pedestrian Plan and any other applicable recommendations, the project applicant would be required to contribute to implementing any recommended pedestrian improvements in the project area. The Pedestrian Plan recommends walk audits be conducted at Foothill Boulevard and Stevens Canyon Road through the project area. There is no further discussion of pedestrian improvements in the project area.

Bicycle Facilities

Bicycle facilities on and near the project site include the following:

- **Bike Paths (Class I).** Paved trails that are separated from roadways
- **Bike Lanes (Class II).** Lanes on roadways designated for use by bicycles through striping, pavement legends, and signs
- **Bike Routes (Class III).** Designated roadways for bicycle use by signs or other markings may or may not include additional pavement width for cyclists

Class II Bike Lanes are provided along both sides of the roadway at South Foothill Boulevard and Stevens Canyon Road near the project site. There is adequate signage for the bicyclists to maneuver without confusion. Class III Route designated signs and pavement markings for shared use bikes signs are provided along McClellan Road on both sides of the roadway. Overall, existing bicycle facilities provide adequate connectivity between the project site and the adjacent residential neighborhoods. The existing bicycle facilities within the project vicinity are shown on Figure 4-1.

In 2016, the City of Cupertino adopted the *Bicycle Transportation Plan* (Bike Plan), which is a citywide plan to encourage bicycling as a safe, practical, and healthy alternative to the use of the family car. The Bike Plan illustrates Cupertino's current bicycle network, identifies gaps in the network, and proposes improvement projects to address the identified gaps.¹⁴⁶ The Bike Plan includes standards for engineering, encouragement, education, and enforcement intended to improve the bicycle infrastructure in the city to enable people to bike to work and school, to utilize a bicycle to run errands, and to enjoy the health and environmental benefits that bicycling provides cyclists of every age. The Bike Plan recommends that the existing Class II Bike Lane on South Foothill Boulevard and Stevens Canyon Road through the project area be improved to a Class II Buffered Bike Lane. This recommendation is a low priority compared to other proposed projects in the Bike Plan.

¹⁴⁶ City of Cupertino, 2016 Bicycle Transportation Plan, Figure 3-7: Bikeway projects.

ENVIRONMENTAL ANALYSIS

The VTA adopted the *Santa Clara Countywide Bicycle Plan (CBP)*. The CBP guides the development of major bicycle facilities in the County by identifying Cross County Bicycle Corridors and other bicycle projects of countywide or intercity significance. The CBP maps one on-street Cross-County Bicycle Corridor (CCBC) along South Foothill Boulevard in the project area. This CCBC is not a high-priority corridor.

Transit Facilities

VTA operates bus services in the City of Cupertino and in the project vicinity. The closest bus stop is located within a 15-minute walk (about 0.6 miles feet) to and from the project site, providing access to local bus route 81. Bus route 81 provides transportation between Moffett Field/Ames Center and San Jose State University. Bus route 81 operates from 6:06 a.m. to 9:04 p.m. and has a peak headway of 25 to 35 minutes depending on the stop and direction.¹⁴⁷

Daily Trips

Based on trip generation rates recommended by the Institute of Transportation Engineers (ITE) *Trip Generation Manual, 9th Edition*, it is estimated that the existing uses on site generate approximately 454 daily vehicle trips.¹⁴⁸

Vehicles Miles Traveled

As previously discussed in Section 3.1.3, Existing Site Setting, the project site currently contains 10,500 square feet of existing commercial development that generates up to 23 employees when assuming one employee per 450 square feet. The project site also includes one residential unit. As shown in Table 4-11, these uses generate daily VMT of 662 and an annual VMT of 241,524.¹⁴⁹

TABLE 4-11 EXISTING VEHICLE MILES TRAVELED

Type	Rates	Daily	Annual
23 Employees	27.92 miles per worker ^a	642	234,388
1 Residential Unit	19.55 miles per household ^b	20	7,136
Total		662	241,524

Notes:

a. The Year 2020 Plan Bay Area model forecasted daily VMT of 27.92 miles per worker employed in the project area.

b. The MTC model predicts a VMT of 19.55 miles per capita for households located in the project area in 2020.


Source: TJKM Transportation Consultants 2019; PlaceWorks, 2020.

¹⁴⁷ Operating hours consider earliest and latest stop at each bus lines closest stop to the project site. Headways are defined as the time interval between two transit vehicles traveling in the same direction over the same route.

¹⁴⁸ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

¹⁴⁹ Applies the same assumptions to existing conditions as TJKM Transportation Consultants applied in their October 2019 memo for the proposed project (see Appendix D of this Initial Study).

ENVIRONMENTAL ANALYSIS



Source: TJKM, 2020.



Figure 4-1
Existing Pedestrian and Bicycle Facilities

ENVIRONMENTAL ANALYSIS

DISCUSSION

- a) *Would the project conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?*

Roadway Facilities

Operational Traffic

As previously discussed, the development of the project would not exceed the 15 dwelling units per acre currently permitted or the 25 dwelling units per acre maximum that was evaluated in the General Plan EIR. Therefore, the proposed project would not directly result in any additional new population growth or employment growth beyond what was analyzed in the General Plan EIR. As stated in Section II, Air Quality, and Section, VII, Greenhouse Gas Emissions, the proposed project is not considered a regionally significant project under CEQA Guidelines Section 15206 that would affect regional vehicle miles traveled (VMT) and warrant intergovernmental review by ABAG and MTC.

As shown in Table 4-12, the proposed project would generate 631 daily VMT, and 230,315 annual VMT. As shown in Table 4-13, the proposed project would generate about 322 daily trips.

TABLE 4-12 PROPOSED VEHICLE MILES TRAVELED

	Rates	Daily	Annual
10 Employees	27.92 miles per worker ^a	279	101,835
18 Residential	19.55 miles per worker ^b	352	128,480
Total		631	230,315

Notes:

a. The Year 2020 Plan Bay Area model forecasted daily VMT of 27.92 miles per worker employed in the project area.

b. The MTC model predicts a VMT of 19.55 miles per capita for households located in the project area in 2020.

Source: TJKM Transportation Consultants 2019; PlaceWorks, 2020.

TABLE 4-13 PROJECT TRIP GENERATION

Land Use (ITE Code)	Size	Daily		AM Peak		PM Peak	
		Rate	Trips	Rate	Total	Rate	Total
Residential Condo Townhouse ^a (230)	13 DU	5.81	76	0.44	6	0.52	7
Apartments ^b (220)	5 DU	6.65	33	0.51	3	0.62	3
Retail ^c (820)	5,000 SF	42.7	214	0.96	5	3.71	19
Total Trips			322		14		29

ENVIRONMENTAL ANALYSIS**TABLE 4-13 PROJECT TRIP GENERATION**

Land Use (ITE Code)	Size	Daily		AM Peak		PM Peak	
		Rate	Trips	Rate	Total	Rate	Total

Notes: DU = dwelling units; SF = square feet

a. ITE Trip rates per unit for residential condominium houses.

b. ITE Trip rates per unit for residential apartments.

c. ITE Trip rates per 1,000 square feet for commercial use.

Source: TJKM Transportation Consultants, *Traffic Impact Study Report*, July 2019, Table 2.

When compared to existing conditions, the proposed project would generate both fewer daily trips (322 proposed daily trips compared to 454 existing daily trips), less daily VMT (631 proposed daily VMT compared to 662 existing daily VMT), and less annual VMT (230,315 proposed annual VMT compared to 241,524 existing annual VMT). Therefore, the project would generate fewer daily trips and fewer VMT than existing conditions and would have a net benefit with respect to roadway facilities.

The Governor's Office of Planning and Research's *Technical Advisory On Evaluating Transportation Impacts in CEQA*¹⁵⁰ and the City's White Paper *SB 743 Implementation Decisions for the City of Cupertino*¹⁵¹ provide guidance on evaluating transportation impacts for small projects, redevelopment projects on infill sites, and projects that are consistent with the Regional Transportation Plan (RTP)/Sustainable Community Strategy (SCS). According to the OPR, the proposed project is consistent with the following scenario that concludes with less-than-significant transportation impacts:

- Where a project replaces existing VMT-generating land uses, if the replacement leads to a net overall decrease in VMT, the project would lead to a less-than-significant transportation impact.¹⁵²

In addition, according to these guiding documents, a project that generates less than 110 daily trips may be assumed to cause a less-than-significant transportation impact.¹⁵³ This threshold is based on CEQA's categorical exemption¹⁵⁴ for existing facilities (Class 1), including additions to existing structures of up to 10,000 square feet, so long as the project is in an area where public infrastructure is available to allow for maximum planned development and the project is not in an environmentally sensitive area (CEQA Guidelines Section 15301(e)(2)). Typical project types for which trip generation increases relatively linearly with building footprint (i.e., general office building, single tenant office building, office park, and business park) generate or attract an additional 110 to 124 average daily trips or 836 VMT per 10,000 square feet.

¹⁵⁰ Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, December 2018.

¹⁵¹ City of Cupertino White Paper *SB 743 Implementation Decisions for the City of Cupertino*, Appendix E: Appendix E, Small Project Screening for SB 743, February 2021.

¹⁵² Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, page 17, December 2018.

¹⁵³ Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, December 2018, page 12 and City of Cupertino White Paper *SB 743 Implementation Decisions for the City of Cupertino*, Appendix E: Small Project Screening for SB 743, February 2021, pages 138 and 139.

¹⁵⁴ Section 15300 of the CEQA Guidelines, Categorical Exemptions, states that Section 21084 of the Public Resources Code requires these Guidelines to include a list of classes of projects which have been determined not to have a significant effect on the environment and which shall, therefore, be exempt from the provisions of CEQA.

ENVIRONMENTAL ANALYSIS

A 20-unit housing project generates an equivalent number of VMT to a 10,000-square-foot non-residential project.¹⁵⁵ Therefore, absent substantial evidence otherwise, OPR and the City determined that it is reasonable to conclude that the addition of 20 housing units or 10,000 square feet of non-residential space could be considered a less-than-significant impact.

Furthermore, the OPR's *Technical Advisory On Evaluating Transportation Impacts in CEQA* also recognizes that for redevelopment projects on infill sites, such as the proposed project, where a project replaces existing VMT-generating land uses, if the replacement leads to a net overall decrease in VMT, the project would lead to a less-than-significant transportation impact.¹⁵⁶ This is consistent with CEQA Guidelines Section 15064.3(b), which states that projects that decrease VMT in the project area compared to existing conditions should be presumed to have a less-than-significant transportation impact.

On February 16, 2021, the City adopted CMC Chapter 17.08, Evaluation of Transportation Impacts Under the California Environmental Quality Act, which provides screening criteria and VMT thresholds for land-use development projects, transportation projects, and other projects pursuant to the CEQA. CMC Chapter 17.08 went into effect on April 1, 2021. Under CMC Chapter 17.08, a project would be screened out from more detailed VMT analysis if the project is consistent with applicable General Plan policies and supported by substantial evidence demonstrating cumulative VMT is declining. Project screening may be used for projects that meet one or more of the following criteria:

- A project located within one-quarter mile of a High-Quality Transit Corridor or transit stop as defined by CEQA;
- Local-serving retail of 50,000 square feet or less; or
- Land-use projects consisting of 100 percent affordable housing.

Under CMC Chapter 17.08, a project would have a significant impact if:

- The total project generated VMT per service population would exceed the City's target VMT reduction of 14.4 percent below the citywide baseline VMT rate, and
- If the project increases total countywide VMT compared to baseline conditions.

As described in Section X, Land Use and Planning, the proposed project is consistent with the General Plan and applicable policies. The proposed project, an infill redevelopment project currently served by existing public infrastructure and not in an environmentally sensitive area, would generate 631 daily VMT, which as described above is equivalent to the standards applied to a project qualifying for a CEQA exemption. The proposed project would generate fewer VMT than existing conditions (proposed 631 daily VMT and 230,315 annual VMT compared to existing 662 daily VMT and 241,524 annual VMT), which demonstrates a contribution to a decline in cumulative VMT. Accordingly, the proposed project would meet the

¹⁵⁵ Using statewide average data from the 2012 California Household Travel Survey (CHTS), the amount of daily VMT associated with 10,000 square feet of non-residential space is 836 VMT. Also using statewide average CHTS data, this level of VMT is associated with 20 housing units.

¹⁵⁶ Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, page 17, December 2018.

ENVIRONMENTAL ANALYSIS

standards to be screened out from detailed VMT evaluation under the City's standards as well as CEQA Guidelines Section 15064.3(b), which as previously stated finds that projects that decrease vehicle miles traveled in the project area compared to existing conditions should be presumed to have a less-than-significant transportation impact. Accordingly, transportation impacts during operation of the proposed project would be less than significant.

Construction Traffic

Demolition and construction would take place over a 10-month period, which is anticipated to begin in June 2021 and end in March 2022, subject to regulatory approval. During this period, the project would result in changes to existing transportation conditions. New traffic would be generated by construction employees and construction activities, including haul trucks. Construction traffic is temporary and would generate fewer trips than the projected trips during project operation. During demolition and construction, vehicle, equipment, and materials would be staged and stored on a portion of the project site. The construction site and staging areas would be clearly marked, and construction fencing would be installed to prevent disturbance and safety hazards. No staging would occur in the public right-of-way. Therefore, no hazards for pedestrians and bicyclists in the area would occur during this phase.

Pedestrian Facilities

The proposed project is expected to increase the number of pedestrians using the existing sidewalks and crosswalks in the area. The project site and surrounding uses would continue to use the existing sidewalks along Stevens Canyon Road, McClellan Road, and St. Andrews Avenue. The project would construct new sidewalks along the west side of South Foothill Boulevard and Stevens Canyon Road. The proposed sidewalk would also connect to the existing sidewalk to the north of the project site on west side of South Foothill Boulevard and existing sidewalk to the south of the project. The proposed project would have 5-foot sidewalks along Stevens Canyon Road, on the project side. The proposed project is expected to improve overall pedestrian access and facilities by providing sidewalks and ADA compliant ramps at existing crosswalks within the project vicinity with adequate accessible design (per the ADA) that meets the City of Cupertino design standards. The proposed project provides adequate and appropriate facilities for safe non-motorized mobility. Pedestrians would have safe access to the site via the existing crosswalks marked with ladder striping on Stevens Canyon Road connecting to McClellan Road and St. Andrews Avenue. The proposed project would contribute to the pedestrian facilities in the project vicinity and would not eliminate or impede any existing pedestrian facilities, nor would it conflict with any of the goals and policies in the City's Pedestrian Plan.

Bicycle Facilities

Class II Bike Lanes are located along both sides of the roadway at South Foothill Boulevard and Stevens Canyon Road in the vicinity of the project site. The proposed project would not remove any existing bicycle facilities, nor would it conflict with any adopted plans or policies for new bicycle facilities. The proposed project would be required to provide Class 1 bicycle parking spaces (bicycle lockers or secure rooms) and Class 2 bicycle parking spaces (publicly accessible bicycle racks) for commercial users and

ENVIRONMENTAL ANALYSIS

employees of the mixed-use building. Therefore, the proposed project would not obstruct or hinder the implementation of the City's Bike Plan and would support the use of bicycling by providing adequate bike facilities for commercial users and employees of the mixed-use building.

Transit Facilities

VTA operates bus services in the City of Cupertino and in the project vicinity. The closest bus stop is located within a 15-minute walk (about 0.6 miles feet) to and from the project site, providing access to local bus route 81. The VTA has not established policies or significance criteria related to transit vehicle delay. The 52 residents and 10 permanent jobs that would result from construction and operation of the proposed project are anticipated to come from Cupertino and surrounding Bay Area communities and would not introduce new riders to the VTA operated bus services that serve the project area. Therefore, the new transit trips generated by the project are not expected to create demand in excess of the transit service that is currently provided.

Conclusion

In summary, the proposed mixed-use, infill project would be expected to generate 132 fewer daily vehicle trips, 31 fewer daily VMT, and 11,209 fewer annual VMT than the existing use. The proposed project would not displace modify or interfere with any sidewalk, bicycle lanes, or sidewalks. In addition, the project would not generate a demand for transit that would exceed the capacity of the system. Therefore, the project would not conflict with adopted policies, plans, or programs regarding pedestrian, bicycle or pedestrian facilities. Accordingly, impacts would be *less than significant*.

b) Would the project conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)?

CEQA Guidelines Section 15064.3, which took effect on July 1, 2020, contains new requirements for evaluating a project's transportation impacts. As of July 1, 2020, impacts on auto delay or level of service are no longer be considered a significant impact under CEQA for land use projects.

VMT measures the overall effects of a project on the transportation system. VMT is the sum of all of the vehicle trips generated by a project multiplied by the lengths of their trips to and from the site on an average weekday. A vehicle driven 1 mile is 1 VMT. Therefore, a project with a higher VMT would have a greater environmental effect than a project with a lower VMT.

The trip lengths vary by the land use type and the trip purpose. For example, a trip from a residence to a job may be longer than the trip from a residence to a neighborhood school. The VMT values stated below represent the full length of a given trip, and are not truncated at city, county, or region boundaries.

Many factors affect travel behavior and trip lengths such as density of land use, diversity of land uses, design of the transportation network, distance to high-quality transit, and demographics. Low-density development separated from other land uses and located in areas with poor access to transit generates more automobile travel and higher VMT compared to development located in urban areas with more access to transit. As discussed in the General Plan EIR, the VMT per capita is projected to increase from

ENVIRONMENTAL ANALYSIS

10.5 to 10.9 under General Plan buildout conditions. The proposed project would construct a mixed-use project, which is consistent with the land use evaluated in the General Plan EIR and would not directly result in any additional new population growth or employment growth beyond what was accounted for in the General Plan EIR. Accordingly, implementation of the project would be consistent with and would have no effect on the VMT estimates presented in the General Plan EIR.

As discussed in criterion (a), the proposed project would be consistent with the analysis conducted in the General Plan EIR, and implementation of the proposed project would reduce VMT from the existing conditions at the project site. Therefore, the proposed project would not conflict or be inconsistent with CEQA Guidelines Section 15064.3(b) and impacts would be *less than significant*.

c) *Would the project substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?*

The project proposes a two-lane entrance/exit circulation pattern with the access points on South Foothill Boulevard and Stevens Canyon Road, which is the same as how the site is currently accessed. As discussed in criterion (a), the proposed project would generate fewer daily trips than the existing conditions and would not create a significant impact on the expected left-turn or right-turn queues or sight distance at the study intersections.

The proposed project would not modify any design features to a public road or introduce a potentially unsafe feature that would increase hazards. *No impacts* would occur, and no mitigation measures would be required.

d) *Would the project result in inadequate emergency access?*

The proposed project is located in a predominately residential neighborhood with residential driveways and neighborhood streets adjacent and in close proximity to the project site. There are three streets in the proposed project: McClellan Road extension, St. Andrews Avenue extension, and a new roadway on the project site to connect the streets. Service and emergency vehicles would be accommodated with two access points as well as sufficiently wide aisle ways for entering and turning. The internal circulation was reviewed for issues related to queueing, turning radii, safety and circulation aisles. All circulation aisles are 20 feet wide, and the turning radii are adequate for emergency and service vehicles. The SCCFD and City of Cupertino Building Division coordinate the review of building permits. All access driveways would be designed in accordance with City of Cupertino standards and would have to be reviewed and approved by SCCFD.

Project plans include approved fire and emergency access through all phases of construction and operation. Compliance with the provisions of the CFC and the CBC (described above), would ensure that adequate access would be provided. Therefore, the proposed project would not result in inadequate emergency access, *no impacts* would occur, and no mitigation measures would be required.

ENVIRONMENTAL ANALYSIS

XVI. TRIBAL CULTURAL RESOURCES

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less-Than-Significant Impact	No Impact
<p>a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American Tribe, and that is:</p> <p>i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or</p> <p>ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resource Code Section 5024.1. In applying the criteria set forth in subdivision (c) of the Public Resource Code Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance to a California Native American tribe.</p>	□	■	□	□

GENERAL PLAN EIR

As described above in Section IV, Cultural Resources, the General Plan EIR addressed impacts to cultural resources associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The impacts were found to be less than significant, and no mitigation measures were required. The cultural resources study prepared for the General Plan EIR consists of archival research at the Northwest Information Center at Sonoma State University, examination of the library and files, field inspection, and contact with the Native American community. The cultural resources study addressed impacts associated with archeological resources, including those of Native Americans. As shown in Table 4.4-2, *Cultural Resources in the Project Study Area and Vicinity*, and on Figure 4.4-1, *Cultural Resources*, of the General Plan EIR, there are no identified cultural resources, including those affiliated with Native Americans, present on the project site.

EXISTING CONDITIONS

CEQA Sections 21074 and 21084.2 contain CEQA standards of significance that relate to Native American consultation and added “tribal cultural resources” to the specific cultural resources protected under CEQA. CEQA sections 21080.3.1 requires the CEQA lead agency to begin consultation with any California Native American Tribe that is traditionally and culturally affiliated with the geographic area of a proposed project if the Tribe requests in writing, to be informed by the lead agency through formal notification of

ENVIRONMENTAL ANALYSIS

the proposed projects in the area. The consultation is required before the determination of whether a negative declaration, mitigated negative declaration, or EIR is required. In addition, CEQA Section 21080.3.1 includes time limits for certain responses regarding consultation. Pursuant to CEQA Section 21084.3, public agencies shall, when feasible, avoid damaging effects to any tribal cultural resources. Information shared by tribes as a result of consultation shall be documented in a confidential file, as necessary, and made part of a lead agency's administrative record. The City of Cupertino has not received a request from any Tribes in the geographic area with which it is traditionally and culturally affiliated with or otherwise to be notified about projects in the city.

CEQA Section 21074.3(a) defines a tribal cultural resource as a site, feature, place, cultural landscape that is geographically defined in terms of size and scope, sacred place, and object with cultural value to a California Native American tribe that is either included or eligible for inclusion in the California Register of Historic Resources or included a local register of historical resources, or if the City, acting as the lead agency, supported by substantial evidence, chooses at its discretion to treat the resource as a tribal cultural resource.

DISCUSSION

- a) *Would the proposed project cause a substantial adverse change in the significance of a Tribal Cultural Resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American Tribe, and that is:*
 - i) *Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or*
 - ii) *A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resource Code Section 5024.1. In applying the criteria set forth in subdivision (c) of the Public Resource Code Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance to a California Native American tribe?*

The discussion in Section IV, Cultural Resources, is applicable to impacts to tribal cultural resources. As discussed under criteria (b) and (c) in Section IV, Cultural Resources, no known archeological resources, ethnographic sites, or Native American remains are located on the project site. As discussed under criterion (b), implementation of Mitigation Measure CULT-1 would reduce impacts to unknown archaeological deposits, including tribal cultural resources, to a less-than-significant level. As discussed under criterion (c), compliance with State and federal regulations would reduce the likelihood of disturbing or discovering human remains, including those of Native Americans. Therefore, implementation of Mitigation Measure CULT-1, which is not a General Plan EIR mitigation measure, and compliance with State and federal regulations related to the protection of human remains would reduce impacts to tribal cultural resources to a *less-than-significant* level.

Impact TRC-1: The proposed project could cause a substantial adverse impact to an unknown Tribal Cultural Resource.

ENVIRONMENTAL ANALYSIS

Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.

XVII. UTILITIES AND SERVICE SYSTEMS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Have insufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.14, Utilities and Services Systems, of the General Plan EIR, addressed the impacts to water supply, wastewater, and solid waste associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant with mitigation. The City is required to implement General Plan Mitigation Measures UTIL-6a through UTIL-6c, and UTIL-8, which were previously adopted and incorporated into the General Plan, to ensure impacts related to wastewater and solid waste are less than significant. General Plan Mitigation Measures UTIL-6a through UTIL-6c require the City to work with the Cupertino Sanitary District (CSD) to increase the available citywide treatment and transmission capacity, identify appropriate and current wastewater generation rates that are approved by CSD and establish a monitoring and tracking system for wastewater generation to better understand the City's need for potential capacity upgrades from CSD. General Plan Mitigation Measure UTIL-8 requires the City to continue current recycling and zero-waste practices, monitor solid waste generation, and seek new landfill sites to replace the Altamont and Newby Island landfills at such time that these landfills are closed. These mitigation measures, which were previously adopted by the City and incorporated into the General Plan, will be implemented by the City.

ENVIRONMENTAL ANALYSIS

EXISTING CONDITIONS

The existing conditions for each of the utility providers is listed below:

- The Santa Clara Valley Water District (SCVWD) is the primary water resources agency for Santa Clara County. The project site is located within the San José Water (SJW) service area until 2022. SJW would supply water to the project site. Water supply for the SJW is a combination of groundwater from wells in the Santa Clara Groundwater Basin, treated water purchased from SCVWD, and local mountain surface water from the Santa Cruz Mountains.
- Cupertino Sanitary District (CSD) provides sanitary sewer services for the project site. Wastewater would be treated at the San José/Santa Clara Water Pollution Control Plant (SJ/SCWPCP).
- Recology South Bay (Recology) would provide curbside recycling, garbage, and compost and yard waste service to the residents of the project. The City has a contract with Newby Island Sanitary Landfill (NISL)¹⁵⁷ until 2023. According to CalRecycle, the landfill had a remaining capacity of 21,200,000 cubic yards as of October 31, 2014 and a permitted maximum disposal capacity of 4,000 tons per day.¹⁵⁸ The landfill is scheduled to operate until 2041. In 2019, the landfill accepted 582,174 tons of waste, which equates to approximately 1,940 tons/day.¹⁵⁹ This results in a residual capacity of about 2,060 tons/day.
- Electricity and natural gas would be supplied to the project site via infrastructure maintained by Pacific Gas & Electric (PG&E). Electricity would be supplied by Silicon Valley Clean Energy.
- Telephone service would be provided by AT&T and other providers. Cable television service would be available from numerous providers, including Comcast.

DISCUSSION

- a) *Would the project require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction of which could cause significant environmental effects?*

Water Treatment Facilities

The Santa Clara Valley Water District (SCVWD) operates three treatment plants. The Rinconada Water Treatment Plant, which serves the project site, draws water from the South Bay Aqueduct and the San Luis Reservoir, which is treated and supplied to residential and commercial water dealers, such as SJW, which serves the site. The plant can provide up to 80 million gallons of water per day. The water treatment plant

¹⁵⁷ City of Cupertino, Garbage and Recycling Services Fact Sheet, <http://www.recyclestuff.org/Guides/CityGuideCupertino.pdf>, accessed May 7, 2019.

¹⁵⁸ Calrecycle website, <http://www.calrecycle.ca.gov/SWFacilities/Directory/43-AN-0003/Detail/>, accessed May 29, 2019.

¹⁵⁹ Assuming 300 operational days/year; the landfill is open six days a week.

ENVIRONMENTAL ANALYSIS

is currently under renovation to modernize the system and will result in an increased capacity of 100 million gallons per day as well as improved water quality and greater seismic stability.¹⁶⁰

As discussed in the General Plan EIR and criterion b) below, buildout of the General Plan including the proposed project would not result in insufficient water supplies from SJW under normal year conditions or during single-dry year and multiple-dry years, with the proposed and existing water conservation regulations and measures in place. Therefore, implementation of the project would not require any new water treatment facilities or improvements other than those currently under construction.

Wastewater Treatment Facilities

Wastewater from the project site would be discharged to the CSD sewer collection system, which the conveys the wastewater to the SJ/SCWPCP, which is jointly owned by the cities of San José and Santa Clara. The NPDES permit for this facility (NPDES No. CA0037842) is currently in the process of being renewed by the San Francisco Bay RWQCB (Tentative Order No. R2-2020-XXXX). The NPDES permit allows for dry weather discharges of up to 167 million gallons per day (mgd) with full tertiary treatment. The plant is designed to route fully treated secondary effluent in excess of the filtration design capacity around the filters (250 mgd) during extreme wet weather flow events and recombine it with filter effluent prior to disinfection. As discussed below in criterion (c), future demands from the proposed project would not exceed the design or permitted capacity of the SJ/SCWPCP that serves the project site. Future wastewater treatment demand was assessed in consultation with the City of Cupertino and includes consideration of development in the city through the 2040 buildout horizon of the General Plan. Therefore, development of the proposed project would not require any improvements not already considered, and the impact of the proposed project on SJ/SCWPCP would be *less than significant*.

Stormwater Drainage

Municipal storm water discharges in the City of Cupertino are subject to the Waste Discharge Requirements of the Municipal Regional Permit (MRP; Order Number R2-2015-0049, as amended by Order No. R2-2019-0004) and NPDES Permit Number CAS612008. As previously discussed in Section IX, Hydrology and Water Quality, the proposed project would be subject to Provision C.3 guidelines for stormwater control. Through C.3 compliance, the proposed project would minimize runoff from the project site as described in Section IX, Hydrology and Water Quality. The proposed project also would comply with CMC Chapter 9.18, described in Section 3.1.4.2, Zoning, which implements the requirements of the NPDES permit issued to the City. Additionally, the project would submit an SMP to the City for review and approval prior to the start of construction that describes the stormwater treatment measures that would be implemented to reduce stormwater runoff to the City's storm drain system.

The project site is within an area where some of the storm drains are deficient in conveying the water from a 10-year storm, based on the 2018 *Storm Drain Master Plan*. Stormwater from the southern portion of the site would discharge to the City's existing 18-inch storm drain that is aligned beneath St. Andrews

¹⁶⁰ Santa Clara Valley Water District, 2020. Rinconada Water Treatment Plant. Accessed at <https://www.valleywater.org/node/98> on January 11, 2021.

ENVIRONMENTAL ANALYSIS

Avenue; this storm drain does not currently have capacity issues. However, stormwater from the northern portion of the site would discharge to the City's existing 18-inch storm drain near the intersection of South Foothill Boulevard and McClellan Road. The storm drain beneath Stevens Canyon Road/South Foothill Boulevard that continues to Stevens Creek Boulevard is currently under capacity and is designated as high priority for replacement.¹⁶¹ The proposed project would not exacerbate this existing condition, however, because it will increase the amount of pervious surfaces through landscaping and reduce the amount of impervious surfaces, resulting in a net reduction in stormwater runoff. Additionally, the project would provide two bioretention facilities that would collect runoff from roof areas, parking lots, sidewalks and streets for treatment and flow control prior to discharge into the internal storm drain system, which connects to the City's storm drain system at Stevens Canyon Road/South Foothill Boulevard and St. Andrews Avenue. The City has determined that the on-site stormwater treatment areas would meet the C.3 requirements of the MRP. In addition, a hydrology and hydraulics report will be prepared for submittal and review by the Director of Public Works prior to the start of construction to ensure that the stormwater runoff from the site does not exceed the capacity of the City's storm drain system.

The proposed project would not require the expansion of existing stormwater facilities or the construction of new facilities, the construction of which could otherwise have significant impacts. Therefore, impacts would be *less than significant*, and no mitigation measures would be required.

Other Utility Facilities

Other utility facilities that serve the project site include electric power, natural gas, and telecommunications facilities. PG&E would supply natural gas and electricity infrastructure and Silicon Valley Clean Energy would provide electricity to the project site. AT&T and other providers would provide telephone service. Cable television service would be available from numerous providers, including Comcast.

The proposed project is an infill development project that would result in an increase in land use intensity in a portion of the city that has access to existing infrastructure and services, which was accounted for in the General Plan EIR. The proposed project would include appropriate on-site infrastructure to connect to the existing PG&E and telecommunication systems and would not require new off-site facilities and distribution infrastructure or capacity enhancing alterations to any existing facilities. Accordingly, impacts would be *less than significant*.

b) *Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?*

As described in the General Plan EIR in Chapter 4.14, the water supply for the City of Cupertino at project buildout year 2022 would be 13,078 acre-feet¹⁶² per year (afy) and at General Plan buildout year 2040 would be 16,984 afy. Buildout associated with the General Plan would result in sufficient water supplies

¹⁶¹ Schaaf & Wheeler Consulting Civil Engineers. 2018. Cupertino Storm Drain Master Plan.

¹⁶² One *acre-foot* equals about 326,000 gallons, or enough water to cover an *acre* of land, about the size of a football field, one *foot* deep.

ENVIRONMENTAL ANALYSIS

from SJW under normal year conditions or during single-dry year and multiple-dry years, with the implementation of proposed and existing water conservation regulations and measures. The Water Supply Evaluation prepared for the General Plan EIR included new development on the project site at a greater number of units than proposed for the project (27 net new units as compared to 18 new units for the proposed project); therefore, water supply impacts were adequately addressed in the General Plan EIR.

The proposed project's water demand was calculated using the applicable water demand generation factors included in the Cupertino Sanitary District's *Flow Modeling Analysis*.¹⁶³ For the residential component of the project, a total indoor residential water demand of 155 gallons/day/unit was calculated. For the commercial portion of the property, the water demand factor of 0.11 gpd/square foot from the Water Supply Evaluation prepared for the General Plan Amendment was used. The irrigation demand was based on the Maximum Applied Water Allowance (MAWA) pursuant to the Water Efficient Landscape Ordinance. This conservatively assumes that all the pervious area at the site will be irrigated; actual irrigation water usage will most likely be less than the calculated amount. The results are provided in Table 4-14.

TABLE 4-14 WATER DEMAND FOR THE PROPOSED PROJECT

Development Type	Water Demand Factor	Size	Water Demand
Residential	155 gpd/unit ^a	18 units	2,790 gpd
Retail/Commercial	0.11 gpd/square foot	4,536 square feet	499 gpd
Irrigation	--	16,602 square feet of pervious surfaces	639 gpd
Total Water Demand			3,928 gpd

Note:

a. Water demand factor calculated as 60 gallons/resident/day x 2.87 residents per unit x 10 percent reduction for new construction and low-flow fixtures. Sources: Water Supply Evaluation (Yarne & Associates), May 20, 2014; prepared with input from the City of Cupertino. Mark Thomas & Company, Inc, 2019. Cupertino Sanitary District, *Flow Modeling Analysis, Homestead Flume Outfall to City of Santa Clara*.

The projected water demand for the project would be approximately 3,928 gpd or 4.4 AFY. This is less than 0.03 percent of Cupertino's water supply at buildout and the proposed project was accounted for in the General Plan EIR at a higher density land use and water demand rate. There is no shortage in water supply to the City of Cupertino by SJW under normal year, single-dry year, and multiple dry years. Accordingly, the proposed project's water demand would not exceed the available water supply in 2022 at project buildout or General Plan buildout by year 2040 and impacts to water supply under the proposed project would be *less than significant*.

- c) *Would the project result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?*

The calculated wastewater demand for the proposed project is provided in Table 4-15. The proposed project with 4,536 square feet of commercial space and 18 residential units would generate approximately 2,982 gallons/day of wastewater, or 0.0030 mgd of wastewater. The wastewater demand

¹⁶³ Mark Thomas & Co. Inc., December 6, 2019, *Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara*.

ENVIRONMENTAL ANALYSIS

calculations are based on the residential water demand factor of 155 gpd/unit and the assumption that 95 percent of the water demand would result in wastewater generation. For the retail/commercial component of the project, the wastewater demand factor of 0.073 gpd/sq ft for retail/commercial land use from the CSD's *Flow Modeling Analysis* was used.

TABLE 4-15 WASTEWATER DEMAND FOR THE PROPOSED PROJECT

Development Type	Wastewater Demand Factor	Size	Water Demand
Residential	147 gpd/unit ^a	18 units	2,651 gpd
Retail/Commercial	0.073 gpd/square foot ^b	4,536 square feet	331 gpd
Total Water Demand			2,982 gpd

Notes:

a. Water demand factor of 155 gpd/unit x 95 percent (amount of water demand that becomes wastewater).

b. From source reference for retail/commercial.

Source: Mark Thomas & Company, Inc, 2019. *Cupertino Sanitary District, Flow Modeling Analysis, Homestead Flume Outfall to City of Santa Clara.*

The wastewater demand under existing conditions was also calculated to determine the net increase in wastewater demand with implementation of the proposed project. Based on the CSD's *Flow Modeling Analysis*, the wastewater demand factor for retail and commercial uses of 0.073 gpd per square foot, and assuming that the existing commercial buildings total 13,225 square feet, the current wastewater demand would be 965 gpd or approximately 0.0008 mgd of wastewater. The proposed project would generate up to 2,982 gpd or approximately 0.0024 mgd of wastewater.¹⁶⁴ Therefore, the proposed project would increase wastewater generation at the site by 2,017 gpd or 0.0016 mgd of wastewater. However, the estimated project wastewater demand would be much less than that generated for the proposed buildout of the site in the General Plan, which assumed 27 new units for a wastewater demand of 3,969 gpd. In addition, the wastewater demand calculations are conservative, because no credit is taken for water conservation measures that would be applicable with new construction, thus reducing the amount of wastewater generated.

The SJ/SCWPCP's projected peak wet weather capacity stated in *The San Jose Santa Clara Water Pollution Control Plant Master Plan*, November 2013, is 450 mgd. The proposed project's wastewater generation (0.0030 mgd) and the existing wastewater generated in the SJ/SCWPCP's service area (110 mgd) would not exceed the SJ/SCWPCP's current total peak wet weather capacity of 450 mgd. The ADWF capacity is 167 mgd pursuant to the most recent National Pollutant Discharge Elimination System (NPDES) permit for the SJ/SCWPCP (Order No. R2-2014-0034, NPDES No. CA0037842). Combined, the proposed project's wastewater generation (0.0030 mgd) and the existing wastewater generated (110 mgd) would not exceed the SJ/SCWPCP's current ADWF capacity limits (167 mgd).

The CSD has a contractual maximum treatment allocation of 7.85 mgd with the SJ/SCWPCP. At the time of the General Plan EIR, the CSD estimated the existing wastewater generation rate for the City of Cupertino

¹⁶⁴ Mark Thomas & Co. Inc., December 6, 2019, *Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara.*

ENVIRONMENTAL ANALYSIS

to be 5.3 mgd and the proposed General Plan build-out would generate 7.2 mgd of wastewater.¹⁶⁵ Combined, the existing wastewater flow (5.3 mgd) plus the proposed project (0.0030 mgd) would not exceed the City's contractual allocation limits (7.85 mgd). Furthermore, the proposed mixed-use development was included within the 4,421 residential units and the 1,343,679 square feet of commercial land use evaluated in the General Plan EIR. Furthermore, as demonstrated in Table 1.1 in Section 1.2, Tiering Process, the and the site was originally assumed to have a higher density land use. Therefore, the project would not result in an exceedance of the City's contractual agreement with SJ/SCWPCP and there would be no significant impact with respect to wastewater treatment capacity.

However, the CSD's wastewater flows through a portion of the City of Santa Clara's sewer system. The contractual agreement between CSD and the City of Santa Clara, for this portion of the Santa Clara sewer system, allows the City 13.8 mgd of capacity in the sewer system during peak wet weather flows. The existing CSD peak wet weather flow into the Santa Clara system is 13.14 mgd.¹⁶⁶ However, the estimated wastewater generation from the proposed project and from other potential projects in Cupertino, as established by the General Plan and other approved projects, is approximately 14.61 mgd, which is the total capacity needed to serve the General Plan buildout.¹⁶⁷ Therefore, the proposed project, and other approved and potential projects as established by the General Plan buildout, will require a reduction in sewer generation from the CSD system prior to flowing into the City of Santa Clara system, or additional capacity rights will need to be acquired from the City of Santa Clara.

Until such corrections to the system can occur, future projects in Cupertino, including the proposed project would exceed the 13.8 mgd contractual limit through the City of Santa Clara sewer system resulting in a potentially *significant* impact.

Impact UTIL-1: Implementation of the proposed project may result in a determination by the wastewater treatment provider, which serves or may serve the proposed project, that it does not have adequate capacity to serve the project's projected demand in addition to the provider's existing commitments.

Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:

2. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or

¹⁶⁵ City of Cupertino, General Plan (Community Vision 2015–2040, Appendix B: Housing Element Technical Report, 4.3 Environmental, Infrastructure & Public Service Constraints, page B-93.

¹⁶⁶ Mark Thomas & Co. Inc, December 6, 2019, Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara.

¹⁶⁷ Mark Thomas & Co. Inc, December 6, 2019, Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara.

ENVIRONMENTAL ANALYSIS

3. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.

The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the *Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara*, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.

Alternatively, if the prior agreement between CSD and the City of Santa Clara that currently limits the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system were to be updated to increase the permitted peak wet weather flow, this impact would then be less than significant. If this were to occur prior to the City's approval of building permits, then Mitigation Measure UTIL-1 would no longer be required to be implemented.

Significance with Mitigation: Less than significant. Implementation of Mitigation Measure UTIL-1 would guarantee that no development on the project site could occur that would exceed the 13.8 mgd peak wet weather flow contractual limit through the City of Santa Clara and CSD by ensuring that no building permit would be issued for any structures or units that result in the contractual limit being exceeded until: (1) additional capacity is available through the City of Santa Clara's sewer system; (2) improvements are made to the CSD sewer system that reduce the peak wet weather flows that enter the City of Santa Clara system; (3) improvements are made on the project site that ensure the contractual limit is not exceeded; or (4) the completion of any combination of these approaches that adequately addresses potential capacity issues. Accordingly, impacts would be *less than significant with mitigation*.

- d) *Would the project generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?*

The City contracts with Recology to provide solid waste collection services to residents and businesses in the city. The City has a contract with Newby Island Sanitary Landfill (NISL) until 2023, but has not secured a new landfill contract for landfill disposal after that date. However, according to the Integrated Waste Management Plan, the landfills in the County (including NISL where the City's collected solid waste is currently being landfilled) have adequate disposal capacity beyond 2026 and NISL's operational life has recently been extended to 2041.¹⁶⁸ The City, therefore, has options for landfill service once the City's existing contract with NISL ends in 2023. In addition to the Newby Island Landfill, solid waste generated in Cupertino can also be disposed of at the Altamont Landfill and Resource Recovery facility, the Corinda Los Trancos Landfill, Forward Landfill Inc., Guadalupe Sanitary Landfill, Kirby Canyon Recycling and Disposal Facility, the Monterey Peninsula Landfill, Recology Hay Road, the Vasco Road Sanitary Landfill, the Zanker Material Processing Facility, and the Zanker Road Class III Landfill.

¹⁶⁸ Santa Clara County Integrated Waste Management Plan, County of Santa Clara Environmental Resources Agency, 1996.

ENVIRONMENTAL ANALYSIS

Waste management for the proposed project includes recycling and composting. Solid waste generated by construction of the proposed project would largely consist of demolition waste from the existing buildings as well as construction debris. The project would be required to comply with CMC Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, and the City's Zero Waste Policy, which requires the recycling or diversion of at least 65 percent of all construction and demolition (C&D) waste by salvage or by transfer to an approved facility.^{169,170} Prior to the issuance of any demolition, grading, and/or building permits, the applicant is required to submit a properly completed Waste Management Plan to the Cupertino Public Works Department, Environmental Programs Division. The Waste Management Plan shall do the following:

- Identify the materials to be diverted from disposal by recycling, reused on the project, or salvaged for future use or sale.
- Specify if materials would be sorted on-site or mixed for transportation to a diversion facility.
- Identify the diversion facility where the material collected will be taken.
- Identify construction methods employed to reduce the amount of waste generated.
- Specify that the amount of materials diverted shall be calculated by weight or volume, but not by both.

Compliance with CMC Chapter 16.72 and the City's Zero Waste Policy would reduce solid waste and construction-related impacts on landfill capacity.

Once the project is operational, there would be 52 residents and 10 employees at the site. In 2019, the City of Cupertino's disposal rate for residents was 3.5 pounds per day (PPD) and for employees was 3.4 PPD. This is much lower than the CalRecycle's target rate of 4.3 PPD for residents and 8.1 PPD for employees.¹⁷¹ The City of Cupertino's disposal rates for residents and employees have been below target rates and decreasing since 2007, with the exception of 2014, when the rate (9.8 PPD) exceeded the target (8.10 PPD).¹⁷² Applying these disposal rates, the project would generate approximately 211 PPD or 0.11 tons per day of new waste. The Newby Island Sanitary Landfill has a permitted daily disposal capacity of 4,000 tons per day and in 2019, the average daily disposal rate was approximately 1,940 tons/day. Therefore, the residual daily landfill capacity of 2,060 tons/day is more than sufficient to meet the solid waste generation rate for the project of 0.11 tons/day. Additionally, the proposed project would comply with the City's current recycling ordinances and zero-waste policies, which would further reduce solid waste disposed of in the landfill. Therefore, implementation of the project would not generate solid waste

¹⁶⁹ Cupertino Municipal Code, Title 16, Buildings and Construction, Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, Section 16.72.040, Diversion Requirement.

¹⁷⁰ City of Cupertino, Public Works, Garbage & Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed May 30, 2019.

¹⁷¹ CalRecycle. 2017. Jurisdiction Per Capita Disposal Trends. <https://www2.calrecycle.ca.gov/LGCentral/AnnualReporting/ReviewReports>, accessed May 30, 2019.

¹⁷² CalRecycle. 2017. Jurisdiction Per Capita Disposal Trends. <https://www2.calrecycle.ca.gov/LGCentral/AnnualReporting/ReviewReports>, accessed May 30, 2019.

ENVIRONMENTAL ANALYSIS

in excess of State or local standards, or excess the capacity of the landfill, or otherwise impair the attainment of solid waste reduction goals and would be *less than significant*.

e) *Would the project comply with federal, state, and local statutes and regulations related to solid waste?*

The City's per capita disposal rate for residents and employees in 2018 was 3.1 PPD and 3.2 PPD, respectively, which is below the 4.3 PPD and 8.1 PPD target rate established by CalRecycle.¹⁷³ As part of the *Countywide Integrated Waste Management Plan* to address waste management conditions within Santa Clara County, Cupertino adopted a Source Reduction and Recycling Element (SRRE)¹⁷⁴ and Household Hazardous Waste Element (HHWE)¹⁷⁵ in compliance with the California Integrated Waste Management Act.¹⁷⁶ The City has gone beyond the SRRE by implementing several programs, including the City's and Recology's organics or food waste collection program, and Environmental Recycling Day events offered to residents three times per year by Recology.

In December 2017, the City adopted a Zero Waste Policy.¹⁷⁷ According to the Zero Waste Policy, the City will require, through the City's waste hauling franchise agreement, steadfast and ongoing efforts by the City's franchisee to maintain a minimum residential and commercial waste diversion rate of 75 percent with a goal of reaching and maintaining 80 percent by 2025. In 2019, the City's solid waste diversion rate was 69 percent. These programs will be sufficient to ensure that future development in Cupertino, including the proposed project, would not compromise the ability to meet or exceed the State mandated target.

Construction and any demolition debris associated with the project would be subject to CMC Chapter 16.72, requiring that a minimum of 65 percent of C&D debris be diverted from landfill.¹⁷⁸ In addition, the City's Zero Waste Policy requires that all private construction projects that come through the City's permitting process, and all City projects (through contract requirements), recover and divert at least 65 percent of the construction waste generated by the project. Compliance with applicable statutes and regulations would ensure that the impact would be *less than significant*, and no mitigation measures would be required.

¹⁷³ CalRecycle. 2017. Disposal Rate Calculator. <https://www2.calrecycle.ca.gov/LGCentral/AnnualReporting/DisposalRateCalculator>, accessed May 30, 2019.

¹⁷⁴ City of Cupertino, Public Works. 1992. Source Reduction and Recycling Element, September 21, 1992.

¹⁷⁵ City of Cupertino, Public Works. 1992. Household Hazardous Waste Element, September 21, 1992.

¹⁷⁶ Cupertino Municipal Code, Title 9, Health and Sanitation, Chapter 9.6, Solid Waste, Non-Organic Recycling and Recycling Areas, Section 9.16.010(a), Purpose.

¹⁷⁷ City of Cupertino, Public Works, Garbage & Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed May 30, 2019.

¹⁷⁸ Cupertino Municipal Code, Title 16, Buildings and Construction, Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, Section 16.72.040, Diversion Requirement.

ENVIRONMENTAL ANALYSIS

XVIII. WILDFIRE

If located in or near State responsibility areas or lands classified as very high fire hazard severity zones, would the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.7, Hazards and Hazardous Materials, of the General Plan EIR, addressed the impacts to wildfire hazards associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant, and no mitigation measures were required. This section of the Initial Study also addresses additional questions regarding wildfire related impacts pursuant to the updated CEQA Guidelines that were adopted by the California Natural Resource Agency in December 2018.

EXISTING CONDITIONS

Wildland fire protection in California is the responsibility of either the State, local government, or the federal government. State Responsibility Areas (SRA) are the areas where the State of California has the primary financial responsibility for the prevention and suppression of wildland fires. The SRA includes a 31-million-acre area, in which the State Department of Forestry and Fire Protection (CAL FIRE) provides a basic level of wildland fire prevention and protection services. Local Responsibility Areas (LRA) include lands within incorporated cities, cultivated agriculture lands, and portions of the desert. LRA fire protection is typically provided by city fire departments, fire protection districts, counties, or by CAL FIRE under contract to local government.¹⁷⁹ CAL FIRE determines fire hazard zones within the LRA using an extension of the SRA Fire Hazard Severity Zone model as the basis. The LRA hazard rating reflects flame and ember intrusion from adjacent wildlands and from flammable vegetation in the urban area.

¹⁷⁹ California Department of Forestry and Fire Prevention (CAL FIRE). Frequently Asked Questions. http://www.fire.ca.gov/firepreventionfee/sra_faqs, accessed May 30, 2019.

ENVIRONMENTAL ANALYSIS

CAL FIRE designates fire hazard severity zones (FHSZs) as authorized under California Government Code Sections 51175 et seq. CAL FIRE considers many factors such as fire history, existing and potential fuel (natural vegetation), flame length, blowing embers, terrain, and typical weather for the area. There are three types of FHSZs: moderate, high, and very high.

According to the California Office of Emergency Services, a Wildland-Urban Interface (WUI) is defined as any area where structures and other human development meet or intermingle within wildland vegetation.¹⁸⁰ Developments in the wildland-urban interface exacerbate fire occurrence and fire spread in several ways, including:

- Increased numbers of human-caused wildfires.
- Wildfires become harder to fight.
- Firefighting resources are diverted from containing the wildfire to protecting lives and homes.
- Letting natural fires burn becomes impossible; leading to buildup of fuel, increasing wildfire hazard further.¹⁸¹

The project site is located within an LRA and the SCCFD currently provides fire protection and emergency medical services to the city and project site. The nearest SRA is approximately 0.5 miles to the west and is designated as a High FHSZ. The nearest Very High FHSZ within the Cupertino LRA is located approximately 1.5 miles to the southeast. The project site is not located within the Cupertino designated WUI.¹⁸²

However, it is located within the CalOES defined WUI, which is an area of transition between wildland (unoccupied land) and land with human development (occupied land).¹⁸³ therefore, impacts related to wildfire are discussed below.

DISCUSSION

a) Substantially impair an adopted emergency response plan or emergency evacuation plan?

The City of Cupertino Office of Emergency Services is responsible for coordinating agency response to disasters or other large-scale emergencies in the City of Cupertino with assistance from the Santa Clara County Office of Emergency Services and the SCCFD. The Cupertino EOP establishes emergency planning, mitigation, response, and recovery policies within the city.

As described in Section VIII, Hazards and Hazardous Materials, emergency vehicle access would be provided at two points on the project site and the proposed project would not block roads or impede emergency access to surrounding properties or neighborhoods during either construction or operation of the project. The Emergency Circulation Plan includes a fire truck circulation route in addition to designated fireman access routes to reach the rear of the structures. During demolition and construction,

¹⁸⁰ Cal OES. 2018. California State Hazard Mitigation Plan.

¹⁸¹ Radeloff, Volker; Helmers, David; Kramer, H., et al. 2018. Rapid Growth of the US Wildland-Urban Interface Raises Wildfire Risk. Proceedings of the National Academy of Sciences (PNAS): Volume 115 No. 13. Accessed May 30, 2019 at <https://www.pnas.org/content/pnas/115/13/3314.full.pdf>.

¹⁸² Cupertino Municipal Code, Section 16.74, Wildland Urban Interface Fire Area.

¹⁸³ CAL FIRE. 2018. Wildland-Urban Interface Fire Threat. <http://www.arcgis.com/home/item.html?id=d45bf08448354073a26675776f2d09cb>, accessed May 7, 2019.

ENVIRONMENTAL ANALYSIS

vehicles, equipment, and materials would be staged and stored on a portion of the project site and no staging would occur in the public right-of-way.

As stated in Section VIII, Hazards and Hazardous Materials, the proposed project would not interfere or impair with an adopted emergency response plan, or emergency evacuation plan; therefore, impacts would be *less than significant*.

Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?

As stated in Section 3, Project Description, of this Initial Study, the project site is classified as “urban area” under the CALVEG classification system and is surrounded by residential and other urban uses. The site is characterized as generally flat and surrounding by low topographic relief. Prevailing winds in Cupertino derive from the west from February to November, and from the north from November to February, with the windier part of the year occurring from March to July with wind speeds averaging 7.6 miles per hour.¹⁸⁴ The project site is not located within an SRA or Very High FHSZ in an LRA. The project site is also not located within the Cupertino Wildland Urban Interface Fire Area as defined in CMC Chapter 16.74, Wildland Urban Interface Area Adopted.

The proposed landscaping includes a variety of low water use plants with shrubs and trees surrounding the exterior of the site, as shown in Figure 3-13. The proposed buildings and landscaping would be required to comply with CMC Chapter 9.22.020, Property Maintenance, which requires the upkeep of vegetation and landscaping on the properties to prevent fire and health hazards. CMC Chapter 16.40, Fire Code, would also require the proposed project to comply with the 2019 California Fire Code and 2015 International Fire Code, which provide specific regulations governing conditions hazardous to life and property from fire or explosion. Therefore, the proposed project would have fire prevention and management measures and would not expose occupants and the surrounding neighborhoods to pollutant concentrations or the uncontrolled spread of wildfire. Impacts would be *less than significant*, and no mitigation would be required.

Require the installation of maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?

As discussed in Section 3.1.1, Existing Site Character, of the Project Description, the project site is fully developed with commercial buildings and associated parking, and utility infrastructure already serves the project site. The proposed project would not include new roads, fuel breaks, or sources of emergency water. Overhead power lines are currently located above the eastern edge of the project site, and new power lines are not proposed as part of the project. Minor alterations such as water, natural gas, and sewer line piping would be installed to connect existing utilities to the proposed residential units. Therefore, installation and maintenance of infrastructure would not exacerbate wildfire risks and new

¹⁸⁴ Weather Spark. 2019. <https://weatherspark.com/y/504/Average-Weather-in-Cupertino-California-United-States-Year-Round>, accessed June 3, 2019.

ENVIRONMENTAL ANALYSIS

infrastructure would not cause temporary or ongoing impacts on the environment. Impacts would be *less than significant*, and no mitigation measures would be required.

Expose people or structure to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire instability, or drainage changes?

As stated in criterion b), the project site is characterized as generally flat and is surrounded by low topographic relief. The project site is not located within a floodplain or an area that has a high potential for landslides. As discussed in Section IX, Hydrology and Water Quality, the proposed project would result in a 4,556 square foot decrease in the amount of impervious surface and provide 267 additional square feet of water treatment area through two bioretention areas that would hold and treat stormwater before it is released into the City's off-site storm drain infrastructure, which will reduce runoff on the project site. Therefore, the proposed project would not expose people or structures to flooding or landslides that result from post-fire instability and runoff, and impacts would be *less than significant*.

XIX. MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DISCUSSION

- a) *Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a*

ENVIRONMENTAL ANALYSIS

rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

The project site is in an urbanized and extensively developed area of Cupertino. The project site and surrounding area is entirely built out with existing commercial and residential development and associated surface parking. The project site is currently developed with commercial buildings that are partially vacant, and a vacant single-family home. Landscaping currently consists of a few green spaces with trees surrounding the buildings and the eastern edge of the project site. There are no identified sensitive natural communities, no areas of sensitive habitat, and no areas of critical habitat on the project site. In addition, there are no buildings currently listed or eligible for listing on the California Register of Historical Resources, no recorded archaeological sites, and no known paleontological resources located on the project site. The implementation of Mitigation Measures AQ-1, AQ-2, BIO-1, CULT-1, GEO-1, NOISE-1, NOISE-2, TCR-1, and UTIL-1 would serve to protect the quality of the air, nesting birds, and unknown cultural and tribal resources, as well as ensure adequate services are provided and that no additional physical impacts would occur elsewhere. Therefore, implementation of the proposed project would result in a *less-than-significant* impact to the quality of the environment, wildlife, and major periods of California history or prehistory.

- b) *Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?*

CEQA Guidelines Section 15355 defines cumulative impacts as two or more individual effects which, when considered together, are considerable or which compound or increase other environmental impacts. Cumulative impacts may result from individually minor, but collectively significant projects taking place over a period of time. CEQA Guidelines Section 15130(b) advises that a discussion of cumulative impacts should reflect both the severity of the impacts and the likelihood of their occurrence. To accomplish these two objectives, CEQA Guidelines Section 15130 permits two different methods for completion of a cumulative impact analysis and allows for a reasonable combination of the two approaches:

- The ‘list’ approach permits the use of a list of past, present, and probable future projects producing related or cumulative impacts, including projects both within and outside the city; and
- The ‘projections’ approach allows the use of a summary of projections contained in an adopted plan or related planning document, such as a regional transportation plan, or in an EIR prepared for such a plan. The projections may be supplemented with additional information such as regional modeling.

Table 4-16 shows the other reasonably foreseeable projects in Cupertino and how they relate to the maximum buildout potential evaluated in the General Plan EIR.

ENVIRONMENTAL ANALYSIS**TABLE 4-16 REASONABLY FORESEEABLE DEVELOPMENT PROJECTS IN CUPERTINO**

	Hotel	Residential	Commercial	Office
General Plan EIR: Maximum Development Potential	1,339	4,421	1,343,679	4,040,231
<i>Reasonably Foreseeable Projects</i>				
<i>Marina Plaza^a</i>	<i>122</i>	<i>188</i>	<i>23,000</i>	
<i>The Hamptons Redevelopment^a</i>		<i>600</i>		
<i>The Forum^a</i>		<i>23</i>		
<i>The Village Hotel^a</i>	<i>185</i>			
<i>De Anza Hotel^a</i>	<i>155</i>			
<i>Westport^a</i>		<i>267</i>	<i>20,000</i>	
<i>Public Storage^{a, d}</i>			<i>209,485</i>	
<i>Scandinavian Design^a</i>			<i>2,235</i>	
<i>Vallco^{a, c}</i>		<i>2,402</i>	<i>400,000</i>	<i>1,810,000</i>
<i>Loc-N-Stor^{b, d}</i>			<i>96,432</i>	
<i>22690 Stevens Creek Boulevard</i>		<i>9</i>		
Total Foreseeable Development	463	3,443	764,381	1,810,000
General Plan EIR: Remaining Development Potential	876	978	579,298	2,230,231

Notes:

a. The project has been approved or is under construction.

b. The project is under review.

c. The buildout numbers are for the Vallco SB 35 Application (0 hotel rooms, 2,402 units, 1,810,000 square feet commercial, and 400,000 square feet commercial).

d. The storage facility sites currently have existing storage facilities and the square footage shown in this table is the net new.

Source: City of Cupertino, 2019.

The General Plan EIR evaluated the cumulative effects of the General Plan Amendments, Housing Element Update, and Associated Rezoning using the summary of projections approach provided for in CEQA Guidelines Section 15130(b)(1)(B). The General Plan EIR took into account growth from the General Plan within the Cupertino city boundary and Sphere of Influence (SOI), in combination with projected growth in the rest of Santa Clara County and the surrounding region, as forecast by ABAG.

As provided for by CEQA Guidelines Section 15130, the cumulative context considered in the General Plan EIR varies, depending on the nature of the issue being studied, to best assess each issue's geographic extent. For example, the cumulative impacts on water and air quality can be best analyzed within the boundaries of the affected resources, such as water bodies and air basins. For other cumulative impacts, such as hazard risks, traffic, and the need for new public service facilities, the cumulative impact is best analyzed within the context of the population growth and associated development that are expected to occur in the region or the public service providers' jurisdiction.

The General Plan EIR included an assessment of the redevelopment of the project site with mixed-use, with commercial and residential projects. The residential assumptions included a residential density of 25 dwelling units per acres with a 30-foot height maximum, which would result in up to 27 residential units. Therefore, as shown in Table 4-16, when combined with the other reasonably foreseeable projects in Cupertino the project would not exceed the maximum buildout potential evaluated in the General Plan

ENVIRONMENTAL ANALYSIS

EIR. The impact discussions in Section I through Section XVIII above describe the proposed project's relationship to and consistency with the scope of development, land use designations, population projections, and cumulative impacts analyses contained in the General Plan EIR. As shown, the project's cumulative impacts were determined to be less than significant or less than significant with mitigation in the cumulative context.

Since the certification of the General Plan EIR, the City has considered new development at the Vallco project site. While, as shown in Table 4-16, this development at the Vallco site is consistent with the maximum buildout potential in the General Plan EIR for citywide cumulative discussions (e.g., population and housing, water supply, etc.), the General Plan EIR did not evaluate the specific amount of buildout at the Vallco site that is shown in Table 4-16, therefore, localized cumulative impacts such as traffic, traffic related noise, and utilities infrastructure were not captured in the General Plan EIR. Due to the distance between the proposed Canyon Crossings Mixed-Use Project and the Vallco project site, the proposed project's impacts would result in no localized cumulative impacts related traffic, noise, or utilities in combination with development of the Vallco site.

As described in the environmental checklist, the impacts of the proposed project would be mitigated to *less-than-significant* levels. The proposed project would incrementally contribute to, but would not exceed, the cumulative impacts analyses included in the General Plan EIR. Therefore, the proposed project would not be expected to contribute to significant cumulative impacts when considered along with other impacts under the General Plan.

c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

As discussed previously, the proposed project would not result in a significant impact that could not be mitigated to a less-than-significant level, thus the proposed project's environmental effects would be *less than significant*.

ENVIRONMENTAL ANALYSIS

This page intentionally left blank.

5. Mitigation Monitoring and Reporting Program

This Mitigation Monitoring and Reporting Program (MMRP) has been prepared for the Canyon Crossings Mixed-Use Project. The purpose of the MMRP is to ensure the implementation of project-specific mitigation measures identified as part of the environmental review for the proposed project. The MMRP includes:

- The full text of the mitigation measures;
- The party responsible for implementing the mitigation measures;
- The timing for implementation of the mitigation measures;
- The agency responsible for monitoring the implementation; and
- The monitoring action and frequency.

The City of Cupertino must adopt this MMRP, or an equally effective program, if it approves the proposed project with the mitigation measures that were adopted or made conditions of project approval.

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1** MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
AIR QUALITY					
<p>Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM₁₀ and PM_{2.5}) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:</p> <ul style="list-style-type: none"> Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible. Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites. Cover all trucks hauling soil, sand, and other loose materials. Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust. Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material. Hydroseed or apply non-toxic soil stabilizers to inactive construction areas. Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand). Limit vehicle traffic speeds on unpaved roads to 15 miles per hour. Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established. Install sandbags or other erosion control measures to prevent silt runoff from public roadways. All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe. 	Applicant	During construction	City of Cupertino Public Works Department And Building Department	Plan Review and Approval	During scheduled construction site inspections

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:</p> <ul style="list-style-type: none"> Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations. Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower. Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site. Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations. Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met. 	Applicant	During construction	City of Cupertino Public Works Planning & Building Department	Plan Review and Approval	During scheduled construction site inspections
BIOLOGICAL RESOURCES					
<p>Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if</p>	Applicant	Prior to construction During construction	Qualifying biologist in consultation with California Department of Fish	Preconstruction Survey	Once for survey; ongoing if nesting birds identified and until they have left the nest

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1** **MITIGATION MONITORING AND REPORTING PROGRAM**

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>construction activities and any required tree removal occur during the breeding season (February 1 and August 31).</p> <ul style="list-style-type: none"> ▪ Preconstruction surveys shall: <ul style="list-style-type: none"> ▪ Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period. ▪ Be conducted no more than 14 days prior to the start of tree removal or construction. ▪ Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped. ▪ Document locations of active nests containing viable eggs or young birds. ▪ Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include: <ul style="list-style-type: none"> ▪ Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds. ▪ Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status. ▪ An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife. 				and Wildlife as needed	

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
CULTURAL RESOURCES					
<p>Mitigation Measure CULT-1: Mitigation Measure CULT-1: A tribal representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the Tribe <u>Tamien Nation</u> in a manner requested by the Tribe <u>Tamien Nation</u> at least 48 hours <u>five (5) days</u> before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site tribal <u>Tamien Nation</u> representative.</p> <p>If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:</p> <ul style="list-style-type: none"> All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and tribal <u>Tamien Nation</u> representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out. The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a tribal <u>Tamien Nation</u> representative regarding the significance of the find and appropriate mitigations as follows: <ul style="list-style-type: none"> If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5. If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the 	Applicant	During construction	Consulting archeologist and City of Cupertino Public Works & Building Department	Plan Review and Approval	As needed if resources are unearthed

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM**

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>appropriate tribe(s) <u>Tamien Nation</u> to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.</p> <ul style="list-style-type: none"> All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards. 					
GEOLOGY AND SOILS					
<p>Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:</p> <ul style="list-style-type: none"> In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted. The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery. The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5. The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find. If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation. 	Applicant	During construction	City of Cupertino Public Works & Building Department	Plan Review and Approval	During scheduled construction site inspections

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
NOISE					
<p>Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:</p> <ul style="list-style-type: none"> At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard: <ul style="list-style-type: none"> At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's 	Applicant	Prior to issuance of building permits	City of Cupertino Public Works Department	Plan review and approval/site inspections	Once for plan review/ during scheduled construction site inspections

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1** **MITIGATION MONITORING AND REPORTING PROGRAM**

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.</p> <ul style="list-style-type: none"> ▪ During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible. ▪ Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors. ▪ During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible. ▪ During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations. ▪ Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase. ▪ Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes. ▪ During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, 					

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.					
Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to: <ul style="list-style-type: none"> Selection of equipment that emits low noise levels; Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or Locating equipment in less noise-sensitive areas, where feasible. 	Applicant	Prior to and during construction	Qualified acoustical consultant and City of Cupertino Public Works & Building Department	Plan review and approval/site inspections	Once for plan review/ during scheduled construction site inspections
Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.	Applicant	During construction	Qualified acoustical consultant and City of Cupertino Public Works & Building Department	Plan review and approval/site inspections	Once for plan review/ during scheduled construction site inspections
TRIBAL CULTURAL RESOURCES					
Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.	Applicant	During construction	Consulting archeologist and City of Cupertino	Plan Review and Approval	As needed if resources are unearthed

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1** MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
			Public Works Department		
UTILITIES AND SERVICE SYSTEMS					
<p>Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:</p> <ol style="list-style-type: none"> 1. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or 2. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD. <p>The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the <i>Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara</i>, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.</p>	Applicant	Prior to construction	Cupertino Sanitary District, City of Cupertino Public Works and Building Departments	Plan Review and Approval	During scheduled construction site inspections

6. Organizations and Persons Consulted

This Initial Study was prepared by the following consultants and individuals:

LEAD AGENCY

CITY OF CUPERTINO

Benjamin Fu Director of Community Development
Piu Ghosh..... Principal Planner
Erick Serrano..... Senior Planner
Chad Mosley..... Assistant Director of Public Work
David Stillman..... Transportation Manager
Winnie Pagan..... Senior Civil Engineer

REPORT PREPARERS

PlaceWorks

Terri McCracken Associate Principal, Principal-in-Charge
Jacqueline Protsman Associate, Project Manager
Nicole Vermilion Principal, Air Quality and Greenhouse Gas Practice Leader
Cathy Fitzgerald Principal Engineer
Steve Bush Senior Engineer
John VangSenior Associate, Air Quality, Greenhouse Gas, and Energy
Josh Carman Senior Associate, Noise Specialist
Alejandro Garcia.....Associate, Noise Specialist
Kristie NguyenProject Scientist, Air Quality, Greenhouse Gas, and Energy
Torina Wilson Associate
Grant Reddy Graphics Specialist

ORGANIZATIONS AND PERSONS CONSULTED

This page intentionally left blank.



Berkeley, California | 510.848.3815

www.PlaceWorks.com

CITY OF CUPERTINO
RECOMMENDATION OF ENVIRONMENTAL REVIEW COMMITTEE
October 28, 2021

As provided by the Environmental Assessment Procedure, adopted by the City Council of the City of Cupertino on March 27, 1973, as amended, the following described project was reviewed by the Environmental Review Committee of the City of Cupertino on October 28, 2021.

PROJECT DESCRIPTION AND LOCATION

Application No(s): EA-2018-06, Z-2018-02, DP-2018-07, TM-2018-04, U-2018-04, ASA-2018-09, TR-2018-39
Applicant(s): Dan Shaw (SCR Enterprises)
Location: 10625 South Foothill Boulevard; APN#s 342-16-087, -088)

DISCRETIONARY ACTION REQUEST

Consider a development proposal to demolish an existing commercial building and residential unit, remove and replace four (4) protected trees, and construct a mixed-use development consistent of 18 units (five apartments, five single-family homes, and eight townhomes), and 4,500 square feet of commercial space. A Mitigated Negative Declaration is proposed.

FINDINGS OF THE ENVIRONMENTAL REVIEW COMMITTEE

The Environmental Review Committee finds that the preparation of a Mitigated Negative Declaration is appropriate for the project.

_____/s/Kitty Moore
Kitty Moore
City Councilmember

CANYON CROSSINGS

MIXED-USE DEVELOPMENT

CUPERTINO, CALIFORNIA

DIRECTORY

OWNER

SCR ENTERPRISES LLC
15700 WINCHESTER BLVD
LOS GATOS, CA 95030
DAN@LGSERVICING.COM
408-221-8870

ARCHITECT

LPMD ARCHITECTS
1288 KIFER ROAD, UNIT 206
SUNNYVALE, CA. 94086
ANTHONY HO
ANTHONY@LPMD-ARCHITECTS.COM
408-859-2845

CIVIL ENGINEER

TS CIVIL ENGINEERING INC
1776 TECHNOLOGY DR
SAN JOSE, CA 95110
TERENCE J. SZEWCZYK
TERRYSZEWczyk@GMAIL.COM
408-452-9300

LANDSCAPE ARCHITECT

REED ASSOCIATES
477 S. TAAFFE STREET
SUNNYVALE, CA 94086
PAUL@RALANET
408-481-9020

SHEET INDEX

ARCHITECTURE:

- A0 COVER SHEET
A1 SITE PLAN
A1.1 EMERGENCY CIRCULATION PLAN
A1.2 SOLID WASTE PICK UP PLAN
A2a BUILDING 1-UNDERGROUND FLOOR PLAN
A2b BUILDING 1-1ST FLOOR PLAN
A2c BUILDING 1-2ND FLOOR PLAN
A2d BUILDING 1-UNIT PLAN (UNITS A1, A2 & B1)
A2e BUILDING 1-UNIT PLAN (UNITS B2 & B3)

- A2f PLAN A FLOOR PLAN
A2g DUPLEX FLOOR PLANS (PLAN B)
A2h TRIPLEX-1ST FLOOR PLAN
A2i TRIPLEX-2ND FLOOR PLAN
A2j TRIPLEX-UNIT PLAN (PLAN C)
A2k TRIPLEX-UNIT PLAN (PLAN D)

- A3a BUILDING 1 ELEVATIONS
A3b PLAN A ELEVATIONS
A3c DUPLEX ELEVATIONS
A3d TRIPLEX ELEVATIONS
A3e TRIPLEX ELEVATIONS
A3f TRIPLEX ELEVATIONS
A3g TRIPLEX ELEVATIONS

- A4a BUILDING 1 SECTION
A5 STREETSCAPE AND COLOR & MATERIAL
A6 AREA CALCULATIONS


- E1.1 SITE PHOTOMETRIC CALCULATIONS

LANDSCAPE:


- L1.0 LANDSCAPE PLANTING PLAN
L1.1 EXISTING TREE INVENTORY & REMOVAL PLAN
L2.0 LANDSCAPE HYDROZONE PLAN
L3.0 LANDSCAPE CONSTRUCTION DETAILS
L3.1 LANDSCAPE CONSTRUCTION DETAILS

CIVIL:

- C1 TENTATIVE MAP
C2 LOT DIMENSIONS & EASEMENT
C3 TOPOGRAPHIC SURVEY
C4 SITE AERIAL PHOTO
C5 NEIGHBORHOOD AERIAL PHOTO
C6 DEMOLITION PLAN
C7 ON-SITE GRADING AND DRAINAGE PLAN
C8 PARKING BASEMENT PLAN
C9 ON-SITE UTILITY PLAN
C9A FIRE HYDRANT PLAN
C9 OFF-SITE IMPROVEMENT PLAN
C10 ROOF PLANS & PROFILES
C11 ROOF PLAN & PROFILE
C12 CROSS SECTIONS
C13 DETAILS
C14 BLUEPRINT FOR A CLEAN BAY
S11 STORMWATER TREATMENT PLAN
S12 STORMWATER TREATMENT PLAN & CALCULATIONS



LOCATION MAP



VICINTY MAP

SCOPE OF WORK: CC 01-13-2022
DEMOLISH THE EXISTING COMMERCIAL BUILDING AND CONSTRUCT (5) SINGLE-FAMILY HOMES, (8) TOWNHOUSES, (5) RESIDENTIAL FLATS AND A 4,500 SF GROUND FLOOR COMMERCIAL SPACE. AN UNDERGROUND PARKING GARAGE SHALL BE CONSTRUCTED BELOW THE RESIDENTIAL FLATS AND COMMERCIAL SPACE.

BUILDING CODES: 2016 CBC BASED ON 2015 IBC
2016 CPC BASED ON 2015 UPC
2016 CMC BASED ON 2015 UMC
2016 CEC BASED ON 2015 NEC
2016 CFC BASED ON 2015 UFC
2016 CALIFORNIA BUILDING ENERGY EFFICIENCY STANDARDS
2016 CALGREEN
CITY OF CUPERTINO MUNICIPAL CODE

TYPE OF CONSTRUCTION V-B AT RESIDENTIAL DUPLEX/TRIPLEX
V-A AT RESIDENTIAL BUILDING 1
V-A AT COMMERCIAL BUILDING 1
I-A AT BELOW GRADE PARKING GARAGE

TYPE OF OCCUPANCY R-2 AT RESIDENTIAL
R-3 AT RESIDENTIAL SINGLE FAMILY/DUPLEX/TRIPLEX
M AT COMMERCIAL
S-2 AT BELOW GRADE PARKING GARAGE

PROJECT DATA

APN: 342-16-087
SITE AREA: 1.546 AC (GROSS)
1.378 AC (NET)

EXISTING GENERAL PLAN: GENERAL COMMERCIAL
PROPOSED GENERAL PLAN: MIXED-USE PLANNED DEVELOPMENT

EXISTING ZONING: P(CG)
PROPOSED ZONING: P

EXISTING USE: COMMERCIAL
PROPOSED USE: COMMERCIAL & RESIDENTIAL
4,500 SF GROUND-FLOOR COMMERCIAL
(5) FLATS OVER COMMERCIAL
(5) SINGLE FAMILY
(8) TOWNHOUSES (DUPLEX & TRIPLEX)

PROPOSED MAX. BUILDING HEIGHT: 30 FEET, TWO STORIES

USABLE COMMON OPEN SPACE:

REQUIRED: 150 SF/DU RESIDENTIAL + 113 SF COMMERCIAL
PROVIDED: 166 SF/DU RESIDENTIAL + 1,657 SF COMMERCIAL

PRIVATE OPEN SPACE/DECK:

REQUIRED: 60 SF/DU
PROVIDED: MIN. 60 SF/DU (SEE SHEET A1 & A2c FOR DETAILS)

VEHICLE PARKING REQUIRED:

BUILDING #1: 28 (SEE SHEET A2a FOR DETAILS)
13 SFD/TOWNHOUSE : 37 (13 X 2.8)

TOTAL: 65 STALLS

VEHICLE PARKING PROVIDED:

USE	PARKING REQUIRED	PARKING PROVIDED	# AT ATTACHED INDIVIDUAL GARAGE	# AT BUILDING 1 BASEMENT GARAGE	# ON SURFACE
SINGLE FAMILIES & TOWNHOMES	37	37	26	1	10
APARTMENTS	10	10	-	10	-
COMMERCIAL	18	18	-	18	-

BICYCLE PARKING REQUIRED:

BUILDING #1: 3 CLASS I, 5 CLASS II (SEE SHEET A2a)
13 SFD/TOWNHOUSE : N/A

BICYCLE PARKING PROVIDED:

BUILDING #1: 5 CLASS I & 18 CLASS II (SEE SHEET A2a)

NET DENSITY:

ALLOWED: 15 DU/AC
PROPOSED: 12.98 DU/AC (18/1.386)

PROPOSED UNIT MIX

	# OF BEDROOMS	LIVING AREA (SF)	2-CAR GARAGE (SF)	# OF UNITS	UNIT TYPE	TYPE OF CONSTRUCTION
PLAN A	3	2,185	448	5	SFD	V-B
PLAN B	3	1,568	482	2	SFA (DUPLEX)	
PLAN C	3	2,269	417	4	SFA (TRIPLEX)	
PLAN D	3	2,038	445	2	SFA (TRIPLEX)	
				TOTAL	13	
BUILDING 1						
UNIT A1	1	1,003		1	FLAT	V-A
UNIT A2	1	918		1	FLAT	
UNIT B1	2	1,239		1	FLAT	
UNIT B2	2	1,460		1	FLAT	
UNIT B3	2	1,501		1	FLAT	
				TOTAL	5	
COMMERCIAL (1ST)		7,180				V-A
RESIDENTIAL (2ND)		8,098				V-A
PARKING GARAGE		18,147				1-A

NOTES: 1. PROPOSED COVERED MULTIFAMILY DWELLINGS IN BLDG #1 WILL COMPLY WITH CHAPTER 11-A OF THE 2016 CBC.
2. ALL STRUCTURES SHALL HAVE FIRE SPRINKLERS INSTALLED TO COMPLY WITH CUPERTINO MUNICIPAL CODE
3. REFER TO NOTES ON A1.1 FOR REQUIREMENTS FROM SANTA CLARA COUNTY FIRE DEPT.

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 09-15-20

Scale:

Revisions:

Drawing Title:

COVER SHEET

Sheet No:

A0

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA


Drawing Title:

SITE PLAN

Sheet No:

A1

LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



SCR Enterprises, LLC
PO Box 320064
Los Gatos, CA 95032

Date: November 10, 2020
To: Katherine Baker, Fire Plans Examiner, Santa Clara County Fire Department
Erick Serrano, Planning Dept, City of Cupertino
RE: Canyon Crossing - Plan Review - 20-3840

This memo shall confirm that SCR Enterprises LLC, the owner of the property and applicant for Application DP-2018-07, commonly known as Canyon Crossings, is aware of the Santa Clara County Fire Department (SCCFD) has reviewed the proposed development and provided comments.


Specifically, SCCFD requires that the proposed roadway inside of the development to be constructed over the underground parking structure be designed to support 75,000 pounds. The applicant acknowledges this concern and appreciates the effort SCCFD has made to date in reviewing the application.

The applicant agrees to take full responsibility for the design and permit approval of a roadway structure for the road above the underground parking. Applicant will include structural design with the building permit submittal to accommodate a load of 75,000 pounds.

Thank you,
Dan Shaw,
Manager
SCR Enterprises, LLC

- NOTES:
1. ALL NEW BUILDINGS SHALL HAVE APPROVED RADIO COVERAGE FOR EMERGENCY RESPONDERS WITHIN THE BUILDING BASED UPON THE EXISTING COVERAGE LEVELS OF THE PUBLIC SAFETY COMMUNICATION SYSTEMS OF THE JURISDICTION AT THE EXTERIOR OF THE BUILDING. THIS SECTION SHALL NOT REQUIRE IMPROVEMENT OF THE EXISTING PUBLIC SAFETY COMMUNICATION SYSTEMS. REFER TO CFC SEC.510 FOR FURTHER REQUIREMENTS.
 2. REFER TO SHHET C8A FIRE HYDRANT PLAN FOR HYDRANT LOCATIONS DETERMINED JOINTLY BY FIRE DEPARTMENT AND SAN JOSE WATER COMPANY. MAXIMUM HYDRANT SPACING SHALL BE 500 FEET. FIRE HYDRANTS SHALL BE PROVIDED ALONG REQUIRED FIRE APPARATUS ACCESS ROADS AND ADJACENT PUBLIC STREETS. CFC SEC. 507, APPENDIX B & ASSOCIATED TABLES, AND APPENDIX C.
 3. PROVIDE MARKING FOR ALL ROADWAYS WITHIN THE PROJECT. MARKINGS SHALL BE PER FIRE DEPARTMENT SPECIFICATIONS. INSTALLATIONS SHALL ALSO CONFORM TO LOCAL GOVERNMENT STANDARDS AND FIRE DEPARTMENT STANDARD DETAILS AND SPECIFICATIONS A-6. CFC SEC. 503.3
 4. TWO-WAY COMMUNICATION SYSTEMS SHALL BE DESIGNED AND INSTALLED IN ACCORDANCE WITH NFPA 72 (2016 EDITION), THE CALIFORNIA ELECTRICAL CODE (2013 EDITION), THE CALIFORNIA FIRE CODE (2016 EDITION), THE CALIFORNIA BUILDING CODE (2016 EDITION), AND THE CITY ORDINANCES WHERE TWO-WAY SYSTEM IS BEING INSTALLED, POLICIES, AND STANDARDS. OTHER STANDARDS ALSO CONTAIN DESIGN/INSTALLATION CRITERIA FOR SPECIFIC LIFE SAFETY RELATED EQUIPMENT. THESE OTHER STANDARDS ARE REFERRED TO IN NFPA 72.
 5. BUILDING SHALL BE PROVIDED WITH AND INSTALLED A FIRE ALARM SYSTEM IN ACCORDANCE WITH CFC #907.2.9
 6. SEE LETTER ABOVE FROM PROJECT OWNER/APPLICANT ACKNOWLEDGING RESPONSIBILITY FOR ASSURING THE ROADWAY OVER THE UNDERGROUND PARKING STRUCTURE TO BE CAPABLE OF SUPPORTING 75,000 POUNDS.

1 EMERGENCY CIRCULATION PLAN
1/8" = 1'-0"



LEGEND
--- FIRE TRUCK CIRCULATION
--- FIREMAN ACCESS ROUTE

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA



Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**EMERGENCY
CIRCULATION PLAN**
Sheet No:

**LPMD
Architects**


A11

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



2 ENLARGED VIEW OF TRASH ROOM
1/8" = 1'-0"

1 SOLID WASTE PICK UP PLAN
1/8" = 1'-0"



LEGEND	
	TRUCK CIRCULATION
	TRASH BIN STAGING AREA FOR SFD/TOWNHOUSES

- NOTES ON WASTE MANAGEMENT:
1. TRASH ROOM AT BUILDING 1 IS RESERVED FOR RESIDENTS AND COMMERCIAL TENANTS AT BUILDING 1 ONLY. SINGLE FAMILY AND TOWNHOUSE RESIDENTS SHALL STAGE INDIVIDUAL TRASH CARTS IN FRONT OF THEIR DRIVEWAYS FOR PICKUP, AS SHOWN ON THIS PLAN.
 2. NO COMMERCIAL TENANT AT BUILDING 1 SHALL BE FOOD SERVICE RELATED.
 3. TENANTS AT BUILDING 1 SHALL PLACE BULKY ITEMS, UNIVERSAL WASTE, USED HOME-COOKING OIL AND CHRISTMAS TREES INSIDE TRASH ROOM OF BUILDING 1 FOR COLLECTION BY THE CITY'S FRANCHISED WASTE HAULER.
 4. TENANTS AT BUILDING 1 SHALL PLACE HOUSEHOLD HAZARDOUS WASTE (HHW) INSIDE TRASH ROOM FOR COLLECTION BY THE CITY'S HHW HAULER.
 5. PLEASE REFER TO BUILDING PERMIT DRAWING SET FOR STORAGE LOCATIONS OF RESIDENTIAL CARTS (LANDFILL, RECYCLING, ORGANICS) WITHIN SINGLE-FAMILY AND TOWNHOUSE UNITS.


CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017	Drawing Title:
Scale:	SOLID WASTE PICK UP PLAN
Revisions: 04/11/2017	Sheet No:
01/11/2019	
	A1.2

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



NOTES ON WASTE MANAGEMENT:

1. TRASH ROOM AT BUILDING 1 IS RESERVED FOR RESIDENTS AND COMMERCIAL TENANTS AT BUILDING 1 ONLY. SINGLE FAMILY AND TOWNHOUSE RESIDENTS SHALL STAGE INDIVIDUAL TRASH CARTS IN FRONT OF THEIR DRIVEWAYS FOR PICKUP, AS SHOWN ON THIS PLAN.
2. NO COMMERCIAL TENANT AT BUILDING 1 SHALL BE FOOD SERVICE RELATED.
3. TENANTS AT BUILDING 1 SHALL PLACE BULKY ITEMS, UNIVERSAL WASTE, USED HOME-COOKING OIL AND CHRISTMAS TREES INSIDE TRASH ROOM OF BUILDING 1 FOR COLLECTION BY THE CITY'S FRANCHISED WASTE HAULER.
4. TENANTS AT BUILDING 1 SHALL PLACE HOUSEHOLD HAZARDOUS WASTE (HHW) INSIDE TRASH ROOM FOR COLLECTION BY THE CITY'S HHW HAULER.
5. PLEASE REFER TO BUILDING PERMIT DRAWING SET FOR STORAGE LOCATIONS OF RESIDENTIAL CARTS (LANDFILL, RECYCLING, ORGANICS) WITHIN SINGLE-FAMILY AND TOWNHOUSE UNITS.

1 SOLID WASTE PICK UP PLAN
1/8" = 1'-0"



LEGEND

- TRUCK CIRCULATION
- TRASH BIN STAGING AREA FOR SFD/TOWNHOUSES

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA


Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**SOLID WASTE
PICK UP PLAN**
Sheet No:

A1.2


LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



CANYON CROSSINGS
10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017	Drawing Title:	LPMD Architects
Scale:	BUILDING 1 FIRST	
Revisions: 04/11/2017	FLOOR PLAN	
01/11/2019		
	Sheet No:	
	A2b	
		1288 Kifer Road, Suite 206 Sunnyvale, CA 94086 Telephone : 408-992-0280 Fax : 408-992-0281




CANYON CROSSINGS


10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017	Drawing Title:
Scale:	BUILDING 1 SECOND FLOOR PLAN
Revisions: 04/11/2017	
01/11/2019	
Sheet No:	A2c


LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



2 UNIT A2 - FLOOR PLAN
1/4" = 1'-0" 918 SF LIVING



1 UNIT A1 - FLOOR PLAN
1/4" = 1'-0" 1,003 SF LIVING



3 UNIT B1 - FLOOR PLAN
1/4" = 1'-0" 1,239 SF LIVING

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019


Drawing Title:
**UNITS A1, A2, B1
FLOOR PLANS**

Sheet No:


A2d

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 UNIT B3 - FLOOR PLAN
1/4" = 1'-0" 1,501 SF LIVING



1 UNIT B2 - FLOOR PLAN
1/4" = 1'-0" 1,460 SF LIVING


CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA


Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**UNITS B2 & B3
FLOOR PLANS**
Sheet No:
A2e


LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 PLAN A - FIRST FLOOR
1/4" = 1'-0"
846 SF LIVING
449 SF GARAGE



2 PLAN A - SECOND FLOOR
1/4" = 1'-0"
1339 SF LIVING
INCLUDING STAIRS



3 PLAN A - SECOND FLOOR @ LOT 10 (CORNER LOT)
1/4" = 1'-0"

PLAN A SUMMARY	
TOTAL BEDROOMS:	3
TOTAL LIVING AREA:	2,185 SF
GARAGE:	449 SF

CANYON CROSSINGS
10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:


PLAN A
FLOOR PLANS

Sheet No:


A2f

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 DUPLEX (PLAN B) - FIRST FLOOR
1/4" = 1'-0"
662 SF LIVING/UNIT
492 SF GARAGE/UNIT



2 DUPLEX (PLAN B) - SECOND FLOOR
1/4" = 1'-0"
906 SF LIVING/UNIT
INCLUDING STAIRS TO F/F LANDING


PLAN B SUMMARY	
TOTAL BEDROOMS:	3
TOTAL LIVING AREA:	1,568 SF
GARAGE:	492 SF

CANYON CROSSINGS
10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**DUPLEX
FLOOR PLANS**
Sheet No:
A2g

**LPMD
Architects**
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 TRIPLEX - FIRST FLOOR
1/4" = 1'-0"

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
TRIPLEX FIRST FLOOR PLAN
Sheet No:
A2h

LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 TRIPLEX - SECOND FLOOR
1/4" = 1'-0"


CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA


Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**TRIPLEX SECOND
FLOOR PLAN**
Sheet No:
A2i

LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 PLAN C - FIRST FLOOR
1/4" = 1'-0" 908 SF LIVING
417 SF GARAGE



2 PLAN C - SECOND FLOOR
1/4" = 1'-0" 1360 SF LIVING
INCLUDING STAIRS AND OPENING


PLAN C SUMMARY	
TOTAL BEDROOMS:	3
TOTAL LIVING AREA:	2,268 SF
GARAGE:	417 SF

CANYON CROSSINGS
10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019


Drawing Title:
**PLAN C
FLOOR PLANS**
Sheet No:
A2j

**LPMD
Architects**
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 PLAN D - FIRST FLOOR
1/4" = 1'-0"

895 SF LIVING
445 SF GARAGE



2 PLAN D - SECOND FLOOR
1/4" = 1'-0"

1143 SF LIVING
INCLUDING STAIRS AND OPENING

PLAN D SUMMARY	
TOTAL BEDROOMS:	3
TOTAL LIVING AREA:	2,038 SF
GARAGE:	445 SF

CANYON CROSSINGS


10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**PLAN D
FLOOR PLANS**
Sheet No:

A2k

**LPMD
Architects**
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



GENERAL NOTES:

COPPER METAL ROOFING, COPPER GRANULE CONTAINING ASPHALT SHINGLES, COPPER GUTTERS & DOWNSPROUTS, AND/OR OTHER EXTERIOR ORNAMENTAL COPPER ARE NOT PERMITTED FOR USE ON ANY COMMERCIAL OR INDUSTRIAL BUILDING.

CANYON CROSSINGS
10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017

Scale:

Revisions: 04/11/2017

01/11/2019

Drawing Title:


BUILDING ONE
ELEVATIONS

Sheet No:

A3a


LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA





10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Drawing Title: **DUPLEX (PLAN B)
ELEVATIONS**

Sheet No:

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



CANYON CROSSINGS



10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**TRIPLEX
ELEVATIONS**
Sheet No:

A3d

LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



CANYON CROSSINGS


10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019


Drawing Title:
**TRIPLEX
ELEVATIONS**
Sheet No:

A3e

LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 **TRIPLEX (PLANS C, C & D) - FRONT ELEVATION (@ LOTS 11-13)**
1/4" = 1'-0"



2 **TRIPLEX (PLANS C, C & D) - REAR ELEVATION (@ LOTS 11-13)**
1/4" = 1'-0"

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/13/2017	Drawing Title:
Scale:	TRIPLEX ELEVATIONS
Revisions: 04/11/2017	
01/11/2019	
	Sheet No:
	A3f


LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

A3g

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 BUILDING 1 - SECTION
1/8" = 1'-0"

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA


Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**BUILDING ONE
SECTION**
Sheet No:
A4a

LPMD
Architects
1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



Charcoal Standing Seam Metal Roof



6" T&G Wood Siding



Stucco 1 (KM216)



Stucco 2 (KM5407-5)



Stucco 3 (KM4598-1)



Charcoal Metal Rail



Sectional Garage Door



Charcoal Metal Sunshade



Charcoal Aluminum Storefront



Charcoal Vinyl Window



El Dorado Stone "Cut Coarse Stone"

COLOR & MATERIAL



1 **STREETSCAPE-VIEW FROM NORTH**
NTS



2 **STREETSCAPE-VIEW FROM SOUTH**
NTS

CANYON CROSSINGS

10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA


Date: 12/13/2017
Scale:
Revisions: 04/11/2017
01/11/2019

Drawing Title:
**STREETSCAPE
& COLOR/MATERIAL**
Sheet No:

A5

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281



1 LOT COVERAGE
1/8" = 1'-0"

LOT COVERAGE CALCULATIONS


SITE AREA = 60,025 SF (NET)
COVERAGE = 26,389 SF

= $\frac{26,389}{60,025}$ = 0.44 = 44%

LOT 1 = 2,674 SF	$\frac{1,531 \text{ SF}}{2,674 \text{ SF}}$	= 0.572 =	57.2%
LOT 1 COVERAGE =			
LOT 2 = 2,224 SF	$\frac{1,521 \text{ SF}}{2,224 \text{ SF}}$	= 0.683 =	68.3%
LOT 2 COVERAGE =			
LOT 3 = 2,912 SF	$\frac{1,391 \text{ SF}}{2,912 \text{ SF}}$	= 0.477 =	47.7%
LOT 3 COVERAGE =			
LOT 4 = 2,505 SF	$\frac{1,218 \text{ SF}}{2,505 \text{ SF}}$	= 0.486 =	48.6%
LOT 4 COVERAGE =			
LOT 5 = 2,499 SF	$\frac{1,218 \text{ SF}}{2,499 \text{ SF}}$	= 0.487 =	48.7%
LOT 5 COVERAGE =			
LOT 6 = 2,557 SF	$\frac{1,382 \text{ SF}}{2,557 \text{ SF}}$	= 0.540 =	54.0%
LOT 6 COVERAGE =			
LOT 7 = 2,534 SF	$\frac{1,385 \text{ SF}}{2,534 \text{ SF}}$	= 0.546 =	54.6%
LOT 7 COVERAGE =			
LOT 8 = 2,485 SF	$\frac{1,385 \text{ SF}}{2,485 \text{ SF}}$	= 0.557 =	55.7%
LOT 8 COVERAGE =			
LOT 9 = 2,478 SF	$\frac{1,385 \text{ SF}}{2,478 \text{ SF}}$	= 0.558 =	55.8%
LOT 9 COVERAGE =			
LOT 10 = 2,376 SF	$\frac{1,452 \text{ SF}}{2,376 \text{ SF}}$	= 0.611 =	61.1%
LOT 10 COVERAGE =			
LOT 11 = 2,507 SF	$\frac{1,529 \text{ SF}}{2,507 \text{ SF}}$	= 0.609 =	60.9%
LOT 11 COVERAGE =			
LOT 12 = 2,087 SF	$\frac{1,514 \text{ SF}}{2,087 \text{ SF}}$	= 0.725 =	72.5%
LOT 12 COVERAGE =			
LOT 13 = 2,344 SF	$\frac{1,389 \text{ SF}}{2,344 \text{ SF}}$	= 0.592 =	59.2%
LOT 13 COVERAGE =			
LOT 14 = 10,271 SF	$\frac{8,095 \text{ SF}}{10,271 \text{ SF}}$	= 0.788 =	78.8%
LOT 14 COVERAGE =			

FAR:

LOT 1 = 1.00	LOT 8 = 1.06
LOT 2 = 1.20	LOT 9 = 1.07
LOT 3 = 0.85	LOT 10 = 1.11
LOT 4 = 0.90	LOT 11 = 1.07
LOT 5 = 0.90	LOT 12 = 1.28
LOT 6 = 1.03	LOT 13 = 1.06
LOT 7 = 1.04	LOT 14 = 0.80



1 OPEN SPACE
1/8" = 1'-0"

USABLE COMMON OPEN SPACE REQUIRED

RESIDENTIAL = 150 SF/DU x 18 DU = 2,700 SF MINIMUM
COMMERCIAL = 2.5% OF GROSS FLOOR AREA = 4,500 SF x 2.5% = 112.5 SF MINIMUM

USABLE COMMON OPEN SPACE PROVIDED

AREA 1: 1,990 SF → ALL RESIDENTIAL OPEN SPACE
AREA 2: 2,657 SF → 1,000 SF RESIDENTIAL OPEN SPACE + 1,657 SF COMMERCIAL OPEN SPACE

AREAS 1 & 2 CONTAIN NO
STORMWATER TREATMENT
CALCULATIONS EXCLUDE PARKING
STALLS AND RAMPS

CANYON CROSSINGS
10625 S. FOOTHILL BLVD.
CUPERTINO - CALIFORNIA

Date: 12/15/2017
Scale:
Revisions: 04/11/2017
01/11/2018

Drawing Title:

AREA CALCS

Sheet No:

A6

LPMD
Architects

1288 Kifer Road, Suite 206
Sunnyvale, CA 94086
Telephone : 408-992-0280
Fax : 408-992-0281

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.

BASIS OF BEARINGS: (FROM TOPOGRAPHIC MAP)
THE BEARING, NORTH 13°58'00" EAST, BETWEEN THE TWO FOUND CITY MONUMENTS ON THE MONUMENT LINE OF STEVENS CANYON ROAD AS SHOWN ON THAT CERTAIN RECORD OF SURVEY FILED FOR RECORD ON OCTOBER 19, 1964 IN BOOK 186 OF MAPS AT PAGE 44 IN THE OFFICE OF THE RECORDER, SANTA CLARA COUNTY, WAS TAKEN AS THE BASIS OF ALL BEARINGS SHOWN ON THIS MAP.



























BENCHMARK: (FROM TOPOGRAPHIC MAP)
DATUM: NAVD88
GEOID: 2012A
DERIVED FROM RTN GPS.


SURFACE LEGEND

STAMPED CONCRETE	
PAVERS	
AC PAVEMENT	

LEGEND

PROPERTY LINE
ADJACENT PROPERTY LINE
STREET CENTER LINE
BUILDING SETBACK LINES
EASEMENT
ROAD/PAVEMENT
CURB
CURB AND GUTTER
CONCRETE
CONTOUR MAJOR
CONTOUR MINOR
BUILDING
BUILDING 2nd FLOOR
BLOCK RETAINING WALL


EXISTING	PROPOSED
	
	
	
	
	
	
	
	
	
	
	
	
	




VICINITY MAP

NOTES:

- OWNER: SCR ENTERPRISES, LLC
15700 WINCHESTER BLVD
LOS GATOS, CA 95030
 - CIVIL ENGINEER: TERENCE J. SZEWCZYK, C35527
TS/CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
(408) 452-9300 (OFFICE) (408) 837-7550 (FAX)
 - THIS MAP REPRESENTS A SUBDIVISION WHICH CONTAINS APPROX. 67,343 SQ. FT. OR 1.546 ACRES.
OR 1.546 ACRES GROSS AREA 67,343 SQ. FT.
OR 1.378 ACRES NET AREA 60,025 SQ. FT.
 - EXISTING ZONING: P (CG)
EXISTING GENERAL PLAN: GENERAL COMMERCIAL
 - PROPOSED ZONING: P
PROPOSED GENERAL PLAN: MIXED-USE PLANNED DEVELOPMENT
 - EXISTING USE: COMMERCIAL SHOPPING AND RESIDENTIAL HOUSING
 - PROPOSED USE: 4,500 SF GROUND-FLOOR COMMERCIAL WITH PARKING BASEMENT
(5) PLATS OVER COMMERCIAL
(5) SINGLE FAMILY
(8) TOWNHOUSE (DUPLEX & TRIPLEX)
 - APN: 342-16-087
 - BUILDING AREA (SQ. FT.):
A. FIRST FLOOR: SEE ARCHITECTURAL PLANS
B. SECOND FLOOR: SEE ARCHITECTURAL PLANS
 - FLOOR AREA RATIO (FAR): SEE ARCHITECTURAL PLANS
 - WATER SUPPLY BY THE SAN JOSE WATER COMPANY
 - STORM WATER TO EXISTING CITY OF CUPERTINO FACILITIES
 - SANITARY SEWER BY CUPERTINO SANITARY DISTRICT.
 - POWER AND GAS BY PACIFIC GAS AND ELECTRIC
 - TELEPHONE BY AT&T
 - PARKING:
A. REQUIRED (STALLS):
B. PROVIDED (TOTAL STALLS): 37
I. UNI-SIZE: 35
II. HANDICAPPED: 5
 - HOURS OF OPERATIONS: TBD
 - PAVING AREA (SQ. FT. & % OF NET LOT AREA):
A. EXISTING: 30,886 SF 51.2%
B. PROPOSED: 22,021 SF 36.5%
 - LANDSCAPE AREA (SQ. FT. & % OF NET LOT AREA):
PROPOSED: 13,544 SF 22.4%
 - RECREATION AREA (SQ. FT. & % OF NET LOT AREA):
A. PRIVATE: 3,900 SF 6.5%
B. COMMON: 5,000 SF 8.3%
- SHEET INDEX:**
- | | |
|-----|---|
| C1 | TENTATIVE MAP |
| C1A | LOT DIMENSIONS AND EASEMENT |
| C2 | BOUNDARY AND TOPOGRAPHIC SURVEY AND PROP. STREET DEDICATION/ABANDONMENT |
| C3 | SITE AERIAL PHOTO |
| C4 | NEIGHBORHOOD AERIAL PHOTO |
| C5 | DEMOLITION PLAN |
| C6 | ON-SITE GRADING AND DRAINAGE PLAN |
| C7 | PARKING BASEMENT PLAN |
| C8 | ON-SITE UTILITY PLAN |
| C9 | OFF-SITE IMPROVEMENT PLAN |
| C10 | PROFILES |
| C11 | PROFILES |
| C12 | SECTIONS |
| C13 | DETAILS |
| C14 | BLUEPRINT FOR A CLEAN BAY |
| ST1 | STORMWATER TREATMENT PLAN |
| ST2 | STORMWATER TREATMENT PLANS AND CALCULATIONS |



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SZEWCZYK, C.E.
EXPIRATION DATE: 09/30/2020

BY	REVISIONS	DATE
6		
5		
4		
3		
2		
1		



TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110

PH: 408.452.9300


FAX: 408.837.7550

CANYON
CROSSINGS

TENTATIVE MAP
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.
SCALE:	1"=20'	C1
DRAWN BY:	DKH	OF 17 SHEETS
SURVEYED BY:	JMS	JOB NO.
PROJ ENGR:	TJS	14-214
CHECK BY:	TJS	


09/11/2020 4:59pm - N:\2014 JOBS\14-214\DWG\14-214 C1A LOT DIMENSIONS AND EASEMENT.dwg - 1A



LOT AREAS:

STEVENS CANYON ROAD DEDICATION	6,963 SF	(0.160 AC)
FOOTHILL BOULEVARD ROAD DEDICATION	348 SF	(0.008 AC)
NET AREA	60,025 SF	(1.378 AC)
GROSS AREA	67,343 SF	(1.546 AC)

PSDE	PRIVATE STORM DRAINAGE EASEMENT
SSE	SANITARY SEWER EASEMENT
PUE	PUBLIC UTILITY EASEMENT
PWLE	PRIVATE STORM DRAINAGE EASEMENT
SDE	STORM DRAINAGE EASEMENT
PMFE	STORMWATER MANAGEMENT FACILITIES EASEMENT



TERENCE J. SIEWCZYK
EXPIRATION DATE: 09/30/21




FAX: 408.837.7550

LOT DIMENSIONS AND EASEMENT
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
 APN: 342-16-087
 CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO. C1A OF 17 SHEETS JOB NO. 14-214
SCALE:	1"=20'	
DRAWN BY:	DKH	
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	
CHECK BY:	TJS	

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



SURVEYOR'S STATEMENT

THIS SURVEY WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION.

Jack M. Smith
JACK M. SMITH, P.L.S. #7539
LICENSE EXPIRES: 12-31-2015



DATE _____

ABBREVIATIONS:

AC	ASPHALTIC CONCRETE
CB	CATCH BASIN
CONC	CONCRETE
CMP	CORRUGATE METAL PIPE
DI	STORM DRAIN DROP INLET
EP	EDGE OF PAVEMENT
FF	FINISHED FLOOR
FL	FLOWLINE
GM	GAS METER
GS	GROUND SHOT
JP	JOINT POLE
N.R.	NOT OF RECORD
PLNTR	PLANTER
PP	POWER POLE
SL	STREET LIGHT
SSCO	SANITARY SEWER CLEAN-OUT
SSMH	SANITARY SEWER MANHOLE
TC	TOP OF CURB
TW	TOP OF WALL
WM	WATER METER
WV	WATER VALVE

NOTES:

1. ALL DISTANCES ARE IN FEET AND DECIMALS THEREOF.
2. THE DATE OF THE FIELD SURVEY WAS SEPTEMBER 17, 2014.
3. ONLY A SIGNATURE IN BLUE INK INDICATES A TRUE AND ORIGINAL COPY.

BENCHMARK:



DATUM: NAVD88
GEOID: 2012A

DERIVED FROM RTN GPS

BASIS OF BEARINGS

THE BEARING, NORTH 13°58'00" EAST, BETWEEN THE TWO FOUND CITY MONUMENTS ON THE MONUMENT LINE OF STEVENS CANYON ROAD AS SHOWN ON THAT CERTAIN RECORD OF SURVEY FILED FOR RECORD ON OCTOBER 19, 1964 IN BOOK 186 OF MAPS AT PAGE 44 IN THE OFFICE OF THE RECORDER, SANTA CLARA COUNTY, WAS TAKEN AS THE BASIS OF ALL BEARINGS SHOWN ON THIS MAP.

TITLE REPORT NOTE:

PRELIMINARY TITLE REPORT PREPARED BY OLD REPUBLIC TITLE COMPANY DATED MAY 7, 2014. ORDER NO. 0616011152-SL

SHARON LoFOUNTAIN
SLAFoundation@ORTC.COM
(408) 557-8400

UTILITY NOTE:

UTILITIES SHOWN ON THIS SURVEY ARE BASED ON SURFACE OBSERVATIONS. NO WARRANTIES ARE EXPRESSED OR IMPLIED CONCERNING THE EXISTENCE, SIZE, DEPTH, CONDITION, CAPACITY, OR LOCATION OR ANY UTILITY EXISTING ON THE SITE, WHETHER PRIVATE, MUNICIPAL, OR PUBLIC OWNED.

CONTRACTOR SHALL VERIFY ALL UTILITIES PRIOR TO CONSTRUCTION



TREE NOTE:

TREE TYPES, DRIP LINES, AND SIZE ARE FOR INFORMATIONAL PURPOSES ONLY. ACTUAL TYPE OF TREE, TREE SHAPE, AND GROVE CONFIGURATION MAY VARY FROM ACTUAL FIELD CONDITIONS. NO WARRANTIES ARE IMPLIED IN REGARD TO TREE INFORMATION.

LEGEND:

	FLOW LINE
	OVERHEAD LINE
	STORM DRAIN LINE
	WOOD FENCE
	SD MANHOLE
	SS MANHOLE
	INDICATES TREE SIZE AND TYPE
	OAK
	PEPPER TREE
	PERSIMMON
	REDWOOD

GRAPHIC SCALE



DESIGNED UNDER THE SUPERVISION OF

Terence J. Szwed
TERENCE J. SZWED, P.L.S. #35527
EXPIRATION DATE: 09/30/2024

NO.	REVISIONS	DATE
6		
5		
4		
3		
2		
1		



PH: 408.452.9300

CIVIL ENGINEERING

TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110

FAX: 408.837.7550

CANYON
CROSSINGS

**BOUNDARY AND TOPOGRAPHIC SURVEY AND
PROP. STREET DEDICATION/ABANDONMENT**

LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD

APN: 342-16-087

CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE: 9-11-20
SCALE: 1"=20'
DRAWN BY: JMS/DKH
SURVEYED BY: JMS
PROJ ENGR: TJS
CHECK BY: TJS

SHEET NO.


C2

OF 17 SHEETS

JOB NO.

14-214

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SAWCZUK
EXPIRATION DATE: 09/30/2020

6			
5			
4			
3			
2			
1			
BY	REVISIONS	DATE	



TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110

PH: 408.452.9300 FAX: 408.837.7550


CANYON
CROSSINGS

SITE AERIAL PHOTO
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.
SCALE:	1"=20'	C3
DRAWN BY:	DKH	
SURVEYED BY:	JMS	OF 17 SHEETS
PROJ ENGR:	TJS	JOB NO.
CHECK BY:	TJS	14-214

09/11/2020 5:05pm - N: \\2014-JOBS\\14-214\\DWG\\14-214 C3-C4 AERIAL.dwg - C3

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SAWCZUK
EXPIRATION DATE: 09/30/24

6		
5		
4		
3		
2		
1		
BY	REVISIONS	DATE



TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA. 95110

PH: 408.452.9300

FAX: 408.837.7550


CANYON
CROSSINGS

NEIGHBORHOOD AERIAL PHOTO
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE: 9-11-20
SCALE: 1"=50'
DRAWN BY: DKH
SURVEYED BY: JMS
PROJ ENGR: TJS
CHECK BY: TJS


SHEET NO.
C4
OF 17 SHEETS
JOB NO.
14-214

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



LEGEND

- EXISTING AC PAVEMENT TO BE REMOVED, INCLUDING ANY ASSOCIATED BASE/ROCK. SAWCUT AT NEAT, STRAIGHT LINES.
- EX. LANDSCAPING TO BE REMOVED. CLEAR AND GRUB 3" OF SOIL AND REMOVE ALL ORGANIC MATERIAL. COORDINATE WITH LANDSCAPE ARCHITECT PRIOR TO REMOVING ANY TREES.
- REMOVE EX. BUILDING INCLUDING CONCRETE FOUNDATION AND ANY ASSOCIATED REBAR AND BASE ROCK.
- REMOVE EX. CONCRETE INCLUDING ANY ASSOCIATED REBAR AND BASE ROCK. SAWCUT EX. CONCRETE AT CLOSEST SCORE JOINT WITH A CLEAN EDGE.
- EX. CURB TO BE REMOVED. SAWCUT AT NEAREST SCORE JOINT WITH A NEAT, CLEAN EDGE.
- EXISTING UTILITY LINE TO BE REMOVED. CUT AND CAP LINE AT MAIN.
- REMOVE EX. CONCRETE AND ASSOCIATED BASE MATERIAL. SAWCUT TO THE NEAREST CONCRETE JOINT.
- EXISTING UTILITY LINE TO BE REMOVED. CUT AND CAP LINE AT MAIN.
- EXISTING TREE TO BE REMOVED INCLUDING ASSOCIATED ROOT BALL. COORDINATE WITH LANDSCAPE ARCHITECT, CITY, AND ARBORIST PRIOR TO REMOVING ANY TREES.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SEWICZYN
EXPIRATION DATE: 09/30/2020

6			
5			
4			
3			
2			
1			
BY	REVISIONS	DATE	



TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA. 95110

PH: 408.452.9300

FAX: 408.837.7550

CANYON
CROSSINGS

DEMOLITION PLAN
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.
SCALE:	1"=20'	C5
DRAWN BY:	DKH	OF 17 SHEETS
SURVEYED BY:	JMS	JOB NO.
PROJ ENGR:	TJS	14-214
CHECK BY:	TJS	

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.

NOTES

- ALL WORK SHALL BE IN ACCORDANCE WITH THE STATES OF CALIFORNIA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS (DATED, JULY 1992), STANDARD PLANS (DATED JULY 1992), AND CITY OF CUPERTINO STANDARD DETAILS. THE CONTRACTOR SHALL PERFORM THE WORK DESCRIBED IN THE SPECIFICATIONS, AND AS SHOWN ON THE DRAWINGS, AND TO THE SPECIFICATION OF THE CITY ENGINEER.
- APPROVAL OF THESE PLANS SHALL NOT RELEASE THE OWNER OR CONTRACTOR OF THE RESPONSIBILITY FOR CORRECTIONS OF MISTAKES, ERRORS, OR OMISSIONS CONTAINED THEREIN. IF DURING THE COURSE OF CONSTRUCTION OF IMPROVEMENTS, PUBLIC INTEREST REQUIRES A MODIFICATION OF OR A DEPARTURE FROM THE CITY OF CUPERTINO STANDARD DETAILS OR THESE IMPROVEMENT PLANS, THE CITY ENGINEER SHALL HAVE THE AUTHORITY TO REQUIRE SUCH MODIFICATION OR

DEPARTURE AND TO SPECIFY THE MANNER IN WHICH THE SAME IS TO BE COMPLETED, AT THE SOLE EXPENSE OF THE OWNER OR CONTRACTOR.


- APPROVAL OF THESE PLANS BY THE CITY ENGINEER IS ONLY FOR PUBLIC RIGHT-OF-WAY IMPROVEMENTS (INCLUDING STORM DRAIN IN THE RIGHT OF WAY), AND NOT WATER, SEWER, OR DRY UTILITIES. IT IS THE DEVELOPER'S/OWNER'S RESPONSIBILITY TO COORDINATE REVIEWS AND APPROVAL FROM EACH OF THE UTILITY COMPANIES, AND TO PROVIDE APPROVAL LETTERS AS REQUESTED.
- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THE APPROVED PLANS OR THE LATEST REVISED PLANS ARE FURNISHED TO ITS SUBCONTRACTORS, AND TO ENSURE THE LATEST APPROVED PLANS ARE ONSITE AT ALL TIMES DURING CONSTRUCTION.

- THE CONTRACTOR SHALL NOTIFY THE CITY OF CUPERTINO PUBLIC WORKS INSPECTOR TWO (2) WORKING DAYS PRIOR TO REQUIRING AN INSPECTION. CALL (408) 777-3104 TO SCHEDULE PUBLIC WORKS INSPECTIONS.
- CONSTRUCTION AREA TRAFFIC CONTROL DEVICES SHALL BE INSTALLED PRIOR TO BEGINNING OF WORK.
- NOTIFY CITY OF CUPERTINO TRAFFIC SIGNAL MAINTENANCE FOR INSPECTION OF TRAFFIC SIGNAL FACILITY FOUNDATION EXCAVATIONS AT (408) 777-1366, TWO (2) WORKING DAYS PRIOR TO POURING ANY CABINET OR SIGNAL FOUNDATIONS RELATING TO THE JOB.
- THE CONTRACTOR SHALL LOCATE UNDERGROUND FACILITIES IN THE AREA OF WORK. THE CONTRACTOR SHALL CONTACT UNDERGROUND SERVICE ALERT (USA) AT 811 TWO (2) WORKING DAYS IN ADVANCE OF ANY WORK FOR LOCATION OF THE UNDERGROUND FACILITIES.


- ALL UNDERGROUND UTILITIES SHALL BE INSTALLED AND ADEQUATELY BACKFILLED BEFORE PLACEMENT OF THE BASE MATERIAL AND THE SURFACE STRUCTURES. IF UTILITIES ARE TO BE INSTALLED SUBSEQUENTLY, A WRITTEN NOTIFICATION FROM THE AFFECTED UTILITY COMPANY INDICATING ITS COMMITMENT TO BORE OR TUNNEL SHALL BE SUBMITTED TO THE CITY ENGINEER BEFORE PROCEEDING WITH THE WORK. UNDERGROUND UTILITIES, EXCEPT STORM DRAINS AND SANITARY SEWER, SHALL NOT BE PERMITTED IN PAVEMENT AREA, WITH THE EXCEPTION OF STREET CROSSINGS, UNLESS APPROVED BY THE CITY ENGINEER.
- ALL WATER LINES, VALVES, HYDRANTS, AND APPURTENANCES THERETO INSTALLED WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE THE PROPERTY OF THE WATER UTILITY COMPANY.
- STORM DRAIN LINES INSTALLED AS PART OF THE WORK ON THESE PLANS SHALL BE CLEARED OF ALL DEBRIS AND OBSTRUCTIONS PRIOR TO FINAL ACCEPTANCE.

- ALL TRENCH BACKFILL, FILL AREAS, AND BASE MATERIAL SHALL ATTAIN A MINIMUM 95% RELATIVE COMPACTION. FOR TYPICAL TRENCH SECTIONS, EXCEPT FOR SANITARY SEWERS, REFER TO THE CITY STANDARD DETAILS.
- THE DEVELOPER SHALL PAY ALL COSTS FOR MOISTURE-DENSITY CURVES (CALIF. TEST NO. 216E) AND ANY OTHER TESTS REQUIRED BY THE CITY ENGINEER DURING STREET CONSTRUCTION.
- TREES, ROOTS AND FOREIGN MATTER IN EXISTING OR PROPOSED RIGHT-OF-WAY SHALL BE REMOVED TO A DEPTH OF TWO (2) FEET BELOW SUBGRADE AND DISPOSED OF PER CALTRANS STANDARDS. IN THE CASE OF LIVE TREE ROOTS FROM CITY STREET TREES, CONTRACTOR SHALL CONTACT THE CITY FOR FIELD OBSERVATION PRIOR TO REMOVING TREE ROOTS.

- TRENCH PLATE IN THE TRAVELED WAY SHALL BE TRAFFIC RATED, PROPERTY SECURED AND SHALL BE RECESSED UPON THE REQUEST OF THE DIRECTOR OF PUBLIC WORKS.
- ALL TRENCHES LOCATED WITHIN 5' OF THE EDGE OF PAVEMENT (I.E. CURB, LIP OF GUTTER, EDGE OF PAVEMENT, ETC.) SHALL BE REPAVED TO THE EDGE OF PAVEMENT.
- ALL NEW PAVEMENT SHALL MATCH THE EXISTING PAVEMENT SECTION. A MINIMUM PAVEMENT SECTION OF 3" AC/6" CLASS 2 AB IS REQUIRED.
- ALL EXISTING PAVEMENT THAT IS REMOVED OR DAMAGED SHALL BE REPLACED AS REQUIRED BY THE CITY ENGINEER.
- MANHOLES FRAMES AND COVERS SHALL BE BROUGHT TO FINISH GRADE PRIOR TO FINAL SIGNOFF.
- FIVE (5) WORKING DAYS PRIOR TO INSTALLING PERMANENT STRIPING, THE CONTRACTOR SHALL CAT TRACK THE STRIPING AND REQUEST REVIEW OF THE CAT TRACKS BY THE CITY TRAFFIC ENGINEER. THE CITY ENGINEER SHALL HAVE THE RIGHT TO MAKE CHANGES IN THE LOCATION OF THE ALIGNMENT OF TRAFFIC STRIPES, PAVEMENT MARKINGS, AND PAVEMENT MARKERS.
- CONCRETE FOR USE FOR ALL CONCRETE STRUCTURES SHALL CONFORM TO CALIFORNIA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS SECTION 90. DROP INLETS, SIDEWALKS, CURBS AND GUTTERS SHALL CONTAIN 580 LBS. OF CEMENT PER CUBIC YARD AND SHALL ATTAIN A MINIMUM STRENGTH OF 3,000 PSI IN 28 DAYS.
- DROP INLETS SHALL BE CONSTRUCTED CONFORMING TO CITY STANDARD DETAILS UNLESS OTHERWISE NOTED ON THE PLANS. DROP INLETS SHALL BE INSTALLED CONCURRENT WITH THE CONSTRUCTION OF THE CURB AND GUTTER NO DUMPING FLOWS TO THE BAY. PLAQUE SHALL BE INSTALLED ON THE CURB ADJACENT TO ALL INLETS.
- A MINIMUM THICKNESS OF FIVE (5) INCHES OF CONCRETE SHALL BE REQUIRED FOR COMMERCIAL DRIVEWAY APPROACHES AND FOUR (4) INCHES FOR RESIDENTIAL. THE DRIVEWAY APPROACH SHALL BE INSTALLED CONCURRENT WITH THE CONSTRUCTION OF THE CURB AND GUTTER.
- ONE POUND OF DISPERSING BLACK SHALL BE MIXED WITH EACH CUBIC YARD OF CONCRETE AT THE BATCH PLANT.
- CITY STANDARD STREETS LIGHTS SHALL BE INSTALLED AS REQUIRED BY THE DIRECTOR OF PUBLIC WORKS, AND SHALL CONFORM TO THE CITY STANDARD DETAILS AND NOTES. DURING CONSTRUCTION OPERATIONS, TEMPORARY STREET LIGHTING SHALL BE PROVIDED AS NECESSARY TO ENSURE THE PUBLIC SAFETY. TEMPORARY STREET LIGHTS SHALL BE INSTALLED AT THE DISCRETION OF, AND TO THE SATISFACTION OF, THE DIRECTOR OF PUBLIC WORKS.
- CITY STANDARD STREET MONUMENTS SHALL BE CONSTRUCTED AT THE LOCATIONS SHOWN ON THE PLANS OR AS DIRECTED BY THE CITY ENGINEER.
- NEW CITY STANDARD STREET MONUMENTS AND OTHER PERMANENT MONUMENTS DISTURBED DURING CONSTRUCTION SHALL BE REPLACED BEFORE ACCEPTANCE OF THE IMPROVEMENTS BY THE CITY ENGINEER. ATTENTION IS DIRECTED TO SECTION 8771 OF THE CALIFORNIA BUSINESS AND PROFESSIONS CODE FOR THE REQUIREMENTS CONCERNING SURVEY MONUMENTS. EXISTING SURVEY MONUMENTS SHALL BE LOCATED AND REFERENCED BY OR UNDER THE DIRECTION OF A LICENSED LAND SURVEYOR OR REGISTERED CIVIL ENGINEER PRIOR TO CONSTRUCTION OPERATIONS, AND A CORNER RECORD OR RECORD OF SURVEY SHALL BE FILED WITH THE COUNTY SURVEYOR OF THE COUNTY OF SANTA CLARA. EXISTING SURVEY MONUMENTS SHALL BE RESET TO FINISHED GRADE, AND A CORNER RECORD OR RECORD OF SURVEY SHALL BE FILED WITH THE COUNTY SURVEYOR OF THE COUNTY OF SANTA CLARA PRIOR TO THE RECORDING OF THE CERTIFICATE OF COMPLETION FOR THE PROJECT.
- CONSTRUCTION SURVEY STAKES OR MARKS (CONTROL STAKES) TO ESTABLISH LINES AND GRADES SHALL BE SET BY THE CONTRACTOR'S SURVEYOR OR ENGINEER.
- NOTIFY THE CITY INSPECTOR TWO (2) WORKING DAYS IN ADVANCE OF REQUIRING SERVICES FOR CHECKING FIELD STAKING. THREE (3) COPIES OF THE CUT SHEETS SHALL BE FURNISHED TO THE CITY INSPECTOR.
- GRADING OF LOTS SHALL BE COMPLETED AS DETERMINED BY THE CITY ENGINEER, AS SHOWN ON THE PLANS, AND SHALL FOLLOW REQUIREMENTS AND STANDARDS AS SET FORTH IN THE CITY STANDARDS GRADING AND DRAINAGE NOTES.
- DEMOLITION OF SEPTIC TANKS SHALL CONFORM TO THE SANTA CLARA COUNTY ENVIRONMENTAL HEALTH DEPARTMENT REGULATIONS. WORK SHALL BE DONE PRIOR TO CONSTRUCTION.




DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



	DESIGNED UNDER THE SUPERVISION OF		TS CIVIL ENGINEERING, INC. 1776 TECHNOLOGY DRIVE SAN JOSE, CA. 95110 PH: 408.452.9300 FAX: 408.837.7550	CANYON CROSSINGS	BASEMENT PARKING PLAN LAND OF SCR ENTERPRISES, LLC 10625 S. FOOTHILL BLVD APN: 342-16-087 CUPERTINO SANTA CLARA COUNTY CALIFORNIA	DATE: 3-11-19	SHEET NO.
	TERENCE J. SWACZYNSKI EXPIRATION DATE: 09/30/2018					SCALE: 1"=20'	C7
BY: _____		REVISIONS	DATE	SURVEYED BY: JMS		OF 16 SHEETS	
BY: _____		REVISIONS	DATE	PROJ ENGR: TJS		JOB NO.	
BY: _____		REVISIONS	DATE	CHECK BY: TJS		14-214	

03/11/2019 4:33pm - N: \\2019_40BS\\14-214\\dwg\\14-214_C7 BASEMENT PARKING PLAN.dwg - C7




6		
5		
4		
3		
2		
1		
BY	REVISIONS	DATE



FAX: 408.837.7550

DATE:	9-11-20	SHEET NO. <div style="font-size: 2em; font-weight: bold; text-align: center;">C7</div> OF 17 SHEETS
SCALE:	1"=20'	
DRAWN BY:	DKH	
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	
CHECK BY:	TJS	JOB NO. <div style="font-size: 2em; font-weight: bold; text-align: center;">14-214</div>

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



LEGEND

- W WATER LINE WITH WATER METER
- SS SS LINE WITH CLEANOUT
- JT JOINT TRENCH
- E ELECTRICAL LINE
- G GAS LINE
- Fire Hydrant
- Fire Department Connection
- Blow Off Valve

GRAPHIC SCALE

(IN FEET)
1" = 20'

DESIGNED UNDER THE SUPERVISION OF
Terence J. Serwaczynski
TERENCE J. SERWACZYNSKI
EXPIRATION DATE: 09/30/2024
9-11-20
35527

6			
5			
4			
3			
2			
1			
BY	REVISIONS	DATE	



TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110


PH: 408.452.9300 FAX: 408.837.7550


CANYON
CROSSINGS

ON-SITE UTILITY PLAN
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.	
SCALE:	1"=20'	C8	
DRAWN BY:	DKH	OF 17 SHEETS	
SURVEYED BY:	JMS	JOB NO.	
PROJ ENGR:	TJS		
CHECK BY:	TJS		


09/11/2020 5:01pm - N: \\2014.00BS\14-214\DWG\14-214 C8 ON-SITE UTILITY PLAN.dwg - C8






CIVIL ENGINEERING

DATE:	9-11-20	SHEET NO. <div style="font-size: 2em; font-weight: bold; text-align: center;">C9</div> OF 17 SHEETS
SCALE:	1"=20'	
DRAWN BY:	DKH	
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	JOB NO. <div style="font-size: 1.5em; font-weight: bold; text-align: center;">14-214</div>
CHECK BY:	TJS	



6		
5		
4		
3		
2		
1		
BY	REVISIONS	DATE







CIVIL ENGINEERING

FAX: 408.837.7550

CUPERTINO SANTA CLARA COUNTY CALIFORNIA

CHECK BY:	TJS	14-214
-----------	-----	--------

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SEWCZYNSKI
EXPIRATION DATE: 09/30/2024

BY	REVISIONS	DATE
6		
5		
4		
3		
2		
1		




TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
PH: 408.452.9300 FAX: 408.837.7550

CANYON
CROSSINGS

ROAD PLANS AND PROFILES
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE: 9-11-20	SHEET NO.
SCALE: AS NOTED	C10
DRAWN BY: DKH	OF 17 SHEETS
SURVEYED BY: JMS	JOB NO.
PROJ ENGR: TJS	14-214
CHECK BY: TJS	

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SEWICZYN
EXPIRATION DATE: 09/30/24

BY	REVISIONS	DATE
6		
5		
4		
3		
2		
1		

TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
PH: 408.452.9300 FAX: 408.837.7550







CANYON
CROSSINGS

ROAD PLAN AND PROFILE
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.
SCALE:	AS NOTED	C11
DRAWN BY:	DKH	OF 17 SHEETS
SURVEYED BY:	JMS	JOB NO.
PROJ ENGR:	TJS	14-214
CHECK BY:	TJS	

09/11/2020 5:02pm - N: \\2014-JOB\\14-214\\DWG\\14-214 C11 PROFILES.dwg - 11

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SEWICZ
EXPIRATION DATE: 09/30/24

BY	REVISIONS	DATE
6		
5		
4		
3		
2		
1		

TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
PH: 408.452.9300 FAX: 408.837.7550

CANYON
CROSSINGS

CROSS SECTIONS
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE: 9-11-20	SHEET NO.
SCALE: AS NOTED	C12
DRAWN BY: DKH	OF 17 SHEETS
SURVEYED BY: JMS	JOB NO.
PROJ ENGR: TJS	14-214
CHECK BY: TJS	

MECHANICAL 2 LINE PIPE RAIL


ITEM NO.	PART NO.	DESCRIPTION	MATERIAL
1	ARS13	1 1/2" SCH40 ALUM. PIPE TOP RAIL	6063-T6
2	ARS13	1 1/2" SCH40 ALUM. PIPE POST	6061-T6
3	ARS13	1 1/2" SCH40 ALUM. PIPE INTERMEDIATE RAIL	6063-T6
4	ARS305/304	5"Ø CAST ALUM. POST SHOE	

NOTES:


- SIDE MOUNT IS AVAILABLE
- ADDITIONAL LINES AVAILABLE PER JOB SPECIFICATIONS.
- PRE ENGINEERED AND PRE FABRICATED OR KNOCK DOWN FOR FIELD FIT.

AMERICAN RAILING SYSTEMS, INC. 1813 MCCLELLAN AVE., DRIE, PA 16510 PHONE: (814) 899-7677 WWW.AMERICANRAILING.COM FAX: (814) 899-0743 EMAIL.ARS@AMERICANRAILING.COM STYLE: MECHANICAL TWO LINE PIPE RAIL FINISHES AVAIL: BAKED ENAMEL, KYNAR, ANODIZED, DURANODIC & POWDER COAT	CUSTOMER: JOB NAME: DATE: DRN. BY: JOB #

NOT TO SCALE




N.T.S.



NOT TO SCALE

NOT TO SCALE

6		
5		
4		
3		
2		
1		
BY	REVISIONS	DATE




FAX: 408.837.7550

DETAILS
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
 APN: 342-16-087
 PERTINO SANTA CLARA COUNTY CALIFOR


DATE:	9-11-20	SHEET NO.
SCALE:	1"=20'	C13 OF 17 SHEETS
DRAWN BY:	DKH	
SURVEYED BY:	JMS	JOB NO. 14-214
PROJ ENGR:	TJS	
CHECK BY:	TJS	

Pollution Prevention — It's Part of the Plan



Make sure your crews and subs do the job right!

Runoff from streets and other paved areas is a major source of pollution in San Francisco Bay. Construction activities can directly affect the health of the Bay unless contractors and crews plan ahead to keep dirt, debris, and other construction waste away from storm drains and local creeks. Following these guidelines will ensure your compliance with local ordinance requirements.



Materials storage & spill cleanup

Non-hazardous materials management

- ✓ Sand, dirt, and similar materials must be stored at least 10 feet from catch basins, and covered with a tarp during wet weather or when rain is forecast.
- ✓ Use (but don't overuse) reclaimed water for dust control as needed.
- ✓ Sweep streets and other paved areas daily. Do not wash down streets or work areas with water!
- ✓ Recycle all asphalt, concrete, and aggregate base material from demolition activities.
- ✓ Check dumpsters regularly for leaks and to make sure they don't overflow. Repair or replace leaking dumpsters promptly.

Hazardous materials management

- ✓ Label all hazardous materials and hazardous wastes (such as pesticides, paints, thinners, solvents, fuel, oil, and antifreeze) in accordance with city, state, and federal regulations.
- ✓ Store hazardous materials and wastes in secondary containment and cover them during wet weather.
- ✓ Follow manufacturer's application instructions for hazardous materials and be careful not to use more than necessary. Do not apply chemicals outdoors when rain is forecast within 24 hours.
- ✓ Be sure to arrange for appropriate disposal of all hazardous wastes.

Spill prevention and control

- ✓ Keep a stockpile of spill cleanup materials (rags, absorbents, etc.) available at the construction site at all times.
- ✓ When spills or leaks occur, contain them immediately and be particularly careful to prevent leaks and spills from reaching the gutter, street, or storm drain. Never wash spilled material into a gutter, street, storm drain, or creek!
- ✓ Report any hazardous materials spills immediately! Dial 911 or your local emergency response number.

Vehicle and equipment maintenance & cleaning

- ✓ Inspect vehicles and equipment for leaks frequently. Use drip pans to catch leaks until repairs are made; repair leaks promptly.
- ✓ Fuel and maintain vehicles on site only in a bermed area or over a drip pan that is big enough to prevent runoff.
- ✓ If you must clean vehicles or equipment on site, clean with water only in a bermed area that will not allow rinsewater to run into gutters, streets, storm drains, or creeks.
- ✓ Do not clean vehicles or equipment on-site using soaps, solvents, degreasers, steam cleaning equipment, etc.



Dewatering operations

- ✓ Reuse water for dust control, irrigation, or another on-site purpose to the greatest extent possible.
- ✓ Be sure to call your city's storm drain inspector before discharging water to a street, gutter, or storm drain. Filtration or diversion through a basin, tank, or sediment trap may be required.
- ✓ In areas of known contamination, testing is required prior to reuse or discharge of groundwater. Consult with the city inspector to determine what testing to do and to interpret results. Contaminated groundwater must be treated or hauled off-site for proper disposal.



Concrete, grout, and mortar storage & waste disposal

- ✓ Be sure to store concrete, grout, and mortar under cover and away from drainage areas. These materials must never reach a storm drain.
- ✓ Wash out concrete equipment/trucks off-site or designate an on-site area for washing where water will flow onto dirt or into a temporary pit in a dirt area. Let the water seep into the soil and dispose of hardened concrete with trash.
- ✓ Divert water from washing exposed aggregate concrete to a dirt area where it will not run into a gutter, street, or storm drain.
- ✓ If a suitable dirt area is not available, collect the wash water and remove it for appropriate disposal off site.



Saw cutting

- ✓ Always completely cover or barricade storm drain inlets when saw cutting. Use filter fabric, hay bales, sand bags, or fine gravel dams to keep slurry out of the storm drain system.
- ✓ Shovel, absorb, or vacuum saw-cut slurry and pick up all waste as soon as you are finished in one location or at the end of each work day (whichever is sooner!).
- ✓ If saw cut slurry enters a catch basin, clean it up immediately.

Paving/asphalt work

- ✓ Do not pave during wet weather or when rain is forecast.
- ✓ Always cover storm drain inlets and manholes when paving or applying seal coat, tack coat, slurry seal, or fog seal.
- ✓ Place drip pans or absorbent material under paving equipment when not in use.
- ✓ Protect gutters, ditches, and drainage courses with hay bales, sand bags, or earthen berms.
- ✓ Do not sweep or wash down excess sand from sand sealing into gutters, storm drains, or creeks. Collect sand and return it to the stockpile, or dispose of it as trash.
- ✓ Do not use water to wash down fresh asphalt concrete pavement.



Earthwork & contaminated soils

- ✓ Keep excavated soil on the site where it is least likely to collect in the street. Transfer to dump trucks should take place on the site, not in the street.
- ✓ Use hay bales, silt fences, or other control measures to minimize the flow of silt off the site.
- ✓ Avoid scheduling earth moving activities during the rainy season if possible. If grading activities during wet weather are allowed in your permit, be sure to implement all control measures necessary to prevent erosion.
- ✓ Mature vegetation is the best form of erosion control. Minimize disturbance to existing vegetation whenever possible.
- ✓ If you disturb a slope during construction, prevent erosion by securing the soil with erosion control fabric, or seed with fast-growing grasses as soon as possible. Place hay bales down-slope until soil is secure.
- ✓ If you suspect contamination (from site history, discoloration, odor, texture, abandoned underground tanks or pipes, or buried debris), call your local fire department for help in determining what testing should be done.
- ✓ Manage disposal of contaminated soil according to Fire Department instructions.



BASMAA Bay Area Stormwater Management
Agencies Association (BASMAA)
1-888-BAYWISE

Storm drain polluters may be liable for fines of up to \$10,000 per day!

DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SEWICZ
EXPIRATION DATE: 09/30/24

NO.	BY	REVISIONS	DATE
6			
5			
4			
3			
2			
1			

TS
PH: 408.452.9300


TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
FAX: 408.837.7550

CANYON
CROSSINGS

BLUEPRINT FOR A CLEAN BAY
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.
SCALE:	NONE	C14
DRAWN BY:	DKH	OF 17 SHEETS
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	JOB NO.
CHECK BY:	TJS	14-214

321



REED ASSOCIATES
LANDSCAPE ARCHITECTURE
477 SOUTH TAAFFE STREET
SUNNYVALE, CALIFORNIA 94086
408.481-9020 / 408.481-9022 FAX
web: www.raia.net / email: paul@raia.net

Canyon Crossing


10625 S. Foothill Blvd.
Cupertino, CA

ISSUE	DATE
PRIVACY SCREENING	05.01.18
SITE UPDATE	01.27.20



OWNERSHIP AND USE OF DOCUMENTS
All Drawings, Specifications and copies thereof furnished by Reed Associates Landscape Architecture are and shall remain its property. They are to be used only with respect to this Project and are not to be used on any other project. Submission or distribution to meet official regulatory requirements or for purposes in connection with the Project is not to be construed as publication in derogation of Reed Associates Landscape Architecture, common law copyright or other reserved rights.

Approved pir
Drawn ds Reviewed pir
Project No. ---
Scale 1"=20' Issue Date 1.27.2020



PLANT SYMBOLS

INDICATES PLANT KEY
 INDICATES PLANT QUANTITY

EXISTING TREE TO REMAIN

KEY LEGEND

- 'DUMOR' BENCH
SEE DETAIL (No. 12 ON SHEET L3.0)
- BIKE RACK
SEE DETAIL (No. 8 ON SHEET L3.1)
- TABLE SEATING BY 'DUMOR'
SEE DETAIL (No. 10 ON SHEET L3.1)
- WOOD FENCE
SEE DETAIL (No. 11 ON SHEET L3.0)
- TABLE SEATING BY 'DOTY AND SONS' WITH CHESS BOARD
(T7102) FINISH :SB7 COLOR: SB2 SEALER: ACR2
- 'TOURNASOL' PLANTER (UR-4800-GFRC)
FINISH : NATURL SAND
COLOR: SHARK

PLANT NOTES:


- THE CONTRACTOR SHALL VERIFY PLANT QUANTITIES FROM THE PLANTING PLAN. QUANTITIES SHOWN IN THE LEGEND ARE FOR CONVENIENCE ONLY.
- NOTIFY THE LANDSCAPE ARCHITECT IMMEDIATELY IN THE EVENT OF ANY DISCREPANCIES BETWEEN ACTUAL SITE CONDITIONS AND THE PLANTING PLAN.
- PLANT GROUND COVER IN SHRUB AREAS AS NOTED, USE TRIANGULAR SPACING.
- SEE DETAIL AND SPECIFICATION SHEETS FOR ADDITIONAL INFORMATION.
- THERE WILL BE NO MATERIALS OR PLANT MATERIALS SUBSTITUTIONS WITHOUT APPROVAL OF THE OWNER OR THE LANDSCAPE ARCHITECT.
- ALL SLOPES PLANTED WITH GROUND COVER NOT TO EXCEED A 2:1 SLOPE.
- PROVIDE POSITIVE DRAINAGE AWAY FROM ALL BUILDINGS (2% MIN).
- IN THE EVENT OF ANY DISCREPANCIES BETWEEN THIS PLAN AND ACTUAL SITE CONDITIONS, THE LANDSCAPE ARCHITECT IS TO BE NOTIFIED IMMEDIATELY.
- ENTIRE SITE IS TO BE ROUGH GRADED BY THE GRADING

CONTRACTOR TO WITHIN 1/8 FOOT OF FINISH GRADE.
LANDSCAPE CONTRACTOR IS TO FINE GRADE ALL LANDSCAPE AREAS.

- ALL SITE UTILITIES ARE TO BE PROTECTED DURING CONSTRUCTION. IN THE EVENT OF CONFLICT BETWEEN THE PLANS AND UTILITIES THE CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT. ANY DAMAGE TO UTILITIES, STRUCTURES, OR OTHER FEATURES TO REMAIN, AND CAUSED BY THE LANDSCAPE CONTRACTOR SHALL BE REPLACED OR REPAIRED BY THE CONTRACTOR AT NO EXPENSE TO THE OWNER.
- THE WORK IN THESE DRAWINGS AND SPECIFICATIONS MY RUN CONCURRENTLY WITH WORK BY OTHERS. THE LANDSCAPE CONTRACTOR SHALL COORDINATE THE WORK WITH OTHER CONTRACTORS.
- PRIOR TO ANY DIGGING OR TRENCHING, CALL UNDERGROUND SERVICE ALERT -1800.227.2600
- ALL NEW PLANTED AREAS TO RECEIVE 3" MIN. LAYER OF BARK MULCH. SEE PLANTING SPECIFICATIONS.

PLANT LIST:

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	REMARKS	WUCOLS
TREES						
T1	LAGERSTROMIA I. 'MIAMI'	MIAMI CRAPENRYTLE	---	24" BOX	STANDARD	LOW
T2	LAURUS 'SARATOGA'	SARATOGA BAY LAUREL	---	24" BOX	STANDARD	LOW
T3	ARBUTUS 'MARINA'	MARINA STRAWBERRY TREE	---	24" BOX	MULTI-TRUNK	LOW
T4	JUNIPERUS S. 'MOONGLOW'	MOONGLOW JUNIPER	---	24" BOX	COLUMNAR	LOW
SHRUBS						
S1	ARGYSTAPHYLOS D. 'HOWARD MCMINN'	MANZANITA	---	5 GAL		LOW
S2	SALVIA CLEVELANDII	CLEVELAND SAGE	---	5 GAL		LOW
S3	CHONDRPETALUM 'ECTORUM	CAPE RUSH	---	5 GAL		LOW
S4	RHAPHIOLEPIS U. 'MINOR'	DWARF YEDDO HAWTHORN	---	5 GAL		LOW
S5	INDIVINA D. 'COMPACTA'	HEAVENLY BAMBOO	---	5 GAL		LOW
S6	PHORMIUM 'MARGARET JONES'	NEW ZEALAND FLAX	---	5 GAL		LOW
S7	PITTOSPORIUM T. 'VARIEGATA'	VARIATED MOCK ORANGE	---	5 GAL		LOW
S8	PENSTEMON 'DARK TOWERS'	DARK TOWERS PENSTEMON	---	5 GAL		LOW
S9	LANTANA C. 'RADIATION'	RADIATION BUSH LANTANA	---	5 GAL		LOW
S10	CALLISTEMON C. 'JEFFERSII'	PINK BOTTLEBRUSH	---	5 GAL		LOW
S11	JUNICUS PATENS	CALIFORNIA GRAY RUSH	---	5 GAL		LOW
S12	PITTOSPORIUM 'TENUIFOLIUM	KOHUHU	---	15 GAL		LOW
GROUND COVERS						
G1	BULBINE FRUTESCENS	STALKED BULBINE	---	1 GAL	24" O.C.	LOW
G2	MAHONIA REPENS	CREeping MAHONIA	---	1 GAL	24" O.C.	LOW
G3	CAREX TUMULICOLA	FOOTHILL SEDGE	---	1 GAL	18" O.C.	LOW
G4	SATUREIA DOUGLASII	ISLAND ALUM ROOT	---	1 GAL	18" O.C.	LOW
G5	ROSMARINUS O. 'HUNGTINGTON CARPET'	CARPET ROSEMARY	---	1 GAL	36" O.C.	LOW




BEFORE EXCAVATING CALL: 811
48-HOURS BEFORE ALL
PLANNED WORK OPERATIONS



Know what's below.
Call before you dig.

Landscape Planting Plan

L1.0



REED ASSOCIATES
LANDSCAPE ARCHITECTURE
477 SOUTH TAAFFE STREET
SUNNYVALE, CALIFORNIA 94086
408.481-9020 / 408.481-9022 FAX
web: www.raia.net / email: paul@raia.net

Canyon Crossing


10625 S. Foothill Blvd.
Cupertino, CA

ISSUE	DATE
PRIVACY SCREENING	05.01.18
CITY COMMENTS	07.15.20




OWNERSHIP AND USE OF DOCUMENTS
All Drawings, Specifications and copies thereof furnished by Reed Associates Landscape Architecture, one and shall remain its property. They are to be used only with respect to this Project and are not to be used on any other project. Submission or distribution to meet official regulatory requirements or for purposes in connection with the Project is not to be construed as publication in derogation of Reed Associates Landscape Architecture, common law copyright or other reserved rights.

Approved pjr
Drawn ds Reviewed pjr
Project No. ---
Scale 1"=20' Issue Date 07.15.20



PLANT SYMBOLS



KEY LEGEND

- 'DUMOR' BENCH
SEE DETAIL (No. 12 ON SHEET L3.0)
- BIKE RACK
SEE DETAIL (No. 8 ON SHEET L3.1)
- TABLE SEATING BY 'DUMOR'
SEE DETAIL (No. 10 ON SHEET L3.1)
- WOOD FENCE
SEE DETAIL (No. 11 ON SHEET L3.0)
- TABLE SEATING BY 'DOTY AND SONS' WITH CHESS BOARD (T7102) FINISH : SB7 COLOR: SB2 SEALER: ACR2
- 'TOURNASOL' PLANTER (UR-4800-GFRC)
FINISH : NATURL SAND
COLOR: SHARK

PLANT NOTES:


- THE CONTRACTOR SHALL VERIFY PLANT QUANTITIES FROM THE PLANTING PLAN. QUANTITIES SHOWN IN THE LEGEND ARE FOR CONVENIENCE ONLY.
- NOTIFY THE LANDSCAPE ARCHITECT IMMEDIATELY IN THE EVENT OF ANY DISCREPANCIES BETWEEN ACTUAL SITE CONDITIONS AND THE PLANTING PLAN.
- PLANT GROUND COVER IN SHRUB AREAS AS NOTED, USE TRIANGULAR SPACING.
- SEE DETAIL AND SPECIFICATION SHEETS FOR ADDITIONAL INFORMATION. REFER TO DETAIL 11 ON SHEET L3.0
- THERE WILL BE NO MATERIALS OR PLANT MATERIALS SUBSTITUTIONS WITHOUT APPROVAL OF THE OWNER OR THE LANDSCAPE ARCHITECT.
- ALL SLOPES PLANTED WITH GROUND COVER NOT TO EXCEED A 2:1 SLOPE.
- PROVIDE POSITIVE DRAINAGE AWAY FROM ALL BUILDINGS (2% MIN)
- IN THE EVENT OF ANY DISCREPANCIES BETWEEN THIS PLAN AND ACTUAL SITE CONDITIONS, THE LANDSCAPE ARCHITECT IS TO BE NOTIFIED IMMEDIATELY.
- ENTIRE SITE IS TO BE ROUGH GRADED BY THE GRADING CONTRACTOR TO WITHIN 1/8 FOOT OF FINISH GRADE. LANDSCAPE CONTRACTOR IS TO FINE GRADE ALL LANDSCAPE AREAS.
- ALL SITE UTILITIES ARE TO BE PROTECTED DURING CONSTRUCTION. IN THE EVENT OF CONFLICT BETWEEN THE PLANS AND UTILITIES THE CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT. ANY DAMAGE TO UTILITIES, STRUCTURES, OR OTHER FEATURES TO REMAIN, AND CAUSED BY THE LANDSCAPE CONTRACTOR SHALL BE REPLACED OR REPAIRED BY THE CONTRACTOR AT NO EXPENSE TO THE OWNER.
- THE WORK IN THESE DRAWINGS AND SPECIFICATIONS MY RUN CONCURRENTLY WITH WORK BY OTHERS. THE LANDSCAPE CONTRACTOR SHALL COORDINATE THE WORK WITH OTHER CONTRACTORS.
- PRIOR TO ANY DIGGING OR TRENCHING, CALL UNDERGROUND SERVICE ALERT 1-800-227-2600
- ALL NEW PLANTED AREAS TO RECEIVE 3" MIN. LAYER OF BARK MULCH. SEE PLANTING SPECIFICATIONS.

MITIGATION TREE PLANT LIST

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	REMARKS	WUCOLS
TREES						
M1	QUERCUS AGRIFOLIA	COAST LIVE OAK	3	24" BOX	STANDARD	LOW
M2	QUERCUS AGRIFOLIA	COAST LIVE OAK	1	36" BOX	STANDARD	LOW

PLANT LIST:

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	REMARKS	WUCOLS
TREES						
T1	LAGERSTROEMIA I. 'MIAMI'	MIAMI CRAPENRYTLE	---	24" BOX	STANDARD	LOW
T2	LAURUS 'SARATOGA'	SARATOGA BAY LAUREL	---	24" BOX	STANDARD	LOW
T3	ARBUTUS 'MARINA'	MARINA STRAWBERRY TREE	---	24" BOX	MULTI-TRUNK	LOW
T4	JUNIPERUS S. 'MOONGLOW'	MOONGLOW JUNIPER	---	24" BOX	COLUMNAR	LOW
SHRUBS						
S1	ARGYSTAPHYLOS D. 'HOWARD MCMINN'	MANZANITA	---	5 GAL		LOW
S2	SALVIA CLEVELANDII	CLEVELAND SAGE	---	5 GAL		LOW
S3	CHONDROPETALUM 'ECTORUM	CAPE RUSH	---	5 GAL		LOW
S4	RHAPHIOLEPIS U. 'MINOR'	DWARF YEDDO HAWTHORN	---	5 GAL		LOW
S5	INADIVA D. 'COMPACTA'	HEAVENLY BAMBOO	---	5 GAL		LOW
S6	PHORMIUM 'MARGARET JONES'	NEW ZEALAND FLAX	---	5 GAL		LOW
S7	PITTOSPORUM T. 'VARIEGATA'	VARIATED MOCK ORANGE	---	5 GAL		LOW
S8	PENSTEMON 'DARK TOWERS'	DARK TOWERS PENSTEMON	---	5 GAL		LOW
S9	LANTANA C. 'RADIATION'	RADIATION BUSH LANTANA	---	5 GAL		LOW
S10	CALLISTEMON C. 'JEFFERSII'	PINK BOTTLEBRUSH	---	5 GAL		LOW
S11	JUNICUS PATENS	CALIFORNIA GRAY RUSH	---	5 GAL		LOW
S12	PITTOSPORUM 'TENUIFOLIUM	KOHUHU	---	15 GAL		LOW
GROUND COVERS						
G1	BULBINE FRUTESCENS	STALKED BULBINE	---	1 GAL	24" O.C.	LOW
G2	MAHONIA REPENS	CREeping MAHONIA	---	1 GAL	24" O.C.	LOW
G3	CAREX TUMULICOLA	FOOTHILL SEDGE	---	1 GAL	18" O.C.	LOW
G4	SATUREIA DOUGLASII	ISLAND ALUM ROOT	---	1 GAL	18" O.C.	LOW
G5	ROSMARINUS O. 'HUNGTINGTON CARPET'	CARPET ROSEMARY	---	1 GAL	36" O.C.	LOW




BEFORE EXCAVATING CALL: 811
48-HOURS BEFORE ALL
PLANNED WORK OPERATIONS



Know what's below.
Call before you dig.

Landscape Planting Plan

L1.0



REED ASSOCIATES
LANDSCAPE ARCHITECTURE
477 SOUTH TAAFFE STREET
SUNNYVALE, CALIFORNIA 94086
408.481-9020 / 408.481-9022 FAX
web: www.raia.net / email: paul@raia.net

Canyon Crossing





10625 S. Foothill Blvd.
Cupertino, CA

ISSUE	DATE
PRIVACY SCREENING	05.01.18
CITY COMMENTS	07.15.20



OWNERSHIP AND USE OF DOCUMENTS
All Drawings, Specifications and copies thereof furnished by Reed Associates Landscape Architecture, one shall remain its property. They are to be used only with respect to this Project and are not to be used on any other project. Submission or distribution to meet official regulatory requirements or for purposes in connection with the Project is not to be construed as publication in derogation of Reed Associates Landscape Architecture, common law copyright or other reserved rights.


Approved pjr
Drawn ds Reviewed pjr
Project No. ---
Scale 1"=20' Issue Date 07.15.20



TREE PROTECTION NOTES

- Standards
- A site plan shall be prepared describing the relationship of proposed grading and utility trenching to the trees designated for preservation. Construction and grading should not significantly raise or lower the ground level beneath tree drip lines. If the ground level is proposed for modification beneath the drip line, the architect/arborist shall address and mitigate the impact to the tree(s).
 - All trees to be preserved on the property and all trees adjacent to the property shall be protected against damage during construction operations by constructing a six-foot-high fence around the drip line, and armor as needed. The extent of fencing and armoring shall be determined by the landscape architect or arborist. The tree protection shall be placed before any excavation or grading is begun and shall be maintained in repair for the duration of the construction work.
 - No construction operations shall be carried on within the drip line area of any tree designated to be saved except as is authorized by the Director of Community Development.
 - If trenching is required to penetrate the protection barrier for the tree, the section of trench in the drip line shall be hand dug so as to preclude the cutting of roots. Prior to initiating any trenching within the barrier approval by staff with consultation of an arborist shall be completed.
 - Trees which require any degree of fill around the natural grade shall be guarded by recognized standards of tree protection and design of tree wells.
 - The area under the drip line of the tree shall be kept clean. No construction materials nor chemical solvents shall be stored or dumped under a tree.
 - Fires for any reason shall not be made within fifty feet of any tree selected to remain and shall be limited in size and kept under constant surveillance.
 - The general contractor shall use a tree service licensee, as defined by California Business and Professional Code, to prune and cut off the branches that must be removed during the grading or construction. No branches or roots shall be cut unless at first reviewed by the landscape architect/arborist with approval of staff.
 - Any damage to existing tree crowns or root systems shall be repaired immediately by an approved tree surgeon.
 - No storage of construction materials or parking shall be permitted within the drip line area of any tree designated to be saved.
 - Tree protection regulations shall be posted on protective fencing around trees to be protected.

TREE LEGEND SYMBOLS



MITIGATION TREE PLANT LIST

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	REMARKS	WUCOLS
TREES						
M1	QUERCUS AGRIFOLIA	COAST LIVE OAK	6	24\"	STANDARD	LOW
M2	QUERCUS AGRIFOLIA	COAST LIVE OAK	1	36\"	STANDARD	LOW

Diameter of Tree to be Removed (measured at 4.5 feet above ground)	Replacement Trees
up to 12 inches	one 24 inch box tree
over 12 inches and up to 18 inches	two 24 inch box tree or one 36 inch box tree
over 18 inches and up to 36 inches	
over 36 inches	one 36 inch box tree
heritage tree	one 48 inch box tree


BEFORE EXCAVATING CALL: 811
48-HOURS BEFORE ALL
PLANNED WORK OPERATIONS



Know what's below.
Call before you dig.

Existing Tree Inventory and Removal Plan


L1.1



REED ASSOCIATES
LANDSCAPE ARCHITECTURE
477 SOUTH TAAFFE STREET
SUNNYVALE, CALIFORNIA 94086
408.481-9020 / 408.481-9022 FAX
web: www.rala.net / email: paul@rala.net

Canyon Crossing

10625 S. Foothill Blvd.
Cupertino, CA

ISSUE	DATE
 PRIVACY SCREENING	05.01.18
CITY COMMENTS	07.15.20




OWNERSHIP AND USE OF DOCUMENTS
All Drawings, Specifications and copies thereof furnished by Reed Associates Landscape Architecture are and shall remain its property. They are to be used only with respect to this Project and are not to be used on any other project. Submission or distribution to meet official regulatory requirements or for purposes in connection with the Project is not to be construed as publication in derogation of Reed Associates Landscape Architecture, common law copyright or other reserved rights.

Approved pjr
Drawn ds Reviewed pjr
Project No. ---
Scale 1"=20' Issue Date 07.15.20

Landscape Hydrozone Plan

L2.0

Sheet of



Appendix B - Water Efficient Landscape Worksheet

Reference Evapotranspiration (ET_o) 43.1

MAWA - Regular Landscape Areas

$$MAWA = (ET_o) \times (0.62) \times ((0.45 \times LA) + (0.3 \times SLA))$$

landscape area	8,775	s.f.
ETAF	.45	average ETAF for regular landscape areas must be 0.55 residential areas, and 0.45 for non-residential areas.
maawa total	105,518	gallons per year

ETWU - Regular Landscape Areas

$$ETWU = (ET_o) \times (0.62) \times (ETAF \times LA)$$

hydro-zone number	plant water use	plant factor (PF)	irrigation method	irrigation efficiency	ETAF (PF/IE)	hydro-zone area	ETAF x Area	ETWU
1	low	0.2	drip	0.81	0.247	1,578	389.6	10,412
2	low	0.2	drip	0.81	0.247	1,034	255	6,822
3	low	0.2	drip	0.81	0.247	420	104	2,771
4	low	0.2	drip	0.81	0.247	632	156	4,170
5	medium	0.5	drip	0.81	0.617	1,599	987	26,376
6	low	0.2	drip	0.81	0.247	686	169	4,526
7	low	0.2	drip	0.81	0.247	2,109	521	13,915
8	low	0.2	drip	0.81	0.247	717	177	4,731
totals						8,775	2758.89	73,723

ETAF calculations


total ETAF x area	2758.89	s.f.
total area	8,775	s.f.
average ETAF	0.314	Average ETAF for Regular Landscape Areas must be 0.55 or below for residential areas, and 0.45 or below for non-residential areas.

TOTALS


MAWA total	105,518	gallons per year
ETWU total	73,723	gallons per year
30.1	Percentage reduction of Potable Irrigation Water	

IRRIGATION HYDRO-ZONE LEGEND

PLANTS ARE GROUP TO HAVE MATCHING WATER REQUIREMENTS AND MICRO-CLIMATE CHARACTERISTICS.



MEDIUM WATER REQUIREMENT




LOW WATER REQUIREMENT (DROUGHT TOLERANT PLANTING)

BEFORE EXCAVATING CALL: 811
48-HOURS BEFORE ALL
PLANNED WORK OPERATIONS



Know what's below.
Call before you dig.

Canyon Crossing





ISSUE	DATE
 PRIVACY SCREENING	05.01.18
CITY COMMENTS	07.15.20







Approved	pjr		
Drawn	ds	Reviewed	pjr
Project No.	---,---		
Scale	NTS	Issue Date	07.15.20

Landscape Construction Details

L3.0




BENDA BOARD PLASTIC HEADER BOARD DETAIL #110
SCALE: NTS
BENDA BOARD IS INTENDED FOR NON-STRUCTURAL USE ONLY




GENERAL NOTES

- ① BUILDING, PAVEMENT EDGE OR LAWN HEADER
② GROUND COVER OR SHRUB PLANTING
③ E.Q. = EQUAL DISTANCE. SEE PLANT LIST FOR DIMENSION




NOTES: 1. TAPE AND BUNDLE WIRING AT TEN FOOT INTERVALS.
2. COMPACT TOPSOIL TO 85% IN PLANTING AREAS.
3. SAND BEDDING REQUIRED IN TRENCHES WITH ROCKY TERRAIN. (TYPICAL ALL SITUATIONS) LAY PIPE ON 2" SAND BED.
4. UNDER PAVED AREAS INSTALL ALL BRIGGATION LINES AND CONTROL WIRING IN SLEEVING FOR SPECIFICATIONS.
5. SEE DETAIL BELOW FOR TRENCH RESTORATION DETAIL UNDER A.C. STREET PAVING.



NOTES:

1. ALL FASTENERS SHALL BE HOT-DIPPED GALV.
2. ALL LUMBER SHALL BE CONSTRUCTION HEART REDWOOD.
3. FENCE TO BE PAINTED WITH 2 COATS OF OLYMPIC SEMI-TRANSPARENT STAIN #901



NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWINGS.
3. ALL STEEL MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER COATING (SEE COLOR OPTIONS).
4. 1/2" X 3 3/4" PLTD. EXPANSION ANCHOR BOLTS PROVIDED.
5. BENCH IS SHIPPED UNASSEMBLED.
6. CONTRACTORS NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdeBails.com's REFERENCE NUMBER 017-034.

BENCH

Canyon Crossing

ISSUE	DATE
① PRIVACY SCREENING	05.01.18




OWNERSHIP AND USE OF DOCUMENTS
All Drawings, Specifications and copies thereof furnished by Reed Associates Landscape Architecture are and shall remain its property. They are to be used only with respect to this Project and are not to be used on any other project. Submission or distribution to meet official regulatory requirements or for purposes in connection with the Project is not to be construed as publication in derogation of Reed Associates Landscape Architecture, common law copyright or other reserved rights.

Approved	pjr		
Drawn	ds	Reviewed	pjr
Project No.	---,---		
Scale	NTS	Issue Date	02.05.19


Landscape Construction Details

L3.1




- ① DARK MULCH
- ② SUBTERRANEAN EMITTER BOX
RAIN DSD-VB-700K
- ③ FINISH GRADE
- ④ 1/2" AIR RELIEF VALVE
RAIN DSD-ARV050
TO BE INSTALLED AT HIGH POINTS IN
DSD ZONE
- ⑤ 1/2" X 1/2" PVC REDUCER BUSHING
- ⑥ 800'S X FEMALE THREADED CONNECTOR
RAIN DSD-XF-TA FITTING
- ⑦ 1/2" BLANK DOPPLINE TUBING
RAIN DSD-X1 SERIES
- ⑧ 800'S X MALE THREADED CONNECTOR
RAIN DSD-XM-TA FITTING
- ⑨ PVC TEE CONNECTED TO PVC HEAD
PIPE
- ⑩ MINIMUM DEPTH OF
3/4" WASHED GRAVEL
- ⑪ BRICK 1 OF 21


1	DRIP LINE AIR RELIEF VALVE
---	----------------------------




2 DRIP LINE CONTROL ZONE KIT DETAIL




3	DRIP EMITTER LINE DETAIL
---	--------------------------




4	DRIP EMITTER LINE DETAIL
---	--------------------------




5	DRIP EMITTER LINE DETAIL
---	--------------------------




6 DRIP EMITTER LINE DETAIL




7 DRIP EMITTER LINE DETAIL



8	BIKE RACK
---	-----------




9	FLUSH POINT DETAIL
---	--------------------




- NOTES:**
1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
 2. COLOR: ARGENTO
 3. ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ BLACK POLYESTER COATING.
 4. CONTRACTOR'S NOTE: FOR PRODUCT AND PURCHASING INFORMATION VISIT www.CADdetails.com/info
- REFERENCE NUMBER 017-069D


10	TABLE DETAIL
----	--------------



11	BIKE LOCKER
----	-------------



12	TREE BUBBLER DETAIL
----	---------------------



REED ASSOCIATES
LANDSCAPE ARCHITECTURE
477 SOUTH TAAFFE STREET
SUNNYVALE, CALIFORNIA 94086
408.481-9020 / 408.481-9022 FAX
web: www.raia.net / email: paul@raia.net

Canyon Crossing

10625 S. Foothill Blvd.
Cupertino, CA

ISSUE	DATE
PRIVACY SCREENING	05.01.18
CITY COMMENTS	07.15.20




OWNERSHIP AND USE OF DOCUMENTS
All Drawings, Specifications and copies thereof furnished by Reed Associates Landscape Architecture are the property of Reed Associates Landscape Architecture and shall remain its property. They are to be used only with respect to this Project and are not to be used on any other project. Submission or distribution to meet official regulatory requirements or for purposes in connection with the Project is not to be construed as publication in derogation of Reed Associates Landscape Architecture, common law copyright or other reserved rights.


Approved	prj	Reviewed	prj
Drawn	ds		
Project No.	---		
Scale	NTS	Issue Date	07.15.20

Landscape Construction Details


L3.1




- BACK MULCH
- SUBTERRANEAN EMITTER BOX (RAIN BIRD VF-7000)
- FINISH GRADE
- AIR RELIEF VALVE (RAIN BIRD ARV050) TO BE INSTALLED AT HIGH POINTS IN DWP ZONE
- 1/2" X 3/4" PVC REDUCER BUSHING
- BARB X FEMALE THREAD CONNECTOR (RAIN BIRD XFD-TFA FITTING)
- 1/2" BLANK DRIPLINE TUBING (RAIN BIRD XF SERIES)
- BARB X MALE THREAD CONNECTOR (RAIN BIRD XFF-MA FITTING)
- PVC TEE CONNECTED TO PVC HEADER PIPE
- 3" MINIMUM DEPTH OF 3/4" WASHED GRAVEL
- BRICK 0 OF 2



2 DRIP LINE CONTROL ZONE KIT DETAIL




XFD ON-SURFACE DRIPLINE




XFD ON-SURFACE DRIPLINE


1 DRIP LINE AIR RELIEF VALVE




XFD ON-SURFACE DRIPLINE



XFD ON-SURFACE DRIPLINE




7 DRIP EMITTER LINE DETAIL




8 BIKE RACK

5 DRIP EMITTER LINE DETAIL




9 FLUSH POINT DETAIL


6 DRIP EMITTER LINE DETAIL



10 TABLE DETAIL



11 BIKE LOCKER




12 TREE BUBBLER DETAIL

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.

STORM WATER TREATMENT CALCULATIONS										
DMA	SURFACE	TOTAL DMA AREA (SF)	IMPERVIOUS AREA (SF)	EFFECTIVE PERVIOUS AREA (SF)	EFFECTIVE IMPERVIOUS AREA (SF)	BMP #	SIZING	L x W	PONDING DEPTH PROVIDED (IN)	REQUIRED TREATMENT AREA (SF)
1	PAVERS, CONCRETE	6759	4420	23	4443	BR #1	FLOW	6' x 31.5'	6"	134
2	ROOF, PAVERS	8482	7785	70	7855	BR #2	FLOW	4.3' x 20'	6"	86
3	ROOF, STREET, PAVERS	9621	5835	379	6214	BR #3	FLOW	13' x 45'	6"	179
4	ROOF, STREET, PAVERS	15655	11275	438	11713	BR #4	FLOW	30' x 5.8'	12"	225
5	ROOF, STREET, PAVERS	19508	11750	776	12526	BR #5	FLOW	IRREG	6"	375
TOTAL		60025	41065	1686	42751					


* PAVERS AT 65% IMPERVIOUS

SHARED BASINS



TYPICAL BIO-RETENTION


NOT TO SCALE



BIO-RETENTION AREA IN LANDSCAPE AREA

NOT TO SCALE

SECTION B-B




BIO-RETENTION AREA NEXT TO STREET

NOT TO SCALE

NOTES:

- CALCULATIONS ARE BASED ON THE S.C.V.U.R.P.P.P., C.3 STORMWATER TECHNICAL GUIDANCE, AND THE FOLLOWING CRITERIA:
 - 0.2 INCHES/HOUR RAINFALL INTENSITY ON 100 % IMPERVIOUS AREA.
 - SOIL FOR TREATMENT MEDIUM WITH A 5 INCHES/HOUR INFILTRATION RATE.
- ALL STORMWATER TREATMENT MEASURES SHALL BE MAINTAINED BY THE HOMEOWNERS ASSOCIATION.
- THE CITY MUST BE ABLE TO ACCESS ALL STORMWATER TREATMENT FACILITIES DURING REGULAR BUSINESS HOURS FOR INSPECTION PURPOSES.
- THE REQUIRED MINIMUM STORMWATER BIOTREATMENT FACILITY SURFACE AREA IS THAT AREA THAT ACHIEVES THE REQUIRED PONDING DEPTH AND IS UNDERLAIN BY 18 INCHES OF BIOTREATMENT SOIL.
- ALL SITE GRADING AND DRAINAGE CONVEYANCE MUST CAUSE RUNOFF FROM DRAINAGE MANAGEMENT AREAS (DMA) TO DRAIN TO DESIGNATED RECEIVING FACILITY (I.E., GRADE BREAKS MUST CONFORM TO DMA DELINEATIONS, CURB CUTS MUST EFFECTIVELY DIRECT FLOW INTO FACILITIES, ETC).
- ALL TREATMENT AREAS MUST BE STAKED AND SURVEYED BY A LICENSED SURVEYOR AFTER EXCAVATION BUT PRIOR TO ANY FURTHER INSTALLATION OF THE BIOTREATMENT AREAS (INSTALLATION OF CLASS II PERM, ETC).
- BIOTREATMENT AREAS MAY REQUIRE CHECK DAMS TO ENSURE THAT THE MINIMUM PONDING DEPTH IS MET ACROSS THE ENTIRE TREATMENT MEASURE. SEE CHECK DAM DETAIL ON THIS SHEET.
- CONTRACTOR MUST MAINTAIN RECORD DOCUMENTS OF CONSTRUCTION CHANGES ("AS-BUILT DRAWINGS") FOR ANY FACILITIES AND RELATED DESIGN FEATURES AND MUST PROVIDE SAID DOCUMENTATION TO THE CITY OF FREMONT ENVIRONMENTAL SERVICES DIVISION UPON COMPLETION OF CONSTRUCTION.
- THE PROJECT CIVIL ENGINEER OR LANDSCAPE ARCHITECT IS RESPONSIBLE FOR ENSURING THAT THE FACILITIES ARE CONSTRUCTED IN ACCORDANCE WITH APPROVED PLANS. PRIOR TO BUILDING OCCUPANCY OR ACCEPTANCE OF IMPROVEMENTS, THE STORMWATER INSPECTOR MAY REQUIRE THE PROJECT CIVIL ENGINEER OR LANDSCAPE ARCHITECT TO SUBMIT A STATEMENT CERTIFYING THAT THE FACILITIES HAVE BEEN INSTALLED PROPERLY.
- PRIOR TO DELIVERY OF BIOTREATMENT SOIL, THE CONTRACTOR MUST PROVIDE REQUIRED DOCUMENTATION (AVAILABLE AT [HTTP://FREMONTGOV.ORG/STORMWATERDEVELOPMENT](http://fremontgov.org/stormwaterdevelopment)) TO THE STORMWATER INSPECTOR DEMONSTRATING THAT THE BIOTREATMENT SOIL COMPLIES WITH SPECIFICATIONS INCLUDED IN THE MOST RECENT VERSION OF THE CLEAN WATER PROGRAM'S C.3 STORMWATER TECHNICAL MANUAL. RECEIPTS OR DELIVERY TICKETS FOR THE BIOTREATMENT SOIL AND CLASS II PERM MUST BE RETAINED FOR REVIEW BY THE STORMWATER INSPECTOR.
- GROUNDWATER DEPTH IN EXCESS OF 36" BELOW FINISHED GRADE.
- AIR CONDITIONING CONDENSATE: CONDENSATE FROM AIR CONDITIONING UNITS SHALL BE DIRECTED TO APPROPRIATELY SIZED LANDSCAPE AREAS OR THE GROUND. ALL ANTI-ALGAL OR DESCALING AGENTS MUST BE PROPERLY DISPOSED OF. ANY AIR CONDITIONING CONDENSATE THAT DISCHARGES TO LAND WITHOUT FLOWING TO A STORM DRAIN MAY BE SUBJECT TO THE REQUIREMENTS OF THE STATE WATER RESOURCES CONTROL BOARD'S STATEWIDE GENERAL WASTE DISCHARGE REQUIREMENTS (WDRS) FOR DISCHARGES TO LAND WITH LOW THREAT TO WATER QUALITY.
- THE IRRIGATION CONNECTED TO BIO-RETENTION TREATMENT FACILITIES MUST BE UNDER A SEPARATE IRRIGATION CONTROL VALVE.
- THE LOCATIONS OF ROOF DOWNSPOUTS SHALL BE COORDINATED BETWEEN THE CIVIL AND ARCHITECTURAL PLANS. ONCE THE LOCATIONS HAVE BEEN COORDINATED, THE LOCATIONS MAY NOT CHANGE WITHOUT UPDATING THE STORMWATER MANAGEMENT PLAN, AS NECESSARY.



DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SAWCZUK
EXPIRATION DATE: 09/30/19

BY	REVISIONS	DATE
6		
5		
4		
3		
2		
1		

TS
PH: 408.452.9300

TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
FAX: 408.837.7550

CANYON
CROSSINGS

STORMWATER TREATMENT PLAN
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA





DATE:	3-11-19	SHEET NO.
SCALE:	1"=20'	ST1
DRAWN BY:	DKH	OF 16 SHEETS
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	JOB NO.
CHECK BY:	TJS	14-214

DISCLAIMER: TS CIVIL ENGINEERING, INC. ONLY ACKNOWLEDGES ORIGINAL SIGNED AND STAMPED PLANS AND DRAWINGS. NO RESPONSIBILITY OR LIABILITY IS EXPRESSED OR IMPLIED FOR ELECTRONIC DATA AND/OR REPRODUCED PLANS AND DRAWINGS.

IMPERVIOUS COVERAGE			
	DMA-1	DMA-2	TOTAL
PAVEMENT (A.C.)	0	3600	3600
BUILDINGS	8963	14676	23639
RETAINING WALL	57	202	259
CONCRETE WALKS	321	75	396
CURBS	603	208	811
GUTTER	502	282	784
STAMPED CONCRETE	11044	2886	13930
NET IMPERVIOUS	21490	21929	43419
(43,560 SF = 1 ACRE, 141 SF UNDER)			

NOTE:
THESE AREAS REPLACE EXISTING PAVEMENT:
PUBLIC SIDEWALK 1,733 SF
STAMPED CONCRETE (IN RW) 500 SF
AC PAVEMENT (IN RW) 125 SF

2. PROJECT SIZE				
A. TOTAL SITE AREA 1.37 ACRE	B. TOTAL SITE AREA DISTURBED 1.37 ACRE			TOTAL
	EXISTING	PROPOSED REPLACED	NEW	
IMPERVIOUS AREA				
ROOF	15,610	15,610	8,029	23,639
PARKING	29,285	15,921		15,921
SIDEWALKS AND STREETS	3,100	3,100	759	3,859
C. TOTAL IMPERVIOUS AREA	47,975	34,631	8,788	43,419
D. TOTAL NEW AND REPLACED IMPERVIOUS AREA = 43,419				
PERVIOUS AREA				
LANDSCAPING	12,046	12,046	4,566	16,602
PERVIOUS PAVING				
OTHER				
E. TOTAL PERVIOUS AREA	12,046	12,046	4,566	16,602
F. PERCENT REPLACEMENT OF IMPERVIOUS AREA IN REDEVELOPMENT PROJECTS (REPLACED TOTAL IMPERVIOUS AREA / EXISTING TOTAL IMPERVIOUS AREA) * 100% = 43,419/47,975 90%				



SURFACE LEGEND

STAMPED CONCRETE	
PAVERS	
AC PAVEMENT	

NOTES:

- CALCULATIONS ARE BASED ON THE S.C.V.U.R.P.P.P., C.3 STORMWATER TECHNICAL GUIDANCE, AND THE FOLLOWING CRITERIA:
a. 0.2 INCHES/HOUR RAINFALL INTENSITY ON 100 % IMPERVIOUS AREA
b. SOIL FOR TREATMENT MEDIUM WITH A 5 INCHES/HOUR INFILTRATION RATE.
- ALL STORMWATER TREATMENT MEASURES SHALL BE MAINTAINED BY THE HOMEOWNERS ASSOCIATION.
- THE CITY MUST BE ABLE TO ACCESS ALL STORMWATER TREATMENT FACILITIES DURING REGULAR BUSINESS HOURS FOR INSPECTION PURPOSES.
- THE REQUIRED MINIMUM STORMWATER BIOTREATMENT FACILITY SURFACE AREA IS THAT AREA THAT ACHIEVES THE REQUIRED PONDING DEPTH AND IS UNDERLAIN BY 18 INCHES OF BIOTREATMENT SOIL.
- ALL SITE GRADING AND DRAINAGE CONVEYANCE MUST CAUSE RUNOFF FROM DRAINAGE MANAGEMENT AREAS (DMA) TO DRAIN TO DESIGNATED RECEIVING FACILITY (I.E., GRADE BREAKS MUST CONFORM TO DMA DELINEATIONS, CURB CUTS MUST EFFECTIVELY DIRECT FLOW INTO FACILITIES, ETC).
- ALL TREATMENT AREAS MUST BE STAKED AND SURVEYED BY A LICENSED SURVEYOR AFTER EXCAVATION BUT PRIOR TO ANY FURTHER INSTALLATION OF THE BIOTREATMENT AREAS (INSTALLATION OF CLASS II PERM, ETC).
- BIO-RETENTION AREAS MAY REQUIRE CHECK DAMS TO ENSURE THAT THE MINIMUM PONDING DEPTH IS MET ACROSS THE ENTIRE TREATMENT MEASURE. SEE CHECK DAM DETAIL ON THIS SHEET.
- CONTRACTOR MUST MAINTAIN RECORD DOCUMENTS OF CONSTRUCTION CHANGES ("AS-BUILT DRAWINGS") FOR ANY FACILITIES AND RELATED DESIGN FEATURES AND MUST PROVIDE SAID DOCUMENTATION TO THE CITY OF FREMONT ENVIRONMENTAL SERVICES DIVISION UPON COMPLETION OF CONSTRUCTION.
- THE PROJECT CIVIL ENGINEER OR LANDSCAPE ARCHITECT IS RESPONSIBLE FOR ENSURING THAT THE FACILITIES ARE CONSTRUCTED IN ACCORDANCE WITH APPROVED PLANS, PRIOR TO BUILDING OCCUPANCY OR ACCEPTANCE OF IMPROVEMENTS. THE STORMWATER INSPECTOR MAY REQUIRE THE PROJECT CIVIL ENGINEER OR LANDSCAPE ARCHITECT TO SUBMIT A STATEMENT CERTIFYING THAT THE FACILITIES HAVE BEEN INSTALLED PROPERLY.
- PRIOR TO DELIVERY OF BIOTREATMENT SOIL, THE CONTRACTOR MUST PROVIDE REQUIRED DOCUMENTATION (AVAILABLE AT [HTTP://FREMONTGOV/STORMWATERDEVELOPMENT](http://fremontgov/stormwaterdevelopment)) TO THE STORMWATER INSPECTOR DEMONSTRATING THAT THE BIOTREATMENT SOIL COMPLIES WITH SPECIFICATIONS INCLUDED IN THE MOST RECENT VERSION OF THE CLEAN WATER PROGRAM'S C.3 STORMWATER TECHNICAL MANUAL. RECEIPTS OR DELIVERY TICKETS FOR THE BIOTREATMENT SOIL AND CLASS II PERM MUST BE RETAINED FOR REVIEW BY THE STORMWATER INSPECTOR.
- GROUNDWATER DEPTH IN EXCESS OF 35' BELOW FINISHED GRADE.
- AIR CONDITIONING CONDENSATE: CONDENSATE FROM AIR CONDITIONING UNITS SHALL BE DIRECTED TO APPROPRIATELY-SIZED LANDSCAPE AREAS OR THE GROUND. ALL ANTI-ALGAL OR DESCALING MATERIALS MUST BE PROPERLY DISPOSED OF. ANY AIR CONDITIONING CONDENSATE THAT DISCHARGES TO LAND WITHOUT FLOWING TO A STORM DRAIN MAY BE SUBJECT TO THE REQUIREMENTS OF THE STATE WATER RESOURCES CONTROL BOARD'S STATEWIDE GENERAL WASTE DISCHARGE REQUIREMENTS (WDRS) FOR DISCHARGES TO LAND WITH LOW THREAT TO WATER QUALITY.
- THE IRRIGATION CONNECTED TO BIO-RETENTION TREATMENT FACILITIES MUST BE UNDER A SEPARATE IRRIGATION CONTROL VALVE.
- THE LOCATIONS OF ROOF DOWNSPOUTS SHALL BE COORDINATED BETWEEN THE CIVIL AND ARCHITECTURAL PLANS. ONCE THE LOCATIONS HAVE BEEN COORDINATED, THE LOCATIONS MAY NOT CHANGE WITHOUT UPDATING THE STORMWATER MANAGEMENT PLAN, AS NECESSARY.

DESIGNED UNDER THE SUPERVISION OF

TERENCE J. SAWCZUK
EXPIRATION DATE: 09/30/2020

NO.	BY	REVISIONS	DATE
6			
5			
4			
3			
2			
1			

TS CIVIL ENGINEERING, INC.
1776 TECHNOLOGY DRIVE
SAN JOSE, CA 95110
PH: 408.452.9300 FAX: 408.837.7550

CANYON
CROSSINGS

STORMWATER TREATMENT PLAN
LAND OF SCR ENTERPRISES, LLC
10625 S. FOOTHILL BLVD
APN: 342-16-087
CUPERTINO SANTA CLARA COUNTY CALIFORNIA

DATE:	9-11-20	SHEET NO.
SCALE:	1"=20'	ST1
DRAWN BY:	DKH	OF 17 SHEETS
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	JOB NO.
CHECK BY:	TJS	14-214

SIZING FOR VOLUME BASED TREATMENT	
DMA # BR1	
A= 28170 s.f.	
Impervious Area = 21490 s.f.	% Imperviousness= 76.29%
MApSite = 20	Correction Factor= 1.43685
MApAge = 13.9	
Clay (D):	Sandy Clay (D): Clay Loam (D):
Silt Loam/Loam (B): x	Not Applicable (100% Impervious):
Are the soils outside the building footprint not graded/compacted? No Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type: NA	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.447917643 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.461040624 inches (Use Figure B-5)	
UBS Volume for X% Slope (UBSX%) = 0.447917643 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSx% (Step 5)	
Adjusted UBS = 0.64448582 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 1ft/2inch	
Design Volume = 1.512.93 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 26170 sq. ft.	
Impervious Area = 21490 sq. ft.	
Pervious Area = 6680 sq. ft.	
Equivalent Impervious Area = 668 sq. ft.	Total Equivalent Impervious = 22.158 sq. ft.
Rainfall Intensity = 0.2 in/hr	
Duration = Adjusted UBS (Step 6) / Rainfall Intensity	
Duration = 3.22242909 hrs	
Estimate the Surface Area = 719 sq. ft.	(Typically start with Total Impervious x 0.03)
Volume of Treated Runoff = 965.386047 cu. ft.	
Volume in Ponding Area = 547.544409 cu. ft.	
Depth of Ponding = 0.76153603 ft	Depth of Ponding = 9.1 inches (Round up)
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

SIZING FOR VOLUME BASED TREATMENT	
DMA # BR2	
A= 31852 s.f.	
Impervious Area = 21929 s.f.	% Imperviousness= 68.85%
MApSite = 20	Correction Factor= 1.43685
MApAge = 13.9	
Clay (D):	Sandy Clay (D): Clay Loam (D):
Silt Loam/Loam (B): x	Not Applicable (100% Impervious):
Are the soils outside the building footprint not graded/compacted? No Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type: NA	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.406475229 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.417440726 inches (Use Figure B-5)	
UBS Volume for X% Slope (UBSX%) = 0.406475229 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSx% (Step 5)	
Adjusted UBS = 0.58485644 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 1ft/2inch	
Design Volume = 1.552.40 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 31852 sq. ft.	
Impervious Area = 21929 sq. ft.	
Pervious Area = 9923 sq. ft.	
Equivalent Impervious Area = 992 sq. ft.	Total Equivalent Impervious = 22.921 sq. ft.
Rainfall Intensity = 0.2 in/hr	
Duration = Adjusted UBS (Step 6) / Rainfall Intensity	
Duration = 2.92428222 hrs	
Estimate the Surface Area = 826 sq. ft.	(Typically start with Total Impervious x 0.03)
Volume of Treated Runoff = 1006.44047 cu. ft.	
Volume in Ponding Area = 545.963491 cu. ft.	
Depth of Ponding = 0.56097275 ft	Depth of Ponding = 7.9 inches (Round up)
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

SIZING FOR VOLUME BASED TREATMENT	
DMA # BR3	
A= 31852 s.f.	
Impervious Area = 21929 s.f.	% Imperviousness= 68.85%
MApSite = 20	Correction Factor= 1.43685
MApAge = 13.9	
Clay (D):	Sandy Clay (D): Clay Loam (D):
Silt Loam/Loam (B): x	Not Applicable (100% Impervious):
Are the soils outside the building footprint not graded/compacted? No Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type: NA	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.406475229 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.417440726 inches (Use Figure B-5)	
UBS Volume for X% Slope (UBSX%) = 0.406475229 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSx% (Step 5)	
Adjusted UBS = 0.58485644 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 1ft/2inch	
Design Volume = 1.552.40 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 31852 sq. ft.	
Impervious Area = 21929 sq. ft.	
Pervious Area = 9923 sq. ft.	
Equivalent Impervious Area = 992 sq. ft.	Total Equivalent Impervious = 22.921 sq. ft.
Rainfall Intensity = 0.2 in/hr	
Duration = Adjusted UBS (Step 6) / Rainfall Intensity	
Duration = 2.92428222 hrs	
Estimate the Surface Area = 826 sq. ft.	(Typically start with Total Impervious x 0.03)
Volume of Treated Runoff = 1006.44047 cu. ft.	
Volume in Ponding Area = 545.963491 cu. ft.	
Depth of Ponding = 0.56097275 ft	Depth of Ponding = 7.9 inches (Round up)
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

SIZING FOR VOLUME BASED TREATMENT	
DMA # BR4	
A= 31852 s.f.	
Impervious Area = 21929 s.f.	% Imperviousness= 68.85%
MApSite = 20	Correction Factor= 1.43685
MApAge = 13.9	
Clay (D):	Sandy Clay (D): Clay Loam (D):
Silt Loam/Loam (B): x	Not Applicable (100% Impervious):
Are the soils outside the building footprint not graded/compacted? No Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type: NA	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.406475229 inches (Use Figure B-2)	

6		
5		
4		
3		
2		
1		
BY	REVISIONS	DATE

PH: 408.452.9300

FAX: 408.837.7550

GRAPHIC SCALE

(IN FEET)
1" = 10'

DATE:	9-11-20	SHEET NO. <div style="font-size: 2em; font-weight: bold;">ST2</div> OF 17 SHEETS
SCALE:	1"=10'	
DRAWN BY:	DKH	
SURVEYED BY:	JMS	
PROJ ENGR:	TJS	
CHECK BY:	TJS	
		JOB NO. <div style="font-size: 2em; font-weight: bold;">14-214</div>



09/11/2020 4:59pm - N:\2014 JOBS\14-214\DWG\14-214 ST2 STORMWATER TREATMENT CALCULATIONS.dwg - S2



CITY OF CUPERTINO

Agenda Item

21-10286

Agenda Date: 1/13/2022
Agenda #: 2.

Subject: Consider a development proposal to demolish an existing commercial building and construct a new nine (9) unit single-family home development including one (1) home containing an Accessory Dwelling Unit (ADU). (Application No(s): EA-2020-001, Z-2020-001, DP-2020-001, TM-2020-001, ASA-2020-003, and U-2020-001; Applicant(s): Alan Enterprise LLC; Location: 22690 Stevens Creek Boulevard; APN#s 341-14-066, 342-14-104 & 105)

The Planning Commission recommends that the City Council:

1. Adopt Resolution No. 22-007 adopting the Mitigated Negative Declaration (EA-2020-001) (Attachment A);
2. Introduce and conduct the first reading of Ordinance No. 22-2237, "An Ordinance of the City Council of the City of Cupertino approving the Rezoning of three parcels from Planned Development Zoning with General Commercial uses (P(CG)) to Planned Development Zoning with General Commercial and Residential uses (P(CG, Res))" (Z-2020-001) (Attachment B);
3. Adopt Resolution No. 22-008 approving the Development Permit (DP-2020-001) (Attachment C);
4. Adopt Resolution No. 22-009 approving the Architectural and Site Approval (ASA-2020-003) (Attachment D);
5. Adopt Resolution No. 22-010 approving the Use Permit (U-2020-001) (Attachment E); and
6. Adopt Resolution No. 22-011 approving the Tentative Map (TM-2020-001) (Attachment F).



COMMUNITY DEVELOPMENT DEPARTMENT

CITY HALL
10300 TORRE AVENUE • CUPERTINO, CA
95014-3255 TELEPHONE: (408) 777-3308 • FAX: (408) 777-3333
CUPERTINO.ORG

CITY COUNCIL STAFF REPORT

Meeting: January 13, 2021

Subject

Consider a development proposal to demolish and existing commercial building and construct a new nine (9) unit single-family home development including one (1) home containing an Accessory Dwelling Unit (ADU). (Application No(s): EA-2020-001, Z-2020-001, DP-2020-001, TM-2020-001, ASA-2020-003, and U-2020-001; Applicant(s): Alan Enterprise LLC; Location: 22690 Stevens Creek Boulevard; APN#s 341-14-066, 342-14-104 & 105)

Recommended Actions

The Planning Commission recommends that the City Council:

1. Adopt Resolution No. 22-_____ adopting the Mitigated Negative Declaration (EA-2020-001) (Attachment A);
2. Introduce and conduct the first reading of Ordinance No. 22-_____, "An Ordinance of the City Council of the City of Cupertino approving the Rezoning of three parcels from Planned Development Zoning with General Commercial uses (P(CG)) to Planned Development Zoning with General Commercial and Residential uses (P(CG, Res))" (Z-2020-001) (Attachment B);
3. Adopt Resolution No. 22-_____ approving the Development Permit (DP-2020-001) (Attachment C);
4. Adopt Resolution No. 22-_____ approving the Architectural and Site Approval (ASA-2020-003) (Attachment D);
5. Adopt Resolution No. 22-_____ approving the Use Permit (U-2020-001) (Attachment E); and
6. Adopt Resolution No. 22-_____ approving the Tentative Map (TM-2020-001) (Attachment F).

EA-2020-001, Z-2020-001,
DP-2020-001, ASA-2020-003,
U-2020-001, TM-2020-001,

22690 Stevens Creek Boulevard

January 13, 2021

Page 2

Discussion

Project Data:

General Plan Land Use Designation	Commercial/Residential	
Neighborhood Area	Inspiration Heights	
Zoning Designation	P (CG) Planned Development Zoning with General Commercial Uses	
Gross Lot Area	0.78 acres	
Net Lot Area (after dedications)	0.63 acres	
	Allowed/Required	Proposed
Residential Density	15 du/acre	11.5 du/acre
Height of Structures	Up to 30 feet	29 feet 10.5 inches
Setbacks		
<i>Stevens Creek Blvd.</i>		
<i>Front* (north)</i>	N/A	5'7"
<i>Side* (west)</i>	N/A	12'5"
<i>Side* (east)</i>	N/A	10'1"
<i>Rear*</i>	N/A	29'
<i>Foothill Blvd.</i>		
<i>Front* (east)</i>	N/A	5'7"
<i>Side* (north)</i>	N/A	10'
<i>Side* (south)</i>	N/A	29'
<i>Rear* (west)</i>	N/A	81'9"
Vehicle Parking (2.8 spaces/DU)	26	26
Project Consistency		
General Plan Land Use Designation	Yes	
Zoning:	Yes, with Zoning Map Amendment	
Environmental Assessment	Initial Study with a Mitigated Negative Declaration	

* The site is located in a Planned Development (P) zoning district. Chapter 19.80 of the Municipal Code allows the establishment of specific development standards and regulations with the approval of definitive plans for a site.

Background:*Application Requests*

The applicant, Alan Enterprises, is requesting permits to allow the construction of single-family townhomes on a 0.63-acre site currently occupied by a commercial building. The project would demolish the existing commercial building and construct a nine (9) residential unit development including one (1) residential unit containing an accessory dwelling unit (ADU).

The following City permits would be required: Zone Map Amendment, Development Permit, Architectural and Site Approval, and Use Permit. A Vesting Tentative Map is proposed to divide the property from three (3) parcels to ten (10) parcels consisting of the nine (9) homes and one (1) common parcel. In addition, prior to approval of the permits, the City would need to adopt the Mitigated Negative Declaration as the appropriate environmental document for the project.

Site and Location Description

The project is located at the intersection of Stevens Creek Boulevard and Foothill Boulevard in the Inspiration Heights neighborhood area of the General Plan.

The property is bounded by Stevens Creek Boulevard to the north, South Foothill Boulevard to the east, Camino Vista Drive to the west and residential single-family homes to the south. Other surrounding land uses include an office development and a town home development across Stevens Creek Boulevard to the north, a Veterinary Clinic and single family uses to the north east, a gas station and single family residential uses across S.



Figure 1: Project Location

Foothill Boulevard to the east, and single family homes and the Monta Vista Fire Station across Camino Vista Drive to the west (see Figure 1).

The site has gross area of 0.78 acres, which after required dedications to accommodate required infrastructure and frontage improvements along Stevens Creek Boulevard and Foothill Boulevard, will have a net site area of 0.63 acres. The existing commercial building measures approximately 2,500 square feet.

Analysis:

General Plan and Zoning Compliance

The General Plan's Community Form Diagram (Figure LU-2) establishes several development standards in the City, including height and density. The proposed site has a maximum height of 30 feet and the project has a proposed density of 11.5 dwelling units per acre (less than the maximum density of 15 dwelling units per acre.)

The applicant has also applied for a Zone Map Amendment (Z-2020-001) to allow development of a residential uses on the site. It should be noted that the General Plan allows residential uses on the site. Additionally, because the project was not listed as a Priority Housing Site in the City's *General Plan: Community Vision 2015-2040* (General Plan), per the requirements of the General Plan and the Municipal Code, the project is required to obtain a Use Permit (U-2020-001) as part of the entitlement process.

Staff evaluated the project's consistency with the General Plan and concluded that based on the site's General Plan Land Use Designation (*Commercial/Residential*), the proposed Zoning Map Amendment, consultation with Economic Development staff, and the analysis of the Initial Study Mitigated Negative Declaration (*further discussed in detail in the Environmental Review section of this Staff Report*), the proposed project supports several of the City's other General Plan goals including:

- **Policy LU-2.2: Pedestrian-oriented Public Spaces** - *Require developments to incorporate pedestrian-scaled elements along the street and within the development such as parks, plazas, active uses along the street, active uses, entries, outdoor dining and public art.*
- **Policy LU-3.1: Site Planning** - *Ensure that project sites are planned appropriately to create a network of connected internal streets that improve pedestrian and bicycle access, provide public open space and building layouts that support city goals related to streetscape character for various Planning Areas and corridors.*
- **Policy LU-3.3: Building Design** - *Ensure that building layouts and design are compatible with the surrounding environment and enhance the streetscape and pedestrian activity.*
- **LU-3.3.1: Attractive Design** - *Emphasize attractive building and site design by paying careful attention to building scale, mass, placement, architecture, materials, landscaping, screening of equipment, loading areas, signage and other design considerations.*

- **LU-3.3.5: Building Location** - *Encourage building location and entries closer to the street while meeting appropriate landscaping and setback requirements.*
- **Policy LU-3.4: Parking** - *In surface lots, parking arrangements should be based on the successful operation of buildings; however, parking to the side or rear of buildings is desirable. No visible garages shall be permitted along the street frontage. Above grade structures shall not be located along street frontages and shall be lined with active uses on the ground floor on internal street frontages. Subsurface/deck parking is allowed provided it is adequately screened from the street and/or adjacent residential development.*
- **Policy LU-27.2: Relationship to the Street** - *Ensure that new development in and adjacent to neighborhoods improve the walkability of neighborhoods by providing inviting entries, stoops and porches along the street frontage, compatible building design and reducing visual impacts of garages.*
- **HE-1.3.4: Flexible Development Standards** - *The City recognizes the need to encourage a range of housing options in the community. The City will continue to:*
 - *Offer flexible residential development standards in planned residential zoning districts, such as smaller lot sizes, lot widths, floor area ratios and setbacks, particularly for higher density and attached housing developments.*
 - *Consider granting reductions in off-street parking on a case-by-case basis for senior housing.*

Some members of the community have voiced their concern about the lack of commercial space in the proposed development. While there are some policies in the General Plan that encourage mixed-use development at the site, upon review of the project application, staff determined that this proposed project at this location in balance is consistent with the General Plan Land Use Designation of “Commercial/Residential” that allows for commercial, residential, or a mixed-use residential commercial project. the lack of retail as a substantial component being included in this mixed-use area with commercial zoning (*Strategy LU-1.3.1: Commercial and Residential Uses*) and as referenced in the “Neighborhood Commercial centers” concept discussed in the General Plan on page LU-18 has been cited as cause for concern.

Strategy LU-1.3.1 requires the City to “review the placement of commercial and residential uses” based on certain criteria including “1. All mixed-use areas with commercial zoning will require retail as a substantial component. The North De Anza Special Areas is an exception.” In this case, the property allows residential uses in the General Plan designation; therefore, regardless of the zoning of the property, residential uses must be allowed on the site at a density allowed in the General Plan.

The Neighborhood Commercial centers¹, identified in the Community Form Diagram in Figure LU-2 of the General Plan, include the Bateh Brothers site. The General Plan states that Residential uses in a “Neighborhood Commercial center” *should* be designed on the “mixed-use village concept discussed in this Element.” The “mixed-use village” concept highlights several aspects of development such as parcel assembly and discouraging parcelization, layout with an internal street grid using transect planning, uses allowed, open space requirements and architecture. However, these are permissive and not binding requirements.

The developer, upon staff’s request, considered the inclusion of a small commercial space and another with a live work unit in the development in an early preliminary proposal. However, citing the added cost of providing underground parking, viability of the commercial space and loss of residential units of the kind that he wished to develop (attached single family units) as being deterrents to the development of his project, the developer proceeded with an application for an all residential project.

Therefore, upon review of the proposal, as required by the General Plan, based on the information from the developer, consultation with Economic Development staff and the non-mandatory, permissive language of the General Plan, it was determined that inclusion of commercial space at this site would not be required, and that in balance the proposal was in compliance with the General Plan.

Should the proposed project be approved, nine (9) units would be allocated from the neighborhood development allocation.

Development Regulations

The project site defers to the development standards of the General Plan, and Planned Development “P” zoning designation. The “P” zoning designation is detailed in Cupertino Municipal Code Chapter 19:80 Planned Development Zones. The “P” zoning designation is intended to provide a means of guiding land development or redevelopment of the City that is uniquely suited for planned coordination of land uses and land development. While in the Planned Development zoning district, development has to adhere to Multifamily (R3) zoning regulations, as an alternative, applicants can, in conjunction with a rezoning application, apply for a discretionary review of the project and propose alternative standards unique to the site. Once established, the development

¹ Note that these are distinct from the “neighborhood commercial” land use designation identified in Appendix A of the General Plan. The “neighborhood commercial” land use designation only applies to a small part of the Monta Vista Village Special Area.

EA-2020-001, Z-2020-001,
DP-2020-001, ASA-2020-003,
U-2020-001, TM-2020-001,

22690 Stevens Creek Boulevard

January 13, 2021

Page 7

standards approved as part of the definitive plan for the project become the zoning requirements for the site.

The applicant has proposed the alternative standards for the project as indicated below:

	Setbacks								Private Open Space	Height of Structures
	Stevens Creek Blvd.				Foothill Blvd.					
	Front* (north)	Side* (west)	Side* (east)	Rear*	Front* (east)	Side* (north)	Side* (south)	Rear* (west)		
Allowed/ Required	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Up to 30 feet
Proposed	5'7"	12'5"	10'1"	26.7'	5'7"	10'	29'	81'9"	115 sq. ft. to 639 sq. ft.	29 feet 10.5 inches

* The site is located in a Planned Development (P) zoning district. Chapter 19.80 of the Municipal Code allows the establishment of specific development standards and regulations with the approval of definitive plans for a site.

The proposed project provides three (3) different unit models in four (4) separate buildings. The project has been designed to place the proposed structures closer to Stevens Creek Boulevard and South Foothill Boulevard due to the abutting single family residential uses to the south. This has allowed for setback to the closest residential properties to the rear to be between 26 feet 7 inches and 29 feet. There is a 13 to 14 foot setback proposed between the three buildings fronting Stevens Creek Boulevard and a 10-foot setback between the corner building and the building fronting S. Foothill Boulevard. There are no interior setbacks proposed for the units that are side by side.

Because the project will require significant right-of-way dedication to the City, the project incorporates smaller setbacks along the street perimeter. By providing the right-of way dedication, the project is able to incorporate a detached sidewalk, and landscape improvements along the perimeter of the property. (see Figure 2 and 3 below.)

While the setback from the property line is 5'7" along Stevens Creek Boulevard and S. Foothill Boulevard, setback from the face of curb will be 20'2" from Stevens Creek Boulevard and 26'8" from South Foothill Boulevard. Similarly, while the setback from the property line along Camino Vista Drive is 12'5", the setback from the face of curb is 23'1".

To accommodate different engineering standards, the project proposes a new natural grade as part of the grading plan that would establish a lower natural grade. Natural grade may be established (or reestablished, as in this case) as part of an approved grading plan that is part of a subdivision map approval. Building height will be measured from this new natural grade and will remain below the allowed maximum height of 30'.

EA-2020-001, Z-2020-001,
DP-2020-001, ASA-2020-003,
U-2020-001, TM-2020-001,

22690 Stevens Creek Boulevard

January 13, 2021

Page 8




Figure 3:
Proposed Lot
Configuration




Figure 2: Existing
Lot Configuration

The project has incorporated open space requirements for those in the Heart of the City Specific Plan. These requirements were adopted to ensure that attached multi-family units (such as those envisioned to be primarily developed in the Heart of the City Special Area) had adequate open space when considering quality of life of the new residents. Since the proposal is for attached units, these are considered adequate for this project. The applicant proposes open space within the project as indicated in the following table:

	Heart of the City Requirements	Proposed
Common Open Space	1,350 sq. ft. (150 sq. ft. per unit)	1,475 sq. ft.
Private Open Space	60 sq. ft./unit and no dimension less than 6 feet	115 sq. ft. – 639 sq. ft.

There are three-unit types located in the project as shown in the following table:

Unit Type	# of Bedrooms	No. of units
Type 1	4 BR	6
Type 2	4 BR	2
Type 3	3 BR plus an Accessory Dwelling Unit	1
Total units		9

Site Planning and Architectural Design

The site provides vehicle access via Foothill Boulevard (to the east) and Camino Vista Drive (to the west) and, as described earlier, creates a larger physical separation from the abutting residences. All the units have access from a direct pedestrian connection to the public sidewalk and some also have an internal entrance through the garage of each unit. The site also incorporates guest parking as required by the City's parking ordinance.

As shown in the figure below, the project proposes common outdoor space for residents and guests at the rear of the property. Additionally, the project incorporates tree canopy throughout the perimeter of the site. At the street frontages, the applicant has worked with City staff to create a walkable frontage by providing a detached sidewalk with trees on either side. Along the rear of the property, adjacent to the single-family residences, the applicant has incorporated Saratoga Laurel trees to screen the development.




Figure 4: Proposed Landscape Plan

By integrating projecting and recessed wall planes, wall height variation, and roofline variation, the applicant has worked to reduce the massing of the individual buildings. The applicant has introduced different projections along the building frontage that help to reduce the massing of the structure. The applicant has incorporated horizontal masking elements on the first floor of all units, stone materials around the first-floor walls near front doors, and additional horizontal elements added at the second floor of units along Foothill Boulevard.

Traffic, Circulation and Parking Analysis

As part of the environmental analysis, traffic impacts of the proposed projects were evaluated. These impacts were found to be less than significant because the projects would generate 1,744 fewer daily vehicle trips and 3,262 fewer daily Vehicle Miles Traveled (VMT). Additionally, the project would not generate a demand for transit that would exceed the capacity of the system. Coupled with the project being consistent with adopted policies, plans, or programs regarding pedestrian and bicycle facilities that project would have a less than significant impact.

The proposed project development has been parked to meet the City's parking requirements found in Chapter 19.124: Parking Regulations. The nine (9) small lot single-family homes are parked at a parking ratio of 2.8 parking spaces per unit. Two (2) of the spaces are to be located within an enclosed garage, and 0.8 spaces may be open. This has been provided with each unit containing a two (2) car garage and eight (8) open spaces. One of the units is providing two tandem garage spaces while the other units have two side by side parking spaces.

There is no required bicycle parking for the small lot single-family homes.

Vesting Tentative Map

The project proposes ten (10) separate parcels to be created from the three (3) existing parcels. Nine (9) lots for the proposed residential units, and one (1) common lot. A condition of approval has been added to the Tentative Map to require reciprocal access throughout the site and a formation of a property owner's association to aid maintenance of the driveway aisle and common areas.

Below Market Rate Units

The project would provide 15% Below Market Rate (BMR) units consistent with the City's BMR Manual when the project was submitted. To be consistent with the 15% BMR requirements, the applicant would provide one for sale. One (1) for sale unit would be provided to a median income household. The unit must be affordable for 99 years.

Signage

Signage details are not included in this permit application. Staff will review the signage proposal with the property owner at the time the applicant applies for a sign permit through the Building Division.

Other Department/Agency Review

The City's Building Division, Public Works Department, Environmental Services Division, Cupertino Sanitary District and the Santa Clara County Fire Department have reviewed and conditioned the project.

Project History

On May 7, 2020 the applicant submitted an application that was deemed complete on July 13, 2021 and evaluated in the Draft Initial Study and Mitigated Negative Declaration. The Final Draft of the Initial Study and Mitigated Negative Declaration is attached, see Attachment 7.

Housing Accountability Act

The Housing Accountability Act (HAA), California Government Code Section 65589.5(j), requires that when a proposed housing development complies with the applicable, objective general plan and zoning standards, but a local agency proposes to deny the project or approve it only if the density is reduced, the agency must base its decision on written findings supported by substantial evidence that:

1. The development would have a specific adverse impact on public health or safety unless disapproved, or approved at a lower density; and
2. There is no feasible method to satisfactorily mitigate or avoid the specific adverse impact, other than the disapproval, or approval at a lower density.

Subdivision (j) of the HAA also requires the local agency to identify and provide written documentation of the reasons why a proposed housing development is inconsistent, not in compliance, or not in conformity with an applicable plan, program, policy, ordinance, standard, requirement, or other provision within 30 days of the date that the application for the housing development project is determined to be complete if the housing development project contains 150 or fewer housing units.

The proposed project has been determined to comply with applicable, objective general plan and zoning standards, including maximum height, density, minimum setbacks, useable common and private open space, and number of parking spaces. Thus,

subdivision (j) of the Housing Accountability Act applies. Staff is not aware of any basis to make the findings listed above.

Environmental Review

A Draft Initial Study and Mitigated Negative Declaration (IS/MND) has been prepared for the project (See Attachment 7.) The Mitigated Negative Declaration (MND) identifies mitigation measures in the following areas, to reduce the potential environmental impacts of the project to less than significant levels:

- *Air Quality:* Construction shall comply with BAAQMD's recommendations for reducing construction emissions of fugitive dust and shall ensure construction emissions are reduced.
- *Biological Resources:* The project shall protect nests of raptors and other birds when in active use.
- *Cultural and Tribal Resources:* The project shall incorporate mitigations in the event any cultural resources or archaeological are found on site. This includes consulting with a tribal representative as well as paleontologist.
- *Noise Levels:* Construction shall comply with the Noise Ordinance and best management practices for noise mitigation, and ensure mechanical equipment selected meet the City's noise ordinance.
- *Geology and Soils:* The project shall incorporate mitigation in the event any fossil-bearing deposits are discovered on-site.
- *Utilities:* Demonstrate to the City and Cupertino Sanitary District that the project would not exceed peak wet weather flow capacity of the Santa Clara sanitary sewer system.

As part of the environmental analysis, Staff consulted with the Tamien Nation per the regulations of Assembly Bill 52. As a result of the consultation, Staff updated to the Cultural and Tribal Resources mitigation to include tribal consultation. After the Planning Commission hearing, the Tamien Nation representative contacted the City to request that mitigation measure be modified to be specific to the Tamien Nation. This edit has been made to the Mitigated Negative Declaration and the resolutions.

The mitigation measures have been added as condition of approval for this project.

The Notice of Intent (NOI) to adopt a MND was placed in the newspaper. In addition, the NOI was mailed to notify neighbors and interested parties that a Draft MND had been prepared which the City intends to adopt. The 20-day Public Review Period for the Draft MND was between July 16, 2021 and August 5, 2021.

EA-2020-001, Z-2020-001,
DP-2020-001, ASA-2020-003,
U-2020-001, TM-2020-001,

22690 Stevens Creek Boulevard

January 13, 2021

Page 13

The Environmental Review Committee (ERC) heard the item at its October 28, 2021 and after the public hearing, recommended that the City Council adopt a Mitigated Negative Declaration (EA-2020-001) on a 5-0-0 vote with the identified mitigation measures.

Public Outreach and Noticing

The following table is a brief summary of the noticing done for this project:

Notice of Public Hearing, Site Notice & Legal Ad	Agenda
<ul style="list-style-type: none"> ▪ Site Signage (<i>10 days prior to the hearing</i>) ▪ Legal ad placed in newspaper (<i>at least 10 days prior to the hearing</i>) ▪ Public hearing notices were mailed to property owners within 300' of the project site (<i>10 days prior to the hearing</i>) 	<ul style="list-style-type: none"> ▪ Posted on the City's official notice bulletin board (<i>one week prior to the hearing</i>) ▪ Posted on the City of Cupertino's website (<i>one week prior to the hearing</i>)

Public Comment

The following comments from one individual were received on the project so far:

- Retain commercial uses on the site
- Do not add any residential uses on the site
- Concerns about traffic and existing traffic violations in the area
- Rise in crime
- Concerns about construction impacts

Planning Commission Meeting:

At the Planning Commission meeting, the following subjects were discussed:

- Outreach
- Lack of commercial space incorporated in the project
- Preference vs. requirement of a mixed-use commercial/residential project due to the subjectivity of the language in the General Plan
- Support of the for-sale units proposed

The Planning Commission recommended that the City Council approve the project and adopted the associated resolutions and ordinance in a 4-1-0 (Wang no) vote.

Sustainability Impact

No sustainability impacts.

Fiscal Impact

No fiscal impact.

Conclusion

Planning Commission recommends approval of the project since the project and conditions of approval address all concerns related to the proposed development and all of the findings for approval of the proposed project, consistent with Chapters 19.156, 19.168, 19.48, and 14.18 of the Cupertino Municipal Code, may be made.

Next Steps

If Council adopts the Planning Commission recommendation, the project will be approved contingent on the second reading of the Zoning Ordinance amendment (see Resolution Z-2020-001). All approvals granted by the City Council in conjunction with the zoning map amendment will be effective 30 days after the second reading of the ordinance. Council may also choose to deny the project, continue the hearing, or take other action permissible under the Municipal Code.

Prepared by: Erick Serrano, Senior Planner
Piu Ghosh, Planning Manager

Reviewed by: Benjamin Fu, Director of Community Development

Approved for Submission by: Diane Thompson, Assistant City Manager

ATTACHMENTS:

- A. Draft Resolution for EA-2020-001
- B. Draft Ordinance for Z-2020-001
- C. Draft Resolution for DP-2020-001
- D. Draft Resolution for ASA-2020-003
- E. Draft Resolution for U-2020-001
- F. Draft Resolution for TM-2020-001
- G. Initial Study/Mitigated Negative Declaration
- H. Environmental Review Committee Recommendation
- I. Project Plans

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL ADOPTING A
MITIGATED NEGATIVE DECLARATION, MITIGATION MEASURES, AND A
MITIGATION MONITORING AND REPORTING PROGRAM
FOR THE DEVELOPMENT OF A NINE (9) UNIT SINGLE-FAMILY HOME
DEVELOPMENT AND ONE ACCESSORY DWELLING UNIT (ADU) LOCATED 22690
STEVENS CREEK BOULEVARD (APN: 341-14-066, 342-14-104 & 105)

SECTION I: PROJECT DESCRIPTION

Application No.: EA-2020-001
Applicant: Alan Enterprises LLC
Location: 22690 Stevens Creek Boulevard;
APN#s 341-14-066, 342-14-104 & 105

SECTION II: ENVIRONMENTAL REVIEW PROCESS

WHEREAS, the City of Cupertino received an application for a Zoning Map Amendment, Development Permit, Architectural and Site Approval, Use Permit, and Tentative Map, to allow the development of a nine (9) unit single-family home development with one (1) home containing an Accessory Dwelling Unit (ADU) associated site and landscaping improvements, and associated environmental review ("Project"); and,

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, the Project is described in the June 2021 "Public Draft Initial Study for The 22690 Stevens Creek Project ("Draft IS/MND"); and

WHEREAS, on July 16, 2021 the City issued a Notice of Intent to Adopt a Mitigated Negative Declaration; and

WHEREAS, on July 16, 2021 the IS/MND for the project was distributed to responsible agencies and the public for review and comment for a 20-day period that ended August 5, 2021; and

WHEREAS, the IS/MND concluded that significant environmental effects on Air Quality, Biological Resources, Cultural Resources, Geology and Soils, Noise, Tribal Cultural

Resources, and Utilities and Service Systems would be avoided or reduced to less-than-significant levels by mitigation measures (“MM”) identified in the IS/MND; and

WHEREAS, on October 28, 2021, the City of Cupertino’s Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2020-001) and mitigation measures; and

WHEREAS, the Planning Commission independently reviewed and considered the IS/MND together with the comments and the responses to those comments prior to taking action on the Project; and

WHEREAS, the comments received by the Planning Commission do not require major revisions to the IS/MND due to new or substantially more severe significant effects on the environment; and

WHEREAS, text revisions made after publication of the Draft IS/MND, which are found in the October 2021 Final Draft Initial Study, merely clarify, amplify or make insignificant modifications to the IS/MND, and recirculation of the IS/MND is not required.

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff’s presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 4-1-0 (Wang no) vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the City Council has held at least one public hearing and independently reviewed and considered the IS/MND together with the comments and the responses to those comments prior to taking action on the Project; and

WHEREAS, the comments received by the City Council do not require major revisions to the IS/MND due to new or substantially more severe significant effects on the environment; and

WHEREAS, on January 18, 2022 prior to taking action on the Project, the City Council held a duly noticed public hearing to receive staff’s presentation and public testimony, and to further consider the information contained in the IS/MND, along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of the IS/MND, comments on the IS/MND, maps, facts, exhibits, testimony, staff reports, public comments, and other evidence submitted in this matter, the City Council:

1. Finds that the IS/MND for the Project has been completed in compliance with CEQA and reflects the independent judgment and analysis of the City.
2. Finds that, on the basis of the whole record before it, there is no substantial evidence that the Project as proposed and mitigated will have a significant effect on the environment.
3. Finds that the text revisions to the IS/MND merely clarify, amplify or make insignificant modifications to the IS/MND; therefore, recirculation of the IS/MND is not required.
4. Adopts the Mitigated Negative Declaration for the Project.
5. Adopts and incorporates into the Project all of the mitigation measures identified in the IS/MND. The City Council further makes the mitigation measures, which are listed below, required conditions of approval of the Project to the extent they are within the responsibility and jurisdiction of the City:

a. AIR QUALITY

Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM10 and PM2.5) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:

- Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible.
- Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites.
- Cover all trucks hauling soil, sand, and other loose materials.
- Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust.

- Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material.
- Hydroseed or apply non-toxic soil stabilizers to inactive construction areas.
- Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand).
- Limit vehicle traffic speeds on unpaved roads to 15 miles per hour.
- Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established.
- Install sandbags or other erosion control measures to prevent silt runoff from public roadways.
- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.

Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:

- Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations.
- Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower.
- Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site.
- Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations.
- Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met.

Mitigation Measure AQ-3: The project applicant shall install a vapor barrier beneath the concrete foundation slab of the proposed residential buildings at the project site to mitigate potential odor risks associated with concentration of non-hazardous soil vapor contamination. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

b. BIOLOGICAL RESOURCES

Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).

- Preconstruction surveys shall:
 - Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period.
 - Be conducted no more than 14 days prior to the start of tree removal or construction.
 - Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped.
 - Document locations of active nests containing viable eggs or young birds.
- Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include:
 - Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.
 - Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status.

- An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife.

c. CULTURAL RESOURCES

Mitigation Measure CULT-1: A representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the Tamien Nation in a manner requested by the Tamien Nation at least five (5) days before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site Tamien Nation representative.

If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:

- All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and Tamien Nation representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out.
- The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a Tamien Nation representative regarding the significance of the find and appropriate mitigations as follows:
 - If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5.
 - If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the Tamien Nation to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.
- All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific

analysis, professional museum curation, and documentation according to current professional standards.

d. GEOLOGY AND SOILS

Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:

- In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted.
- The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery.
- The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5.
- The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find.
- If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation.

e. NOISE

Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:

- At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's

authorized representatives that are assigned to respond in the event of a noise or vibration complaint.

- The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:
 - At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.
 - During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.
 - Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.
 - During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible.
 - During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations.

- Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase.
- Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes.
- During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.

Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:

- Selection of equipment that emits low noise levels;
- Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or
- Locating equipment in less noise-sensitive areas, where feasible.

Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

f. TRIBAL CULUTRAL RESOURCES

Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.

g. UTILITIES AND SERVICE SYSTEMS

Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:

1. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or
2. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.

The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the *Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara*, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.

6. Adopts the Mitigation Monitoring and Reporting Program for the Project, as amended, attached hereto as Exhibit EA-1, and incorporated herein by reference, which incorporates all the mitigation measures identified in the Final IS/MND.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 18th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <hr/> <p>Darcy Paul, Mayor City of Cupertino</p>	 <hr/> <p>Date</p>
<p>ATTEST:</p> <hr/> <p>Kirsten Squarcia, City Clerk</p>	 <hr/> <p>Date</p>

Mitigation Monitoring and Reporting Program

22690 Stevens Creek Blvd.

22690 Stevens Creek Blvd.

APN: 341-14-066, 342-14-104 & 105

OCTOBER 2021

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p><u>AIR QUALITY</u></p> <p>Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM10 and PM2.5) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:</p> <ul style="list-style-type: none"> • Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible. • Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites. • Cover all trucks hauling soil, sand, and other loose materials. • Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust. • Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material. • Hydroseed or apply non-toxic soil stabilizers to inactive construction areas. • Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand). • Limit vehicle traffic speeds on unpaved roads to 15 miles per hour. • Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established. • Install sandbags or other erosion control measures to prevent silt runoff from public roadways. 	<p>During the construction and post-construction phases, the project proponent shall be responsible for implementing these measures, including improvements.</p>	<p>Improvements related to these measures shall be printed on all construction documents, contracts, and project plans and shall be reviewed by the Director of Community Development and the Director of Public Work prior to the issuance of grading and/or building permits.</p>	<p>City of Cupertino Public Works and Building Departments</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<ul style="list-style-type: none"> All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe. 			
<p>Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:</p> <ul style="list-style-type: none"> Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations. Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower. Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site. Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations. Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met. 	<p>Project proponent to ensure inclusion of these requirements in all contracts and permit documents. Prior to the issuance of any construction permit.</p>	<p>Provide documentation demonstrating compliance (i.e. specifications of vehicles and equipment) and on the construction drawings clearly show the requirement for Level 3 Diesel Particulate Filters emissions standards for construction equipment over 50 horsepower.</p>	<p>City of Cupertino Public Works, Planning, and Building Departments</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>Mitigation Measure AQ-3: The project applicant shall install a vapor barrier beneath the concrete foundation slab of the proposed residential buildings at the project site to mitigate potential odor risks associated with concentration of non-hazardous soil vapor contamination. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.</p>	<p>Project proponent to ensure inclusion of the requirement in all contracts and permit documents. Prior to the issuance of any construction permit.</p>	<p>Provide documentation demonstrating compliance.</p>	<p>City of Cupertino Planning and Building Departments</p>
<p>Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).</p> <ul style="list-style-type: none"> • Preconstruction surveys shall: <ul style="list-style-type: none"> • Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period. • Be conducted no more than 14 days prior to the start of tree removal or construction. • Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped. • Document locations of active nests containing viable eggs or young birds. • Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging 	<p>Project proponent to add this to all construction plans and contracts to ensure biologist conducts pre-construction surveys as required.</p>	<p>If grading and/or tree removal begins during the stated dates in the mitigation measure, A final report of nesting birds, including any protection measures, shall be submitted to the Director of Community Development prior to the start of demolition.</p>	<p>Community Development Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>independently, or the nest is no longer active. Protective measures shall include:</p> <ul style="list-style-type: none"> • Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds. • Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status. • An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife. • Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status. • An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with California Department of Fish and Wildlife. • The protection measures shall remain in effect until the young have left the nest and are foraging independently or the nest is no longer active. 			
<p>Mitigation Measure CULT-1: A tribal representative shall be permitted on-site at all times during ground disturbance (including grading,</p>	<p>During site excavation, the project proponent shall be</p>	<p>All archaeological monitorin</p>	<p>Community Development Public</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the Tribe in a manner requested by the Tribe at least 48 hours before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site tribal representative.</p> <p>If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:</p> <ul style="list-style-type: none"> • All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and tribal representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out. • The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a tribal representative regarding the significance of the find and appropriate mitigations as follows: • If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5. • If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the appropriate tribe(s) to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, 	<p>responsible for implementation of Archaeological monitoring. Monitoring shall be conducted during earthmoving activities by a qualified archaeologist. During construction, the project proponent and contractor shall be responsible for notification of any discoveries.</p>	<p>g and reporting measures shall be included in all construction documents, and construction management plans, contracts, and project plans and shall be reviewed by the Community Development Department</p>	<p>Works & Building Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.</p> <ul style="list-style-type: none"> All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards. 			
<p>Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.</p>	<p>During site excavation, the project proponent shall be responsible for implementation of Archaeological monitoring. Monitoring shall be conducted during earthmoving activities by a qualified archaeologist. During construction, the project proponent and contractor shall be responsible for notification of any discoveries.</p>	<p>All archaeological monitoring and reporting measures shall be printed on all construction documents, contracts, and project plans and shall be reviewed by the Director of Community Development</p>	<p>Director of Community Development, Public Works & Building Department</p>
<p>Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:</p> <ul style="list-style-type: none"> In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted. The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery. 	<p>At the construction phase, the project proponent and contractor shall be responsible for completing all improvements.</p>	<p>All attenuation measures shall be printed on construction documents, contracts, construction management plan, and project plans and reviewed by the Director of Public Works prior to</p>	<p>City of Cupertino Public Works & Building Department</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<ul style="list-style-type: none"> The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5. The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find. If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation. 		issuance of grading and/or building permits.	
<p>Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:</p> <ul style="list-style-type: none"> At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's 	At the construction phase, the projectproponent andcontractor shall beresponsible forcompleting allimprovements.	All attenuation measures shall be printed on constructiondocuments, contracts, construction management plan, andproject plans and reviewed by the Director of PublicWorks prior toissuance of grading and/or building permits.	City of Cupertino Public Works, and Planning and Building Department

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>authorized representatives that are assigned to respond in the event of a noise or vibration complaint.</p> <ul style="list-style-type: none"> • The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard: • At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City. • During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible. • Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting 			

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.</p> <ul style="list-style-type: none"> • During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible. • During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations. • Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase. • Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes. • During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws. 			
<p>Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the</p>	<p>At the construction phase, the project proponent and</p>	<p>At the construction phase, the project</p>	<p>City of Cupertino Public Works, and</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses (i.e., the Cupertino Hotel) during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:</p> <ul style="list-style-type: none"> • Selection of equipment that emits low noise levels; • Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; • Locating equipment in less noise-sensitive areas, where feasible. 	<p>contractor shall be responsible for completing all improvements.</p>	<p>proponent and contractor shall be responsible for completing all improvements.</p>	<p>Planning and Building Department</p>
<p>Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.</p>	<p>At the construction phase, the projectproponent andcontractor shall beresponsible forcompleting allimprovements.</p>	<p>All attenuation measures shall be printed on constructiondocuments, contracts, construction management plan, andproject plans and reviewed by the Director of PublicWorks prior toissuance of grading and/or building permits.</p>	<p>City of Cupertino Public Works, and Planning and Building Department</p>
<p>Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and</p>	<p>Prior to the issuance of any construction permit.</p>	<p>Demonstrate that the proposed hotel would not exceed the peak weather flow capacity of</p>	<p>Department of Public Works and Cupertino Sanitary District</p>

Mitigation Measure	Timeframe and Responsibility for Implementation	Method of Compliance	Oversight of Implementation
<p>Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:</p> <ol style="list-style-type: none"> 1. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or 2. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD. <p>The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the <i>Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara</i>, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.</p>		the Santa Clara sanitary sewer.	

ORDINANCE NO. _____

**AN ORDINANCE OF THE CITY COUNCIL
OF THE CITY OF CUPERTINO APPROVING
THE REZONING OF THREE PARCELS FROM PLANNED
DEVELOPMENT ZONING WITH GENERAL COMMERCIAL
USES (P(CG)) TO PLANNED DEVELOPMENT ZONING WITH
GENERAL COMMERCIAL AND RESIDENTIAL USES (P(CG, RES))
LOCATED 22690 STEVENS CREEK BOULEVARD**

Application No.: Z-2020-001
Applicant: Alan Enterprises LLC
Location: 22690 Stevens Creek Boulevard;
APN#s 341-14-066, 342-14-104 & 105

The City Council of the City of Cupertino finds that:

WHEREAS, an application was received by the City (Application no. Z-2020-001) for the rezoning of a property from Planned Development with Commercial intent (P(CG)) to Planned Development with General Commercial and Residential intent (P(CG, Res)).

WHEREAS, the rezoning has been determined to be consistent with the City's General Plan land use map, proposed uses and surrounding uses; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 et seq.) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 et seq.) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, the Final Draft Initial Study and Mitigated Negative Declaration was presented to the Planning Commission on November 23, 2021 at a regularly scheduled Planning Commission Meeting; and,

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing,

and recommended on a 4-1-0 (Wang no) vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the necessary public notices have been given and the Planning Commission held one public hearing recommending to the City Council on a 4-1-0 (Wang no) that the rezoning be granted per resolution No. (Z-2020-001);

WHEREAS, on January 18, 2022 and February 1, 2022, upon due notice, the City Council has held at least two public hearings to consider the Rezoning; and;

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Ordinance; and;

WHEREAS, The City Council of the City of Cupertino held a duly noticed public hearing on January 13, 2022, and after considering all testimony and written materials provided in connection with that hearing introduced this ordinance and waived the reading thereof.

**NOW, THEREFORE, THE CITY COUNCIL OF THE OF CITY OF CUPERTINO
DOES ORDAIN AS FOLLOWS:**

That after careful consideration of the facts, exhibits, testimony and other evidence submitted in this matter, the City Council adopts the Rezoning based upon the findings described above, the public hearing record and the Minutes of Planning Commission Meeting of November 23, 2021, and subject to the conditions specified below:

Section 1. The recitals set forth above are true and correct, and are hereby incorporated herein by this reference as if fully set forth in their entirety.

Section 2. The City Council finds the following as set forth by Municipal Code 19.152.020.C:

1. That the proposed zoning is in accord with Title 19 of the Municipal Code and the City's Comprehensive General Plan (Community Vision 2040).

The project has been determined to be consistent with the General Plan. The proposed rezoning would be consistent with the proposed land use and the General Plan consistency determination. The Planned Development district allows the City flexibility to approve project specific development standards different from the standards outlined in the Zoning regulations for the site.

2. The proposed zoning is in compliance with the provisions of the California Environmental Quality Act (CEQA).

As set forth above, the City examined the environmental effects of the Project, including the zoning amendments adopted herein, and in the Initial Study and Mitigated Negative Declaration prepared in accordance with the California Environmental Quality Act. On January 13, 2022 the City Council adopted resolution ____ to approve the Initial Study and Mitigated Negative Declaration with the Mitigation Monitoring and Reporting Program. Any potential impacts associated with project have been analyzed, and mitigation to reduce any potential impacts to less than significant with mitigation have been adopted. Therefore, the proposed zoning complies with the provisions of CEQA.

3. The site is physically suitable (including, but not limited to, access, provision of utilities, compatibility with adjoining land uses, and absence of physical constraints) for the requested zoning designation(s) and anticipated land use development(s).

The site being rezoned will have access to existing utilities and is compatible with adjoining residential land uses.

4. The proposed zoning will promote orderly development of the City.

The site being rezoned will promote orderly development in the City through incorporation of development standards proposed by the project in compliance with the Planned Development Zoning District regulations of the Municipal Code, while continuing to allow commercial activity in the future.

5. That the proposed zoning is not detrimental to the health, safety, peace, morals and general welfare of persons residing or working in the neighborhood of subject parcels.

The proposed zoning is not detrimental to the health, safety, peace, morals and general welfare since the proposed uses have been determined to be consistent with the City's General Plan Land Use Element. Additionally, where any potential health or safety impacts have been identified in the Project's CEQA analysis, mitigation measures have been identified which would be mitigate the impact.

Section 3. The City Council approves the following:

1. That the property described in attached Exhibit Z-1 have a zoning designation as that shown in the table below and is incorporated into the Master Zoning Map (Exhibit Z-2) of the City of Cupertino; and

APN	Current Zoning	New Zoning
341-14-066	P(CG)	P(CG, Res)
342-14-104	P(CG)	P(CG, Res)
342-14-105	P(CG)	P(CG, Res)

2. The approved plan for the project indicates the setbacks, minimum common and private open space, maximum floor area ratio, height and other development standards. Any future changes to these standards would require a rezoning of the property.

Section 4. The City Council finds the Rezoning is within the scope of the Initial Study Mitigated Negative Declaration and directs the Director of Community Development to file a Notice of Determination with the Santa Clara County Recorder in accordance with CEQA guidelines.

Section 5. This Ordinance shall be effective thirty (30) days following its adoption.

INTRODUCED at a special meeting of the Cupertino City Council on January 13, 2022 and **ENACTED** at a regular meeting of the Cupertino City Council on _____, 2022 by the following vote:

Members of the City Council




AYES:


NOES:

ABSENT:

ABSTAIN:

SIGNED: _____ Darcy Paul, Mayor City of Cupertino	_____ Date
ATTEST: _____ Kirsten Squarcia, City Clerk	_____ Date
APPROVED AS TO FORM: _____ Christopher Jensen, City Attorney	_____ Date

-  Planned Development with General Commercial and Residential Intent, P(CG,
-  Residential Single Family
-  Subject Property



Property Details	
APNs:	342-14-066, 342-14-104, 342-14-105
Address:	22690 Stevens Creek Boulevard
Acreage	0.63 acres
Zone Change	
From:	Planned Development with General Commercial Intent
To:	Planned Development with General Commercial and Residential Intent

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING A DEVELOPMENT PERMIT TO A NINE (9) UNIT RESIDENTIAL
DEVELOPMENT AND ONE (1) ADU LOCATED AT 22690 STEVENS CREEK
BOULEVARD (APN: 341-14-066, 342-14-104 & 105)

SECTION I: PROJECT DESCRIPTION

Application No.: DP-2020-001
Applicant: Alan Enterprises LLC
Location: 22690 Stevens Creek Boulevard;
APN#s 341-14-066, 342-14-104 & 105

SECTION II: FINDINGS FOR DEVELOPMENT PERMIT:

WHEREAS, the City of Cupertino received an application for a Development Permit (Application No. DP-2020-001) as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2020-001) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 4-1-0 (Wang no) vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 4-1-0 (Wang no) vote that the City Council approve Zone Map Amendment (Z-2020-001) in

substantially similar form to the Resolution presented (Resolution No. 6932), approve the Development Permit (DP-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6933), approve the Architectural and Site Approval Permit (ASA-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6935), approve the Vesting Tentative Map (TM-2020-001) in substantially similar form the Resolution presented (Resolution No.6934) AND approve the Use Permit (U-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6936)

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on January 18, 2022, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 18, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Development Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Development Permit.

WHEREAS, the City Council finds as follows with regard to this application:

1. The proposed development, at the proposed location, will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience;

The project has been determined to be consistent with the General Plan, and the Zoning Ordinance with the adoption of the Zone Map Amendments (Z-2020-001). The project has been designed to be compatible with and respectful of adjoining land uses. Additionally, all mitigation measures that are within the responsibility and jurisdiction of the City have been adopted and will be made conditions of approval in order to mitigate potential impacts to a less than significant level. Therefore, the project will not be detrimental or injurious to properties or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience.

2. The proposed development will be located and conducted in a manner in accord with the Cupertino Comprehensive General Plan and the purpose of the City's zoning ordinances.

The General Plan land use designation for the property is Commercial/Residential. The

proposed use has been determined to be consistent with the General Plan in that the General Plan allows for commercial, residential, or a mixed-use commercial residential development. The subject property will be zoned Planned Development with General Commercial and Residential intent with the approval of the Zone Map Amendment (Z-2020-001). Projects that are not on the City's list of approved Housing Element sits are required to obtain a Use Permit (U-2020-001), which the project is seeking and subject to approval, see Condition of Approval (COA) #3 in Section III. The proposed development has been determined to meet the applicable development standards in the General Plan and the City of Cupertino's Municipal Code. Therefore, the proposed development is consistent with the purpose of the City's zoning ordinance.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Development Permit, Application No. DP-2020-001, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application no. DP-2020-001 as set forth in the Minutes of the City Council Meeting of January 18, 2022, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPARTMENT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated January 29, 2021 consisting of 47 sheets labeled as 22690 Stevens Creek Blvd, Cover Sheet, A1.01-A1.20, L1-L4, C0.0-C7.2, JT1-JT5, SL1-SL3, Photometric Plan, prepared by Dahlin Group, BKF, Tarrar Utility Consultants, Thomas Baak & Associates, LLP, and CREE Lighting, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. **CONCURRENT APPROVAL CONDITIONS**

The conditions of approval contained in file nos. ASA-2020-003, Z-2020-001, U-2020-001, TM-2020-001, EA-2020-001

4. **ANNOTATION OF THE CONDITIONS OF APPROVAL**

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. **CONSULTATION WITH OTHER DEPARTMENTS**

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

6. **DEVELOPMENT ALLOCATION**

The applicant shall receive an allocation of nine (9) of the residential unit allocations for the Citywide housing allocation.

7. **BELOW MARKET RATE HOUSING PROGRAM**

The applicant shall participate in the City's Below Market Rate (BMR) Housing Program by dedicating 15% of the units. The applicant shall record a covenant, which shall be subject to review and approval by the City Attorney, to be recorded prior to the issuance of building permits. One 4BR unit shall be provide as a BMR unit. The unit shall be made available to moderate income levels in compliance with the City's BMR Manual.

8. **BMR UNIT DESIGN REQUIREMENTS**

The Applicant shall detail how the following requirements shall be met prior to building permit issuance:

- a) BMR units shall be comparable to market-rate units in terms of unit type, number of bedrooms per unit, quality of exterior appearance and overall quality of construction.
- b) Interior features and finishes in the affordable units shall be durable, of good quality and consistent with the contemporary standards of new housing.

9. **BMR AGREEMENT**

Prior to the recordation of a final map or issuance of any building permit, an affordable housing agreement shall be recorded against the property. The affordable housing agreement shall include, but not be limited to the following:

- a) Total number of BMR units, type, location (site map), square footage, number of bedrooms, and construction scheduling of market-rate and BMR units;

- b) Provisions to ensure concurrent construction and completion of BMR units and market-rate units;
- c) Affordability levels for each BMR unit;
- d) Provisions for income certification and screening of potential occupants of BMR units;
- e) Restriction control mechanisms;
- f) Financing of ongoing administrative and monitoring costs;
- g) Other reasonably required provisions to implement the Affordable Housing Plan.

10. BMR UNIT TERMS OF AFFORDABILITY:

Prior to occupancy, the proposed project shall record covenants that require the units to be occupied at rents that are affordable to moderate income level households for a period not less than 99 years from the date of first occupancy of the unit.

11. PUBLIC ART REQUIREMENT

Public art shall be provided for the project in accordance with General Plan Policy 2-66 and the City's Public Art Ordinance (Chapter 19.148 of the Cupertino Municipal Code). The minimum expenditure for the artwork, including, but not limited to design, fabrication, and installation is one (1) percent of the construction valuation for the first \$100 million on construction valuation, or 0.9% of construction valuation for valuation in excess of \$100 million. The project pro forma shall be provided to the City to confirm the project budget. The public art plans (including location and design) shall be reviewed by the Fine Arts Commission during the building permit stage, in advance of final occupancy. Once approved by the Fine Arts Commission, the public artwork shall be installed to the satisfaction of the City prior to final occupancy. In the event the developer or property owner determines that the placement of artwork on a particular property may not be feasible, the developer or property owner may apply to the Fine Arts Commission for an in-lieu payment alternative as indicated in Chapter 19.148 of the Cupertino Municipal Code. The in lieu payment shall be 1.25% of the construction valuation.

12. DEMOLITION REQUIREMENTS

All demolished building and site materials shall be recycled to the maximum extent feasible subject to the Building Official. The applicant shall provide evidence that materials were recycled prior to occupancy.

13. FORMATION OF A PROPERTY OWNER'S ASSOCIATION

A Property Owner's Association shall be formed to maintain the common areas of the property. The Conditions, Covenants and Restrictions (CC&Rs) shall be reviewed and

approved by the City Attorney and the Director of Community Development prior to recordation. The following terms shall be incorporated into the Association's Conditions, Covenants and Restrictions:

- The members/board shall meet at a minimum of once/year
- The Association dues shall cover:
 - Maintenance of common area on the property in compliance with the approved project and conditions of approval, including hardscaping, parking, landscaping and accessory facilities and amenities, such as trash bins/areas, common amenity areas, tree grates, outside trash bins, fences, etc,
 - Building and site repair on a regular schedule, or as otherwise necessary, and building renovation and replacement as necessary to ensure that the property is maintained.
 - Permits, including tree removal permits, required for maintenance and repair of facilities in the common areas
- Any changes to the exterior of the development must be reviewed by the Property Owner's Association.
- Any changes to the CC&R's must be reviewed and approved by the City
- Disbanding of the Association shall require an amendment to the permit.

14. PRE-CONSTRUCTION MEETING AND CONSTRUCTION MANAGEMENT PLAN

A demolition and construction management plan shall be submitted and reviewed prior to building permit issuance. Prior to commencement of construction activities, the applicant shall arrange for a pre-construction meeting with the pertinent departments (Building, Planning, and Public Works) to review the prepared construction management plan, to ensure that construction complies with the conditions of approval, staging of construction equipment is appropriate, tree protection measures are in place, public access routes are identified, and noise and dust control measures are established. The plan shall include but not be limited to the following:

- a. Compliance with CEQA Mitigation Measures
- b. Appropriate construction staging area
- c. Hours of construction
- d. Compliance with the City noise ordinance
- e. Best management practices
- f. Staging of construction equipment shall not occur within ____ feet of any residential property.
- g. Any other measures as determined to be appropriate by the Director of Community Development

15. GRADING AND CONSTRUCTION HOURS AND NOISE LIMITS

The applicant shall indicate compliance with the following grading and construction hours and noise limit requirements on all demolition, construction and grading permits, and in the construction management plan(s), unless otherwise indicated.

- a. All grading activities shall be limited to the dry season (April 15 to October 1), unless permitted otherwise by the Director of Public works.
- b. Construction hours and noise limits shall be compliant with all requirements of Chapter 10.48 of the Cupertino Municipal Code.
- c. Grading, street construction, underground utility and demolition hours for work done more than 750 feet away from residential areas shall be limited to Monday through Friday, 7 a.m. to 8 p.m. and Saturday and Sunday, 9 a.m. to 6 p.m. Grading, street construction, demolition or underground utility work within 750 feet of residential areas shall not occur on Saturdays, Sundays, holidays, and during nighttime period as defined in Section 10.48.053(b) of the Municipal Code.
- d. Construction activities shall be limited to Monday through Friday, 7 a.m. to 8 p.m. and Saturday and Sunday, 9 a.m. to 6 p.m. Construction activities are not allowed on holidays as defined in Chapter 10.48 of the Municipal Code. Nighttime construction is allowed if compliant with nighttime standards of Section 10.48 of the Cupertino Municipal Code.
- e. Rules and regulations pertaining to all construction activities and limitations identified in this permit, along with the name and telephone number of an applicant appointed disturbance coordinator, shall be posted in a prominent location at the entrance to the job site.
- f. The applicant shall be responsible for educating all contractors and subcontractors of said construction restrictions.

The applicant shall comply with the above grading and construction hours and noise limit requirements unless otherwise indicated.

16. ACOUSTIC STUDY AND REDUCTION OF INTERIOR NOISE LEVELS

Prior to the issuance of building permits, the project applicant shall submit an acoustic study to the satisfaction of the City's Community Development Director to demonstrate that unit interiors meet an interior noise level due to exterior noise of 45 dBA CNEL, consistent with State and local noise standards. The study shall be based on precise grading and architectural plans including specific construction method details and materials to calculate the necessary exterior to interior noise

reduction of approximately 30 dBA to achieve 45 dBA CNEL. The precise exterior to interior reduction would be determined in the acoustical study when precise grading plans with building elevations, footprints and architectural plans are available. The applicant will be required to incorporate into the project design all required noise insulation features and techniques necessary to reduce interior noise levels to achieve the interior noise standard. To achieve the required interior noise levels, features such as upgraded exterior wall and roof assemblies, upgraded windows, and exterior doors may be required. In addition, a "windows closed" condition will be required with minimum supply of fresh air per UBC requirements.

17. GREEN BUILDING

The project shall be constructed in accordance with the City's Green Building Ordinance (Chapter 16.58 of the Cupertino Municipal Code). The applicant shall obtain LEED Silver certification or an alternative reference standard in accordance with the ordinance since the building size is over 50,000 square feet. Third party LEED certification or alternative reference standard is required per the ordinance criteria.

18. BUILDING AND FIRE CODE

The applicant shall apply for and obtain building permits to allow the construction of the approved project. The applicant shall provide information and plans to allow the Building Official and the Fire Marshall or their designee that the proposed plans comply with Building and Fire Codes in effect at the time of application for a building permit.

19. TRASH AND DELIVERY ACTIVITIES

A detailed refuse and truck delivery plan shall be prepared by the applicant. The plan shall specify locations of trash facilities, refuse pick up schedules and truck delivery schedules and routes. All trash facilities must be screened and enclosed to the satisfaction of the Public Works Department. The final plan shall be submitted to the City for review and approval prior to issuance of building permits.

20. EXTERIOR BUILDING MATERIALS/TREATMENTS

The final building exterior plan shall closely resemble the details shown on the original approved plans. Final building exterior treatment plan (including but not limited to details on exterior color, materials, architectural treatments, doors, windows, lighting fixtures, and/or embellishments) shall be reviewed and approved by the Director of Community Development prior to issuance of building permits to ensure quality and consistency. Any exterior changes

determined to be substantial by the Director of Community Development shall either require a modification to this permit or a new permit based on the extent of the change.

Future changes to the exterior building materials/treatments must be reviewed and approved by the Property Owner's Association. However, any changes to the building materials that do not match the approved materials shall require an amendment to this permit or a new permit.

21. DARK SKY COMPLIANCE AND/OR BIRD SAFE COMPLIANCE

Prior to issuance of Building Permits, the applicant/property owner shall submit final plans in compliance with the approved lighting plans to comply with development standards of Cupertino Municipal Code Section 19.102.030 Bird-Safe Development Requirements and/or Section 19.102.040 Outdoor Lighting Requirements. In the event changes are proposed from the approved plans, said changes must be reviewed and approved by the Director of Community Development or their designee. The applicant shall provide all documentation required to determine compliance with the Municipal Code. The final lighting plan (including a detailed photometric plan) shall be reviewed and approved by the Director of Community Development prior to building permit issuance. A report from a licensed lighting engineer may be required to confirm all exterior lighting throughout the site complies with the City's Ordinance.

22. ROOFTOP EQUIPMENT SCREENING

All mechanical and other equipment on the building or on the site shall be screened so they are not visible from public street areas or adjoining developments. The height of the screening shall be taller than the height of the mechanical equipment that it is designed to screen. A line of sight plan may be required to demonstrate that the equipment will not be visible from any public right-of-way. The location of the equipment and necessary screening shall be reviewed and approved by the Director of Community Development prior to issuance of building permits.

23. SITE IMPROVEMENTS

All proposed site improvements shall be completed prior to final occupancy of any structures approved in conjunction with the project.

24. COMMON OPEN SPACE

The residential common open space shall provide amenities for passive and/or active recreation including but not limited to play structures, barbeque areas, picnic tables etc. and shall not be retained as only a hardscaped or landscaped area

25. NOISE LEVELS AND ABATEMENT

Project uses and all equipment installed on the site shall comply with the City's Community Noise Control Ordinance at all times. Installation of any mechanical or other equipment shall be evaluated to determine that the installation meets the City's Community Noise Control Ordinance. Any documentation or studies required to determine this shall be provided by the applicant as his/her sole expense. Should the project exceed any of the stipulated maximum noise levels outlined in the City's Community Noise Control Ordinance, an acoustical engineer may be required to submit noise attenuation measures to the satisfaction of the Director of Community Development at the applicant's expense.

26. INGRESS/EGRESS EASEMENT

The applicant shall record an appropriate deed restriction and covenant running with the land, subject to approval of the City Attorney, for all parcels that share a common private drive or private roadway with one or more other parcels. The deed restriction shall provide for necessary reciprocal ingress and egress easement to and from the affected parcels. The easements shall be recorded at such time as interest in one or more of the affected parcels is initially sold or transferred to another party.

27. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether

incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

28. NOTICE OF FEES, DEDICATIONS, RESERVATIONS OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

SECTION IV: CONDITIONS ADMINISTERED BY THE PUBLIC WORKS DEPARTMENT

1. EMERGENCY VEHICLE ACCESS EASEMENT

Developer shall provide an emergency vehicle access easement as necessary and if required by the Santa Clara County Fire Department to facilitate emergency vehicle access onsite.

2. TRAFFIC SIGNAL INSTALLATION

New traffic signals shall be installed at the southwest corner of Stevens Creek Boulevard and South Foothill Boulevard and shall be approved by the Director of Public Works. Traffic signal plans must be completed and approved prior to Final map approval.

3. STREE IMPROVEMENTS & DEDICATION

Roadway dedication in fee title and frontage improvements along the project will be required to the satisfaction of the Director of Public Works. Street improvements and grading and drainage plans must be completed and approved prior to Final map approval.

Street improvements may include, but not be limited to, new curb, gutter, detached sidewalk, ADA ramps, driveways, storm drain main upgrades and laterals, street tree installations, green stormwater infrastructure, traffic signals, streetlight and/or pedestrian push button relocation. All improvements must be completed and accepted by the City prior to Building Final Occupancy or Street Improvement Encroachment Permit acceptance whichever comes first.

Maintenance of Green Stormwater Infrastructure shall be the responsibility of the Developer and included in the Stormwater Management Facilities, Operation, Maintenance and Easement Agreement to be executed during the building permit stage. Additional comments will be provided and shall be incorporated prior to Final Map approval.

4. ACCEPTANCE OF PROPERTY RIGHTS

The Public Works Director, or his/her designee, shall have the authority to accept all offers of dedications, easements, quitclaims and other property rights and interests on behalf of the City.

5. CURB AND GUTTER IMPROVEMENTS

Curbs and gutters, sidewalks and related structures shall be installed in accordance with grades and standards as specified by the Director of Public Works. All

improvements must be completed and accepted by the City prior to Building Final Occupancy or Street Improvement Encroachment Permit acceptance whichever comes first.

6. **PEDESTRIAN AND BICYCLE IMPROVEMENTS**

Developer shall provide pedestrian and bicycle related improvements (e.g. walkway and bicycle racks, etc.) consistent with the Cupertino Bicycle Transportation Plan and the Pedestrian Transportation Plan, and as approved by the Director of Public Works. All improvements must be completed and accepted by the City prior to Building Final Occupancy or Street Improvement Encroachment Permit acceptance whichever comes first.

7. **STREET LIGHTING INSTALLATION**

Developer shall provide pedestrian and bicycle related improvements (e.g. walkway and bicycle racks, etc.) consistent with the Cupertino Bicycle Transportation Plan and the Pedestrian Transportation Plan, and as approved by the Director of Public Works. All improvements must be completed and accepted by the City prior to Building Final Occupancy or Street Improvement Encroachment Permit acceptance whichever comes first.

8. **GRADING**

Grading shall be as approved and required by the Director of Public Works in accordance with Chapter 16.08 of the Cupertino Municipal Code. 401 Certifications and 404 permits maybe required. Please contact Army Corp of Engineers and/or Regional Water Quality Control Board as appropriate.

9. **DRAINAGE**

Drainage shall be provided to the satisfaction of the Director of Public Works. Hydrology and pre- and post-development hydraulic calculations must be provided to indicate whether additional storm water control measures are to be constructed or renovated. The storm drain system may include, but is not limited to, subsurface storage of peak stormwater flows (as needed), bioretention basins, vegetated swales, and hydrodynamic separators to reduce the amount of runoff from the site and improve water quality. Any storm water overflows or surface sheeting should be directed away from neighboring private properties and to the public right of way as much as reasonably possible.

All storm drain inlets shall be clearly marked with the words “No Dumping – Flows to Creek” using permanently affixed metal medallions or equivalent, as approved by the Environmental Programs Division.

Additional comments will be provided and shall be incorporated prior to Final Map approval.

10. **C.3 REQUIREMENTS**

C.3 regulated improvements are required for all projects creating and/or replacing 10,000 S.F. or more of impervious surface (collectively over the entire project site). The developer shall reserve a minimum of 4% of developable surface area for the placement of low impact development measures, for storm water treatment, unless an alternative storm water treatment plan, that satisfies C.3 requirements, is approved by the Director of Public Works.

The Applicant must include the use and maintenance of site design, source control and storm water treatment Best Management Practices (BMPs), which must be designed per approved numeric sizing criteria. A Storm Water Management Plan, Storm Water Facilities Easement Agreement, Storm Water Facilities Operation and Maintenance Agreement, and certification of ongoing operation and maintenance of treatment BMPs are each required.

All storm water management plans are required to obtain certification from a City approved third party reviewer.

11. **SUBDIVISION AGREEMENT**

The project developer shall enter into a subdivision agreement with the City of Cupertino providing for payment of fees, including but not limited to checking and inspection fees, storm drain fees, park dedication fees and fees for under grounding of utilities. Said agreement shall be executed prior to recordation of Final Map.

Fees:

- | | |
|--------------------------------|---|
| a. Checking & Inspection Fees: | Per current fee schedule (\$4,482 or 5% of improvement costs) |
| b. Grading Permit: | Per current fee schedule (\$3,450 or 6% of improvement costs) |
| c. Storm Drainage Fee: | Per current fee schedule (\$3,777 per AC + \$286 per unit) |
| d. Transportation Impact Fee: | Per current fee schedule: (\$6,695 per new PM trip) |
| e. Encroachment Permit Fee: | Per current fee schedule (\$3,095 or 5% of improvement costs) |
| f. Park Fees: | Per current fee schedule: (\$60,000 per unit) |
| g. Storm Management Plan Fee | Per current fee schedule (\$1,484) |

- a. Faithful Performance Bond: 100% of Off-site and On-site Improvements
- b. Labor & Material Bond: 100% of Off-site and On-site Improvement
- c. On-site Grading Bond: 100% of site improvements.

The fees described above are imposed based upon the current fee schedule adopted by the City Council. However, the fees imposed herein may be modified at the time of recordation of a final map or issuance of a building permit in the event of said change or changes, the fees changed at that time will reflect the then current fee schedule.

A final map will be subject to City Council approval and shall be recorded prior to issuance of building permits. Existing buildings must be demolished prior to recordation of the final map as building(s) cannot straddle between parcel lines.

The Project is subject to the payment of Transportation Impact Fees under City's Transportation Impact Fee Program under (Chapter 14.02 of the Cupertino Municipal Code).

The residential project is subject to the payment of park fees in-lieu of park land dedication under City's Park Land Dedication Fee (Chapter 13.08 of the Cupertino Municipal Code).

A Boundary Survey and a horizontal control plan will be required for all new construction to ensure the proposed building will be set based on the boundary survey and setback requirements.

Trash enclosure plans must be designed in accordance with the City's "Public Works Guidelines" posted at www.cupertino.org/nowaste, and to the satisfaction of the Environmental Programs Manager. Clearance by the Public Works Department is required prior to obtaining a building permit. (CMC 9.18.210 H & K)

Applicant shall enter into an agreement with the City that indemnifies and holds harmless both the City and the refuse and recycling collection company (Recology) from and against any harm, damage or maintenance that may occur or become necessary to onsite paving stone driveway surfaces.

17. OPERATIONS & MAINTENANCE AGREEMENT

Developer shall enter into an Operations & Maintenance Agreement with the City prior to final occupancy. The Agreement shall include the operation and maintenance for non-standard appurtenances in the public road right-of-way that may include, but is not limited to, sidewalk, pavers, and street lights.

18. UNDERGROUND UTILITIES

Developer shall comply with the requirements of the Underground Utilities Ordinance No. 331 and other related Ordinances and regulations of the City of Cupertino, and shall coordinate with affected utility providers for installation of underground utility devices. Developer shall submit detailed plans showing utility underground provisions. Said plans shall be subject to prior approval of the affected Utility provider and the Director of Public Works.

19. TRANSFORMERS & CABINETS

Electrical transformers, telephone cabinets and similar equipment shall be placed in underground vaults. The developer must receive written approval from both the Public Works Department and the Community Development Department prior to installation of any above ground equipment. Should above ground equipment be permitted by the City, equipment and enclosures shall be screened with fencing and landscaping such that said equipment is not visible from public street areas, as determined by the Community Development Department. Transformers shall not be located in the front or side building setback area.

20. WATER BACKFLOW PREVENTERS

Domestic and Fire Water Backflow preventers and similar above ground equipment shall be placed away from the public right of way and site driveways to a location approved by the Cupertino Planning Department, Santa Clara County Fire Department and the water company.

21. BEST MANAGEMENT PRACTICES

Utilize Best Management Practices (BMPs), as required by the State Water Resources Control Board, for construction activity, which disturbs soil. BMP plans shall be included in grading and street improvement plans.

22. NPDES CONSTRUCTION GENERAL PERMIT

When and where it is required by the State Water Resources Control Board (SWRCB), the developer must obtain a Notice of Intent (NOI) from the SWRCB, which encompasses preparation of a Storm Water Pollution Prevention Plan (SWPPP), use of construction Best Management Practices (BMPs) to control storm water runoff quality, and BMP inspection and maintenance.

23. EROSION CONTROL PLAN

Developer must provide an approved erosion control plan by a Registered Civil Engineer. This plan should include all erosion control measures used to retain materials on site. Erosion control notes shall be stated on the plans.

24. WORK SCHEDULE

Every 6 months, the developer shall submit a work schedule to the City to show the timetable for all grading/erosion control work in conjunction with this project.

25. TRAFFIC CONTROL PLAN

The developer must submit a traffic control plan by a Registered Traffic Engineer to be approved by the City. The plan shall include a temporary traffic control plan for work in the right of way as well as a routing plan for all vehicles used during construction. All traffic control signs must be reviewed and approved by the City prior to commencement of work. The City has adopted Manual on Uniform Traffic Control Devices (MUTCD) standards for all signage and striping work throughout the City.

26. STREET TREES

Street trees shall be planted within the Public Right of Way to the satisfaction of the Director of Public Works and shall be of a type approved by the City in accordance with Ordinance No. 125.

27. FIRE PROTECTION

Fire sprinklers shall be installed in any new construction to the approval of the City.

28. SANTA CLARA COUNTY FIRE DEPARTMENT

A letter of clearance for the project shall be obtained from the Santa Clara County Fire Department prior to issuance of building permits. Clearance should include written approval of the location of any proposed Fire Backflow Preventers, Fire Department Connections and Fire Hydrants (typically Backflow Preventers should be located on private property adjacent to the public right of way, and fire department connections must be located within 100' of a Fire Hydrant).

29. FIRE HYDRANT

Fire hydrants shall be located as required by the City and Santa Clara County Fire Department as needed.

30. SAN JOSE WATER COMPANY CLEARANCE

Provide San Jose Water Company approval for water connection, service capability and location and layout of water lines and backflow preventers before Final Map approval.

31. DEDICATION OF UNDERGROUND WATER RIGHTS

Developer shall “quit claim” to the City all rights to pump, take or otherwise extract water from the underground basin or any underground strata in the Santa Clara Valley.

32. SANITARY DISTRICT

A letter of clearance for the project shall be obtained from the Cupertino Sanitary District prior to Final Map approval.

33. UTILITY EASEMENTS

Clearance approvals from the agencies with easements on the property (including PG&E, AT&T, and California Water Company, and/or equivalent agencies) will be required prior to recordation of Final Map or issuance of building permits, whichever comes first. Provide letters from PG&E and AT&T to state their concurrence with the proposed easement relocation.

**SECTION V: CONDITIONS ADMINISTERED BY THE SANTA CLARA COUNTY
FIRE DEPARTMENT**

1. FIRE SPRINKLERS REQUIRED:

(As noted on Sheet A0) Approved automatic sprinkler systems in new and existing buildings and structures shall be provided in the locations described in this Section or in Sections 903.2.1 through 903.2.18 whichever is the more restrictive. For the purposes of this section, firewalls used to separate building areas shall be constructed in accordance with the California Building Code and shall be without openings or penetrations. NOTE: The owner(s), occupant(s) and any contractor(s) or subcontractor(s) are responsible for consulting with the water purveyor of record in order to determine if any modification or upgrade of the existing water service is required. A State of California licensed (C-16) Fire Protection Contractor shall submit plans, calculations, a completed permit application and appropriate fees to this department for review and approval prior to beginning their work. CFC Sec. 903.2 as adopted and amended by CMC.

2. WATER SUPPLY REQUIREMENTS

Potable water supplies shall be protected from contamination caused by fire protection water supplies. It is the responsibility of the applicant and any contractors and subcontractors to contact the water purveyor supplying the site of such project, and to comply with the requirements of that purveyor. Such requirements shall be incorporated into the design of any water-based fire protection systems, and/or fire suppression water supply systems or storage containers that may be physically connected in any manner to an appliance capable of causing contamination of the potable water supply of the purveyor of record. Final approval of the system(s) under consideration will not be granted by this office until compliance with the requirements of the water purveyor of record are documented by that purveyor as having been met by the applicant(s). 2016 CFC Sec. 903.3.5 and Health and Safety Code 13114.7.

3. ADDRESS IDENTIFICATION

New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Where required by the fire code official, address numbers shall be provided in additional approved locations to facilitate emergency response. Address numbers shall be Arabic numbers or alphabetical letters. Numbers shall be a minimum of 4 inches (101.6 mm) high with a minimum stroke width of 0.5 inch (12.7 mm). Where access is by means of a private road and the building cannot be viewed from the public way, a monument, pole or other sign or means shall be used to identify the structure. Address numbers shall be maintained. CFC Sec. 505.1

4. CONSTRUCTION SITE FIRE SAFETY

All construction sites must comply with applicable provisions of the CFC Chapter 33 and our Standard Detail and Specification SI-7. Provide appropriate notations on subsequent plan submittals, as appropriate to the project. CFC Chp. 33.

SECTION VI: CONDITIONS ADMINISTERED BY THE OFFICE OF COMMUNITY DEVELOPMENT – BUILDING DIVISION

1. CALIFORNIA BUILDING CODE:

The proposed scope of work shall comply with the 2019 California Building Code Chapter 11A.

SECTION VIII: CONDITIONS ADMINISTERED BY THE CUPERTINO SANITARY DISTRICT

- District will require developer/owner to enter into an Installer's Agreement. If the project is approved and moves into final design, please have the developer/engineer contact us to initiate the Installer's Agreement.
- Connection permit fees, Sewer Development Fees, & Treatment Plant Capacity Fees will be required for the proposed work during the Building Permit Phase and will be required as part of the Installer's Agreement.
- Cupertino Sanitary District shall approve sanitary sewer civil plans during Building Permit Phase.
- Provide Cupertino Sanitary District with a sanitary sewer easement (SSE) that is separate from the Public Utility Easement (PUE). Location of SSE can be the same as proposed PUE.
- Addition of 9 residential units to the system might cause an issue with the District's downstream sewer capacity through the City of Santa Clara.
- Provide the Cupertino Sanitary District with new parcel numbers for lots after subdivision.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <p>_____</p> <p>Darcy Paul, Mayor City of Cupertino</p>	<p>_____</p> <p>Date</p>
<p>ATTEST:</p> <p>_____</p> <p>Kirsten Squarcia, City Clerk</p>	<p>_____</p> <p>Date</p>

RESOLUTION NO. ____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING AN ARCHITECTURAL AND SITE APPROVAL PERMIT TO
CONSTRUCT A NINE (9) UNIT RESIDENTIAL DEVELOPMENT
WITH ONE (1) ADU AND ASSOCIATED SITE AND LANDSCAPE
IMPROVEMENTS LOCATED AT 22690 STEVENS CREEK BOULEVARD

SECTION I: PROJECT DESCRIPTION

Application No.: ASA-2020-001
Applicant: Alan Enterprises LLC
Location: 22690 Stevens Creek Boulevard;
APN#s 341-14-066, 342-14-104 & 105

SECTION II: FINDINGS FOR ARCHITECTURAL AND SITE APPROVAL:

WHEREAS, the Planning Commission of the City of Cupertino received an application for an Architectural and Site Approval Permit as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2020-001) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 4-1-0 (Wang no) vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 4-1-0 (Wang no) vote that the City Council approve Zone Map Amendment (Z-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6932), approve the Development Permit (DP-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6933), approve the Architectural and Site Approval Permit (ASA-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6935), approve the Vesting Tentative Map (TM-2020-001) in substantially similar form the Resolution presented (Resolution No.6934) AND approve the Use Permit (U-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6936); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on January 18, 2022, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 18, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Development Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for an Architectural and Site Approval Permit; and

WHEREAS, the City Council finds as follows with regard to this application:

1. The proposal, at the proposed location, will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience;

Given that the project has been determined to be consistent with the General Plan, applicable portion of the Municipal Code, and all mitigation measures identified in the Initial Study/Mitigated Negative Declaration that are within the responsibility and jurisdiction of the City have been adopted and incorporated into the project to mitigate potential impacts to a less than significant level, the project will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience.

2. The proposal is consistent with the purposes of Chapter 19.168, the General Plan, any specific plan, zoning ordinances, applicable planned development permit, conditional

use permits, variances, subdivision maps or other entitlements to use which regulate the subject property including, but not limited to, adherence to the following specific criteria:

- a) Abrupt changes in building scale should be avoided. A gradual transition related to height and bulk should be achieved between new and existing buildings.

The proposed project is a redevelopment of a largely vacant site with a commercial building. The project will incorporate large rear setbacks and landscape plantings to screen the development from adjacent single-family residences. Additionally, the project incorporates trees throughout the street frontage to further reduce the massing and bulk of the structures. Further, the project incorporates recessing wall plans, wall height variation, and roofline variation to further reduce the height and bulk of the buildings.

- b) In order to preserve design harmony between new and existing building and in order to preserve and enhance property values, the materials, textures and colors of new building should harmonize with adjacent development by being consistent or compatible with design and color schemes with the future character of the neighborhoods and purposes of the zone in which they are situated. The location, height and materials of walls, fencing, hedges and screen planting should harmonize with adjacent development. Unsightly storage areas, utility installations and unsightly elements of parking lots should be concealed. The planting of ground cover or various types of pavements should be used to prevent dust and erosion, and the unnecessary destruction of existing healthy trees should be avoided. Lighting for development should be adequate to meet safety requirements as specified by the engineering and building departments, and provide shielding to prevent spill-over light to adjoining property owners.

The design quality of the development is consistent with the high-quality standards encouraged by City Staff. The architectural style is consistent throughout the development. Further, the planting plan provides extensive ground cover and canopy throughout the project, and provides planting screening for adjacent properties. Utility installation has been designed to be screened by landscaping and or incorporated into the building design. The final lighting for the development will be reviewed as part of the review of the project construction documents to ensure that they meet safety requirements and ensure consistency with the City's lighting regulations.

- c) The number, location, color, size, height, lighting and landscaping of outdoor advertising signs and structures shall minimize traffic hazards and shall positively affect the general appearance of the neighborhood and harmonize with adjacent development; and

Signage approval is not included in this application.

- d) With respect to new projects within existing residential neighborhoods, new development should be designed to protect residents from noise, traffic, light and visually intrusive effects by use of buffering, setbacks, landscaping, walls and other appropriate design measures.

The project abuts residential development along the west and southern property lines. The project has been designed to create a large setback from existing residences in order to reduce impacts. The rear property proposes extensive plantings areas to further buffer the project. Additionally, the project will be required to meet the City's noise and lighting regulation to avoid any intrusive effects.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001), subject to the conditions which are enumerated in this Resolution, beginning on PAGE 3 herein, and subject to the conditions contained in all other Resolutions approved for this Project,

The application for an Architectural and Site Approval, Application No. ASA-2020-005, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application no. ASA-2020-005 as set forth in the Minutes of the City Council Meeting of January 18, 2022 Meeting, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated January 29, 2021 consisting of 47 sheets labeled as 22690 Stevens Creek Blvd, Cover Sheet, A1.01-A1.20, L1-L4, C0.0-C7.2, JT1-JT5, SL1-SL3, Photometric Plan, prepared by Dahlin Group, BKF, Tarrar Utility Consultants, Thomas Baak & Associates, LLP, and CREE Lighting, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. CONCURRENT APPROVAL CONDITIONS

The conditions of approval contained in file nos. DP-2020-001, Z-2020-001, U-2020-001, TM-2020-001, EA-2020-001

4. ANNOTATION OF THE CONDITIONS OF APPROVAL

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. EXTERIOR BUILDING MATERIALS/TREATMENTS

The final building exterior plan shall closely resemble the details shown on the original approved plans. Final building exterior treatment plan (including but not limited to details on exterior color, materials, architectural treatments, doors, windows, lighting fixtures, and/or embellishments) shall be reviewed and approved by the Director of Community Development prior to issuance of building permits to ensure quality and consistency. Any exterior changes determined to be substantial by the Director of Community Development shall either require a modification to this permit or a new permit based on the extent of the change.

6. LANDSCAPE INSTALLATION REPORT

The project is subject to all provisions delineated in the Landscape Ordinance (CMC, Chapter 14.15). A landscape installation audit shall be conducted by a certified landscape professional after the landscaping and irrigation system have been installed. The findings of the assessment shall be consolidated into a landscape installation report.

The landscape installation report shall include, but is not limited to: inspection to confirm that the landscaping and irrigation system are installed as specified in the landscape and irrigation design plan, system tune-up, system test with distribution uniformity, reporting overspray or run-off that causes overland flow, and preparation of an irrigation schedule.

The landscape installation report shall include the following statement: "The landscape and irrigation system have been installed as specified in the landscape and irrigation design plan and complies with the criteria of the ordinance and the permit."

7. LANDSCAPE INSTALLATION/REHABILITATION SUBMITTAL

Prior to issuance of building permits, the applicant shall submit a Prescriptive Compliance Application per sections 14.15.040 A, B, and C of the Landscape Ordinance. The Water-Efficient Design Checklist (Appendix A of Chapter 14.15),

landscape design plans, and irrigation plans shall be reviewed and approved to the satisfaction of the Director of Community Development prior to issuance of building permits. A full Landscape Documentation Package submittal will be required if more than 500 square feet of landscaping is proposed.

8. LANDSCAPE AND IRRIGATION MAINTENANCE

Per the Landscape Ordinance (CMC, Chapter 14.15), a maintenance schedule shall be established and submitted to the Director of Community Development or his/her designee, either with the landscape application package, with the landscape installation report, or any time before the landscape installation report is submitted.

- a) Schedules should take into account water requirements for the plant establishment period and water requirements for established landscapes.
- b) Maintenance shall include, but not be limited to the following: routine inspection; pressure testing, adjustment and repair of the irrigation system; aerating and de-thatching turf areas; replenishing mulch; fertilizing; pruning; replanting of failed plants; weeding; pest control; and removing obstructions to emission devices.
- c) Failed plants shall be replaced with the same or functionally equivalent plants that may be size-adjusted as appropriate for the stage of growth of the overall installation. Failing plants shall either be replaced or be revived through appropriate adjustments in water, nutrients, pest control or other factors as recommended by a landscaping professional.

Note that all landscape and trees planted is considered protected per the City's Protected Trees Ordinance. Tree Removal permits are required prior to removal of any trees.

9. LANDSCAPE PROJECT SUBMITTAL

Prior to issuance of building permits, the applicant shall submit a full Landscape Documentation Package, per sections 14.15.050 A, B, C, and D of the Landscape Ordinance, for projects with landscape area 500 square feet or more or elect to submit a Prescriptive Compliance Application per sections 14.15.040 A, B, and C for projects with landscape area between 500 square feet and 2,500 square feet. The Landscape Documentation Package or Prescriptive Compliance Application shall be reviewed and approved to the satisfaction of the Director of Community Development prior to issuance of building permits, and additional requirements per sections 14.15.040 D, E, F, and G or 14.15.050 E, F, G, H, and I will be required to be reviewed and approved prior to final inspections.

10. SOIL ANALYSIS REPORT

A soils analysis report shall document the various characteristics of the soil (e.g. texture, infiltration rate, pH, soluble salt content, percent organic matter, etc) and provide recommendations for amendments as appropriate to optimize the productivity and water efficiency of the soil.

The soil analysis report shall be made available to the professionals preparing the landscape and irrigation design plans in a timely manner either before or during the design process. A copy of the soils analysis report shall be submitted to the Director of Community Development as part of the landscape documentation package.

11. LANDSCAPE AND IRRIGATION PLANS

The applicant shall submit detailed landscape and irrigation plans to be reviewed and approved by ___ prior to issuance of building permits. The landscape plan shall include water conservation and pesticide reduction measures in conformance with Chapter 14.15, Landscape Ordinance, and the pesticide control measures referenced in Chapter 9.18, Stormwater Pollution Prevention and Watershed Protection, of the Cupertino Municipal Code.

12. DARK SKY COMPLIANCE AND/OR BIRD SAFE COMPLIANCE

Prior to issuance of Building Permits, the applicant/property owner shall submit final plans in compliance with the approved lighting plans to comply with development standards of Cupertino Municipal Code Section 19.102.030 Bird-Safe Development Requirements and/or Section 19.102.040 Outdoor Lighting Requirements. In the event changes are proposed from the approved plans, said changes must be reviewed and approved by the Director of Community Development or their designee. The applicant shall provide all documentation required to determine compliance with the Municipal Code.

13. SIGNAGE

Signage is not approved with this use permit application. Signage shall conform to the City Sign Code.

14. TRANSFORMERS

Electrical transformers, telephone cabinets and similar equipment shall be placed in underground vaults. The developer must receive written approval from both the Public Works Department and the Community Development Department prior to installation of any above ground equipment. Should above ground equipment be permitted by the City, equipment and enclosures shall be screened with fencing and landscaping such that said equipment is not visible from public

street areas, as determined by the Community Development Department. Transformers shall not be located in the front or side building setback area.

15. UTILITY STRUCTURE PLAN

Prior to issuance of building permits, the applicant shall work with staff to provide a detailed utility plan to demonstrate screening or undergrounding of all new utility structures [including, but not limited to backflow preventers (BFP), fire department connections (FDC), post-indicator valves (PIV), and gas meters] to the satisfaction of the Director of Community Development, Public Works, Fire Department, and applicable utility agencies.

16. CONSULTATION WITH OTHER DEPARTMENTS

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

17. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including

attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

18. NOTICE OF FEES, DEDICATIONS, RESERVATIONS, OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <p>_____</p> <p>Darcy Paul, Mayor</p>	<p>_____</p> <p>Date</p>
---	--------------------------

City of Cupertino	
ATTEST:	
<hr/> Kirsten Squarcia, City Clerk	<hr/> Date

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING A USE PERMIT TO ALLOW A NINE UNIT RESIDENTIAL
DEVELOPMENT WITH ONE ADU
LOCATED AT 22690 STEVENS CREEK BOULEVARD

SECTION I: PROJECT DESCRIPTION

Application No.: U-2020-001
Applicant: Alan Enterprises LLC
Location: 22690 Stevens Creek Boulevard;
APN#s 341-14-066, 342-14-104 & 105

SECTION II: FINDINGS FOR A USE PERMIT:

WHEREAS, the City of Cupertino received an application for a Use Permit as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2018-06) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 4-1-0 (Wang no) vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 4-1-0 (Wang no) vote that the City Council approve Zone Map Amendment (Z-2020-001) in

substantially similar form to the Resolution presented (Resolution No. 6932), approve the Development Permit (DP-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6933), approve the Architectural and Site Approval Permit (ASA-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6935), approve the Vesting Tentative Map (TM-2020-001) in substantially similar form the Resolution presented (Resolution No. 6934) AND approve the Use Permit (U-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6936); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on January 18, 2022, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 18, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Use Permit, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Development Permit.

WHEREAS, the City Council finds as follows with regard to this application:

- a) The proposed development, at the proposed location, will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience;

Given that the project has been determined to be consistent with the densities and land uses as allowed in the General Plan, the project will not be detrimental or injurious to property or improvements in the vicinity, and will not be detrimental to the public health, safety, general welfare, or convenience.

- b) The proposed development will be located and conducted in a manner in accord with the Cupertino General Plan and the purpose of the City's zoning ordinances.

The proposed development has been determined to be in conformance with the Cupertino General Plan and Municipal Code since the Project is consistent with the existing land use designations (Commercial, Residential), Municipal Code requirements, including but not limited to, parking regulations, open space, density.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Use Permit, Application No. U-2020-001, is hereby approved, and that the subconclusions upon which the findings and conditions specified in this Resolution are based are contained in the Public Hearing record concerning Application no. U-2020-001 as set forth in the Minutes of the City Council Meeting of January 18, 2022, and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. **APPROVED EXHIBITS**

Approval is based on the plan set dated January 29, 2021 consisting of 47 sheets labeled as 22690 Stevens Creek Blvd, Cover Sheet, A1.01-A1.20, L1-L4, C0.0-C7.2, JT1-JT5, SL1-SL3, Photometric Plan, prepared by Dahlin Group, BKF, Tarrar Utility Consultants, Thomas Baak & Associates, LLP, and CREE Lighting, except as may be amended by conditions in this resolution.

2. **ACCURACY OF PROJECT PLANS**

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. **CONCURRENT APPROVAL CONDITIONS**

The conditions of approval contained in file nos. DP-2020-001, Z-2020-001, ASA-2020-003, TM-2020-001, EA-2020-001

4. **ANNOTATION OF THE CONDITIONS OF APPROVAL**

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. **CONSULTATION WITH OTHER DEPARTMENTS**

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

6. **INDEMNIFICATION**

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as "proceeding") brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys' fees and costs incurred in defense of the litigation. Such attorneys' fees and costs shall include amounts paid to the City's outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys' fees, or costs awards, including attorneys' fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary

by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

7. NOTICE OF FEES, DEDICATIONS, RESERVATIONS OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

<p>SIGNED:</p> <p>_____</p> <p>Darcy Paul, Mayor City of Cupertino</p>	<p>_____</p> <p>Date</p>
<p>ATTEST:</p> <p>_____</p> <p>Kirsten Squarcia, City Clerk</p>	<p>_____</p> <p>Date</p>

RESOLUTION NO. _____

A RESOLUTION OF THE CUPERTINO CITY COUNCIL
APPROVING A VESTING TENTATIVE MAP TO ALLOW
A RESIDENTIAL DEVELOPMENT OF ONE COMMON PARCEL AND
NINE INDIVIDUAL PARCELS
LOCATED AT 22690 STEVENS CREEK BOULEVARD

SECTION I: PROJECT DESCRIPTION

Application No.: TM-2020-001
Applicant: Alan Enterprises LLC
Location: 22690 Stevens Creek Boulevard;
APN#s 341-14-066, 342-14-104 & 105

SECTION II: FINDINGS FOR A TENTATIVE MAP:

WHEREAS, the City of Cupertino received an application for a Vesting Tentative Map (Application No. TM-2020-001) as described in Section I of this resolution; and

WHEREAS, pursuant to the provisions of the California Environmental Quality Act of 1970 (Public Resources Code Section 21000 *et seq.*) ("CEQA") and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 *et seq.*) ("CEQA Guidelines"), the City prepared an Initial Study and proposed Mitigated Negative Declaration ("Project"); and

WHEREAS, on October 28, 2021, the City of Cupertino's Environmental Review Committee held a duly noticed public hearing to receive public testimony and reviewed and considered the information contained in the Draft IS/MND, and voted 5-0-0 to recommend that the City Council adopt the Draft IS/MND (EA-2020-001) and mitigation measures; and

WHEREAS, on November 23, 2021, the Planning Commission held a duly noticed public hearing to receive staff's presentation and public testimony, and to consider the information contained in the IS/MND along with all staff reports, other pertinent documents, and all written and oral statements received prior to and at the public hearing, and recommended on a 4-1-0 (Wang no) vote, based on substantial evidence in the record, that the City Council adopt the MND, adopt and incorporate into the Project and implement as conditions of approval all of the mitigation measures for the project that are identified in the IS/MND, and adopt the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001); and

WHEREAS, on November 23, 2021 the Planning Commission recommended on a 4-1-0 (Wang no) vote that the City Council approve Zone Map Amendment (Z-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6932), approve the Development Permit (DP-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6933), approve the Architectural and Site Approval Permit (ASA-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6935), approve the Vesting Tentative Map (TM-2020-001) in substantially similar form the Resolution presented (Resolution No.6934) AND approve the Use Permit (U-2020-001) in substantially similar form to the Resolution presented (Resolution No. 6936); and

WHEREAS, all necessary public notices having been given as required by the Procedural Ordinance of the City of Cupertino and the Government Code, and the Planning Commission held at least one public hearing in regard to this application, and on January 18, 2022, the City Council held a public hearing to consider the Development Permit; and

WHEREAS, the City Council of the City of Cupertino is the decision-making body for this Resolution; and

WHEREAS, on January 18, 2022, after consideration of substantial evidence contained in the entire administrative record, and prior to consideration of the Vesting Tentative Map, the City Council adopted Resolution No. [####] adopting and requiring as conditions of approval all of the mitigation measures for the Project which are within the responsibility and jurisdiction of the City that are identified in the IS/MND, and adopting the Mitigation Monitoring and Reporting Program for the Project; and

WHEREAS, the applicant has met the burden of proof required to support the application for a Use Permit; and

WHEREAS, the Planning Commission finds as follows with regard to this application:

- a. That the proposed subdivision map is consistent with the City of Cupertino General Plan.

The subject property has been determined to be consistent with the General Plan. The proposed project complies with General Plan policies that include density, maximum building height, building design, site planning, and frontage improvements.

- b. That the design and improvements of the proposed subdivision are consistent with the General Plan.

The off-site improvements are consistent with the City's General Plan policies related to pedestrian and bicycle safety etc. by improving the street frontage, and minimizing curb-cuts.

- c. That the site is physically suitable for the type development contemplated under the approved subdivision.

The proposed subdivision is compatible with the adjoining land uses and no physical constraints are present that would conflict with anticipated land use development. There are no topographical anomalies that differentiate this property from adjacent properties. The site is located on the valley floor, as well as not listed within any environmentally sensitive zone.

- d. That the site is physically suitable for the intensity of development contemplated under the approved subdivision.

The subject property is physically suitable in size and shape in conformance to development standards and is appropriately configured to accommodate a multi-unit mixed-used development.

- e. That the design of the subdivision or the proposed improvements are not likely to cause substantial environmental damage nor substantially and avoidably injure fish and wildlife or their habitat.

The proposed subdivision design and improvements are not likely to cause serious public health problems nor substantially injure fish and wildlife or their habitat because the property is a developed site and located in an urbanized area where residential land use is allowed.

- f. That the design of the subdivision or the type of improvements associated therewith are not likely to cause serious public health problems.

The proposed development is designed to meet development standards and applicable codes and regulations. Any potential environmental impacts associated with the project are to be mitigated as part of the project approval. Therefore, the design of the subdivision and necessary improvements are not likely to cause serious public health concerns.

- g. That the design of the subdivision and its associated improvements will not conflict with easements acquired by the public at large for access through or use of property within the proposed subdivision.

No easement or right-of-way exists currently that would be impeded or conflict with the proposed subdivision.

NOW, THEREFORE, BE IT RESOLVED:

That after careful consideration of maps, facts, exhibits, testimony and other evidence submitted in this matter and the IS/MND and the Mitigation Monitoring and Reporting Program for the Project (EA-2020-001), subject to the conditions which are enumerated in this Resolution beginning on PAGE 3 thereof, and those contained in all other Resolutions approved for this Project,

The application for a Vesting Tentative Map, Application No. TM-2020-001, is hereby approved, and that the subconclusions upon which the findings and conditions specified

in this Resolution are based are contained in the Public Hearing record concerning Application no. TM-2020-001 as set forth in the Minutes of the City Council Meeting of January 18, 2022 and are incorporated by reference as though fully set forth herein.

SECTION III: CONDITIONS ADMINISTERED BY THE COMMUNITY DEVELOPMENT DEPT.

1. APPROVED EXHIBITS

Approval is based on the plan set dated January 29, 2021 consisting of 47 sheets labeled as 22690 Stevens Creek Blvd, Cover Sheet, A1.01-A1.20, L1-L4, C0.0-C7.2, JT1-JT5, SL1-SL3, Photometric Plan, prepared by Dahlin Group, BKF, Tarrar Utility Consultants, Thomas Baak & Associates, LLP, and CREE Lighting, except as may be amended by conditions in this resolution.

2. ACCURACY OF PROJECT PLANS

The applicant/property owner is responsible to verify all pertinent property data including but not limited to property boundary locations, building setbacks, property size, building square footage, any relevant easements and/or construction records. Any misrepresentation of any property data may invalidate this approval and may require additional review.

3. CONCURRENT APPROVAL CONDITIONS

The conditions of approval contained in file nos. DP-2020-001, Z-2020-001, U-2020-001, ASA-2020-001, EA-2020-001

4. ANNOTATION OF THE CONDITIONS OF APPROVAL

The conditions of approval set forth shall be incorporated into and annotated on the first page of the building plans.

5. CONSULTATION WITH OTHER DEPARTMENTS

The applicant is responsible to consult with other departments and/or agencies with regard to the proposed project for additional conditions and requirements. Any misrepresentation of any submitted data may invalidate an approval by the Community Development Department.

6. INDEMNIFICATION

As part of the application, to the fullest extent permitted by law, the applicant shall agree to indemnify, defend with the attorneys of the City's choice, and hold harmless the City, its City Council, and its officers, employees, and agents (collectively, the "indemnified parties") from and against any liability, claim, action, cause of action, suit, damages, judgment, lien, levy, or proceeding (collectively referred to as

“proceeding”) brought by a third party against one or more of the indemnified parties or one or more of the indemnified parties and the applicant related to any Ordinance, Resolution, or action approving the project, the related entitlements, environmental review documents, finding or determinations, or any other permit or approval authorized for the project. The indemnification shall include but not be limited to damages, fees, and costs awarded against the City, if any, and cost of suit, attorneys’ fees, and other costs, liabilities, and expenses incurred in connection with such proceeding whether incurred by the Applicant, the City, or the parties initiating or bringing such proceeding.

The applicant shall agree to (without limitation) reimburse the City its actual attorneys’ fees and costs incurred in defense of the litigation. Such attorneys’ fees and costs shall include amounts paid to the City’s outside counsel and shall include City Attorney time and overhead costs and other City staff overhead costs and any costs directly related to the litigation reasonably incurred by City. The applicant shall likewise agree to indemnify, defend, and hold harmless the indemnified parties from and against any damages, attorneys’ fees, or costs awards, including attorneys’ fees awarded under Code of Civil Procedure section 1021.5, assessed or awarded against the indemnified parties. The Applicant shall cooperate with the City to enter a Reimbursement Agreement to govern any such reimbursement.

The Applicant shall agree to (without limitation) reimburse the City for all costs incurred in additional investigation or study of, or for supplementing, redrafting, revising, or amending, any document (such as an Environmental Impact Report, negative declaration, specific plan, or general plan amendment) if made necessary by proceedings challenging the project approvals and related environmental review, if the applicant desires to continue to pursue the project.

The Applicant shall agree that the City shall have no liability to the Applicant for business interruption, punitive, speculative, or consequential damages.

7. NOTICE OF FEES, DEDICATIONS, RESERVATIONS OR OTHER EXACTIONS

The Conditions of Project Approval set forth herein may include certain fees, dedication requirements, reservation requirements, and other exactions. Pursuant to Government Code Section 66020(d) (1), these Conditions constitute written notice of a statement of the amount of such fees, and a description of the dedications, reservations, and other exactions. You are hereby further notified that the 90-day approval period in which you may protest these fees, dedications, reservations, and other exactions, pursuant to Government Code Section 66020(a), has begun. If you fail to file a protest within this 90-day period complying with all of the requirements of Section 66020, you will be legally barred from later challenging such exactions.

CITY ENGINEER'S CERTIFICATE OF
ACCEPTANCE OF ENGINEERING/SURVEYING CONDITIONS
(Section 66474.18 California Government Code)

I hereby certify that the engineering and surveying conditions specified in Section IV. of this Resolution conform to generally accepted engineering practices.

Chad Mosley, Assistant Director of Public Works
City Engineer CA License 66077

PASSED AND ADOPTED at a special meeting of the City Council of the City of Cupertino this 13th day of January, 2022 by the following vote:

Members of the City Council

AYES:

NOES:

ABSENT:

ABSTAIN:

SIGNED: _____ Darcy Paul, Mayor City of Cupertino	 _____ Date
ATTEST: _____ Kirsten Squarcia, City Clerk	 _____ Date

December 2021 | Revised Final Draft Initial Study



Canyon Crossings Mixed-Use Project Initial Study

for the City of Cupertino



December 2021 | Revised Final Draft Initial Study

Canyon Crossings Mixed-Use Project Initial Study

for the City of Cupertino

Prepared By:

PlaceWorks

Berkeley, California

510.848.3815

Table of Contents

TABLE OF CONTENTS	i
1. INTRODUCTION.....	2-1
1.1 Initial Study	2-1
1.2 Tiering Process	2-2
1.3 Report Organization	2-4
2. EXECUTIVE SUMMARY	2-1
2.1 Initial Study Checklist	2-1
2.2 Environmental Factors Potentially Affected	2-2
2.3 Determination.....	2-2
2.4 Summary of Impacts and Mitigation Measures	2-3
3. PROJECT DESCRIPTION	3-1
3.1 Project Location and Site Characteristics	3-1
3.2 Project Components	3-14
3.3 Required Permits and Approvals	3-32
4. ENVIRONMENTAL ANALYSIS.....	4-1
4.1 Discussion of Environmental Evaluation.....	4-1
I. Aesthetics.....	4-2
II. Air Quality	4-6
III. Biological Resources	4-17
IV. Cultural Resources	4-25
V. Energy	4-28
VI. Geology and Soils.....	4-31
VII. Greenhouse Gas Emissions.....	4-37
VIII. Hazards and Hazardous Materials	4-46
IX. Hydrology and Water Quality	4-53
X. Land Use and Planning.....	4-61
XI. Noise	4-63
XII. Population and Housing.....	4-71
XIII. Public Services	4-74
XIV. Parks and Recreation	4-76
XV. Transportation.....	4-78
XVI. Tribal Cultural Resources	4-89
XVII. Utilities and Service Systems	4-91

TABLE OF CONTENTS

XVIII. Wildfire.....	4-101
XIX. Mandatory Findings of Significance.....	4-104
5. MITIGATION MONITORING AND REPORTING PROGRAM.....	5-1
6. ORGANIZATIONS AND PERSONS CONSULTED.....	6-1
APPENDICES	
Appendix A: Air Quality and Greenhouse Gas Emissions Data	
Appendix B: Health Risk Assessment	
Appendix C: Noise Data	
Appendix D: Transportation Data	
Appendix E: Phase I Environmental Site Assessment	

In addition to these appendices, all documents cited in this report and used in its preparation are hereby incorporated by reference into this Initial Study. Copies of documents referenced herein are available for review at the City of Cupertino Community Development Department at 10300 Torre Avenue, Cupertino, California 95014.

LIST OF FIGURES

Figure 3-1	Regional and Vicinity Map.....	3-2
Figure 3-2	Aerial View of Project Site and Surroundings.....	3-3
Figure 3-3	Existing Conditions	3-5
Figure 3-4	Conceptual Site Plan.....	3-15
Figure 3-5	Mixed-Use Building Ground Floor	3-16
Figure 3-6	Mixed-Use Building Second Floor Apartments and Roof.....	3-17
Figure 3-7	Mixed-Use Building Subterranean Parking Level	3-18
Figure 3-8	Mixed-Use Building Elevation.....	3-19
Figure 3-9	Detached Single-Family Homes Elevation	3-21
Figure 3-10	Attached Single-Family Homes Elevation.....	3-22
Figure 3-11	Attached Single-Family Homes Elevation.....	3-23
Figure 3-12	Circulation Map	3-25
Figure 3-13	Proposed Landscape Plan.....	3-27
Figure 3-14	Proposed Lighting Plan	3-28
Figure 3-15	Utility Plan	3-30
Figure 4-1	Existing Pedestrian and Bicycle Facilities.....	4-82

TABLE OF CONTENTS

LIST OF TABLES

Table 1-1	General Plan EIR, General Plan, and the Proposed Project Comparison Table	2-3
Table 3-1	Demolition and Construction	3-31
Table 4-1	Existing Operation-Related Criteria Air Pollutant Emissions	4-7
Table 4-2	Construction-Related Criteria Air Pollutant Emissions Estimates	4-11
Table 4-3	Operational Criteria Air Pollutant Emissions Estimates	4-12
Table 4-4	Construction Risk Summary – Unmitigated	4-14
Table 4-5	Construction Risk Summary – Mitigated	4-15
Table 4-6	Existing GHG Emissions	4-38
Table 4-7	Project Operation and Construction GHG Emissions	4-38
Table 4-8	Cupertino Climate Action Plan Consistency Matrix	4-43
Table 4-9	Project-Related Construction Noise, Energy-Average (L_{eq}) Noise Levels, dBA	4-66
Table 4-10	Construction Equipment Vibration Levels	4-70
Table 4-11	Existing Vehicle Miles Traveled	4-81
Table 4-12	Proposed Vehicle Miles Traveled	4-83
Table 4-13	Project Trip Generation	4-83
Table 4-14	Water Demand for the Proposed Project	4-95
Table 4-15	WasteWater Demand for the Proposed Project	4-96
Table 4-16	Reasonably Foreseeable Development Projects in Cupertino	4-106
Table 5-1	Mitigation Monitoring and Reporting Program	5-2

TABLE OF CONTENTS

This page intentionally left blank.

1. Introduction

This document is an Initial Study for the Canyon Crossings Mixed-Use Project (proposed project) prepared by the City of Cupertino (City) to determine if the proposed project may have a significant effect on the environment. This Initial Study was prepared pursuant to the California Environmental Quality Act (CEQA) (Public Resources Code sections 21000 *et seq.*). Pursuant to Section 15051 of the State CEQA Guidelines,¹ the City is the lead agency for the proposed project.

The project site is located on a 1.57-acre site that is proposed for redevelopment by SCR Enterprises (the project applicant). The site is located at 10625 South Foothill Boulevard,² where South Foothill Boulevard meets Stevens Canyon Road. The project site is surrounded by single-family residential uses. The site is currently developed with three buildings, a surface parking lot, and associated landscaping. The proposed project would involve demolishing the existing structures and redeveloping the site with 4,536 square feet of commercial space and up to 18 residential units comprised of apartments, eight attached, and five detached single-family units. All proposed structures would have a maximum building height of 30 feet (two stories) and would include parking and associated landscaping. One level of below-grade parking garage would be located under the mixed-use building.

The project site is assigned Assessor's Parcel Numbers 342-16-087 and 342-16-088. The General Plan land use designation for the project site is Commercial/Residential and the Zoning District is Planning Development with General Commercial (P(CG)). The Commercial/Residential land use designation allows primarily commercial uses and secondarily residential uses, or a compatible combination of the two. The proposed project includes rezoning the project site to Planning Development with General Commercial and Residential (P(CG,Res)), to support the proposed residential uses intended to support commercial development. A detailed description of the proposed project is provided in Chapter 3, Project Description, of this Initial Study.

1.1 INITIAL STUDY

Pursuant to CEQA Guidelines Section 15063, an Initial Study is a preliminary environmental analysis that is used by the lead agency as a basis for determining what form of environmental review is required for a project. The CEQA Guidelines require that an Initial Study contain a project description, description of environmental setting, identification of environmental effects by checklist or other similar form, explanation of environmental effects, discussion of mitigation for significant environmental effects,

¹ The CEQA Guidelines are found in California Code of Regulations, Title, 14, Section 15000 *et seq.*

² There are several addresses assigned to the project site, but for the purposes of this Initial Study, a single address (10625 South Foothill Boulevard) is used to represent the entire project site.

INTRODUCTION

evaluation of the project's consistency with existing and applicable land use controls, and the name of persons who prepared the study.

1.2 TIERING PROCESS

The CEQA concept of "tiering" refers to the evaluation of general environmental matters in a broad program-level EIR, with subsequent focused or project-level environmental documents for individual projects that implement the program. Pursuant to CEQA Guidelines Section 15152 this Initial Study is tiered from the City's General Plan Amendment, Housing Element Update, and associated Rezoning Project Environmental Impact Report (EIR) that was certified by the Cupertino City Council in December 2014,³ and the subsequent addenda to the EIR that were approved by the City Council in October 2015,⁴ August 2019,⁵ and December 2019,⁶ together hereinafter "General Plan EIR." Pursuant to CEQA Guidelines Section 15150 this Initial Study incorporates by reference the discussions in the General Plan EIR.⁷ As previously stated, copies of documents referenced herein are available for review at the City of Cupertino Community Development Department at 10300 Torre Avenue, Cupertino, California 95014.

The analysis in this Initial Study concentrates on the project-specific issues pertaining to the proposed Canyon Crossings Mixed-Use project. CEQA and the CEQA Guidelines encourage the use of tiered environmental documents to reduce delays and excessive paperwork in the environmental review process. This is accomplished in tiered documents by eliminating repetitive analyses of issues that were adequately addressed in the program EIRs and by incorporating those analyses by reference.

In order to determine whether the proposed project was part of the development that was examined in the General Plan EIR, the following questions must be answered:

- Is the proposed project included in the scope of the development projected and analyzed in the General Plan EIR?
- Is the project site in an area designated for Commercial/Residential land uses in the General Plan and Planned Development with General Commercial and Residential Zoning District?
- Are the changes to population and employment associated with the proposed project included within the scope of the projections accounted for in the General Plan EIR?
- Is the proposed project within the scope of the cumulative analysis in the General Plan EIR?

The General Plan EIR included an evaluation of the project site as potential Housing Element Site 9 (Foothill at McClellan Center – Foothill Market), although the adopted General Plan did not designate this

³ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 2014.

⁴ City of Cupertino, approved First Addendum to the General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. October 2015.

⁵ City of Cupertino, approved Second Addendum to the General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. August 2019.

⁶ City of Cupertino, approved Third Addendum to the General Plan Amendment, Housing Element Update, and Associated Rezoning, State Clearinghouse Number 2014032007. December 2019.

⁷ Discussions are in Chapter 3, Project Description, and Chapter 4, Environmental Analysis, of this Initial Study.

INTRODUCTION

site as a Priority Housing Element Site. The evaluation in the General Plan EIR assumed potential redevelopment of commercial and residential uses with 27 maximum dwelling units and a maximum building height of 30 feet. The General Plan EIR evaluated a Zoning District change from Planned Development with General Commercial (P(CG)) to Planned Development with General Commercial and Residential (P(CG,Res)) to accommodate the construction of residential uses on-site. The project is consistent with the General Plan land use designation, but because the City Council did not identify this as a Housing Element site, the Zoning Map was not amended following the certification of the General Plan EIR. The approval of the proposed project would require an amendment to the Zoning Map to allow residential uses on the project site as proposed. The cumulative impacts of past, present, and probable future development, in conjunction with overall General Plan buildout, including residential development of the project site, were evaluated in the General Plan EIR. Accordingly, this Initial Study tiers from the General Plan EIR pursuant to CEQA Guidelines Section 15152 (Public Resources Code Section 21094). Table 1-1 identifies the development potential that was analyzed for the project site in the General Plan EIR, what type of development the General Plan currently anticipates for the project site, and what is proposed for the site as part of the project.

TABLE 1-1 GENERAL PLAN EIR, GENERAL PLAN, AND THE PROPOSED PROJECT COMPARISON TABLE

	General Plan EIR ^a	General Plan ^b	Proposed Project
Reference Name	Housing Element Site 9 (Foothill at McClellan Center – Foothill Market)	Neighborhoods: Inspirational Heights Neighborhood	Canyon Crossings
General Plan Land Use	Commercial/Residential	Commercial/Residential ^c	Commercial/Residential
Zoning District	Planned Development with General Commercial and Residential (P(CG, Res)) ^d	Planned Development with General Commercial (P(CG))	Planned Development with General Commercial and Residential (P(CG, Res))
Density	25 du/ac	15 du/ac ^e	11.5 du/ac
Maximum Height	30 feet	30 feet ^e	30 feet
Development Potential	Up to 27 net residential units ^f	Up to 24 net residential units	4,536 square feet commercial 18 residential units
Population ^g	80	70	52
Employees ^h	N/A	N/A	10

Notes: du/ac = dwelling units per acre

a. Certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR and Addenda, State Clearinghouse Number 2014032007. December 2014, October 2015, August 2019, and December 2019.

b. City of Cupertino General Plan (Community Vision 2015 – 2040).

c. City of Cupertino Land Use Map adopted November 15, 2005 and amended August 20, 2019.

d. Although the General Plan EIR evaluated an amendment to the Zoning District from Planned Development with General Commercial (P(CG)) to Planned Development with General Commercial and Residential (P(CG,Res)), the City did not change the Zoning Map at that time.

e. Chapter 2, Planning Areas, page PA-22 and PA-23; Chapter 3, Land Use and Community Design Element, page LU-16 and LU-17.

f. Although the site could accommodate up to 39 units based the 25 du/ac density, the General Plan EIR evaluated a realistic yield of 27 net units.

g. Estimates are based on the Association of Bay Area Governments (ABAG) 2019 projections that show an average household size of 2.87 persons for Cupertino in 2020. This is the standard approach for population estimates in Cupertino. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR.

h. The General Plan EIR applied a generation rate of 450 square feet of commercial space per employee.

Source: City of Cupertino, PlaceWorks, 2020.

INTRODUCTION

1.3 REPORT ORGANIZATION

This Initial Study is organized into the following chapters:

Chapter 1: Introduction. This chapter provides an introduction and overview of the Initial Study document.

Chapter 2: Executive Summary. A summary of the pertinent details for the proposed project, including lead agency contact information, proposed project location, and General Plan land use designation and Zoning Districts are in this chapter. This chapter also summarizes the significant impacts that could occur from construction and operation of the proposed project and identifies the mitigation measures recommended to reduce the impacts to a less-than-significant level.

Chapter 3: Project Description. This chapter describes the location and setting of the proposed project, along with its principal components, as well as a description of the policy setting and implementation process for the proposed project.

Chapter 4: Environmental Analysis. Making use of the CEQA Guidelines Appendix G, Environmental Checklist, this chapter identifies and discusses anticipated impacts from the proposed project, providing substantiation of the findings made.

Chapter 5: Mitigation Monitoring and Reporting Program. This chapter lists the impacts found to be significant and identifies the recommended mitigation measures categorized by impact area.

Chapter 6: Organizations and Persons Consulted. This chapter presents a list of City and other agencies and consultant team members that contributed to the preparation of the Initial Study.

2. Executive Summary

2.1 INITIAL STUDY CHECKLIST

1. **Project Title:** Canyon Crossings Mixed-Use Project
2. **Lead Agency Name and Address:** City of Cupertino Community Development Department
10300 Torre Avenue
Cupertino, CA 95014
3. **Contact Person and Phone Number:** Erick Serrano
Senior Planner
408-777-3205
4. **Location:** 10625 South Foothill Boulevard
Cupertino, CA 95014
5. **Applicant's Name and Address:** SCR Enterprises LLC
15700 Winchester Boulevard
Los Gatos, CA 95030
6. **General Plan Land Use Designations:** Commercial/Residential
7. **Zoning:** Planned Development with General Commercial P(CG)
8. **Description of Project:** See Chapter 3, Project Description
9. **Surrounding Land Uses and Setting:** See page 3-8 of Chapter 3, Project Description
10. **Other Required Approvals:** See page 3-32 of Chapter 3, Project Description
11. **Have California Native American Tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code Section 21080.3.1? If so, has consultation begun?** ~~The City has not received any request from any Tribes in the geographic area with which they are traditionally and culturally affiliated, or otherwise, to be notified about projects in Cupertino. The~~

EXECUTIVE SUMMARY

City received a request to be notified about projects in the city of Cupertino from the Tamien Nation on May 28, 2021, as the city is within the geographic area with which they are traditionally and culturally affiliated. The request was received following the release of the Public Review Draft IS/MND in March 2021. The City conducted the consultation process with the Tamien Nation and changes to Mitigation Measure CULT-1 were reflected in the Final IS/MND in October 2021. This Revised Final IS/MND reflects additional text changes to Mitigation Measure CULT-1 requested by the Tamien Nation after the preparation of the Final IS/MND. These changes do not constitute a substantial revision as defined in CEQA Guidelines Section 15073.5; therefore, the IS/MND does not need to be recirculated.

2.2 ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by the proposed project, involving at least one impact that is a potentially significant impact, as shown in Chapter 4, Environmental Analysis, of this Initial Study.

- | | | |
|--|---|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture & Forestry Resources | <input type="checkbox"/> Air Quality |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Energy |
| <input type="checkbox"/> Geology & Soils | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials |
| <input type="checkbox"/> Hydrology & Water Quality | <input type="checkbox"/> Land Use & Planning | <input type="checkbox"/> Mineral Resources |
| <input type="checkbox"/> Noise | <input type="checkbox"/> Population & Housing | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Recreation | <input type="checkbox"/> Transportation | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities & Service Systems | <input type="checkbox"/> Wildfire | <input type="checkbox"/> Mandatory Findings of Significance |

2.3 DETERMINATION

On the basis of this initial evaluation:

- ☐ I find that the proposed project COULD NOT have a significant effect on the environment and a NEGATIVE DECLARATION will be prepared.
- ☒ I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- ☐ I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- ☐ I find that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

EXECUTIVE SUMMARY

- ☐ I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Approved by: _____
Erick Serrano, Senior Planner

Date

2.4 SUMMARY OF IMPACTS AND MITIGATION MEASURES

Due to the location of the project site, the proposed project would have no impact on Agriculture, Forestry, or Mineral Resources; therefore, these topics are not discussed in detail in the Initial Study. The following lists the potentially significant impacts by topic that could occur from construction and operation of the proposed project and identifies mitigation measures to reduce the impacts to a less-than-significant level. All other topic areas were identified to have less-than-significant impacts. A detailed discussion of the project's impacts is provided in Chapter 4, Environmental Analysis, of this Initial Study.

AIR QUALITY

Impact AQ-1: Fugitive dust (PM₁₀ and PM_{2.5}) generated by the proposed project during construction could potentially result in significant regional short-term air quality impacts without implementation of the Bay Area Air Quality Management District's best management practices related to reducing fugitive dust emissions.

Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM₁₀ and PM_{2.5}) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:

- Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible.
- Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites.
- Cover all trucks hauling soil, sand, and other loose materials.
- Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust.
- Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material.

EXECUTIVE SUMMARY

- Hydroseed or apply non-toxic soil stabilizers to inactive construction areas.
- Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand).
- Limit vehicle traffic speeds on unpaved roads to 15 miles per hour.
- Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established.
- Install sandbags or other erosion control measures to prevent silt runoff from public roadways.
- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.

Impact AQ-2: The proposed project could expose sensitive receptors to substantial pollutant concentrations during construction.

Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:

- Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations.
- Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower.
- Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site.
- Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations.
- Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met.

BIOLOGICAL RESOURCES

Impact BIO-1: Demolition and construction activities could disturb active nests in trees and/or otherwise interfere with nesting of birds protected under federal and State law.

Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).

- Preconstruction surveys shall:

EXECUTIVE SUMMARY

- Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period.
 - Be conducted no more than 14 days prior to the start of tree removal or construction.
 - Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped.
 - Document locations of active nests containing viable eggs or young birds.
- Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include:
- Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.
 - Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status.
 - An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife.

CULTURAL RESOURCES

Impact CULT-1: The proposed project could cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines Section 15064.5.

Mitigation Measure CULT-1: A ~~tribal~~ representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the ~~Tribe-Tamien Nation~~ in a manner requested by the ~~Tribe-Tamien Nation~~ at least ~~48 hours~~ five (5) days before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site ~~tribal~~ Tamien Nation representative.

If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:

- All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and ~~tribal~~ Tamien Nation representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out.

EXECUTIVE SUMMARY

- The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a ~~tribal~~ Tamien Nation representative regarding the significance of the find and appropriate mitigations as follows:
 - If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5.
 - If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the ~~appropriate tribe(s)~~ Tamien Nation to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.
- All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards.

GEOLOGY AND SOILS

Impact GEO-1: Construction of the proposed project would have the potential to directly or indirectly affect an unknown unique paleontological resource.

Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:

- In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted.
- The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery.
- The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5.
- The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find.
- If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation.

EXECUTIVE SUMMARY

NOISE

Impact NOISE-1: The proposed project could result in the generation of a substantial temporary increase in ambient noise levels in the vicinity of the project site during the construction phase that would be in excess of standards established in the City of Cupertino Municipal Code.

Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:

- At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint.
- The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:
 - At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.
 - During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.
 - Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.

EXECUTIVE SUMMARY

- During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible.
- During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations.
- Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase.
- Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes.
- During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.

Impact NOISE-2: The proposed project could result in the generation of a substantial permanent increase in ambient noise levels in the vicinity of the project during the operation phase that could be in excess of standards established in the local noise ordinance.

Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:

- Selection of equipment that emits low noise levels;
- Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or
- Locating equipment in less noise-sensitive areas, where feasible.

Impact NOISE-3: The proposed project could result in the generation of excessive groundborne vibration in the vicinity of the project site during the construction phase that would be in excess of established thresholds.

Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

EXECUTIVE SUMMARY

TRIBAL CULTURAL RESOURCES

Impact TRC-1: The proposed project could cause a substantial adverse impact to an unknown Tribal Cultural Resource.

Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.

UTILITIES AND SERVICE SYSTEMS

Impact UTIL-1: Implementation of the proposed project may result in a determination by the wastewater treatment provider, which serves or may serve the proposed project, that it does not have adequate capacity to serve the project's projected demand in addition to the provider's existing commitments.

Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:

Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or

Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.

The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the *Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara*, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.

EXECUTIVE SUMMARY

This page intentionally left blank.

3. Project Description

The project applicant, SCR Enterprises, is proposing the Canyon Crossings Mixed-Use Project (proposed project) that would involve the construction of a commercial and residential development on a 1.57-acre site. The site is currently developed with three buildings, a surface parking lot, and associated landscaping. The largest building on the project site is a multi-tenant commercial building on the southwestern portion of the site. A smaller commercial building, with an attached, unoccupied residential unit that is used for storage, is on the northeast portion of the site. In addition, a detached and unoccupied single-family residential unit is on the northwest portion of the project site. The proposed project would involve demolishing all the existing structures and redeveloping the site with a mixed-use building including 4,536 square feet of neighborhood-serving commercial space and five apartments, as well as a mix of 13 attached and detached single-family units, for a combined total of 18 residential units. All proposed structures would have a maximum building height of 30 feet (two stories). All parking would be at the ground level except for a single-level subterranean parking garage located under the mixed-use building.

This chapter provides a detailed description of the proposed project, including the location, setting, and characteristics of the project site, the principal project features, construction phasing and schedule, as well as a list of the required permits and approvals.

3.1 PROJECT LOCATION AND SITE CHARACTERISTICS

3.1.1 REGIONAL LOCATION


As shown on Figure 3-1, the project site is in the City of Cupertino located in the northwestern portion of Santa Clara County. Cupertino is roughly 45 miles south of San Francisco and 13 miles west of downtown San José. Interstate 280 (I-280) and State Route 85 (SR-85) provide regional access to the project site.

3.1.2 LOCAL SETTING

The project site is located at 10625 South Foothill Boulevard⁸ in the southwest region of the city. The project site is on the west side of South Foothill Boulevard, where South Foothill Boulevard meets Stevens Canyon Road. The project site is intersected by McClellan Road to the north and St. Andrews Avenue to the south. As shown on Figure 3-2, the project site is bounded by single-family residential units to the north, south, and west, and the two-lane South Foothill Boulevard and Stevens Canyon Road to the east.

⁸ There are several addresses assigned to the project site, but for the purposes of this Initial Study, a single address (10625 South Foothill Boulevard) is used to represent the entire project site.

PROJECT DESCRIPTION




Source: City of Cupertino General Plan; PlaceWorks, 2020.




Figure 3-1
Regional and Vicinity Map

PROJECT DESCRIPTION



Source: Google Earth, 2019. PlaceWorks, 2020.



Project Site

Figure 3-2
Aerial View of Project Site and Surroundings

PROJECT DESCRIPTION

The City parks nearest to the project site are Monta Vista Park to the northwest; McClellan Ranch Preserve to the northeast; and Linda Vista Park to the southeast. Additional information on parks is provided in Chapter 4, Environmental Analysis, in Section XIV, Parks and Recreation.

Public schools near the project site are Monta Vista High School in the Fremont Union High School District, and John F. Kennedy Middle School and Abraham Lincoln Elementary School in the Cupertino Union School District, each approximately 1 mile to the east of the site. Private schools and/or educational facilities near the project site include Saint Joseph of Cupertino School approximately 2 miles to the east, Futures Academy of Cupertino approximately 3 miles to the east, Bethel Lutheran School approximately 4 miles to the east, and Waldorf School of the Peninsula approximately 4 miles to the northwest. Other sensitive land uses near the project site include the Cupertino Healthcare and Wellness nursing home approximately 0.25 miles to the north, Namo Day Care approximately 0.30 miles to the north, Sunny View Bay Area Retirement Community approximately 0.75 miles to the north, and Cupertino Senior Center approximately 1.5 miles to the northeast.

The major employment centers within approximately 1 to 2 miles of the project site are the Bubb Road Special Area, and the De Anza College to the northeast, and the Permanente Quarry (Lehigh Cement Company), the Stevens Creek Quarry, Inc. to the southwest.


The nearest public airports are San José International Airport, approximately 8.5 miles to the northeast, and Palo Alto Airport, approximately 10 miles to the north. The nearest heliports are McCandless Towers Heliport, approximately 7 miles to the northeast, and County Medical Center Heliport, approximately 7.5 miles to the east. The nearest private (military/corporate) airport is Moffett Federal Airfield, approximately 7 miles to the north. The project site is not located within an airport land use plan.

3.1.3 EXISTING SITE SETTING

3.1.3.1 SITE CHARACTER

As shown on Figure 3-3, the site is currently developed with three structures: two commercial buildings and a vacant residential unit. The largest commercial building is a one-story building that is partially occupied by neighborhood-serving land uses on the west side of the project site. The second commercial building is a one-story building on the northeast corner of the project site. It is occupied by the Cupertino Bike Shop, which has an attached two-story residential unit on the west side of the building that is unoccupied and currently used for additional bike storage. The third structure is a vacant one-story residential unit on the northwest corner of the project site, with a detached shed and surrounding grassy areas. Combined, the existing commercial and residential buildings represent 13,225 square feet of building space. A concrete retaining wall separates the vacant, detached residential unit and associated shed from the rear of the Cupertino Bike Shop and parking lot. The site also contains surface parking.

PROJECT DESCRIPTION



Source: Google Earth Professional, 2018; PlaceWorks, 2020.



Figure 3-3

Existing Conditions

PROJECT DESCRIPTION

The site was used for orchards and associated buildings in 1939. The orchards were removed in 1948. According to the Department of Toxic Substance Control, when orchards have been removed or became inactive prior to 1950 organic pesticides are not an issue warranting further testing.⁹ Following the removal of the orchards, the project site was developed with the existing smaller mixed-use building located on the site. The larger building on the site was constructed by 1963.¹⁰ Due to the age of the existing buildings, they may contain asbestos-containing materials or lead-based paint, which were not regulated in construction until the early 1970's.

Because the smaller building on the project site was developed in 1948, it has the potential to be considered a historic building; however, it is not currently listed on the National Register of Historic Places or the list of California Historical resources.¹¹

Surrounding uses in the vicinity of the project site include one-story and two-story single-family residential units.

3.1.3.2 VEGETATION AND LANDCOVER

Using data from the Classification and Assessment with Landsat of Visible Ecological Groupings (CALVEG)¹² habitat mapping program, the site is classified as an "urban area." Property with this classification tends to have low to poor wildlife habitat value due to replacement of natural communities, fragmentation of remaining open space areas and parks, and intensive human disturbance. According to the Vegetation Map shown in the Environmental Resources and Sustainability Element of the General Plan, the project site is within the urban forest (i.e., trees in the city).¹³ The City recognizes that every tree on both public and private property is an important part of Cupertino's urban forest and contributes significant economic, environmental, and aesthetic benefits of the community.¹⁴

Landscaping on-site includes two mature and non-native trees over 70 feet tall, a Redwood tree on the northeast corner that is proposed for removal, and a Palm tree on the southeast corner that would remain. The trees on-site are considered protected development trees pursuant to Cupertino Municipal Code (CMC) Section 14.18.050(c).¹⁵

⁹ California Department of Toxic Substances Control California Environmental Protection Agency, *Interim Guidance for Sampling Agricultural Properties*, page 3, August 7, 2008.

¹⁰ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, pages 8 and 9, January 12.

¹¹ California Office of Historic Preservation. 2019. California Historical Resources. Accessed May 6, 2019 at <http://ohp.parks.ca.gov/ListedResources/?view=county&criteria=43>.

¹² The CALVEG system was initiated in January 1978 by the Region 5 Ecology Group of the US Forest Service to classify California's existing vegetation communities for use in statewide resource planning. CALVEG maps use a hierarchical classification on the following categories: forest; woodland; chaparral; shrubs; and herbaceous.

¹³ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 6, Environmental Resources and Sustainability Element, Figure ES-1.

¹⁴ City of Cupertino, Tree Protection and Tree Removal link on the City's website, Accessed May 6, 2019 at <https://www.cupertino.org/our-city/departments/community-development/planning/residential-development/tree-protection-tree-removal>.

¹⁵ City of Cupertino, Municipal Code, Section 14.18.050 Protected Trees, Accessed May 6, 2019.

PROJECT DESCRIPTION

The California Natural Diversity Database (CNDDB) has no record of special-status plant or animal species on the project site but does show there are special-status plant and animal species within a 5-mile area surrounding the project site. Special-status species have been recorded in the open space areas in the project vicinity.

The California Department of Forestry and Fire Projection (CAL FIRE) has designated the project site as a Local Responsibility Area (LRA) and a non-very high fire hazard severity zone. The project site is near lands that CAL FIRE designates as a State Responsibility Area (SRA), which are approximately 0.5 miles to the west of the site.¹⁶ The project site is located within the wildland-urban interface, which is an area of transition between wildland (unoccupied land) and land with human development (occupied land).¹⁷

The site is generally flat with elevation of 429 feet above mean sea level with a regional topographic slope downward to the east.¹⁸ The surficial geology is young, unconsolidated Quaternary alluvium,¹⁹ which is described as Holocene-age younger alluvium and coarse-grained alluvium that are composed of unconsolidated, poorly sorted gravel, silt, sand, clay, and organic matter. No paleontological resources have been identified on the project site; however, the presence of Pleistocene deposits that are known to contain fossils indicates that the overall city, including the project site, could contain paleontological resources.²⁰

The existing impervious surface totals 46,584 square feet. Stormwater from the site drains to a network of City-maintained storm drains in Stevens Canyon Road and South Foothill Boulevard that collect runoff from city streets and carry it to the creeks that run through Cupertino to the San Francisco Bay. The project site is within an area where some of the storm drains are deficient in conveying the water from a 10-year storm, based on the 2018 *Storm Drain Master Plan*.

¹⁶ CAL FIRE. 2008. Cupertino, Very High Fire Hazard Severity Zones in LRA.
http://www.fire.ca.gov/fire_prevention/fhsz_maps/FHSZ/santa_clara/Cupertino.pdf

¹⁷ CAL FIRE. 2018. Wildland-Urban Interface Fire Threat.
<http://www.arcgis.com/home/item.html?id=d45bf08448354073a26675776f2d09cb>, accessed May 7, 2019.

¹⁸ Applied Water Resources, 2018, Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard/ Stevens Canyon Road, Cupertino, California, page 8, January 12.

¹⁹ US Geological Survey, 1994, Preliminary Quaternary Geologic Maps of Santa Clara Valley, Santa Clara, Alameda, and San Mateo Counties, California: A Digital Database, Open-File Report 94-231, by E.J. Helley, R.W. Graymer, G.A. Phelps, P.K. Showalter, and C.M. Wentworth.

²⁰ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, (December 2014) State Clearinghouse Number 2014032007 (October 2015), and approved Addenda (October 2015, July 2019, August 2019, and December 2019).

PROJECT DESCRIPTION

3.1.4 LAND USE DESIGNATION AND ZONING

3.1.4.1 GENERAL PLAN

The site is located in the Other Non-Residential/Mixed-Use Special Area²¹ and a Neighborhood Center.²² The site is located in the Inspiration Heights Neighborhood abutting the Monta Vista North Neighborhood.²³ The site has a General Plan land use designation of Commercial/ Residential.²⁴ A description of these designations is provided below.

Other Non-Residential/Mixed-Use Special Areas

The City has designated Special Areas along one of the four major mixed-use corridors in the city, which represent key areas within Cupertino where future development and reinvestment is generally focused. The Other Non-Residential/Mixed-Use Special Area include four key areas and all other nonresidential properties not referenced in an identified commercial area. The project site is at one of the four key areas identified as the west side of Stevens Canyon Road.²⁵ The Other Non-Residential/Mixed-Use Special Area describes the vision for Neighborhood Centers and states that such locations should be redeveloped using the “Neighborhood Commercial Center” concept described in the Land Use and Community Design Element of the General Plan (Chapter 2).²⁶ However, developing using this concept is not required. The vision statement describes that buildings in the Neighborhood Centers should be typically one to two stories tall but may be up to three stories in some instances where it is allowed.²⁷ The maximum residential density within Neighborhood Commercial Centers identified in the Community Form Diagram is 15 dwelling units per acre.²⁸

Inspiration Heights Neighborhood

Cupertino has 12 distinct neighborhoods that are each unique in their location, development pattern, identity, and access to community services. While the Inspiration Heights neighborhood is situated in the western foothills of Cupertino, the project site is located in the lower elevation portions of the neighborhood that is urbanized. The project site is on the western border of this neighborhood on Stevens Creek and Foothill Boulevards, which provides a transition with the adjoining neighborhoods on the valley floor. The vision for this neighborhood, as described in the General Plan, is to continue to be a

²¹ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, page PA-15.

²² City of Cupertino General Plan (Community Vision 2015-2040), Chapter 3, Land Use and Community Design Element, Figure LU-2, Community Form Diagram, page LU-17.

²³ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, Figure PA-2, Neighborhoods, page PA-18.

²⁴ City of Cupertino Land Use Map adopted November 15, 2005 and amended August 20, 2019.

²⁵ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 3, Land Use and Community Design Element, page LU-65.

²⁶ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, page PA-15.

²⁷ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, Vision, page PA-15.

²⁸ City of Cupertino General Plan, Community Vision 2040, Chapter 3, Land Use, Figure LU-2, Community Form Diagram, pages LU-16 and LU-17.

PROJECT DESCRIPTION

low-intensity and hillside residential area.²⁹ Future development should consider preservation of hillsides, riparian corridors, and plant and animal wildlife habitat through sensitive site and building design.³⁰

Commercial/Residential Land Use Designation

The Commercial/Residential land use designation allows primarily commercial uses and secondarily residential uses or a compatible combination of the two uses.³¹ Commercial use means retail sales, businesses, limited professional offices, and service establishments with direct contact with customers. This land use designation applies to commercial activities ranging from neighborhood convenience stores to regionally oriented specialty stores. Retail stores that would be a nuisance for adjoining neighborhoods or harmful to the community identity would be regulated by CMC Chapter 19.60, General Commercial Zones, and the associated commercial zoning ordinance use permit procedures. Smaller commercial parcels in existing residential areas, such as the project site, may be needed to provide local neighborhood serving retail; otherwise, they may be redeveloped at residential densities compatible with the surroundings. As previously stated, the maximum residential density on the project site is 15 dwelling units per acre.³²

3.1.4.2 ZONING DISTRICT

The project site is within the Planned Development with General Commercial (P(CG)) zoning district. As described in CMC Section 19.80.010, the Planned Development zoning district is intended to provide a means of guiding land development or redevelopment of the city that is uniquely suited for planned coordination of land uses. Development in this zoning district provides for a greater flexibility of land use intensity and design because of accessibility, ownership patterns, topographical considerations, and community design objectives.³³ CMC Chapter 19.80 also allows a project proponent to propose development standards for their specific project.

All Planned Development districts are identified on the zoning map with the letter coding "P" followed by a specific reference to the general type of use allowed in the particular planning development zoning district. The type of use allowed on the project site is General Commercial (CG), which allows commercial uses such as retail food, drug, apparel, or hardware stores, full-service restaurants, professional and commercial office services, laundry facilities, non-auto related repair services, and personal services, along with several other specialty uses.³⁴

²⁹ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 2, Planning Areas, Vision, page PA-24 and PA-25.

³⁰ City of Cupertino General Plan (Community Vision 2015-2040), Chapter 3, Land Use and Community Design Element, Inspiration Heights Neighborhood, page LU-75.

³¹ City of Cupertino General Plan (Community Vision 2015-2040), Appendix A: Land use definitions, Planning Areas, page A-4.

³² City of Cupertino General Plan, Community Vision 2040, Chapter 3, Land Use, Figure LU-2, Community Form Diagram, pages LU-16 and LU-17.

³³ City of Cupertino Municipal Code, Title 19, Zoning, Chapter 19.80, Planned Development, Section 19.80.010, Purpose.

³⁴ City of Cupertino Municipal Code, Title 19, Zoning, Chapter 19.60, General Commercial, Section 19.60.030, Permitted, Conditional and Excluded Uses in General Commercial Zoning Districts.

PROJECT DESCRIPTION

The proposed designation of General Commercial with Residential uses (CG, Res), which is consistent with the General Plan land use designation for the site, is a district in which uses are intended to be a mix of general commercial and residential.³⁵ The proposed project requires a zoning amendment to allow residential uses on the project site. This is discussed further, below, in Section 3.2, Project Components.

3.1.4.3 OTHER REQUIREMENTS

Setback Standards

Because the property is zoned Planned Development, any proposed commercial project would have to meet the specific front, side, or rear yard setbacks required when a lot abuts residential or agricultural zones based on CMC Chapter 19.64, General Commercial (CG) zoning district. However, in the event, the commercial property does not abut these zones, there are no stated setbacks, in which case, setback requirements for commercial property would be determined by City staff during project review.

The proposed project is a mixed-use single-family development on a small lot (1.57 acres). The City's Zoning Code does not have any adopted standards for the development of projects similar to the proposed project. However, pursuant to CMC Chapter 19.80, the Planned Development Zoning District allows a project proponent to propose zoning setbacks different from those required in the underlying Zoning District to allow flexibility in the project, as long as these are approved by the City Council. In any case, the setbacks in the Zoning Code or the setbacks proposed by the project, the project site must adhere to the General Plan requirement of maintaining sufficient space for adequate light, requirement for air and visibility at intersections, and the requirement for general conformity to yard requirements of adjacent or nearby zones, lot or parcels. The General Plan does not have any applicable setback requirements for this property.

Landscaping

CMC Chapter 14.15, Landscape Ordinance, implements the California Water Conservation in Landscaping Act of 2006 by establishing new water-efficient landscaping and irrigation requirements. Any building or landscape project that involves more than 2,500 square feet of landscape area is required to submit a Landscape Project Submittal to the Director of Community Development for approval. Existing and established landscaped areas greater than 1 acre in size, including cemeteries, are required to submit water budget calculations and audits of established landscapes.³⁶

Tree Requirements

CMC Chapter 14.12, Trees, establishes regulations for the planting, care, and maintenance of public trees, and provides for the continuous maintenance of the public trees, with the goal of encouraging

³⁵ City of Cupertino Municipal Code, Title 19, Zoning, Chapter 19.80, Planned Development, Section 19.80.030, Establishment of Districts- Permitted and Conditional Uses.

³⁶ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.15, Landscape Ordinance.

PROJECT DESCRIPTION

preservation of trees. The City funds the planting and maintenance of public trees through payment of reimbursement costs as a conditions of building permit issuance.³⁷

CMC Chapter 14.18, Protected Tree Ordinance, provides regulations for the protection, preservation, and maintenance of trees of certain species and sizes.³⁸ Removal of a protected tree requires a permit from the City. “Protected” trees include trees of a certain species and size on private property in all zoning districts; heritage trees whether on private or public property in all zoning districts; any tree required to be planted or retained as part of an approved development application, building permit, tree removal permit, or code enforcement action in all zoning districts; and approved privacy protection planting in single-family residential (R-1) zoning districts. Since the existing development is on property that requires a development application, all existing trees on the site are considered protected.³⁹

Bird Safe Design Ordinance

The City of Cupertino draft Bird Safe Design Ordinance, CMC Chapter 19.102, Glazing and Lighting Standards, which contains specific building and site design measures to reduce bird mortality from windows or other specific glass features known to increase the risk of bird collisions and to reduce light pollution known to contribute to bird mortality and reduced visibility of the night sky. These guidelines, once adopted, would be applicable to any project that is required to obtain a building permit or a Permit pursuant to Title 19, Zoning, including the proposed project.

CMC Section 19.102.030, Bird-safe Development Requirements, includes:

- Glass requirements for new or replacement windows of twelve square feet or more and facades requiring no more than 10 percent of the surface area of the façade be untreated glass between the ground and 60 feet above ground. Treatments can include opaque glass, window muntins, exterior insect screens, exterior netting, or special glass treatments such as fritting to provide visual cues and reduce the likelihood of bird collisions.
- Indoor lighting requirements to program automatic sensors and timer to turn off at 11:00 p.m., within two hours after business closes, or the addition of filtering with the use of interior or exterior blinds.
- Design requirements to avoid funneling of flight paths along buildings or trees to building facades; avoid use of highly reflective glass or highly transparent glass; and avoid glass skyways or walkways, freestanding glass walls, transparent building corners, or other design elements where trees, landscaping, water features, or the sky is visible from the exterior.

CMC Section 19.102.140, Outdoor Lighting Requirements, includes requirements to reduce light pollution throughout the city. These requirements prohibit outdoor lighting that blinks, flashes, or rotates; outdoor lighting that projects above the horizontal plane; lighting that unnecessarily illuminates other lots or interferes with the enjoyment of that lot; high-intensity discharge lighting for recreation courts or private property; and spotlights. Outdoor lighting that is not prohibited, must abide by the following:

³⁷ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.12, Trees.

³⁸ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.18, Protected Trees.

³⁹ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.18, Protected Trees.

PROJECT DESCRIPTION

- All outdoor light must be fully shielded fixtures directed downward to meet the particular need and away from adjacent properties.
- Illumination levels cannot exceed one foot-candle onto an adjacent property and maximum light intensity cannot exceed a maintained value of ten foot-candles when measured at finished grade.
- All light sources must have a maintained correlated color temperature of 3,000 Kelvin or less.
- All outdoor lighting must be turned off by 11:00 p.m. or when people are no longer present in exterior areas, except for security lighting required and designed according to the California Building Code.
- Automated control systems should be used to meet lighting requirements.
- Lighting design must compliment building and landscaping, and fixtures must be appropriate in height, intensity, and scale to the use.

3.1.4.4 UTILITIES AND ENERGY

Energy Conservation

The California Green Building Standards Code (Part 11, Title 24, known as “CALGreen”) was adopted as part of the California Building Standards Code (Title 24, California Code of Regulations) to apply to the planning, design, operation, construction, use, and occupancy of every newly constructed building or structure, unless otherwise indicated in the California Building Standards Code, throughout the State of California.⁴⁰ CALGreen established planning and design standards for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), water conservation requiring new buildings to reduce water consumption by 20 percent, material conservation, and internal air contaminants. The local building permit process enforces the building efficiency standards. CMC Chapter 16.58, Green Building Standards Code, adopts the CALGreen requirements and makes it part of the CMC along with local amendments for projects in the city. The City’s Green Building Ordinance contains mandatory, minimum required green building techniques, including measures affecting water use efficiency and water conservation.

CMC Sections 16.58.100 through 16.58.220 sets forth the standards for green building requirements by type of building. As shown on Table 101.10 in CMC Section 16.58.220, mixed-use project with residential and non-residential components shall comply by either: (1) meeting the applicable requirements for each use; or (2) meeting the applicable requirements for the use that comprises the majority of the project’s square footage where uses are attached and/or combined in a building. For the residential component, new construction greater than nine homes is required to be Green Points Rated certified at minimum 50 points, Silver in Leadership in Energy & Environmental Design (LEED), or Alternate Reference Standard per Section 101.10.2.⁴¹ For the non-residential component, development less than 25,000 square-feet is

⁴⁰ California Code of Regulations, Title 24, Part 11, January 1, 2020, California Green Buildings Standards Code, <https://codes.iccsafe.org/content/CAGBSC2019/copyright>.

⁴¹ Leadership in Energy & Environmental Design (LEED) is a green building certification program that recognizes best-in-class building strategies and practices that reduce consumption energy, and water, and reduce solid waste directly diverted to landfills. LEED certified buildings are ranked in order of efficiency from Certified, Silver, Gold and Platinum being the highest

PROJECT DESCRIPTION

required to comply with the CALGreen Building Code per Chapter 5 of the California Green Building Standards Code. CMC Section 16.58.230 permits applicants to apply an alternate green building standard for a project in lieu of the minimum standards outlined in CMC Section 16.58.220 that meet the same intent of conserving resources and reducing solid waste.

The California Energy Code (Part 6, Title 24) was adopted as part of the California Building Standards Code (Title 24) to reduce wasteful and unnecessary energy consumption in newly constructed and existing buildings. The City of Cupertino has adopted the California Energy Code, with local amendments into, as CMC Chapter 16.54, Energy Code. CMC Section 16.54.100(2), Scope for Newly Construction Building, requires all newly constructed buildings to be All-Electric Buildings. All-Electric Buildings are defined as a building that has no natural gas or propane plumbing installed within the building, and that uses electricity as the sole source of energy for its space heating, water heating.⁴² The City is currently in the process of approving reach codes, which will go above California Energy Code requirements to reduce energy and water, and associated greenhouse gas emissions.

Solid Waste Reduction

Consistent with CALGreen, CMC Chapter 16.72, Recycling and Division of Construction and Demolition Waste, requires that a minimum of 65 percent of all non-hazardous construction and demolition debris must be recycled or salvaged and that all applicants have a waste management plan for on-site sorting of construction debris. Additionally, in December 2017, the City adopted a Zero Waste Policy.⁴³ According to the Zero Waste Policy, the City will require, through the City's waste hauling franchise agreement, steadfast and ongoing efforts by the City's franchisee to maintain a minimum residential and commercial waste diversion rate of 75 percent with a goal of reaching and maintaining 80 percent by 2025.

Water Quality

CMC Chapter 9.18, Storm Water Pollution Prevention and Watershed Protection provides regulations and gives legal effect to the Municipal Regional Storm Water National Pollutant Discharge Elimination System (NPDES) Permit (MRP) issued to the City. This chapter also ensures ongoing compliance with the most recent version of the City's MRP regarding municipal storm water and urban runoff requirements. This chapter applies to all water entering the storm drain system generated on any private, public, developed, and undeveloped lands within the city. The CMC contains permit requirements for construction projects and new development or redevelopment projects to minimize the discharge of storm water runoff.

ranking with the greatest efficiency standard. LEED Silver certified buildings typically reduce is the third highest ranking out of the four, with just being certified being the lowest and Gold and Platinum being the second highest.

⁴² CMC Section 16.54.110, Definitions and Rules of Construction.

⁴³ City of Cupertino, Public Works, Garbage & Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed November 30, 2018.

PROJECT DESCRIPTION

3.2 PROJECT COMPONENTS

The project applicant proposes to redevelop the project site with a mixed-use commercial and residential development consisting of one mixed-use building with commercial and residential uses and a mix of residential buildings with associated amenities, infrastructure, and landscaping. Combined the project would have 18 residential units and 4,536 square feet of neighborhood-serving commercial space. The conceptual site plan for the proposed project is shown on Figure 3-4. The following provides a detailed description of the key project components. A complete set of preliminary site plans are available on the City's website at www.cupertino.org/canyoncrossing and at the City of Cupertino Community Development Department at 10300 Torre Avenue, Cupertino, California 95014.

3.2.1 PROPOSED BUILDINGS

3.2.1.1 MIXED-USE BUILDING

The proposed project's mixed-use building would have 4,536 square feet of neighborhood-serving commercial space on the ground floor and five apartment units on the second floor. Apartments would be comprised of two one-bedroom units between 918 square feet and 1,003 square feet, and three two-bedroom units ranging between 1,240 square feet and 1,500 square feet. The mixed-use building would front South Foothill Boulevard/ Stevens Canyon Road. See Figures 3-5 through 3-6.

A trash and recycling enclosure would be located on the ground floor on the southern side of the mixed-use building and would be accessed by the waste management company on trash day from the internal roadway network. See Figure 3-4.

One-level of subterranean parking would be provided below the mixed-use building and surface parking spaces would be provided on the northeast corner of the site. Vehicular parking would meet the standards of the Americans with Disabilities Act (ADA). Class 2 bicycle racks⁴⁴ would be included at the ground level and Class 1 bicycle lockers⁴⁵ would be provided for residents in the subterranean parking area. See Figure 3-7. The surface parking spaces are illustrated on Figure 3-4.


As shown in Figure 3-8, the proposed mixed-use building would be a maximum of 30 feet tall (two stories). The mechanical equipment and heating, ventilation, and air conditioning (HVAC) unit would be located on the roof of the mixed-use building and would be screened by a parapet⁴⁶ facing Stevens Canyon Road.

⁴⁴ Class 2 parking facilities include bicycle racks to which the frame and at least one wheel can be secured with a user-provided lock.

⁴⁵ Class 1 facilities protect the entire bicycle from theft, vandalism, and inclement weather and are appropriate for long-term storage.

⁴⁶ A parapet is a low protective wall along the edge of a roof, bridge, or balcony.

PROJECT DESCRIPTION



Source: TS Civil Engineering, 2020.



SURFACE LEGEND

STAMPED CONCRETE	
PAVERS	
AC PAVEMENT	

LEGEND

PROPERTY LINE	
ADJACENT PROPERTY LINE	
STREET CENTER LINE	
BUILDING SETBACK LINES	
EASEMENT	
ROAD/PAVEMENT	
CURB	
CURB AND GUTTER	
CONCRETE	
CONTOUR MAJOR	
CONTOUR MINOR	
BUILDING	
BUILDING 2nd FLOOR	
BLOCK RETAINING WALL	

EXISTING

	530
	534

PROPOSED

	530
	534

Figure 3-4
Conceptual Site Plan





Figure 3-5
Mixed-Use Building Ground Floor

PROJECT DESCRIPTION




Source: LPMD Architects, 2020.



Figure 3-6
Mixed-Use Building Second Floor Apartments and Roof

Source: LPMD Architects, 2020.



PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-8
Mixed-Use Building Elevation

PROJECT DESCRIPTION

3.2.1.2 SINGLE-FAMILY RESIDENTIAL BUILDINGS

The proposed project would include a mix of attached and detached single-family residential buildings with a total of 13 single-family dwelling units. Each single-family dwelling unit would have a private driveway with an attached two-car garage that would front the internal roadway network and would be separated from the adjacent residential properties with back- and side-yard areas. The five detached single-family homes would have three bedrooms. The single-family homes are identified as numbers six through ten on Figure 3-4. The units range between 2,624 square feet and 2,642 square feet with floor area ratios between 1.11 and 1.15. The eight attached single-family homes would have three bedrooms each. The attached single-family homes are identified as numbers one through five and 11 through 13 on Figure 3-4. Two of these units are smaller at about 2,065 square feet, while the rest range between 2,481 square feet and 2,692 square feet in size. The proposed residential buildings would be a maximum of 30 feet tall (two stories). Figures 3-9 through 3-11 illustrate the elevations of each unit type.

3.2.1.3 RESIDENT AND PUBLIC AMENITIES

Each residential building would have its own private open space at the back of each unit. The backyards range in size from 264 square feet to 591 square feet in area. Each apartment unit includes a private deck that ranges from 61 square feet to 126 square feet. The proposed project also includes three common open space areas totaling 5,691 square feet. The common open space areas are labeled as Areas 1, 2, and Public Plaza on Figure 3-4. Area 1 is located on the southeastern corner of the site and is 1,044 square feet. Area 2 is located west of the mixed-use building near the center of the site and is 1,990 square feet. Area 3 is a public plaza to the north of the mixed-use building and is 2,657 square feet. The common open space areas and the public plaza would include landscaping and areas for gathering (i.e., tables, umbrellas, benches, etc.).

3.2.2 POPULATION AND EMPLOYEE ESTIMATES

Based on an average household size of 2.87 persons,⁴⁷ the proposed project would generate 52 residents.⁴⁸ Applying the generation rate of one job for every 450 square feet of commercial uses, the proposed project would generate 10 employees.⁴⁹ The single residential unit on site is not occupied at this time and the approximately 10,500 square feet of commercial buildings are partially occupied. Applying the same generation rates as the proposed project, the current uses at full occupancy could generate about 3 residents and 23 employees. Therefore, the net new occupants of the site would be 49 residents and minus 13 employees. It is anticipated that future residents and employees would be drawn largely from Cupertino and other communities in the San Francisco Bay Area.

⁴⁷ This analysis is based on the Association of Bay Area Governments (ABAG) 2019 projections of the average household size of 2.87 persons for Cupertino in 2020. This is the standard approach for population and housing analysis in Cupertino.

⁴⁸ 18 new units multiplied by 2.87 persons per unit equals 51.66 new residents.

⁴⁹ 4,356 square feet of commercial land use/450 square feet per employee = 9.68 employees.

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-9
Detached Single-Family Homes Elevation

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-10
Attached Single-Family Homes Elevation

PROJECT DESCRIPTION



Source: LPMD Architects, 2020.

Figure 3-11
Attached Single-Family Homes Elevation

PROJECT DESCRIPTION

3.2.3 CIRCULATION AND ACCESS

3.2.3.1 VEHICULAR ACCESS

As shown on Figure 3-12, the project would have two-lane entrance/exit circulation pattern with the access points at the South Foothill Boulevard/McClellan Road intersection and the Stevens Canyon Road/St. Andrews Avenue intersection. The project access points would modify the existing three-way (or “t”) intersections at South Foothill Boulevard/McClellan Road and Stevens Canyon Road/St. Andrews Avenue. The proposed project would extend McClellan Road and St. Andrews Avenue onto the project site; however, the on-site roadway extensions would be for use by future residents and customers only and would be privately maintained (i.e., not the responsibility of the City). The proposed attached single-family homes would be accessed via these roadway extensions, which would allow for two-way travel in and out of the single-family homes. The proposed single-family homes would be accessed via either driveway that would run along a north-south axis on the property. Entry to the subterranean parking under the mixed-use building would be accessed from the proposed on-site roadway.

Proposed emergency access routes are similar to the proposed vehicle access routes. Emergency personnel would also have access to the backyard areas of the residential buildings via gates or partitioned fences on the side yards or backyard of the residential buildings, that would remain unlocked. Waste management vehicles would follow the same vehicle route, with access to the two residential roads on the west side of the project site.

3.2.3.2 PEDESTRIAN AND BICYCLE ACCESS

Class II bike lanes currently exist on both sides of South Foothill Boulevard and Stevens Canyon Road along the length of the project site. Bicyclists would access the project site from the existing Class II bike lanes via the internal roadway network. Class III Bikeway or Bike Route designated signs and pavement markings for automobile and bicycle shared use are provided along McClellan Road on both sides of the roadway.⁵⁰

Pedestrian access to the site would be via the proposed monolithic sidewalk along the eastern border of the project site along the west side of South Foothill Boulevard and Stevens Canyon Road, which would connect with the internal sidewalks on the project site. The proposed sidewalk would also connect to the existing sidewalk to the north of the project site on west side of South Foothill Boulevard. Pedestrians would also have access to the site via the existing crosswalks marked with ladder stripping on Stevens Canyon Road connecting to McClellan Road and St. Andrews Avenue.

⁵⁰ Class II Bikeways are bike lanes for bicyclists that are generally adjacent to the outer vehicle travel lanes and have special lane markings, pavement legends, and signage. Class III Bike Routes are designated roadways for bicycle use by signs or other markings may or may not include additional pavement width for cyclists



Figure 3-12
Circulation Map

PROJECT DESCRIPTION

3.2.4 LANDSCAPING

The proposed project would include 16,602 square feet of pervious landscaped surfaces. Figure 3-13 illustrates the proposed landscaping plan. The project site includes landscaping throughout the project site's interior and the surrounding perimeter, and additional landscaping in the common open space areas. For neighborhood privacy and to help reduce bird collisions, 5-foot screening shrubs would be planted along the north, south, and western borders of the project site, where the adjacent land use is residential. Trees and other landscaping would be planted along South Foothill Boulevard and Stevens Canyon Road as well as along the internal project roadway network. As stated above in Section 3.1.4, Land Use and Zoning, the project is required to submit a Landscape Project Submittal for approval by the City.

The proposed landscaping would be consistent with the surrounding Northern California landscape and would include native and/or adaptive, and drought resistant plant materials of similar water use grouped by hydrozones, which are areas where plants are organized based on similar water use.⁵¹ The majority of plantings would be drought tolerant grasses, shrubs, and trees that, once established, are adapted to a dry summer and intermittent rain in the winter season. There would also be appropriate landscaping in the bioretention areas required by the City's Municipal Regional Permit.

3.2.5 LIGHT AND GLARE


As shown in by Figure 3-14, the source, intensity, and type of exterior lighting for the project site would generally be provided for the purpose of orienting site users and for safety needs. All permanent on-site lighting would be low-level illumination, downward directed, and shielded to reduce light spill or glare into surrounding residential homes. There would be no up-lighting on the mixed-use building exterior. In landscaped and paved areas, light sources would be concealed and not visible from a public viewpoint. Unless used for safety, all outside lighting would be turned off by 11:00 p.m. All exterior surface and above-ground mounted fixtures would be complementary to the architectural theme and to the surrounding residential units.

The proposed project would not include reflective glass. Where glass features such as windows and doors are proposed, glazing treatments would vary; however, none of the exterior glass would have a light reflectance value of more than 15 percent.⁵²

⁵¹ The California Model Water Efficient Landscape Ordinance defines a hydrozone as a portion of the landscaped area having plants with similar water needs.

⁵²A light reflectance value or LRV is a measure of visible and usable light that is reflected from a surface when illuminated by a light source. LRV is expressed as a percentage from 0 to 100; the higher the number the more visible light that is reflected.


PROJECT DESCRIPTION




Source: Reed Associates Landscape Architecture, 2020.

Figure 3-13
Proposed Landscape Plan

PROJECT DESCRIPTION



Source: Source: LPMD Architects, 2020; MR Engineering Consultants, 2020.



PHOTOMETRIC DATA

Luminaire Schedule						
Symbol	Qty	Label	Arrangement	LLF	Description	Arr. Watts
⬢	11	Type A	SINGLE	0.900	Lithonia DSXO LED F11 30K T3M MVOLT HS L90, 14ft. Pole	72
⊙	4	Type B	SINGLE	0.900	Lithonia DSXB LED 12C 530 30K ASY D-SERIES	22

Calculation Surface							
Designation	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
Driveway / Parking Lot	Illuminance	Fc	3.75	21.0	0.55	6.8	38

Figure 3-14
Proposed Lighting Plan

PROJECT DESCRIPTION

The HVAC system would be shielded from view by a parapet facing Stevens Canyon Road (see Figure 3-8) at least 3 feet in height, which would also serve as a noise attenuation feature. The proposed project would not include reflective glass. Where glass features are proposed, glazing treatments would vary, and none of the exterior glass would have a light reflectance value of more than 15 percent.⁵³ The first floor of the mixed-use building and the second-floor apartments, including balcony railing elements, could have a combination of UV coatings, frosting, and fritting, which reduces glare and makes the glass visible to birds to reduce collisions.

3.2.6 UTILITIES AND ENERGY

The proposed utility infrastructure would connect to the existing water, sewer, storm drain system, natural gas and electricity network in the area, and would be served by an existing solid waste landfill.

3.2.6.1 WATER SUPPLY AND CONSERVATION

To support the proposed project, a new water line would be installed along the new main internal road to connect to the existing water lines along Stevens Canyon Road. Any new connections or replaced water lines would not encroach on undisturbed areas. All landscape zones would be irrigated as required by the Cupertino Landscape Ordinance, and water uses would be tailored to meet CALGreen Building Standards, which as described above in Section 3.1.4.2, Zoning, requires water conservation and requires new buildings to reduce water consumption by 20 percent.

3.2.6.2 SANITARY SEWER SERVICE


As shown on Figure 3-15, connections to the existing sanitary sewer system would be made on South Foothill Boulevard and Stevens Canyon Road.

3.2.6.3 STORMWATER MANAGEMENT


The proposed project would result in 43,419 square feet of impervious surfaces coverage. Compared to 47,975 square feet of impervious coverage in existing conditions, this would be a decrease of 4,556 square feet or 9 percent. The proposed project would include 16,602 square feet of pervious surfaces in the form of landscaping and two on-site bioretention facilities (1,540 square feet) that would hold and treat stormwater before it is released into the City's off-site storm drain infrastructure). As a result, the proposed project would result in a decrease in the amount of runoff from the project site. The project is required to comply with the Santa Clara Valley Urban Runoff Pollution Prevention Program C.3 requirements, which include minimization of impervious surfaces, measures to detain or infiltrate runoff from peak flows to match pre-development conditions, and agreements to ensure that the stormwater treatment and flow control facilities are maintained in perpetuity. The project also must comply with CMC Chapter 9.18 described above in Section 3.1.4.2, Zoning, which is intended to provide regulations and give legal effect to certain requirements of the NPDES permit issued to the City.

⁵³A light reflectance value or LRV is a measure of visible and usable light that is reflected from a surface when illuminated by a light source. LRV is expressed as a percentage from 0 to 100; the higher the number the more visible light that is reflected.

PROJECT DESCRIPTION



Source: TS Civil Engineering, 2020.



- | | | | |
|------|-----------------------------|---|----------------------------|
| —W— | WATER LINE WITH WATER METER | ⊗ | FIRE HYDRANT |
| —SS— | SS LINE WITH CLEANOUT | ⊗ | FIRE DEPARTMENT CONNECTION |
| —JT— | JOINT TRENCH | ⊗ | BLOW OFF VALVE |
| —E— | ELECTRICAL LINE | | |
| —G— | GAS LINE | | |

Figure 3-15
Utility Plan

PROJECT DESCRIPTION**3.2.6.4 SOLID WASTE SERVICES**

Recology South Bay (Recology) would provide curbside recycling, garbage, and compost and landscaping waste service to the project.⁵⁴ All non-hazardous solid waste collected under the Recology franchise agreement is taken to Newby Island Sanitary Landfill for processing. Under the agreement between the City and Recology, Recology also handles recyclable materials (at no cost to customers). The proposed waste management for the proposed project would focus on waste, recycling, and composting.

3.2.6.5 OTHER UTILITIES (GAS, ELECTRIC, AND CABLE)

Pacific Gas & Electric (PG&E) would supply natural gas and electricity infrastructure to the project site.⁵⁵ The source of electricity would be provided through a partnership of Silicon Valley Clean Energy (SVCE), which provides a standard electricity offering from a 50 percent renewable portfolio,⁵⁶ and PG&E. SVCE also offers a 100 percent renewable option that electricity customers can opt into. The proposed development would achieve LEED Silver, or equivalent Alternative Reference Standard, consistent with the City's requirements.⁵⁷ Telephone service would be provided by AT&T and other providers. Cable television service would be available from a number of providers, including Comcast.

3.2.7 DEMOLITION, SITE PREPARATION, AND CONSTRUCTION

Demolition and construction would take place over a 10-month period, which is anticipated to begin in June 2021 and end in March 2022, subject to regulatory approval.⁵⁸ The project applicant proposes to demolish the existing buildings and remove almost all the existing on-site vegetation. Table 3-1 shows the approximate demolition and construction phasing.

Demolition would take place over a period of approximately two weeks, while grading and site preparation, including excavation for the subterranean garage, would be completed over a two-month period. Demolition and construction work would be conducted between 7:00 a.m. to 8:00 p.m. on weekdays, as provided for in CMC Section 10.48.053, Grading, Construction and Demolition. Demolition and construction is not permitted

TABLE 3-1 DEMOLITION AND CONSTRUCTION

Activity	Phase 1 (Workdays)
Demolition	11
Site Preparation	17
Grading	33
Building Construction	195
Paving	12
Landscaping	10

Source: Based on information from the project applicant, California Emissions Estimator Model Version 2016.3.25, and PlaceWorks, 2019.

⁵⁴ City of Cupertino, Garbage and Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed on January 16, 2019.

⁵⁵ City of Cupertino. 2019. Other Service Providers. <https://www.cupertino.org/our-city/departments/other-service-providers>. Accessed May 2, 2019.

⁵⁶ Silicon Valley Clean Energy. 2019. Your Choices. <https://www.svcleanenergy.org/choices/>, accessed on May 2, 2019 at

⁵⁷ Leadership in Energy & Environmental Design is a green building program that recognizes building strategies that reduce consumption energy, and water, and reduce solid waste directly diverted to landfills. Silver typically reduce is the third highest ranking, with just being certified being the lowest and Gold and Platinum being the second highest.

⁵⁸ New buildings would be constructed to the California 2019 Building Energy Efficiency Standards (effective January 1, 2020).

PROJECT DESCRIPTION

on weekends or holidays for sites within 750 feet of other residential properties.⁵⁹ Demolition debris, including soil, would be off-hauled for disposal in accordance with the City of Cupertino's Recycling and Diversion of Construction and Demolition Waste Ordinance.⁶⁰ Debris to be hauled would include shrubs and trees that were planted as part of the existing urbanized landscape, 1,616 square feet of building demolition debris, 294 tons of asphalt/concrete material, and 14,100 cubic yards of grading and soil export. Typical equipment to be used for demolition and site preparation would include excavators, a skid steer loader, a grader, a rubber-tired dozer, scrapers, and an off-highway truck.

The project construction would consist of approximately 23,990 square feet of building space, 16,602 square feet of landscaped areas, and 20,395 square feet of hardscape (e.g., curb, gutters, planters, retaining walls, etc.). No pile driving, rock blasting, or crushing would occur during the construction phase. Typical equipment to be used during construction of the project would include a backhoe, a crane, aerial lifts, a generator, a diesel pump, dumpers, rollers, and a paver.

During demolition and construction, vehicles, equipment, and materials would be staged and stored on a centrally located portion of the project site when practical. No long-term staging of equipment would occur around the perimeter of the site where adjacent to existing residential uses. No staging would occur in the public right-of-way. The construction site and staging areas would be clearly marked, and construction fencing would be installed to prevent disturbance and safety hazards. A combination of on- and off-site parking facilities for construction workers would be identified during demolition, grading, and construction.

3.3 REQUIRED PERMITS AND APPROVALS

Following approval of this Initial Study and adoption of the Mitigated Negative Declaration, the following discretionary permits and approvals from the City would be required for the proposed project:

- Zoning Map Amendment
- Architectural and Site Approval Permit
- Development Permit
- Final Map for Subdivision

In addition, permits for demolition, grading and building, and the certificate of occupancy would be required from the City. Encroachment permits from the City would also be required for any work performed in the public right-of-way.

⁵⁹ Cupertino Municipal Code, Title 10, Public Peace, Safety and Morals, Chapter 10.48, Community Noise Control, Section 10.48.053, Grading, Construction and Demolition.

⁶⁰ Cupertino Municipal Code, Title 16, Building and Construction, Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste.

4. Environmental Analysis

4.1 DISCUSSION OF ENVIRONMENTAL EVALUATION

The General Plan EIR included an analysis of the project site as potential Housing Element Site 9 (Foothill at McClellan Center – Foothill Market), although the adopted General Plan did not designate this site as a Priority Housing Element Site. The evaluation in the General Plan EIR assumed potential redevelopment of the existing commercial development to commercial and residential uses with 25 dwelling units per acre (or 27 net residential units) with a maximum of 30 feet in height.⁶¹ The cumulative impacts of past, present, and probable future development, in conjunction with overall General Plan buildout, including residential development of the project site, were evaluated in the General Plan EIR. The proposed project is anticipated to be completed in 2022 (subject to regulatory approval); thus, this Initial Study presents an analysis of the near-term impacts of the proposed project under existing conditions and 2025 cumulative conditions. Although the project site was evaluated as Housing Element Site 9 in the General Plan EIR, the adopted General Plan does not designate this site as a Priority Housing Element Site in the Housing Element.⁶²

Consistent with the analysis presented in the General Plan EIR, and due to the proposed project's location in an urbanized city setting, the project would not have a significant effect on agriculture, forestry or mineral resources. Maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency categorize land within Cupertino as Urban and Built-Up Land.⁶³ In addition, according to the 2006 mapping data from the California Department of Forestry and Fire Protection, the city does not contain any woodland or forestland cover.⁶⁴ Finally, the city does not contain land zoned for farmland or timberland production.⁶⁵ Consequently, there would be no impacts with regard to agriculture and forestry resources. The project site is not within an area designated as Mineral Resource Zone, which is an area containing mineral deposits.⁶⁶ Consequently, because the site has been developed and is not considered suitable for protection or conservation, there would be no impacts to mineral resources. For these reasons, these topics are not discussed further in this Initial Study. After the General Plan EIR was certified, the CEQA Guidelines were amended by the Governor's Office of Planning and Research, which is the entity charged with developing guidelines to help agencies implement CEQA, and adequacy of parking

⁶¹ PlaceWorks. 2015. City of Cupertino General Plan EIR, Chapter 3, Project Description, page 3-88.

⁶² City of Cupertino. 2015. City of Cupertino General Plan, Housing Element. Page H-16.

⁶³ California Resources Agency, Farmland Mapping and Monitoring Program. Santa Clara County Important Farmland 2010, accessed on May 9, 2019.

⁶⁴ California Department of Forestry and Fire Protection Fire and Resource Assessment Program, Land Cover Map, accessed on May 9, 2019.

⁶⁵ City of Cupertino, Zoning Map, <http://www.cupertino.org/index.aspx?page=291>, accessed on May 9, 2019.

⁶⁶ City of Cupertino, General Plan Community Vision 2015–2040, Chapter 6, Environmental Resources and Sustainability, Figure ES-2, Mineral Resources.

ENVIRONMENTAL ANALYSIS

is no longer considered to be a significant environmental impact. Accordingly, parking adequacy is not discussed further in this Initial Study.

I. AESTHETICS

Except as provided in Public Resources Code Section 21099 (transit priority area/major transit stop), would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a State scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.1, Aesthetics, of the General Plan EIR, addressed the impacts to visual resources associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The impacts were found to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

The project site contains partially vacant commercial buildings, a converted residential unit, and a vacant residential unit, bordered by surface parking and associated landscaping. The largest commercial building is a one-story building located on the west side of the project site and the second commercial building is a one-story building on the northeast corner of the project site. There is also a vacant, detached one-story residential unit on the northwest corner of the project site, with a detached shed and surrounding grassy areas. Surrounding uses include one to two-story single-family homes to the north, south, and west, with additional one to two-story homes across Stevens Canyon Road to the east. Landscaping on-site consists of one mature redwood tree and one mature palm tree in the southeast corner of the site, shrubs along Stevens Canyon Road, and mature trees and plantings surrounding the Cupertino Bike Shop and vacant residential unit.

ENVIRONMENTAL ANALYSIS

DISCUSSION

a) Would the proposed project have a substantial adverse effect on a scenic vista?

As discussed in Chapter 4.1, Aesthetics, of the General Plan EIR, the proposed project would have the potential to affect scenic vistas and/or scenic corridors if the redevelopment on the project site blocked views of areas that provide or contribute to such vistas. Potential effects could include blocking views of a scenic vista/corridor from specific publicly accessible vantage points or the alteration of the scenic vista/corridor. Such alterations could be positive or negative.

Public views of scenic corridors are views seen along a linear transportation route and public views of scenic vistas are views of specific scenic features. Scenic vistas are considered to be long-range views, while scenic corridors are comprised of short-, middle-, and long-range views. The General Plan does not have designated scenic corridors or vistas. However, for the purposes of this analysis, the westward views of the foothills and ridgelines of the Santa Cruz Mountains are considered scenic vistas, and the segment of I-280 from Santa Clara County line on the west to I-880 on the east also is considered a scenic corridor.

The analysis in the General Plan EIR found that building heights remaining at 30 feet would result in a less-than-significant impact to the long-range views of the Santa Cruz Mountain Range and foothills because the maximum heights of the existing on-site and surrounding buildings and mature trees currently limit the opportunity for views of scenic vistas from street-level public viewing. The project location is not considered a destination public viewing point nor is it visible from scenic vistas.

As described in Chapter 3, Project Description, of this Initial Study, the existing buildings would be removed and replaced by the proposed mixed-use development with surface and underground parking, with all structures being 30 feet tall at the highest point. Of the two mature trees on the site, the Redwood tree on the northeast corner is proposed for removal, and the Palm tree on the southeast corner would remain.

Because the proposed project would not involve height increases above the surrounding development and are the same as what was evaluated in then General Plan EIR and currently permitted in the General Plan, and because existing conditions currently limit views of scenic resources combined with the fact that the site and surrounding areas are not public viewing locations, impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

b) Would the proposed project substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a State scenic highway?

As discussed in Chapter 4.1, Aesthetics, of the General Plan EIR, the segment of I-280 in Cupertino is not an officially designated State Scenic Highway but is considered eligible for listing as a designated State Scenic Highway. The project site is approximately 1.4 miles to the south of the I-280/North Foothill Boulevard interchange, which is the arterial that connects the project site to I-280. The project site is not visible from I-280. Therefore, there would be no changes to the I-280 viewshed.

ENVIRONMENTAL ANALYSIS

Impacts to views of scenic resources from the I-280 view corridor were determined to be less than significant in the General Plan EIR. Because the project proposes building heights that are consistent with what was evaluated in the General Plan EIR and the surrounding development, and are permitted in the General Plan, and because the site is not visible from the I-280 viewshed, project impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

c) If the proposed project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

The project site is in an urbanized area that is not designated or otherwise identified as a public viewing location for surrounding scenic views. Public views of scenic resources including the westward views of the foothills and ridgelines of the Santa Cruz Mountains and the segment of I-280 from the Santa Clara County line on the west to I-880 on the east are partially obstructed under existing conditions due to the natural topography and the existing buildings in the project area.

The proposed project would result in a change from the existing one-story commercial and residential buildings to multiple two-story residential buildings and a mixed-use building, none of which would exceed the permitted height limit of 30 feet.

The project site is within the Commercial/Residential General Plan land use designation, which is intended to provide local neighborhood serving retail with residential densities compatible with the surroundings.⁶⁷ The proposed project includes a zoning amendment to change the existing Planned Development with General Commercial (P(CG)), to Planned Development with General Commercial and Residential (P(CG,Res)). The proposed amendment to the Zoning Map would allow residential development on the site which would not conflict with any land use or zoning regulations governing scenic quality.

The proposed development would be required to provide suitable setbacks from public rights-of-way and appropriate buffers and/or height transitions for buildings adjacent to the surrounding low-density residential developments. Furthermore, the proposed project would increase the landscaping to include at least 19 new trees in addition to the one mature Palm tree that is located on the southeast corner of the project site which will remain as part of the project. The proposed landscaping would include planting 15-gallon screening Kohuhu shrubs (*Pittosporum Tenuifolium*) along the entire western and eastern project boundary, and approximately half of the rear project boundary. Additional landscaping along the northern boundary of the site along South Foothill Boulevard will partially screen the proposed development and would enhance the visual quality of the sidewalk abutting the property where no landscaping currently exists. Combined, the existing and proposed trees would help to preserve the existing visual setting.

Furthermore, the project is subject to the City's discretionary review processes for the proposed Development Permit and Architectural and Site Approval Permit, in accordance with Chapters 19.12 and 19.168 of the Zoning Ordinance, which would ensure the proposed project would harmonize with adjacent development and not degrade the existing visual quality of the site and surrounding land uses.

⁶⁷ City of Cupertino. 2015. City of Cupertino General Plan, Appendix A, Land Use Definitions.

ENVIRONMENTAL ANALYSIS

Accordingly, consistent with the conclusions of the General Plan EIR, the proposed project would not substantially degrade the existing visual character of the site and its surroundings, or conflict with an applicable zoning and other regulations governing scenic quality and impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

d) *Would the proposed project create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?*

Nighttime illumination and glare impacts are the effects on adjoining uses and areas from a project's exterior lighting. Light and glare impacts are determined through a comparison of the existing light sources with the proposed lighting plan or policies. As discussed in Chapter 4.1, Aesthetics, of the General Plan EIR, the project site and surrounding areas contain existing sources of nighttime illumination. These include street and parking area lights, and exterior lighting on existing commercial buildings. Additional light and glare in the overall all area would be caused by surrounding land uses and traffic on surrounding roadways. As described in Chapter 3, Project Description, of this Initial Study, the proposed project would redevelop the project site and replace the existing sources of light and glare with new sources that are similar to the existing uses and consistent with the surrounding land uses. The source, intensity, and type of exterior lighting for the project site would be typical for single-family homes and for orienting site residents and customers of the mixed-used building, and for overall safety needs (i.e., lighting on signs, sidewalks, and parking). All permanent on-site lighting would be low-level illumination, downward directed, and shielded to reduce light spill or glare onto surrounding residential homes as shown on Figure 3-14. There would be no up-lighting on the mixed-use building exterior. In landscaped and paved areas, light sources would be concealed and not visible from a public viewpoint. All exterior surface and above-ground mounted fixtures would be complementary to the architectural theme and to the surrounding residential uses.

The proposed project would not include reflective glass. Where glass features are considered, glazing treatments would vary and none of the exterior glass would have a light reflectance value of more than 15 percent.⁶⁸ The second-floor balconies for the apartments would include railing elements, which could have a combination of UV coatings, frosting, and fritting, which reduces glare. The existing roadway and proposed landscaping surrounding the project would act as a buffer to prevent light spilling on to adjacent land uses. For these reasons, impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

⁶⁸A light reflectance value or LRV is a measure of visible and usable light that is reflected from a surface when illuminated by a light source. LRV is expressed as a percentage from 0 to 100; the higher the number the more visible light that is reflected.

ENVIRONMENTAL ANALYSIS**II. AIR QUALITY**

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project area is in non-attainment under applicable federal or State ambient air quality standards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.2, Air Quality, of the General Plan EIR, addressed the air quality impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Air quality impacts were found to be significant and unavoidable in the General Plan EIR because the project-specific details of future development were not available. The City adopted and incorporated mitigation measures into the General Plan to reduce air quality impacts. Mitigation Measures AQ-2a and AQ-2b are specific measures that are to be implemented by future projects, such as the proposed project, to reduce construction-related air quality impacts. Mitigation Measure AQ-2a require applicants for future development projects to comply with the current Bay Area Air Quality Management District (BAAQMD) basic control measures for reducing fugitive dust emissions (PM₁₀ and PM_{2.5}) during construction and Mitigation Measure AQ-2b provides additional measures if there are significant construction exhaust emissions.

EXISTING CONDITIONS

The environmental setting normally constitutes the baseline physical conditions by which a lead agency determines whether an impact is significant (CEQA Guidelines Section 15125(a)). However, lead agencies have discretion to consider conditions over a range of time periods to account for a temporary lull or spike in operations. As with any commercial use, the buildings on the project site experience periodic transitions in tenants and occupancy. Therefore, this analysis considers full occupancy associated with historic operations of the existing commercial use as the baseline.

The existing commercial uses generate criteria air pollutants from transportation sources, energy use (natural gas and purchased energy), and area sources such as landscaping equipment and architectural

ENVIRONMENTAL ANALYSIS

coatings. The current land use generates approximately 454 gross average daily trips on a weekday.⁶⁹ Existing emissions associated with the proposed project site are included in Table 4-1 below.

TABLE 4-1 EXISTING OPERATION-RELATED CRITERIA AIR POLLUTANT EMISSIONS

Category	Criteria Air Pollutants (tons per year)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Existing 2019 Emissions				
Area	0.06	0.00	0.00	0.00
Energy	0.00	0.00	0.00	0.00
On-Road Mobile	0.16	0.71	0.51	0.14
Total	0.23	0.71	0.51	0.14

Category	Criteria Air Pollutants (average pounds per day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Area	0.33	0.00	0.00	0.00
Energy	0	0.00	0.00	0.00
On-Road Mobile	.88	3.90	2.80	0.77
Total	1.21	3.90	2.80	0.77

Notes: Emissions may not total to 100 percent due to rounding; Reactive Organic Gases = ROG; Nitrogen Oxides = NO_x; Coarse Inhalable Particulate Matter = PM₁₀; Fine Inhalable Particulate Matter = PM_{2.5}
Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

Air Pollutants of Concern

Criteria Air Pollutants

Pollutants emitted into the ambient air by stationary and mobile sources are regulated by federal and State law under the federal Clean Air Act (National) and California Clean Air Act, respectively. Air pollutants are categorized as primary and/or secondary pollutants. Primary air pollutants are those that are emitted directly from sources. Carbon monoxide (CO), reactive organic gases (ROG), nitrogen oxides (NO_x), sulfur dioxide (SO₂), coarse inhalable particulate matter (PM₁₀), fine inhalable particulate matter (PM_{2.5}), and lead (Pb) are primary air pollutants. Of these, all of them except for ROGs are “criteria air pollutants,” which means that ambient air quality standards (AAQS) have been established for them. The National and California AAQS are the levels of air quality considered to provide a margin of safety in the protection of the public health and welfare. They are designed to protect those “sensitive receptors” most susceptible to further respiratory distress, such as asthmatics, the elderly, very young children, people already weakened by other disease or illness, and persons engaged in strenuous work or exercise. Healthy

⁶⁹ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

ENVIRONMENTAL ANALYSIS

adults can tolerate occasional exposure to air pollutant concentrations considerably above these minimum standards before adverse effects are observed.

Toxic Air Contaminants

In addition to criteria air pollutants, both the State and federal government regulate the release of TACs. The California Health and Safety Code Section 39655 defines a TAC as “an air pollutant which may cause or contribute to an increase in mortality or in serious illness, or which may pose a present or potential hazard to human health.” A substance that is listed as a hazardous air pollutant pursuant to Section 112(b) of the federal Clean Air Act (42 United States Code Section 7412[b]) is a toxic air contaminant. Under State law, the California Environmental Protection Agency, acting through the California Air Resources Board (CARB), is authorized to identify a substance as a TAC if it determines that the substance is an air pollutant that may cause or contribute to an increase in mortality or serious illness, or may pose a present or potential hazard to human health.

Where available, the significance criteria established by the BAAQMD are relied upon to make the determinations discussed below.

DISCUSSION

This section analyzes the types and quantities of air pollutant emissions that would be generated by the construction and operation of the proposed project at a project level. An update to the background discussion in the General Plan EIR of the air quality regulatory setting, meteorological conditions, existing ambient air quality in the vicinity of the project site, and air quality modeling is in Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study. The construction health risk assessment (HRA) for this project is in Appendix B, Health Risk Assessment, of this Initial Study.

a) Would the project conflict with or obstruct implementation of the applicable air quality plan?

BAAQMD is directly responsible for reducing emissions from area, stationary, and mobile sources in the San Francisco Bay Area Air Basin (SFBAAB) to achieve National and California AAQS. In April 2017, BAAQMD adopted its 2017 Clean Air Plan, which is a regional and multiagency effort to reduce air pollution in the SFBAAB. Regional growth projections are used by BAAQMD to forecast future emission levels in the SFBAAB. For the Bay Area, these regional growth projections are provided by the Association of Bay Area Governments (ABAG) and transportation projections are provided by the Metropolitan Transportation Commission (MTC) and are partially based on land use designations in city/county general plans. Typically, only large, regionally significant projects have the potential to affect the regional growth projections.

The proposed project would construct 18 residential units resulting in a density of 11.5 dwelling units per acre and, therefore, would not exceed the 15 dwelling units per acre limit designated in the General Plan or the 25 dwelling units per acre maximum that was evaluated in the General Plan EIR. Therefore, the proposed project would not directly result in any additional new population growth or employment growth beyond what was analyzed in the General Plan EIR. The proposed project is not considered a

ENVIRONMENTAL ANALYSIS

regionally significant project under CEQA Guidelines Section 15206 that would affect regional vehicle miles traveled (VMT) and warrant intergovernmental review by ABAG and MTC.

As discussed in Section XII, Population and Housing, below, the proposed project would not exceed the level of population or housing projected in City or regional planning efforts (*Plan Bay Area*) through 2040, and it would not have the potential to substantially affect housing, employment, and population projections within the region, which is the basis of the 2017 Clean Air Plan projections. Furthermore, the proposed project would create a net decrease in emissions on-site and would not exceed the BAAQMD's emissions thresholds (see Operational Impacts discussion in criterion (b) below). The BAAQMD emissions thresholds were established to identify projects that have the potential to generate a substantial amount of criteria air pollutants. Because the proposed project would result in an air quality benefit, the proposed project would not be considered by the BAAQMD to be a substantial emitter of criteria air pollutants. Therefore, the proposed project would not conflict with or obstruct implementation of the 2017 Clean Air Plan and impacts would be considered *less than significant*.

b) *Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project area is in non-attainment under applicable federal or State ambient air quality standards?*

This section analyzes potential impacts related to air quality that could occur from a combination of the proposed project with other past, present, and reasonably foreseeable projects within the SFBAAB. The SFBAAB is currently designated a nonattainment area for California and National O₃, California and National PM_{2.5}, and California PM₁₀ AAQS. Any project that produces a significant project-level regional air quality impact in an area that is in nonattainment adds to the cumulative impact. Due to the extent of the area potentially impacted by cumulative plus project emissions (the SFBAAB), a project's contribution to a cumulative impact is cumulatively considerable when project-related emissions exceed the BAAQMD emissions thresholds.

BAAQMD has identified thresholds of significance for criteria pollutant emissions and criteria air pollutant precursors, including ROG, NO_x, PM₁₀, and PM_{2.5}. Development projects below the significance thresholds would not generate sufficient criteria pollutant emissions to violate any air quality standard or contribute substantially to an existing or projected air quality violation. The following describes changes in regional impacts from short-term construction activities and long-term operation of the proposed project.

Regional Short-Term Construction Impacts

Construction activities produce combustion emissions from various sources, such as on-site heavy-duty construction vehicles, vehicles hauling materials to and from the site, and motor vehicles transporting the construction crew. Site preparation activities produce fugitive dust emissions (PM₁₀ and PM_{2.5}) from demolition and soil-disturbing activities, such as grading and excavation. Air pollutant emissions from construction activities on site would vary daily as construction activity levels change. Construction activities associated with the project would result in emissions of ROG, NO_x, CO, PM₁₀, and fine PM_{2.5}.

ENVIRONMENTAL ANALYSIS

Construction Fugitive Dust

Ground disturbing activities during construction would generate fugitive dust (PM₁₀ and PM_{2.5}). The amount of dust generated during construction would be variable and is dependent on the amount of material being disturbed, the type of material, moisture content, and meteorological conditions. If uncontrolled, PM₁₀ and PM_{2.5} levels downwind of actively disturbed areas could possibly exceed State standards. BAAQMD considers all impacts related to fugitive dust emissions from construction to be *less than significant* with implementation of BAAQMD's best management practices shown in Mitigation Measure AQ-1, which is required pursuant to General Plan EIR Mitigation Measure AQ-2a.

Impact AQ-1: Fugitive dust (PM₁₀ and PM_{2.5}) generated by the proposed project during construction could potentially result in significant regional short-term air quality impacts without implementation of the Bay Area Air Quality Management District's best management practices related to reducing fugitive dust emissions.

Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM₁₀ and PM_{2.5}) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:

- Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible.
- Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites.
- Cover all trucks hauling soil, sand, and other loose materials.
- Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust.
- Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material.
- Hydroseed or apply non-toxic soil stabilizers to inactive construction areas.
- Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand).
- Limit vehicle traffic speeds on unpaved roads to 15 miles per hour.
- Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established.
- Install sandbags or other erosion control measures to prevent silt runoff from public roadways.
- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.

Construction Exhaust Emissions

Analysis of construction emissions is based on the preliminary construction duration and normalized California Emissions Estimator Model (CalEEMod) default schedule developed for the proposed project. The proposed project would produce demolition debris and would require soil export for the underground

ENVIRONMENTAL ANALYSIS

parking that would occur near existing sensitive land uses. Construction emissions were quantified using the CalEEMod Version 2016.3.2.25 based on information provided by the project applicant, which was reviewed and approved by PlaceWorks and the City. The approximately 10-month construction period is assumed to begin in June 2021 and end in March 2022, subject to regulatory approval.

Potential construction-related air quality impacts are determined by comparing the average daily criteria air pollutants emissions generated by the proposed project-related construction activities to the BAAQMD significance thresholds in Table 4-2. Average daily emissions are based on the annual construction emissions divided by the total number of active construction days.

TABLE 4-2 CONSTRUCTION-RELATED CRITERIA AIR POLLUTANT EMISSIONS ESTIMATES

Year	Criteria Air Pollutants (tons/year) ^a					
	ROG	NO _x	Fugitive PM ₁₀ ^b	Exhaust PM ₁₀ ^b	Fugitive PM _{2.5} ^b	Exhaust PM _{2.5} ^b
2021	0.13	1.45	0.08	0.06	0.03	0.05
2022	0.11	0.36	0.01	0.02	0.00	0.02
Total	0.24	1.81	0.09	0.07	0.03	0.07

Criteria Air Pollutants (average lbs/day) ^a						
Average Daily Emissions ^c	2.34	17.30	0.86	0.70	0.29	0.67
BAAQMD Average Daily Project-Level Threshold	54	54	BMPs	82	BMPs	54
Exceeds Average Daily Threshold	No	No	N/A	No	N/A	No

Notes: Emissions may not total to 100 percent due to rounding. BMP = Best Management Practices; NA = not applicable; ROG = Reactive Organic Gases = ROG; Nitrogen Oxides = NO_x; Coarse Inhalable Particulate Matter = PM₁₀; Fine Inhalable Particulate Matter = PM_{2.5}

- Construction phasing and equipment mix are based on the preliminary information provided by the project applicant. Where specific information regarding project-related construction activities was not available, construction assumptions were based on CalEEMod defaults, which are based on construction surveys conducted by South Coast Air Quality Management District of construction equipment and phasing for comparable projects.
- Includes implementation of BMPs for fugitive dust control required by BAAQMD as mitigation, including watering disturbed areas a minimum of two times per day, reducing speed limit to 15 miles per hour on unpaved surfaces, and street sweeping.
- Average daily emissions are based on the total construction emissions divided by the total number of active construction days. The total number of construction days is estimated to be about 209.

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.2.25

As shown in Table 4-2, criteria air pollutant emissions from construction equipment exhaust would not exceed the BAAQMD average daily pounds per day thresholds and impacts from project-related construction activities to the regional air quality would be *less than significant* and implementation of General Plan EIR Mitigation Measure AQ-2b is not required.

Operational Impacts

Typical long-term air pollutant emissions are generated by area sources (e.g., landscape fuel use, aerosols, architectural coatings, and asphalt pavement), energy use (natural gas), and mobile sources (i.e., on-road vehicles). The proposed project would result in new housing units, a parking garage, commercial space, and paved and landscaped surfaces, and associated vehicular trips.

ENVIRONMENTAL ANALYSIS

Table 4-3 identifies a net decrease in criteria air pollutant emissions associated with the proposed project compared to the baseline operation. As shown in Table 4-3, the operational emissions generated by the project would not exceed the BAAQMD daily pounds per day or annual tons per year project level threshold.⁷⁰ Therefore, the proposed project would not cumulatively contribute to the nonattainment designations of the SFBAAB and would result in an air quality benefit, by providing less criteria air pollutant emissions than existing conditions. Project-related operation activities to the regional air quality would be *less than significant*.

TABLE 4-3 OPERATIONAL CRITERIA AIR POLLUTANT EMISSIONS ESTIMATES

Category	Criteria Air Pollutants (tons per year)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Existing Land Use 2021 Projected Emissions				
Area	0.06	0.00	0.00	0.00
Energy	0.00	0.00	0.00	0.00
On-Road Mobile	0.14	0.59	0.53	0.14
Total	0.20	0.60	0.53	0.14
Proposed Land Use 2021 Emissions				
Area	0.19	0.00	0.00	0.00
Energy	0.00	0.02	0.00	0.00
On-Road Mobile	0.08	0.33	0.29	0.08
Total	0.27	0.35	0.29	0.08
Net Change 2021 Emissions				
Area	0.13	0.00	0.00	0.00
Energy	0.00	0.01	0.00	0.00
On-Road Mobile	-0.06	-0.26	-0.23	-0.06
Total	0.07	-0.25	-0.23	-0.06
BAAQMD Annual Project-Level tons/yr Threshold	10	10	15	10
Exceeds BAAQMD's lbs/day Threshold?	No	No	No	No

Category	Criteria Air Pollutants (average pounds per day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Existing Land Use 2021 Projected Emissions	1	3	3	1
Proposed Land Use 2021 Emissions	1	2	2	0
Net Change	0	-1	-1	-1
BAAQMD Average Daily Project-Level lbs/day Threshold	54	54	82	54
Exceeds BAAQMD's lbs/day Threshold?	No	No	No	No

Notes: Emissions may not total to 100 percent due to rounding; Reactive Organic Gases = ROG; Nitrogen Oxides = NO_x; Coarse Inhalable Particulate Matter = PM₁₀; Fine Inhalable Particulate Matter = PM_{2.5}

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

⁷⁰ Further details are shown in Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study.

ENVIRONMENTAL ANALYSIS

Summary

As described, the proposed project would not have a significant long-term operational phase impact, however, without incorporation of fugitive dust control measures, construction activities could potentially result in significant regional short-term air quality impacts. Mitigation Measure AQ-1, required by the General Plan Mitigation Measure AQ-2a, would ensure that required fugitive dust control measures are implemented to control project-related fugitive dust generated during construction activities. Therefore, the project's contribution to cumulative air quality impacts would be *less than significant*.

c) *Would the project expose sensitive receptors to substantial pollutant concentrations?*

Development of the proposed project could expose sensitive receptors to elevated pollutant concentrations. Unlike the construction emissions shown in Table 4-2 in criterion (b), described in pounds per day, localized concentrations refer to an amount of pollutant in a volume of air (parts per millions [ppm] or micrograms per cubic meter [$\mu\text{g}/\text{m}^3$]) and can be correlated to potential health effects.

Construction Off-Site Community Risk and Hazards

The proposed project would elevate concentrations of TACs and $\text{PM}_{2.5}$ in the vicinity of sensitive land uses during construction activities. The nearest sensitive receptors to the project site include the adjacent one-story and two-story single-family residences approximately 20 to 50 feet from the site property lines to the north, west, and south. BAAQMD has developed screening tables for air toxics evaluation during construction that evaluate construction-related health risks associated with residential, commercial, and industrial projects.⁷¹ According to the screening tables, the surrounding residences are closer than the distance of 100 meters (328 feet) that would screen out potential health risks, and therefore, could be potentially impacted from the proposed construction activities. Consequently, a site-specific construction health risk assessment (HRA) of TACs and $\text{PM}_{2.5}$ has been prepared (see Appendix B of this Initial Study).

A quantified analysis of the project's construction emissions was conducted using the CalEEMod, Version 2016.2.25. Construction emissions were based on a 10-month construction duration, construction schedule, and off-road equipment list provided by the project applicant. The United States Environmental Protection Agency AERMOD, Version 9.7, dispersion modeling program was used to determine flagpole level pollutant concentrations, which were used to estimate excess lifetime cancer risk, chronic non-cancer hazard index for non-carcinogenic risk, and the $\text{PM}_{2.5}$ maximum annual concentrations at the nearest sensitive receptors. Results of the analysis are shown in Table 4-4.

⁷¹ Bay Area Air Quality Management District (BAAQMD), Screening Tables for Air Toxics Evaluation During Construction, Version 1.0, May 2010.

ENVIRONMENTAL ANALYSIS**TABLE 4-4 CONSTRUCTION RISK SUMMARY – UNMITIGATED**

Receptor	Cancer Risk (per million)	Chronic Hazards	PM _{2.5} (µg/m ³) ^a
Maximum Exposed Receptor - Off-site Residences	58.4	0.27	0.68
BAAQMD Threshold	10	1.0	0.30
Exceeds Threshold?	Yes	No	Yes

Note: micrograms per cubic meter = µg/m³; PM_{2.5} – fine particulate matter

Source: Cancer risk calculated using 2015 Office of Environmental Health Hazard Assessment Health Risk Assessment Guidance Manual; Lakes AERMOD View, 9.7.

The results of the HRA are based on the maximum receptor concentration over a 10-month construction exposure duration for off-site receptors.⁷² Risk is based on the updated Office of Environmental Health Hazard Assessment (OEHHA) Guidance Manual:⁷³

- Cancer risk for the maximum exposed off-site resident from only construction activities related to the proposed project were calculated to be 58.4 in a million and would exceed the BAAQMD's 10 in one million significance threshold. Utilizing the latest 2015 OEHHA Guidance Manual, the calculated total cancer risk conservatively assumes that the risk for the maximum exposed receptor (MER) consists of a pregnant woman in the third trimester that subsequently gives birth to an infant during the approximately 10-month construction period; therefore, all calculated risk values were multiplied by a factor of 10. In addition, it was conservatively assumed that the residents were outdoors 8 hours a day, 260 construction days per year, and were exposed to all of the daily construction emissions.
- For non-carcinogenic effects, the hazard index identified for each toxicological endpoint totaled less than one for off-site sensitive receptors from the proposed project. Therefore, chronic non-carcinogenic hazards are within acceptable limits.
- The highest PM_{2.5} annual concentrations at the maximum exposed off-site sensitive resident would exceed the BAAQMD significance threshold of 0.3 µg/m³. Therefore, PM_{2.5} emissions are not within acceptable limits.

Because the incremental cancer risk and maximum annual PM_{2.5} concentrations for the maximum exposed receptor would exceed BAAQMD's significance thresholds due to construction activities associated with the proposed project, impacts are *potentially significant*, and the following mitigation is required.

Impact AQ-2: The proposed project could expose sensitive receptors to substantial pollutant concentrations during construction.

⁷² Under the 2015 Office of Environmental Health Hazard Assessment Air Toxics Hot Spots Program Guidance Manual, the exposure duration has changed from 70 years to 30 years for operational risk to residents; however, the risk is still averaged over a 70-year lifetime.

⁷³ Office of Environmental Health Hazard Assessment, 2015. Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments.

ENVIRONMENTAL ANALYSIS

Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:

- Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations.
- Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower.
- Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site.
- Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations.
- Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met.

Mitigation Measure AQ-2, which is not a General Plan EIR mitigation measure, would reduce the project's localized construction emissions, as shown in the Table 4-5 below. The results indicate that, with mitigation, cancer risk and PM_{2.5} impacts would be less than the BAAQMD's significance thresholds for residential-based receptors. Therefore, the project would not expose off-site sensitive receptors to substantial concentrations of air pollutant emissions during construction and impacts would be *less than significant*.

TABLE 4-5 CONSTRUCTION RISK SUMMARY – MITIGATED

Receptor	Cancer Risk (per million)	Chronic Hazards	PM _{2.5} (µg/m ³) ^a
Maximum Exposed Receptor – Offsite Residences	7.5	0.036	0.09
BAAQMD Threshold	10	1.0	0.3
Exceeds Threshold?	No	No	No

Notes: micrograms per cubic meter = µg/m³; PM_{2.5} – fine particulate matter; Risks incorporate Mitigation Measure AQ-2, which requires all equipment of 50 horsepower or more be fitted with engines that meet the EPA's Tier 4 Interim emissions standards.

Source: Cancer risk calculated using 2015 Office of Environmental Health Hazard Assessment Health Risk Assessment Guidance Manual; Lakes AERMOD View, 9.7.

Operation On-Site Community Risk and Hazards

Types of land uses that typically generate substantial quantities of criteria air pollutants and TACs include industrial (stationary sources), manufacturing, and warehousing (truck idling) land uses. These types of major air pollutant emissions sources are not included as part of the proposed mixed-use project. The

ENVIRONMENTAL ANALYSIS

proposed project would not include stationary sources that emit TACs and would not generate a significant amount of heavy-duty truck trips (a source of diesel particulate matter [DPM]). Therefore, the proposed project would not expose sensitive receptors to substantial concentrations of air pollutant emissions during operation, and impacts would be *less than significant*.

Carbon Monoxide (CO) Hotspot Analysis

Areas of vehicle congestion have the potential to create pockets of carbon monoxide (CO), which are called hotspots. These pockets have the potential to exceed the State 1-hour standard of 20 ppm or the 8-hour standard of 9 ppm. The proposed project would not conflict with the Santa Clara Valley Transportation Authority (VTA) Congestion Management Program (CMP) because it would not hinder the capital improvements outlined in the CMP or alter regional travel patterns. VTA's CMP must be consistent with MTC's/ABAG's *Plan Bay Area*. An overarching goal of the regional *Plan Bay Area* 2040 is to concentrate development in areas where there are existing services and infrastructure rather than locate new growth in outlying areas where substantial transportation investments would be necessary to achieve the per capita passenger vehicle, vehicle miles traveled, and associated GHG emissions reductions. The proposed project is an infill residential development that is in close proximity to existing employment centers, roadways, transit, and bicycle and pedestrian routes, and for these reasons would be consistent with the overall goals of *Plan Bay Area* 2040.

Furthermore, under existing and future vehicle emission rates, a project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour—or 24,000 vehicles per hour where vertical and/or horizontal mixing is substantially limited—in order to generate a significant CO impact. Implementation of the proposed project would not increase traffic volumes at affected intersections by more than 44,000 vehicles per hour or 24,000 vehicles per hour where vertical and/or horizontal mixing is substantially limited (see Section XV, Transportation, below).⁷⁴ Therefore, impacts associated with CO hotspots would be *less than significant*.

d) *Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?*

Construction and operation of mixed-use developments would not generate odors that would affect a substantial number of people. The type of facilities that are considered to have objectionable odors include wastewater treatments plants, compost facilities, landfills, solid waste transfer stations, fiberglass manufacturing facilities, paint/coating operations (e.g., auto body shops), dairy farms, petroleum refineries, asphalt batch plants, chemical manufacturing, and food manufacturing facilities. While residential uses are not associated with foul odors that constitute a public nuisance, the proposed mixed-use building would have 4,536 square feet of neighborhood-serving commercial space on the ground floor that could include a food service such as a small coffee shop or a bakery that could generate odors to nearby off-site residents. For these types of uses, the City may require charcoal activated filters to be

⁷⁴ Bay Area Air Quality Management District (BAAQMD), 2011 Revised. California Environmental Quality Act Air Quality Guidelines.

ENVIRONMENTAL ANALYSIS

installed depending on what tenants lease the space over the life of the building operation. However, these are not the types of uses that lead to odors that affect a substantial number of people.

During construction activities, construction equipment exhaust and application of asphalt and architectural coatings would temporarily generate odors. Any construction-related odor emissions would be temporary and intermittent. Additionally, noxious odors would be confined to the immediate vicinity of the construction equipment. By the time such emissions reach any sensitive receptor sites, they would be diluted to well below any level of air quality concern.

Odors are also regulated under BAAQMD Regulation 1, Rule 1-301, Public Nuisance, which states that “no person shall discharge from any source whatsoever such quantities of air contaminants or other material which cause injury, detriment, nuisance or annoyance to any considerable number of persons or the public; or which endangers the comfort, repose, health or safety of any such persons or the public, or which causes, or has a natural tendency to cause, injury or damage to business or property.” Therefore, because construction-related odor emissions would be temporary and intermittent, mixed-use developments such as the proposed project are not considered the type of use that would generate odors that would affect a substantial number of people, and the proposed project is required to comply with BAAQMD Regulation 7, odor-related impacts to off-site land uses would be *less than significant*.

III. BIOLOGICAL RESOURCES

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Have a substantial adverse effect, either directly or through habitat modifications, on a plant or animal population, or essential habitat, defined as a candidate, sensitive or special-status species?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community type?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Have a substantial adverse effect on State or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species, their wildlife corridors or nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Conflict with any local ordinances or policies protecting biological resources?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Conflict with an adopted Habitat Conservation Plan, Natural Community Conservation Plan or other approved local, regional, or State habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.3, Biological Resources, of the General Plan EIR, addressed the impacts to biological resources associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts to biological resources were found to be less than significant with implementation of mitigation measures to ensure impacts to birds protected under the Migratory Bird Treaty Act (MBTA) would not be significant. The project is required to comply with General Plan EIR Mitigation Measure BIO-1, previously adopted and incorporated into the General Plan, to ensure the protection of nesting raptors and other birds when in active use, as required by the federal MBTA and the California Fish and Game Code (CFG Code).

EXISTING CONDITIONS

The project site and surrounding area is urbanized and contains roadways, structures, and other impervious surfaces. There are two mature trees on site, a Redwood tree proposed for removal, and a Palm tree that will remain. Existing conditions on and adjacent to the project site are developed and primarily dominated by landscaped and non-native vegetation. Based on a review of historical aerial photographs, the project site has been subject to historic disturbance, including mass grading. These conditions do not lend themselves to presence of rare plant and animal populations, and such species are not anticipated to be present prior to or during project construction.

As previously described in Chapter 3, Project Description, the CALVEG⁷⁵ habitat mapping program classifies the site as an “urban area” that tends to have low to poor wildlife habitat value due to replacement of natural communities, fragmentation of remaining open space areas and parks, and intensive human disturbance. The diversity of urban wildlife depends on the extent and type of landscaping and remaining open space, as well as the proximity to natural habitat. Trees and shrubs used for landscaping provide nest sites and cover for wildlife adapted to developed areas. Typical native bird species in the city of Cupertino include the mourning dove, scrub jay, northern mockingbird, American robin, brown towhee, American crow, and Anna’s hummingbird, among others. Introduced species include the rock dove, European starling, house finch, and house sparrow. Urban areas can also provide habitat for several species of native mammals such as the California ground squirrel and striped skunk, as well as the introduced eastern fox squirrel and eastern red fox. Introduced pest species such as the Norway rat, house mouse, and opossum are also abundant in developed areas.

A recent search of the CNDDDB shows that the project site does not contain any known special-status species on-site. However, special-status plant and animal species have been recorded within 5 miles of the project site. All of these special-status species were recorded outside of or near the city limits except for the Western leatherwood (*Dirca occidentalis*), Woodland woollythreads (*Monolopia congdonii*), Cooper’s hawk (*Accipiter cooperi*), White-tailed kite (*Elanus leucurus*), American peregrine falcon (*Falco peregrinus*), California tiger salamander (*Ambystoma californiense*), and the Santa Cruz black salamander (*Aneides*

⁷⁵ The CALVEG system was initiated in January 1978 by the Region 5 Ecology Group of the US Forest Service to classify California’s existing vegetation communities for use in statewide resource planning. CALVEG maps use a hierarchical classification on the following categories: forest; woodland; chaparral; shrubs; and herbaceous.

ENVIRONMENTAL ANALYSIS

flavipunctatus niger). These special-status species were not recorded near the site but at least 1 mile away.

The nests of most bird species are protected under the MBTA when in active use and there is a remote possibility that one or more species protected under the MBTA and CFG Code, could nest in the two existing trees and other landscaping on the project site. These include both the Cooper's hawk (*Accipiter cooperi*) and white-tailed kite (*Elanus leucurus*), which have reported CNDDDB occurrences within the city boundary, together with more common raptors such as red-tailed hawk, great horned owl, and American kestrel, all of which are protected by the MBTA and CFG Code when their nests are in active use. However, no essential habitat for these or other special-status species is present on the site due to its developed condition.

Numerous bat species found in the Cupertino area, most of which are relatively common, and are not considered special-status species. As previously stated, the CNDDDB does not show any occurrences of special-status bats on the site vicinity but does show records within several miles of Cupertino. The records include occurrences of Townsend's big-eared bat (*Corynorhinus townsendii*), hoary bat (*Lasiurus cinereus*), and Yuma myotis (*Myotis yumanensis*). These three species have no legal protected status under the State or federal Endangered Species Acts, but Townsend's big-eared bat is considered a Species of Special Concern by the California Department of Fish and Wildlife. These species have various priority rankings with the Western Bat Working Group, ranging from "High" for Townsend's big-eared bat, "Medium" for hoary bat, to "Low-Medium" for Yuma myotis. Bat species found in the Cupertino vicinity may forage and occasionally roost in the site vicinity, but suitable habitat conditions for maternity roosts does not exist on the site.

Wetlands and jurisdictional waters within the city boundary include creek corridors and associated riparian scrub and woodland, and areas of freshwater marsh around ponds, seeps, springs, and other waterbodies. Some remnant stands of riparian scrub and woodland occur along segments of the numerous creeks through the urbanized valley floor. The project site does not contain these creek corridors or contain other regulated waters; however, the Stevens Creek Corridor is approximately 0.25 miles to the east of the project site. Single-family residential neighborhoods act as a barrier between Stevens Creek and the project site.

There is no existing wildlife movement corridor designation on the site by any agency, including the United States Fish and Wildlife or the California Department of Fish and Wildlife. Furthermore, there are no open space areas or natural lands adjacent to the project site.

The existing palm tree located on the southeastern of the project site would remain as part of the proposed project. The redwood tree on the northern part of the project site would be removed.

ENVIRONMENTAL ANALYSIS

DISCUSSION

- a) *Would the project have a substantial adverse effect, either directly or through habitat modifications, on a plant or animal population, or essential habitat, defined as a candidate, sensitive or special-status species?*

As stated above in the existing conditions discussion, there are no known occurrences of special-status plant or animal species and no suitable habitat for such species on the project site, but there is a possibility that birds that are protected by the MBTA and CFG Code could nest in trees and other landscaping on the project site. However, no essential habitat for these or other special-status species is present on the site due to its developed condition. The analysis in the General Plan EIR found that impacts to special-status species, including nesting birds, would be reduced to less than significant with mitigation. Accordingly, the implementation of Mitigation Measure BIO-1, which is required by General Plan EIR Mitigation Measure BIO-1, would also be required for the project to reduce impacts to a *less-than-significant* level.

Nesting Birds

The analysis in the General Plan EIR found that impacts to special-status species, including nesting birds, would be reduced to less than significant with mitigation. Accordingly, the implementation of Mitigation Measure BIO-1, which is required by General Plan EIR Mitigation Measure BIO-1, would also be required for the project to reduce impacts to a *less-than-significant* level.

Impact BIO-1: Tree removal and demolition activities during site clearance could destroy active nests, and/or otherwise interfere with nesting of birds protected under federal and State law.

Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if construction activities and any required tree removal occur during the breeding season (February 1 and August 31).

- Preconstruction surveys shall:
 - Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period.
 - Be conducted no more than 14 days prior to the start of tree removal or construction.
 - Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped.
 - Document locations of active nests containing viable eggs or young birds.
- Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include:

ENVIRONMENTAL ANALYSIS

- Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds.
- Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status.
- An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife.

Bird Collision

Avian injury and mortality resulting from collisions with buildings, towers and other man-made structures is a common occurrence in city and suburban settings. Some birds are unable to detect and avoid glass and have difficulty distinguishing between actual objects and their reflected images, particularly when the glass is transparent and views through the structure are possible. Night-time lighting can interfere with movement patterns of some night-migrating birds, causing disorientation or attracting them to the light source. The frequency of bird collisions in a particular area is dependent on numerous factors, including: characteristics of building height, fenestration (the arrangement of windows and doors on the elevations of a building) and exterior treatments of windows and their relationship to other buildings and vegetation in the area; local and migratory avian populations, their movement patterns, and proximity of water, food and other attractants, time of year; prevailing winds; weather conditions; and other variables.

The proposed mixed-use building and residential buildings would alter the physical characteristics of the site; however, this change is not expected to contribute to a substantial increase in the risk of collisions to local and migratory birds. This is due to several reasons, including the fact that the site is currently developed with residential buildings of a similar height (30 feet), bulk, and surface treatment, as is the current surrounding area; that the existing site has few trees; and the proposed structures would have limited transparency (i.e., no large uninterrupted windows in the new buildings). Because the site vicinity is already developed with urban use and the site is currently developed with occupied structures, most birds, as under existing conditions, would likely acclimate to the presence of the new building once completed. The potential risk of bird collision with the new buildings would be extremely low.

While the design of the exterior treatment of the proposed buildings is in the conceptual phase and has not yet been finalized, and must still go through Design Review, there are design options to minimize the risk of bird collisions by using well-documented bird-safe designs for window treatments, roof top equipment, and night-time lighting. While any bird collisions that do occur should not have a substantial adverse effect on special-status bird species or more common bird species that may be flying through the vicinity, the applicant, as described in Chapter 3, Project Description, has committed to implementing bird-safe design measures in the new buildings, which would further address the low risk of collision. These include the following measures that would be part of the design of the new building:

ENVIRONMENTAL ANALYSIS

- **Non-Reflective Glass:** No reflective glass would be used in the building consistent with the San Francisco Bird Safe Recommendations⁷⁶ that state that reflective glass should be avoided, because some birds in certain circumstances might see vegetation in the reflection and fly into a building. None of the exterior glass in the new buildings will have a light reflectance value of more than 15 percent.
- **Fritted Glass:** Fritted glass is a non-reflective glass that is used to reduce glare and lower the danger to birds. Using fritted glass on the ground floor and second story windows and balcony railing elements, of the new mixed-use building would help prevent possible bird strikes. Fritting helps diminish the transparency of glass and is a documented approach to helping reduce the probability of bird collisions. Transparent glass used in “design traps” such as glass bridges or parapets can also be problematic. The project proposes glass railing elements on the second-floor balconies, which would incorporate UV coatings, frosting, and fritting to make them visible to birds to reduce collisions.
- **Building Lighting:** Overly lit buildings can be problematic, especially if there is up-lighting. The project is required to meet City code minimum standards on exterior lighting, and the new building would have no up-lighting. The source, intensity, and type of exterior lighting for the project site would generally be provided for the purpose of orienting site users and for safety needs. All on-site lighting would be low-level illumination and shielded to reduce light spill or glare.
- **Tree Screening:** The proposed project includes new 5-foot screening shrubs to be planted along the north, south, western, and the northern and southern edges of the eastern borders of the project site and 15 new trees, including one Miami crape myrtles (*Lagerstroemia l. ‘Miami’*), seven Saratoga bay laurels (*Laurus ‘Saratoga’*), and seven Coast live oak (*Quercus agrifolia*). Shrubs, including Cape rush (*Chondropetalum tectorum*) and Dwarf yeddo hawthorn (*Rhaphiolepis U. ‘Minor’*) would be planted along the eastern portion of the site, shielding the glass façade. These trees would help shield the first floors, which shielding would increase as the new trees grow over time.

The location of the project site, the building design features and selected materials, were determined to adequately address the remote potential for special-status bird species dispersing through the site vicinity to collide with the new structure and be injured or killed. These measures would serve to minimize the potential for bird strikes through the use of bird-friendly design guidelines in the treatment of windows and other aspects of the proposed buildings, and would ensure any potential impact would be *less than significant* for special-status birds and more common bird species.

Additionally, should the draft City of Cupertino draft Bird Safe Design Ordinance described in Chapter 3, Project Description, in Section 3.1.4.3, Other Requirements, be adopted by the City Council prior to project construction, the project applicant would be required to comply with the standards in the Ordinance which would also ensure any potential impact would be *less than significant* for special-status birds and more common bird species.

⁷⁶ San Francisco Planning Department, 2011. *Standards for Bird-Safe Buildings*, San Francisco, California. Adopted July 14;

ENVIRONMENTAL ANALYSIS

Roosting Bats

As described in the existing conditions, the CNDDDB records were recently searched for, among other species, occurrences of Townsend's big-eared bat (*Corynorhinus townsendii*), hoary bat (*Lasiurus cinereus*), and Yuma myotis bat (*Myotis yumanensis*). These three species have no legal protected status under the State or federal Endangered Species Acts, but Townsend's big-eared bat is considered a Species of Special Concern by the California Department of Fish and Wildlife. Bat species found in the Cupertino vicinity may forage and occasionally roost in the site vicinity, but suitable habitat conditions for maternity roosts is absent from the site. The potential for any special-status bat species to be present on the site is considered highly remote, given the urbanization of the site vicinity and intensity of human activity, which typically discourages possible occupation by special-status bats. Accordingly, the construction and operation of the proposed project would not result in the inadvertent loss of any bats and impacts would be *less than significant*.

b) *Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community type?*

As discussed in the existing conditions above, the proposed project is located in an urbanized area where no sensitive natural communities are found. The nearest creek is Stevens Creek, located approximately 0.25 miles to the east of the project site. The existing single-family residential neighborhoods act as a barrier between Stevens Creek and the project site. Based on the existing conditions and the fact that the proposed project would redevelop and underdeveloped site, impacts would be consistent with the conclusions in the General Plan EIR and would remain *less than significant*.

c) *Would the project have a substantial adverse effect on federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?*

As discussed in the existing conditions and determined in the General Plan EIR, development of the proposed project would occur in urbanized areas where no wetlands or jurisdictional waters occur on or near the project site; therefore, no impact would occur directly. Indirect impacts to wetlands and jurisdictional or other waters include: 1) an increase in the potential for sedimentation due to construction grading and ground disturbance, 2) an increase in the potential for erosion due to increased runoff volumes generated by impervious surfaces, and 3) an increase in the potential for water quality degradation due to increased levels in non-point pollutants. However, indirect impacts would be largely avoided through effective implementation of best management practices during construction and compliance with water quality controls. As discussed in Impact HYDRO-1, water quality impacts from construction and operation of the proposed project would be less than significant. Accordingly, indirect impacts to wetlands and jurisdictional waters would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

ENVIRONMENTAL ANALYSIS

- d) *Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species, their wildlife corridors or nursery sites?*

Development on the project site would occur in an urbanized area where sensitive wildlife resources and important wildlife movement corridors are no longer present because of the existing development. Wildlife species common to urban and suburban habitat could be displaced where existing structures are demolished and landscaping is removed as part of future development, but these species are relatively abundant, and adapted to human disturbance. As discussed in Chapter 3, Project Description, of this Initial Study, the proposed project would remove one mature Redwood tree on-site and most landscaping, and would replace the landscaping with additional trees and plants that would provide replacement habitat for wildlife species that may have adapted to the project site. Proposed project landscaping includes native, drought tolerant landscaping that is beneficial to the environment. Therefore, project impacts on the movement of fish and wildlife, wildlife corridors, or wildlife nursery sites would be would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

- e) *Would the project conflict with any local ordinances or policies protecting biological resources?*

As discussed in criteria (a) through (d), above, the project site is located in an urbanized area where sensitive biological and wetland resources are considered to be absent, and no major conflicts with the relevant policies or ordinances related to biological resources in the General Plan and/or CMC would occur. One tree is proposed to be removed as part of the project. However, because the existing development is on property that requires a development application, all existing trees on the site are considered protected.⁷⁷ Therefore, compliance with the City's Tree Ordinances (CMC Chapter 14.12 and Chapter 14.18), which requires replacement trees, would ensure impacts related to the removal of trees would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

- f) *Would the project conflict with an adopted Habitat Conservation Plan, Natural Community Conservation Plan or other approved local, regional, or State habitat conservation plan?*

No adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved conservation plan includes the city or the project site, and the proposed project would not conflict with any adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved conservation plan. Impacts would remain consistent with the conclusions in the General Plan EIR and *no impact* would occur.

⁷⁷ City of Cupertino Municipal Code, Title 14, Streets, Sidewalks and Landscaping, Chapter 14.18, Protected Trees.

ENVIRONMENTAL ANALYSIS

IV. CULTURAL RESOURCES

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.4, Cultural Resources, of the General Plan EIR, addressed the impacts to cultural and Tribal Cultural Resources (TCRs) associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The impacts were found to be less than significant, and no mitigation measures were required. The following is a summary of Section, 4.4.1.2, Existing Conditions, of Chapter 4.4, which is based on the cultural resource analysis conducted by Tom Origer & Associates on July 24, 2013, included as Appendix D, Cultural Resources Data, of the General Plan EIR. The cultural resources study consists of archival research at the Northwest Information Center at Sonoma State University, examination of the library and files, field inspection, and contact with the Native American community. As shown in Table 4.4-2, *Cultural Resources in the Project Study Area and Vicinity*, and on Figure 4.4-1, *Cultural Resources*, of the General Plan EIR, there are no identified cultural resources on the project site.

EXISTING CONDITIONS

As shown in Table 4.4-2, *Cultural Resources in the Project Study Area and Vicinity*, and Figure 4.4-1, *Cultural Resources*, of the General Plan EIR, there are no identified cultural resources on the project site. Structures on the project site were developed in 1948 and 1968,⁷⁸ which is within the 45-year age limit established by the State Office of Historic Preservation for buildings that may be of historical value.⁷⁹ However, neither of the existing buildings have been designated on a federal, State, or local registry. Nor are the existing buildings associated with significant cultural events, persons in California's past, and they do not have any distinctive historical characteristics, and as such do not have any qualifying historical value.

⁷⁸ Applied Water Resources. 2018. Phase I Environmental Site Assessment 10625-10637 South Foothill Boulevard/Stevens Canyon Road Cupertino, California.

⁷⁹ Public Resources Code Section 5024.1.

ENVIRONMENTAL ANALYSIS

DISCUSSION

- a) *Would the project cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5?*

Under CEQA, both prehistoric and historic-period archaeological sites may qualify as historical resources.⁸⁰ Archaeological resources are addressed in criterion (b), and human remains are addressed below in criterion (c), below.

As discussed above in the existing conditions, the project site was developed in 1948 and again in 1968. As further described above, the existing buildings do not meet the criteria for listing in the California Register of Historical Resources. The General Plan EIR did not identify the project site as having existing buildings that are considered historic resources, and the existing buildings are not currently listed as California Historical Resources.⁸¹ Accordingly, impacts would remain consistent with the conclusions in the General Plan EIR and *less-than-significant* impacts to historical architectural resources would occur as a result of project development.

- b) *Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?*

While the project site is currently developed and the cultural resources study prepared for the General Plan EIR⁸² did not identify any known archaeological deposits on the project site, the site could still contain subsurface archaeological deposits, including unrecorded Native American prehistoric archaeological materials. If subsurface historical and pre-contact archaeological deposits that meet the definition of historical resource under CEQA Section 21084.1 or CEQA Guidelines Section 15064.5 are present at the project site, they could be damaged or destroyed by ground-disturbing construction activities (e.g., site preparation, grading, excavation, and trenching for utilities) associated with development allowed under the proposed project. Should this occur, the ability of the deposits to convey their significance, either as containing information about prehistory or history, or as possessing traditional or cultural significance to Native American or other descendant communities, would be materially impaired. Therefore, any project-related ground-disturbing activities have the potential to affect subsurface prehistoric archaeological resources that may be present. Implementation of Mitigation Measure CULT-1, which is not a General Plan EIR mitigation measure, would reduce impacts to unknown archaeological deposits to a *less-than-significant* level.

Impact CULT-1: The proposed project could cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines Section 15064.5.

⁸⁰ California Code of Regulations, Title 14, Chapter 3, Section 15064.5(c), Determining the Significance of Impacts on Historical and Unique Archeological Resources.

⁸¹ Office of Historic Preservation, Listed California Historical Resources. Accessed May 9, 2019 at <http://ohp.parks.ca.gov/ListedResources/?view=county&criteria=43>.

⁸² City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 4, 2014, Appendix D, Cultural Resources Data, Tom Origer & Associates on July 24, 2013.

ENVIRONMENTAL ANALYSIS

Mitigation Measure CULT-1: A ~~tribal~~ representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the ~~Tribe~~ Tamien Nation in a manner requested by the ~~Tribe~~ Tamien Nation at least ~~48 hours~~ five (5) days before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site ~~tribal~~ Tamien Nation representative.

If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:

- All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and ~~tribal~~ Tamien Nation representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out.
- The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a ~~tribal~~ Tamien Nation representative regarding the significance of the find and appropriate mitigations as follows:
 - If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5.
 - If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the ~~appropriate tribe(s)~~ Tamien Nation to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.
- All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards.

c) *Would the project disturb any human remains, including those interred outside of formal cemeteries?*

There are no known human remains on the project site; however, the potential to unearth unknown human remains during ground disturbing activities associated with the construction of the project could occur. Any human remains encountered during ground-disturbing activities associated with the proposed project would be subject to federal, State, and local regulations to ensure no adverse impacts to human remains would occur in the unlikely event human remains are found.

Health and Safety Code Section 7050.5, Public Resources Code Section 5097.98, and CEQA Guidelines Section 15064.5(e) contain the mandated procedures of conduct following the discovery of human remains. According to the provisions in CEQA, if human remains are encountered at the site, all work in the immediate vicinity of the discovery shall cease and necessary steps to ensure the integrity of the

ENVIRONMENTAL ANALYSIS

immediate area shall be taken. The Santa Clara County Coroner shall be notified immediately. The Coroner shall then determine whether the remains are Native American. If the Coroner determines the remains are Native American, the Coroner shall notify the Native American Heritage Commission (NAHC) within 24 hours, who would, in turn, notify the person the NAHC identifies as the Most Likely Descendant (MLD) of any human remains. Further actions shall be determined, in part, by the desires of the MLD. The MLD has 48 hours to make recommendations regarding the disposition of the remains after having been allowed access to inspect the project site. If the MLD does not make recommendations within 48 hours, the owner shall, with appropriate dignity, reinter the remains in an area of the property secure from further disturbance. Alternatively, if the owner does not accept the MLD's recommendations, the owner or the descendent may request mediation by the NAHC. This would be included as a condition of approval of the project to ensure implementation.

Therefore, with the required statutory and regulatory procedures described above, potential impacts related to the potential discovery or disturbance of any human remains accidentally unearthed during construction activities associated with the proposed project would impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

V. ENERGY

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with or obstruct a State or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.14, Utilities and Services Systems, of the General Plan EIR addressed energy impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Energy impacts were found to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

PG&E supplies electricity and natural gas to much of northern and central California – from Humboldt and Shasta counties in the north to Kern and Santa Barbara counties in the south – including the infrastructure for the City of Cupertino. Total electricity consumption in PG&E's service area is forecast to increase from 104,868 gigawatt-hours (GWh) in 2015 to 119,633 GWh in 2027.⁸³ The nearest PG&E substation to the

⁸³ California Energy Commission (CEC). 2017. California Energy Demand Updated Forecast, 2017-2027. <https://efiling.energy.ca.gov/getdocument.aspx?tn=214635>, accessed on December 28, 2018.

ENVIRONMENTAL ANALYSIS

project site is the Monta Vista Substation on California Oak Way approximately 0.75 miles northwest of the project site. The nearest electricity transmission lines to the project site are located above the project site along Stevens Canyon Road and South Foothill Boulevard.⁸⁴

The current project site is served by both electricity and natural gas connections. Electricity is supplied to the project site via infrastructure maintained by PG&E. Silicon Valley Clean Energy (SVCE), a locally controlled public agency that has a partnership with PG&E, supplies the electricity to the project site. SVCE provides a standard 50 percent renewable energy portfolio, in addition to a 100 percent renewable option that electricity customers can opt into. Natural gas and associated infrastructure are provided and maintained by PG&E.

Current energy demands are derived from the operation of multiple commercial uses located in the existing one-story buildings that were constructed around 1968 and 1948.⁸⁵ The larger of the two existing buildings is currently occupied by neighborhood-serving restaurant, and commercial uses. However, some of the commercial spaces are currently vacant. The existing commercial building on the northern portion of the project site is currently occupied by the Cupertino Bike Shop, which specializes in bicycle parts, apparel, and accessories. The two-story residential unit is currently vacant and is used as storage by the Cupertino Bike Shop. Current energy demand includes energy demand from vehicle trips which include 454 gross average daily trips and 662 daily VMT.⁸⁶

DISCUSSION

a) Would the project result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

Construction activities use energy from various sources, such as on-site heavy-duty construction vehicles, vehicles hauling materials to and from the site, and motor vehicles transporting the construction crew. The operation of the proposed commercial buildings would use energy for cooling, heating, lighting, and landscape equipment, and for vehicle trips to and from the commercial building. According to the existing trip estimates described in Section XV, Transportation, at full occupancy the proposed project would generate fewer average daily weekday vehicle trips than the existing commercial use (322 project trips compared to 454 existing trips) and less VMT (631 project daily per capita VMT compared to 850 existing daily per capita VMT).⁸⁷ This is further supported by the trip estimates generated by CalEEMod described in Section II, Air Quality, which shows fewer emissions from the transportation sector when comparing the project to existing conditions.⁸⁸

⁸⁴ California Energy Commission (CEC). 2012, October 25. Local Reliability Maps for 2013: Enlargement Maps. http://www.energy.ca.gov/maps/infrastructure/3part_enlargements.html.

⁸⁵ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, pages 8 and 9.

⁸⁶ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

⁸⁷ TJKM. July 2019. Draft Traffic Impact Study Report, 10625 South Foothill Boulevard, Cupertino, CA. Page 15 to 16, and supplemental memo dated October 16, 2019. See Appendix D of this Initial Study.

⁸⁸ California Emissions Estimator Model (CalEEMod), Version 2016.3.25. See Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study.

ENVIRONMENTAL ANALYSIS

The proposed project is an infill development project that would result in the redevelopment of the project site in a currently developed portion of the city. The project site currently has access to existing infrastructure and services; however, the proposed project would require the construction or installation of new infrastructure and capacity enhancing alterations to existing on-site facilities to connect the new residential buildings to water, stormwater, sanitary sewer, electricity, and natural gas lines. The construction of new infrastructure and capacity enhancing alterations would be necessary as part of the construction of the residential buildings and would be consistent with the design and installation of typical utility infrastructure for new mixed-use or residential buildings. Therefore, the construction or installation of new infrastructure and capacity enhancing alterations would not be a wasteful, inefficient, or unnecessary use of energy.

The proposed project would improve connectivity to existing bicycle and pedestrian facilities and locates a commercial building with neighborhood serving retail and residential uses near existing residential neighborhoods. As described in Section X, Land Use and Planning, of this Initial Study, the proposed project is consistent with the General Plan land use designation and as described in Section XII, Population and Housing, the proposed project would not result in new growth potential from what was considered in the General Plan EIR.

The proposed mixed-use and residential buildings would meet the 2019 Building and Energy Efficiency Standards of the California Public Resources Code, Title 24, Part 6, which applies to any project that is proposed to begin construction on or after August 2020. The 2019 Building Energy Efficiency Standards improve upon the 2016 Standards. The 2019 Standards require 53 percent or more energy efficiency for residential buildings, and 30 percent or more energy efficiency for non-residential buildings, respectively.⁸⁹

As described above in Chapter 3, Project Description, in Section 3.1.4.4, Utilities and Energy, the City enforces the CALGreen Building Standards, which establish planning and design standards for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), in CMC Chapter 16.58, Green Building Standards Code Adopted. CMC Chapter 16.58, Section 16.58.220, Table 101.10 requires that non-residential new construction under 25,000 square feet shall achieve a minimum green building requirement of CALGreen Building Code pursuant to Chapter 5 of the California Green Building Standards Code. CMC Chapter 16.58, Section 16.58.220, Table 101.10 also requires that residential new construction exceeding nine homes shall achieve a minimum green building requirement of Green Points Rated certified at minimum 50 points, Leadership in Energy and Environmental Design (LEED) Silver, or an alternate green building standard that is as stringent as LEED or other cited standards and is subject to third party verification. Energy conserving features of the proposed project would include new landscaping that is native and/or adaptive, and drought resistant to conserve water and subsequently save energy.

⁸⁹ California Energy Commission. March 2018. 2019 Building Energy Efficiency Standards. Accessed May 24, 2019 at https://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf.

ENVIRONMENTAL ANALYSIS

New buildings constructed in accordance with the General Plan land use designation and to the standards identified above would not result in wasteful, inefficient, or unnecessary consumption of energy resources. Accordingly, impacts would remain consistent with the conclusions in the General Plan EIR and would be *less than significant*.

b) *Would the project conflict with or obstruct a State or local plan for renewable energy or energy efficiency?*

As discussed below in criterion (b) of Section VII, Greenhouse Gas Emissions, the proposed project would not conflict with the current CARB 2017 *Climate Change Scoping Plan*, *Plan Bay Area*, or the *Cupertino Climate Action Plan*, all which involve planning for use of renewable energy planning and energy efficiency standards. Also, as previously discussed, the proposed project would build to the most current 2019 Building and Energy Efficiency Standards of the California Public Resources Code, Title 24, Part 6. Accordingly, impacts would be *less than significant*, and no mitigation measures would be required.

VI. GEOLOGY AND SOILS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv) Landslides, mudslides or other similar hazards?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined by Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.5, Geology, Soils, and Seismicity, of the General Plan EIR, addressed geological and seismic-related impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant, and no mitigation measures were required. The following discussion is based on project site information available in Section 4.5.1.2, Existing Conditions, of Chapter 4.5.

EXISTING CONDITIONS

The following describes the existing conditions on the project site with respect to geology and soil:

- **Geology.** The City of Cupertino lies in the west-central part of the Santa Clara Valley, a broad, mostly flat alluvial plain that extends southward from San Francisco Bay. The site is generally flat with an average elevation of 429 feet above mean sea level and the depth of groundwater is estimated to be 25 to 30 feet below ground surface. The soil is Urban Land Flaskan Complex, which is a well-drained sandy loam, sandy clay loam, gravelly sandy clay loam and very gravelly sandy clay loam soil.⁹⁰ Surficial geology is young, unconsolidated Quaternary alluvium,⁹¹ which is described as Holocene-age younger alluvium and coarse-grained alluvium that are composed of unconsolidated, poorly sorted gravel, silt, sand, and clay and organic matter.

Unique geologic features are those that are unique to the field of geology. Each rock unit tells a story of the natural processes operating at the time it was formed. The rocks and geologic formations exposed at the earth's surface or revealed by drilling and excavation are our only record of that geologic history. What makes a geologic unit or feature unique can vary considerably. For example, a geologic feature may be considered unique if it is the best example of its kind and has distinctive characteristics of a geologic principle that is exclusive locally or regionally, is a key piece of geologic information important to geologic history, contains a mineral that is not known to occur elsewhere in the County, or is used as a teaching tool.

Unique geological features are not common in Cupertino. The geologic processes are generally the same as those in other parts of the state, country, and even the world. The geology and soils on the project site are common throughout the city and region and are not considered to be unique.

- **Soils.** Web-accessible soil mapping data compiled by the USDA's Soil Conservation Survey and the California Soil Resource Laboratory hosted by University of California at Davis was used to identify the major soil types on the project site. The predominant soil types for the project site are soils of the Urban Land-Flaskan and Urban Land-Botella complexes generally formed on slopes of 2 to 9 percent.

⁹⁰ California Soil Resource Lab. Accessed May 24, 2019 at <https://casoilresource.lawr.ucdavis.edu/gmap/>.

⁹¹ US Geological Survey, 1994, Preliminary Quaternary Geologic Maps of Santa Clara Valley, Santa Clara, Alameda, and San Mateo Counties, California: A Digital Database, Open-File Report 94-231, by E.J. Helley, R.W. Graymer, G.A. Phelps, P.K. Showalter, and C.M. Wentworth.

ENVIRONMENTAL ANALYSIS

In almost all instances, these soils are reportedly deep and well drained, and are typified by low runoff.⁹²

- **Fault Rupture.** The San Francisco Bay Area is one of the most seismically active regions in the United States. The significant earthquakes that occur in the Bay Area are generally associated with crustal movement along well-defined active fault zones such as the San Andreas Fault system. Many of these zones exhibit a regional trend to the northwest. The site is not located within a State-designated Alquist-Priolo Earthquake Fault Zone (known formerly as a Special Studies Zone) or a Santa Clara County-designated Fault Rupture Hazard Zone.⁹³ No active fault traces are known to cross the site; however, the San Andreas Fault passes a few miles west of the city of Cupertino.
- **Liquefaction.** The site is not located within a seismically inducted liquefaction hazard zone, as mapped by the State of California and Santa Clara County. During cyclic ground shaking, such as seismic shaking during an earthquake, cyclically-induced stresses may cause increased pore water pressures within the soil matrix, resulting in liquefaction. Liquefied soil may lose shear strength that may lead to large shear deformations and/or flow failure. Liquefied soil can also settle as pore pressures dissipate following an earthquake.

Soils most susceptible to liquefaction are loose to moderately dense, saturated, non-cohesive soils with poor drainage, such as sands and silts with interbedded or capping layers of relatively low permeability soil.

- **Lateral Spreading.** Lateral spreading typically occurs as a form of horizontal displacement of relatively flat-lying alluvial material toward an open or “free” face such as an open body of water, channel, or excavation. In soils, this movement is generally due to failure along a weak plane and may often be associated with liquefaction. As cracks develop within the weakened material, blocks of soil are displaced laterally toward the open face. Cracking and lateral movement may gradually propagate away from the face as blocks continue to break free. Because of the low potential for liquefaction, the risk of lateral spreading at the site is also considered low.
- **Paleontological Resources.** A review of the University of California’s Museum of Paleontology’s fossil locality database was conducted for the City of Cupertino. No paleontological resources have been identified on the project site; however, the presence of Pleistocene deposits that are known to contain fossils indicates that the overall city could contain paleontological resources.

DISCUSSION

- a) *Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving: (i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based*

⁹² UC Davis Soil Resource Laboratory, 2018. California Soil Resource Lab, Online Soil Survey, URL: <https://casoilresource.lawr.ucdavis.edu/gmap/>, accessed May 24, 2019.

⁹³ Santa Clara County, 2012. Santa Clara County Geologic Hazard Zones, Map 18, updated October 26, 2012.

ENVIRONMENTAL ANALYSIS

on other substantial evidence of a known fault; (ii) Strong seismic ground shaking; (iii) Seismic-related ground failure, including liquefaction; (iv) Landslides, mudslides or other similar hazards?

Fault Rupture

As discussed in the General Plan EIR, only one Alquist-Priolo Earthquake Fault Zone has been mapped within the City of Cupertino, namely, the zone that flanks the San Andreas Fault in the southwestern most part of the city. Because the site is not located within a State-designated Alquist-Priolo Earthquake Fault Zone or Santa Clara County-designated Fault Rupture Hazard Zone, and no active faults are known to traverse the site, the risk of surface fault rupture is considered low. The impacts from project development as they relate to surface fault rupture are considered *less than significant*.

Strong Seismic Ground Shaking

The hazards posed by strong seismic ground shaking during a major earthquake, while variable, are nearly omnipresent in the San Francisco Bay Area. As discussed in the General Plan EIR, in the event of a large, magnitude 6.7 or greater seismic event, much of the city is projected to experience “strong” ground shaking, with the most intense shaking forecast for the northeast part of the city where the project is located. Adherence to applicable building code, including conformance to the California Building Code (CBC) and the City’s building permit requirements would ensure that the impacts associated with strong seismic ground shaking are minimized to the maximum extent practicable. The impacts of project development as they relate to strong seismic ground shaking would be *less than significant*.

Liquefaction

The project site is not located within an area mapped by the State of California or Santa Clara County as having a high potential for seismically induced liquefaction. As discussed in the General Plan EIR, the potential for seismically induced liquefaction in the vicinity appears low and is limited to a very narrow strip of alluvial deposits that flank Stevens Creek approximately 0.25 miles east of the project site. Accordingly, impacts associated with project development as they may relate to seismically induced liquefaction would be *less than significant*.

Landslides

The site is generally flat with elevation an average of 429 feet above mean sea level.⁹⁴ The project site is not located within an area mapped by the State of California or Santa Clara County as having a high potential for seismically induced landslides. Therefore, impacts associated with project development as they may relate to seismically induced landslides would be *less than significant*.

⁹⁴ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 8.

ENVIRONMENTAL ANALYSIS

b) Would the project result in substantial soil erosion or the loss of topsoil?

Substantial soil erosion or loss of topsoil during construction could, in theory, undermine structures and minor slopes during development of the project site. However, compliance with existing regulatory requirements, such as the implementation of grading erosion control measures specified in Appendix J, Grading of the CBC and CMC Section 16.08.110, Interim Erosion and Sediment Control Plan, would reduce impacts from erosion and the loss of topsoil.

Examples of these control measures are best management practices such as hydroseeding or short-term biodegradable erosion control blankets; vegetated swales, silt fences, or other forms of protection at storm drain inlets; post-construction inspection of drainage structures for accumulated sediment; and post-construction clearing of debris and sediment from these structures.

Section 16.08.110 of the CMC requires the preparation and submittal of *Interim Erosion and Sediment Control Plans* for all projects subject to City-issued grading permits, which would minimize the removal of topsoil, avoid overly steep cut and/or fill slopes, and protect existing vegetation during grading operations. These requirements are broadly applicable to residential development projects. Adherence to these regulations would help ensure that the impacts of project development as they relate to substantial soil erosion or loss of topsoil would be *less than significant*.

c) Would the project be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

As discussed in criterion (a), the project site is not located within an area mapped as having significant potential for seismically induced liquefaction. Because of the low potential for liquefaction, the risk of lateral spreading at the site would also be low. Therefore, the impacts of project development as they relate to liquefaction and lateral spreading would be *less than significant* and no mitigation measures would be required.

The site is generally flat with an average elevation of 429 feet above mean sea level.⁹⁵ The properties surrounding the project site are also at a similar elevation. The impacts of project development as they relate to landslides would be *less than significant*.

d) Would the project be located on expansive soil, as defined by Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

Expansive soils can undergo dramatic changes in volume in response to variations in soil moisture content. When wet, these soils can expand; conversely, when dry, they can contract or shrink. Sources of moisture that can trigger this shrink-swell phenomenon can include seasonal rainfall, landscape irrigation, utility leakage, and/or perched groundwater. Expansive soil can develop wide cracks in the dry season, and

⁹⁵ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 8.

ENVIRONMENTAL ANALYSIS

changes in soil volume have the potential to damage concrete slabs, foundations, and pavement. Special building/structure design or soil treatment are often needed in areas with expansive soils. Expansive soils are typically very fine-grained with a high to very high percentage of clay, typically montmorillonite, smectite, or bentonite clay.

The proposed project would be subject to the CBC regulations and provisions, as adopted in CMC Chapter 16.04, Building Code, and enforced by the City during plan review prior to building permit issuance. The CBC contains specific requirements for seismic safety, excavation, foundations, retaining walls, and site demolition, and also regulates grading activities, including drainage and erosion control. Thus, compliance with existing regulations and policies would ensure that the potential future development impacts permitted under the proposed project would be reduced. Therefore, the impacts of project development as they relate to expansive soils are considered *less than significant*.

e) Would the project have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

The development of the proposed project would not require the construction or use of septic tanks or alternative wastewater disposal systems. Therefore, *no impact* would occur.

f) Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

As discussed above in existing conditions, the geology and soils on the project site are common throughout the city and region and are not considered to be unique. While no paleontological resources have been identified on the project site, because the proposed project requires substantial excavation for the subterranean parking garage that could reach significant depths below the ground surface where no such excavation has previously occurred, there could be fossils of potential scientific significance that have not been recorded. Such ground-disturbing construction associated with development under the proposed project could cause damage to, or destruction of, paleontological resources. Impacts to paleontological resources would be reduced to a *less-than-significant* level with implementation of Mitigation Measure GEO-1, which is not a General Plan EIR mitigation measure.

Impact GEO-1: Construction of the proposed project would have the potential to directly or indirectly affect an unknown unique paleontological resource.

Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:

- In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted.
- The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery.
- The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the

ENVIRONMENTAL ANALYSIS

potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5.

- The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find.
- If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation.

VII. GREENHOUSE GAS EMISSIONS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.6, Greenhouse Gas Emissions, of the General Plan EIR, addressed the impacts from greenhouse gas emissions (GHG) associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program. GHG impacts under the General Plan EIR were found to be less than significant and no mitigation measures were required. This section analyzes the GHG emissions from the construction and operation of the proposed project. An update to the background discussion of the GHG regulatory setting and air quality modeling in the General Plan EIR is in Appendix A, Air Quality and Greenhouse Gas Emissions, of this Initial Study.

EXISTING CONDITIONS

The existing commercial uses generate greenhouse gas emissions from transportation sources, energy (natural gas and purchased energy), and area sources such as landscaping equipment and architectural coatings. The existing land uses generate approximately 454 average daily weekday trips⁹⁶ and 662 daily VMT.⁹⁷ Existing emissions based on full occupancy associated with historic operations associated with the existing commercial uses on the project site are included in Table 4-6 below.

⁹⁶ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

⁹⁷ Applies the same assumptions to existing conditions as TJKM Transportation Consultants applied in their October 2019 memo for the proposed project (see Appendix D of this Initial Study).

ENVIRONMENTAL ANALYSIS**TABLE 4-6 EXISTING GHG EMISSIONS**

Category	GHG Emissions (MTCO ₂ e/Year)	
	Existing Emissions	Percent of Total
Area	<1	<1%
Energy	5	1%
On-Road Mobile Sources	335	96%
Waste	7	2%
Water/Wastewater	1	<1%
Total	347	100%

Note: Emissions may not total to 100 percent due to rounding. MTCO₂e/year = metric tons of carbon dioxide equivalent per year.

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

DISCUSSION

- a) *Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?*

A project does not generate enough GHG emissions on its own to influence global climate change; therefore, this section measures the project's contribution to the cumulative environmental impact. Development of the proposed project would contribute to global climate change through direct and indirect emissions of GHG from transportation sources, energy use (natural gas and purchased energy), water use and wastewater generation, and solid waste generation. In addition, construction activities would generate a short-term increase in GHG emissions. The change in emissions generated by the proposed project was evaluated using the CalEEMod, Version 2016.3.25, and are shown in Table 4-7.

TABLE 4-7 PROJECT OPERATION AND CONSTRUCTION GHG EMISSIONS

Category	GHG Emissions (MTCO ₂ e/Year)			
	Existing Emissions	Project Emissions	Percent of Total	Net Change from Existing
Area	<1	2	1%	2
Energy	5	20	6%	16
On-Road Mobile Sources	335	294	88%	-41
Waste	7	7	2%	<1
Water/Wastewater	1	1	<1%	<1
Amortized Construction Emissions ^a	NA	11	3%	11
Total	347	255	100%	26.5%
BAAQMD Emissions Threshold (MTCO₂e)				660
Exceeds BAAQMD Thresholds?				No

Notes: Emissions may not total to 100 percent due to rounding. New buildings would be constructed to the 2019 Building & Energy Efficiency Standards (effective January 1, 2020). MTCO₂e/year = metric tons of carbon dioxide equivalent per year.

a. One-time, short-term emissions are converted to average annual emissions by amortizing them over the service life of a building, which is assumed to be 30 years.

Source: California Emissions Estimator Model (CalEEMod), Version 2016.3.25.

ENVIRONMENTAL ANALYSIS

Construction Impacts

BAAQMD does not have thresholds of significance for construction-related GHG emissions, however, the BAAQMD advises that the lead agency should quantify and disclose GHG emissions that would occur during construction and make a determination on the significance of these construction-generated GHG emissions in relation to meeting Assembly Bill (AB) 32 GHG reduction goals. Therefore, this impact discussion applies BAAQMD's project-level operation threshold of 660 metric tons of carbon dioxide equivalent per year (MTCO₂e/year) for construction, which is based on BAAQMD's operational-related threshold of 660 MTCO₂e/year.⁹⁸ GHG emissions from construction activities are one-time, short-term emissions and, therefore, would not significantly contribute to long-term cumulative GHG emissions impacts from the proposed project. One-time, short-term emissions are converted to average annual emissions by amortizing them over the service life of a building. The total construction GHG emissions for the proposed project are estimated to be 253 MTCO₂e/year (See Appendix A). For buildings in general, it is reasonable to look at a 30-year time frame, because this is a typical interval before a new building requires the first major renovation.⁹⁹ As shown in Table 4-7 above, when amortized over a 30-year project lifetime, average annual construction emissions from the proposed project would represent a nominal source of GHG emissions and would not exceed BAAQMD's operational-related threshold. Construction emissions would be *less than significant*, and no mitigation measures would be required.

Operational Impacts

As shown in Table 4-7 above, development of the proposed project would result in a net decrease of GHG emissions at opening year (2022). As previously described, the proposed project would generate fewer daily weekday trips and less daily VMT than the existing land uses on the project site. Because transportation emissions would generate the majority of GHG emissions associated with the proposed project, this reduction in daily trips and VMT would provide a project benefit in reducing GHG emissions. Additionally, the new buildings would be more energy efficient than the existing structures and would be built to achieve the latest Title 24 Building and Energy Efficiency Standards. Operation of the proposed project would result in a net decrease in GHG emissions and would not exceed the BAAQMD bright-line screening threshold of 660 MTCO₂e.¹⁰⁰ Because long-term GHG emissions associated with the proposed project are anticipated to decrease, resulting in a project benefit to GHGs, *no impact* would occur.

⁹⁸ California Executive Order B-30-15 requires the state to reduce GHG emission 40% below 1990 levels by 2030. A 40% reduction from BAAQMD's 1,100 MTCO₂e/year threshold identified in the Bay Area Air Quality Management District, 2017, *California Environmental Quality Act Air Quality Guidelines*, p.2-4, is 660 MTCO₂e/per year.

⁹⁹ International Energy Agency, 2008, *Energy Efficiency Requirements in Building Codes, Energy Efficiency Policies for New Buildings*, March. While the BAAQMD CEQA Guidelines do not provide specific criteria in evaluating construction-related GHG emissions impacts, this methodology is consistent with the methodology utilized by the South Coast Air Quality Management District.

¹⁰⁰ California Executive Order B-30-15 requires the state to reduce GHG emission 40% below 1990 levels by 2030. A 40% reduction from BAAQMD's 1,100 MTCO₂e/year threshold identified in the Bay Area Air Quality Management District, 2017, *California Environmental Quality Act Air Quality Guidelines*, p.2-4, is 660 MTCO₂e/per year.

ENVIRONMENTAL ANALYSIS

- b) *Would the project conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?*

Applicable plans adopted for the purpose of reducing GHG emissions include the CARB Scoping Plan, the MTC's/ ABAG's *Plan Bay Area 2040*, and Cupertino's *Climate Action Plan*. A consistency analysis with these plans is presented below.

CARB's Scoping Plan

In accordance with AB 32 and SB 32 the CARB 2017 *Climate Change Scoping Plan*¹⁰¹ (Scoping Plan) contains the State's strategy to achieve 1990 level emissions by year 2020 and a 40 percent reduction from 1990 emissions by year 2030. The Scoping Plan is applicable to State agencies and is not directly applicable to cities/counties and individual projects. Nevertheless, the Scoping Plan has been the primary tool that is used to develop performance-based and efficiency-based CEQA criteria and GHG reduction targets for climate action planning efforts.

Statewide strategies to reduce GHG emissions in the latest Scoping Plan (2017) include implementing SB 350, which expands the Renewables Portfolio Standard to 50 percent by 2030 and doubles energy efficiency savings; expanding the Low Carbon Fuel Standard to 18 percent by 2030; implementing the *Mobile Source Strategy* to deploy zero-electric vehicle buses and trucks; implementation of the *Sustainable Freight Action Plan*; implementation of the *Short-Lived Climate Pollutant Reduction Strategy*, which reduces methane and hydrofluorocarbons 40 percent below 2013 levels by 2030 and black carbon emissions 50 percent below 2013 levels by 2030; continuing to implement Senate Bill 375; creation of a post-2020 Cap-and-Trade Program; and development of an *Integrated Natural and Working Lands Action Plan* to secure California's land base as a net carbon sink. Statewide GHG emissions reduction measures that are being implemented as a result of the Scoping Plan would reduce the proposed project's GHG emissions.

The proposed project would be constructed to achieve the standards in effect at the time of development and would not conflict with statewide programs adopted for the purpose of reducing GHG emissions. As stated above, while the measures in the State's Scoping Plan are not directly applicable to individual development projects, the project's GHG emissions would be reduced through compliance with statewide measures that have been adopted since AB 32 and SB 32 were adopted. Therefore, the impact would be *less than significant*.

MTC's/ABAG's Plan Bay Area

Plan Bay Area 2040 is the Bay Area's Regional Transportation Plan (RTP)/Sustainable Community Strategy (SCS). To achieve MTC's/ABAG's sustainable vision for the Bay Area, the *Plan Bay Area 2040* land use concept plan for the region concentrates the majority of new population and employment growth in the region in Priority Development Areas (PDAs). PDAs are transit-oriented, infill development opportunity areas within existing communities. An overarching goal of the regional plan is to concentrate development

¹⁰¹ Note that the 2017 *Climate Change Scoping Plan* is an update to the 2008 and 2014 Scoping Plans.

ENVIRONMENTAL ANALYSIS

in areas where there are existing services and infrastructure rather than allocate new growth to outlying areas where substantial transportation investments would be necessary to achieve the per capita passenger vehicle, vehicle miles traveled, and associated GHG emissions reductions. Although the proposed project is not within a PDA, as discussed in Section XII, Population and Housing, growth associated with the proposed project is consistent with ABAG projections and would not exceed regional population and employment projections (see Chapter 4, General Plan EIR Consistency Analysis, of this Initial Study). The proposed project is an infill development project that would result in an increase in land use intensity in a portion of the city that has access to existing infrastructure and services, including transit service (see Section XV, Transportation). Therefore, the proposed project would not conflict with the land use concept plan for the City of Cupertino identified in the *Plan Bay Area 2040* and the impact would be *less than significant*.

City of Cupertino Climate Action Plan

The *Cupertino Climate Action Plan* (CAP) is a strategic planning document that identifies sources of GHG emissions within the city's boundaries, presents current and future emissions estimates, identifies a GHG reduction target for future years, and presents strategic goals, measures, and actions to reduce emissions from the energy, transportation and land use, water, solid waste, and green infrastructure sectors.

The emissions reduction strategies developed by the City followed the BAAQMD's CEQA Guidelines (2011) and the corresponding criteria for a Qualified Greenhouse Gas Emissions Reduction Program as defined by the BAAQMD, which in turn were developed to comply with the requirements of AB 32 and achieve the goals of CARB's *2008 Scoping Plan*. Since the adoption of the CAP in January of 2015, the Legislature adopted SB 32 (September 2016) and CARB adopted the *2017 Climate Change Scoping Plan* (December 2017), aimed at meeting SB 32's GHG reduction goal of 40 percent below 1990 levels by 2030.

Qualified GHG Reduction Strategy

A qualified GHG reduction strategy adopted by a local jurisdiction should include the following elements, described in the State CEQA Guidelines Section 15183.5. BAAQMD's revised CEQA Guidelines provides the methodology to determine if a GHG reduction strategy meets these requirements. The following includes a description of the BAAQMD methodology and how the Cupertino CAP meets the requirement.

1. Quantify GHG emissions, both existing and projected over a specified time period, resulting from activities within a defined geographic area.
 - Cupertino's CAP identifies a baseline GHG emissions inventory for year 2010 and business-as-usual forecasts for 2020, 2035, and 2050 for land uses within the City.

Establish a level, based on substantial evidence, below which the contribution to greenhouse gas emissions from activities covered by the plan would not be cumulatively considerable.

- Cupertino's CAP has established a goal (or level) of 15 percent below 2005 levels by 2020 and 35 percent below 2005 levels by 2035. The 2020 GHG reduction goal is in line with AB 32. However, the 2030 goal was adopted prior to SB 32.

ENVIRONMENTAL ANALYSIS

Identify and analyze the GHG emissions resulting from specific actions or categories of actions anticipated within the geographic area.

- The GHG emissions sources calculated in the baseline GHG emissions inventory include commercial, residential, and industrial electricity and natural gas use, on-road transportation, solid waste disposal, energy use related to water and wastewater, agricultural off-road equipment and emissions associated with fertilizer application, and off-road equipment use for construction and lawn and garden activities. GHG emissions from these activities were calculated from activity data such as kilowatt hours of electricity, therms of natural gas, tons of waste disposed, and vehicle miles traveled from trips with an origin or destination in Cupertino.

Specify measures or a group of measures, including performance standards, that substantial evidence demonstrates, if implemented on a project-by-project basis, would collectively achieve the specified emissions level.

- The Cupertino CAP has identified groups of measures and performance standards aimed at achieving these targets: Reduce Energy Use/Improve Facilities; Encourage Alternative Transportation/Convert Vehicle Fleet; Conserve Potable Water; Reduce Solid Waste; and Expand Green Infrastructure. The Cupertino CAP strategies achieve the near-term (i.e., 2020) GHG reduction target. Strategies for the post-2020 targets were not quantified.

Establish a mechanism to monitor the plan's progress toward achieving the target GHG emissions level and to require amendment if the plan is not achieving specified levels.

- The City has a sustainability division that implements and tracks the City's GHG reduction strategies and progress toward GHG reduction targets. The City's sustainability division prepares annual reports on CAP implementation and progress as part of the monitoring program, including projects and policies, data and metrics, as well as inventory updates to determine if the CAP is achieving its targeted goals.

Be adopted in a public process following environmental review.

- The City's 2015 addendum to General Plan EIR¹⁰² demonstrated that that adoption of the Cupertino CAP would not create any new or substantially more severe significant effects on the environment that were not analyzed in the General Plan EIR certified in 2014.¹⁰³

Based on the analysis above, the City's CAP is a qualified GHG reduction plan for the AB 32 targets.

In addition, a specific project proposal is considered consistent with the Cupertino CAP if it does not conflict with the required GHG reduction measures contained in the adopted CAP. Project consistency with the adopted GHG reduction measures are shown in Table 4-8:

¹⁰² City of Cupertino, approved General Plan Amendment, Housing Element Update, and Associated Rezoning EIR Final Addendum, State Clearinghouse Number 2014032007. October 2015.

¹⁰³ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 2014.

ENVIRONMENTAL ANALYSIS**TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX**

Measure	Consistency
Measure C-E-1 Energy Use Data and Analysis <i>Increase resident and building owner/tenant/operator knowledge about how, when, and where building energy is used.</i> <i>2035 GHG Reduction Potential: 850 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. This measure is not relevant because the proposed project receives energy through Silicon Valley Clean Energy (SVCE) and therefore utilizes renewable energy for the building. As described in Chapter 3, Project Description, energy conservation measures would be used as part of interior lighting for the new building, such as various glazing treatments on exterior facades and efficient irrigation for landscape to reduce water consumption by 20 percent. The proposed project would not conflict with implementation of this measure.
Measure C-E-2 Retrofit Financing <i>Promote existing and support development of new private financing options for home and commercial building retrofits and renewable energy development.</i> <i>2035 GHG Reduction Potential: 10,525 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. The project proposes new residential buildings that would comply with the 2019 Building Energy Efficiency Standards and CALGreen, at minimum, as stated on pages 3-11 and 3-12 of Chapter 3, Project Description. The proposed project would not conflict with implementation of this measure.
Measure C-E-3 Home & Commercial Building Retrofit Outreach <i>Develop aggressive outreach program to drive voluntary participation in energy- and water-efficiency retrofits.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. The proposed project includes the construction of new buildings and therefore these measures would not apply as a retrofit. Additionally, the proposed project would comply with the latest building code and utilize energy and water efficient fixtures. The proposed project would not conflict with implementation of this measure.
Measure C-E-4 Energy Assurance Plan <i>Develop a long-term community-wide energy conservation plan that considers future opportunities to influence building energy efficiency through additional or enhanced building regulations.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. The proposed project includes buildings that would comply with the 2019 Building Energy Efficiency Standards and CALGreen, at minimum, as stated on pages 3-15 of Chapter 3, Project Description.
Measure C-E-5 Community-Wide Solar Photovoltaic Development <i>Encourage voluntary community-wide solar photovoltaic development through regulatory barrier reduction and public outreach campaigns.</i> <i>2035 GHG Reduction Potential: 4,400 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. The proposed project would not conflict with implementation of this measure.
Measure C-E-6 Community-Wide Solar Hot Water Development <i>Encourage communitywide solar hot water development through regulatory barrier reduction and public outreach campaigns.</i>	Consistent. The City is the responsible party for this measure. The proposed project would not conflict with implementation of this measure.

ENVIRONMENTAL ANALYSIS

TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX

Measure	Consistency
<i>2035 GHG Reduction Potential: 925 MT CO₂e/yr</i>	
Measure C-E-7 Community Choice Energy Option <i>Partner with other Santa Clara County jurisdictions to evaluate the development of a regional CCE option, including identification of the geographic scope, potential costs to participating jurisdictions and residents, and potential liabilities.</i>	Consistent. The City is the responsible party for this measure. The City of Cupertino is a member of Silicon Valley Clean Energy (SVCE) which partners with PG&E to provide clean electricity. The proposed project would receive energy from SVCE. The proposed project would not conflict with implementation of this measure.
<i>2035 GHG Reduction Potential: 56,875 MT CO₂e/yr</i>	
Measure C-T-1 Bicycle & Pedestrian Environment Enhancements <i>Continue to encourage multi-modal transportation, including walking and biking, through safety and comfort enhancements in the bicycle and pedestrian environment.</i>	Consistent. The City is the responsible party for this measure. As stated in Section XV, Transportation, of this Initial Study, the proposed project would not remove existing bicycle facilities along Stevens Creek Boulevard, nor would it conflict with the City's 2016 <i>Bicycle Transportation Plan</i> . Pedestrians would also have access to the site via the existing crosswalks on South Foothill Boulevard connecting to Stevens Canyon Road. Therefore, the proposed project would promote these alternative modes of transportation.
<i>Supporting Measure</i>	
Measure C-T-2 Bikeshare Program <i>Explore feasibility of developing local bikeshare program.</i>	Consistent. The City is the responsible party for this measure. The proposed project would not conflict with implementation of this measure. Class II bike lanes currently exist on both sides of South Foothill Boulevard and Stevens Canyon Road along the length of the project site. Bicyclists would access the project site from the existing Class II bike lanes via the internal roadway network.
<i>Supporting Measure</i>	
Measure C-T-3 Transportation Demand Management <i>Provide informational resources to local businesses subject to SB 1339 transportation demand management program requirements and encourage additional voluntary participation in the program.</i>	Consistent. The City is the responsible party for this measure. As described in Section XV, Transportation, of this Initial Study, the proposed project is an infill and would not conflict with implementation of this measure.
<i>2035 GHG Reduction Potential: 2,375 MT CO₂e/yr</i>	
Measure C-T-5 Transit Priority <i>Improve transit service reliability and speed.</i>	Consistent. The City is the responsible party for this measure. As described in Section XV, Transportation, of this Initial Study, the proposed project is an infill project, but is not located near a transit stop. However, the proposed project would not conflict with implementation of this measure.
<i>Supporting Measure</i>	
Measure C-T-6 Transit-Oriented Development <i>Continue to encourage development that takes advantage of its location near local transit options</i>	Consistent. The City is the responsible party for this measure. As described in Section XV, Transportation, of this Initial Study, the proposed project is an infill project and would not conflict with implementation of this measure.

ENVIRONMENTAL ANALYSIS

TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX

Measure	Consistency
<i>(e.g., major bus stops) through higher densities and intensities to increase ridership potential.</i>	
<i>Supporting Measure</i>	
Measure C-W-1 SB-X7-7 <i>Implement water conservation policies contained within Cupertino's Urban Water Management Plan to achieve 20 percent per capita water reductions by 2020.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. The proposed project would comply with SB X7-7, which requires California to achieve a 20 percent reduction in urban per capita water use by 2020 and would implement best management practices for water conservation to achieve the City's water conservation goals. As described in Chapter 3, Project Description, the project incorporates water conservation features for on-site irrigation. All landscape zones would be irrigated as required by the Cupertino Landscape Ordinance, and water uses would be tailored to meet CALGreen Building Standards, which requires water conservation and requires new buildings to reduce water consumption by 20 percent. The proposed project would not conflict with implementation of this measure.
Measure C-W-2 Recycled Water Irrigation Program <i>Explore opportunities to use recycled water for irrigation purposes to reduce potable water demands.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. City must build the infrastructure to provide recycled water for projects to use. As described in Chapter 3, Project Description, the project incorporates water conservation features for on-site irrigation. All landscape zones would be irrigated as required by the Cupertino Landscape Ordinance, and water uses would be tailored to meet CALGreen Building Standards, which requires water conservation and requires new buildings to reduce water consumption by 20 percent. The proposed project would not conflict with implementation of this measure.
Measure C-SW-1 Zero Waste Goal <i>Maximize solid waste diversion communitywide through preparation of a zero-waste strategic plan.</i> <i>Supporting Measure</i>	Consistent. The City is the responsible party for this measure. As described in Chapter 3, Project Description, this Initial Study, pursuant to CMC Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, during construction, the project would reduce construction waste and divert materials from landfill and promote recycling of construction waste. The proposed project would not conflict with implementation of this measure.
Measure C-SW-2 Food Scrap and Compostable Paper Diversion <i>Continue to promote the collection of food scraps and compostable paper through the City's organics collection program.</i> <i>2035 GHG Reduction Potential: 750 MT CO₂e/yr</i>	Consistent. The City is the responsible party for implementing this measure. The proposed project would include compost and yard waste disposal services through the City's contracts with Recology South Bay. The materials would be collected by the City garbage waste hauler. The proposed project would not conflict with implementation of this measure.
Measure C-SW-3 Construction & Demolition Waste Diversion Program <i>Continue to enforce diversion requirements in City's Construction & Demolition Debris Diversion and Green Building Ordinances.</i> <i>2035 GHG Reduction Potential: 550 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. As described in Chapter 3, Project Description, of this Initial Study, the proposed project would comply with the City's Construction and Demolition Debris Diversion Ordinance (CMC Chapter 16.72), which requires applicable construction projects to divert 65 percent of construction waste. Pursuant to CMC Section 16.72.050, Information Required Before Issuance of Permit, the project would create a construction waste management plan to reduce construction waste and divert materials from landfill and promote recycling of construction waste. Prior to receiving a final building inspection, a construction recycling report would be submitted to show

ENVIRONMENTAL ANALYSIS**TABLE 4-8 CUPERTINO CLIMATE ACTION PLAN CONSISTENCY MATRIX**

Measure	Consistency
	the tons recycled and disposed by material type. The proposed project would not conflict with implementation of this measure.
Measure C-G-1 Urban Forest Program <i>Support development and maintenance of a healthy, vibrant urban forest through outreach, incentives, and strategic leadership.</i> <i>2035 GHG Reduction Potential: 725 MT CO₂e/yr</i>	Consistent. The City is the responsible party for this measure. As described in Chapter 3, Project Description, of this Initial Study, there are no trees or other landscaping on the project site, and the proposed project would include the planting of approximately 15 trees and 16,602 square feet of pervious landscaped surfaces. The new landscaping reduces storm water run-off, increases carbon dioxide plantings, and reduces the heat sink profile of the site. The proposed project would not conflict with implementation of this measure.

Source: City of Cupertino, PlaceWorks, 2020.

Development in Cupertino, including the proposed project, is required to adhere to City-adopted policy provisions, including those contained in the adopted CAP. The City ensures that the provisions of the Cupertino CAP are incorporated into projects and permits as part of development review and through conditions of approval. In general, the proposed project represents a benefit to GHG emissions compared to existing conditions because the mixed-use and infill development would locate housing and residential serving land uses in an existing neighborhood and would replace the older structures with newer, more energy efficient structures that achieve the 2019 Building and Energy Efficiency Standards and water efficiency standards and would decrease GHG emissions by 26.5 percent. Therefore, the impact would be *less than significant*.

VIII. HAZARDS AND HAZARDOUS MATERIALS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous materials, substances or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Be located on a site which is included on a list of hazardous material sites compiled pursuant to Government Code Section 65962.5 and, as a result, create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, result in a safety hazard for people living or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ENVIRONMENTAL ANALYSIS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.7, Hazards and Hazardous Materials, of the General Plan EIR, addressed the hazards- and hazardous materials-related impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant with mitigation measures to reduce impacts from development on sites with known hazardous contamination. General Plan EIR Mitigation Measures HAZ-4a and HAZ-4b, previously adopted and incorporated into the General Plan, are required to be implemented for sites with known contamination and potential residual contamination. As discussed in Chapter 4.7, the project site is not listed as a site with known contamination or potential residual contamination; therefore, the identified mitigation measures in the General Plan EIR do not apply to the proposed project.

The following is a summary of Section, 4.7.1.2, Existing Conditions, of Chapter 4.7, and project specific information from the Phase I Environmental Site Assessment (ESA) dated January 12, 2019, prepared for the project site by Applied Water Resources Corporation and reviewed by PlaceWorks and the City.

EXISTING CONDITIONS

Phase I ESA

The purpose of the Phase I ESA was to identify any recognized environmental conditions (RECs) associated with the presence of hazardous substances or petroleum products in the vicinity of the project site. The Phase I ESA included a review of federal, State, tribal, and local databases, site reconnaissance, and a review of historical sources. The assessment revealed no indications of RECs on the project site.¹⁰⁴

The site was used for orchards and associated buildings in 1939. The orchards were removed in 1948. According to the Department of Toxic Substance Control (DTSC), when orchards have been removed or became inactive prior to 1950, organic pesticides are not an issue warranting further testing.¹⁰⁵ Following the removal of the orchards, the project site was developed with the existing smaller mixed-use building

¹⁰⁴ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 14.

¹⁰⁵ California Department of Toxic Substances Control California Environmental Protection Agency, *Interim Guidance for Sampling Agricultural Properties*, page 3, August 7, 2008.

ENVIRONMENTAL ANALYSIS

located on the site, currently used as the Cupertino Bike Shop. The larger building on the site, currently used for a variety of commercial uses, was constructed by 1963.¹⁰⁶

The Cupertino Bike Shop located on the site is known to use approximately 75 to 100 gallons of aqueous parts cleaner per year, which is considered hazardous waste. However, the Phase I ESA describes the materials as being used appropriately and no indications of spills, releases, or violations were noted in the Phase I ESA.¹⁰⁷

The search of the DTSC's EnviroStor Database and the GeoTracker database search did not reveal any hazardous materials or leaking underground storage tanks also referred to as "LUST" sites on the project site.^{108,109} According to GeoTracker, there is a completed/closed soil contamination site approximately 500 feet to the northeast of the project site at a residential property. There is also one completed/closed voluntary cleanup site 0.5 miles to the northeast of the project site at the Blackberry Farm Play Area.¹¹⁰

Lead-Based Paints and Asbestos-Containing Materials

Based on the age of the buildings, there is a potential for asbestos-containing materials (ACM) and lead-based paint (LBP), which were not regulated in construction until the early 1970's. Neither ACM or LBP are known to have been used during construction of the existing structures.¹¹¹ ACMs and LBPs do not qualify as RECs regulated by the DTSC.¹¹²

Sensitive Receptors

Public schools near the project site are Monta Vista High School and John F. Kennedy Middle School and Abraham Lincoln Elementary School, each approximately 1 mile to the east of the site. Private schools near the project site include Saint Joseph of Cupertino School approximately 2 miles to the east, Futures Academy of Cupertino approximately 3 miles to the east, Bethel Lutheran School approximately 4 miles to the east, and Waldorf School of the Peninsula approximately 4 miles to the northwest. Other sensitive land uses near the project site include the Cupertino Healthcare and Wellness nursing home approximately 0.25 miles to the north, Namo Day Care approximately 0.30 miles to the north, Sunny View

¹⁰⁶ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, pages 8 and 9, January 12.

¹⁰⁷ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 7.

¹⁰⁸ Department of Toxic Substances Control. 2019. EnviroStor. Accessed May 28, 2019 at <https://www.envirostor.dtsc.ca.gov/public/>.

¹⁰⁹ State Water Resources Control Board. 2015. GeoTracker. Accessed May 28, 2019 at <https://geotracker.waterboards.ca.gov/>

¹¹⁰ Department of Toxic Substances Control. 2019. EnviroStor. Accessed May 28, 2019 at <https://www.envirostor.dtsc.ca.gov/public/>.

¹¹¹ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 14.

¹¹² Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California.

ENVIRONMENTAL ANALYSIS

Bay Area Retirement Community approximately 0.75 miles to the north, and Cupertino Senior Center approximately 1.5 miles to the northeast.

Airports

The nearest public airports are San José International Airport, approximately 8.5 miles to the northeast, and Palo Alto Airport, approximately 10 miles to the north. The nearest heliports are McCandless Towers Heliport, approximately 7 miles to the northeast, and County Medical Center Heliport, approximately 7.5 miles to the east. The nearest private (military/corporate) airport is Moffett Federal Airfield, approximately 7 miles to the north. The project site is not within the boundaries of an airport land use plan.

Wildfire

The California Department of Forestry and Fire Protection (CAL FIRE) has designated the project site as a Local Responsibility Area (LRA) and a non-very high fire hazard severity zone. The project site is near lands that CAL FIRE designates as State Responsibility Area (SRA), which are areas of the state where the State of California is financially responsible for the prevention and suppression of wildfires. SRA's do not include lands within city boundaries or in federal ownership. The SRA is approximately 0.5 miles to the west of the project site.¹¹³ The project site is located within the wildland-urban interface, which is an area of transition between wildland (unoccupied land) and land with human development (occupied land).¹¹⁴

DISCUSSION

- a) *Would the project create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials?*

Construction Impacts

Construction activities at the project site would involve the use of larger amounts of hazardous materials than would operation of the proposed project, such as petroleum-based fuels for maintenance and construction equipment, and coatings used in construction, which would be transported to the site periodically by vehicle and would be present temporarily during construction. These potentially hazardous materials would not be of a type or occur in sufficient quantities to pose a significant hazard to public health and safety or the environment, and their use during construction would be short-term. As with proposed project operation, the use, transport, and disposal of construction-related hazardous materials would be required to conform to existing laws and regulations. Compliance with applicable laws and regulations governing the use, storage, and transportation of hazardous materials would ensure that all potentially hazardous materials are used and handled in an appropriate manner, and would minimize the potential for safety impacts to occur. Consequently, associated impacts from construction of the proposed project would be *less than significant*.

¹¹³ CAL FIRE. 2008. Cupertino, Very High Fire Hazard Severity Zones in LRA.
http://www.fire.ca.gov/fire_prevention/fhsz_maps/FHSZ/santa_clara/Cupertino.pdf

¹¹⁴ CAL FIRE. 2018. Wildland-Urban Interface Fire Threat.
<http://www.arcgis.com/home/item.html?id=d45bf08448354073a26675776f2d09cb>, accessed May 7, 2019.

ENVIRONMENTAL ANALYSIS

Operational Impacts

The proposed mixed-use development would not involve the routine transport or disposal of hazardous materials. Project operation would involve the use of small amounts of hazardous materials for cleaning and maintenance purposes, such as cleansers, degreasers, pesticides, and fertilizers. These potentially hazardous materials would not be of a type or be present in sufficient quantities to pose a significant hazard to public health and safety or the environment. Furthermore, such substances would be used, transported, stored, and disposed of in accordance with applicable federal, State, and local laws, policies, and regulations. Any businesses that transport, generate, use, and/or dispose of hazardous materials in Cupertino are subject to existing hazardous materials regulations, such as those implemented by Santa Clara County Department of Environmental Health Hazardous Materials Compliance Division, and hazardous materials permits from the Santa Clara Fire Department (SCCFD). The SCCFD also conducts inspections for fire safety and hazardous materials management of businesses and multi-family dwellings, in accordance with the City of Cupertino Hazardous Materials Storage Ordinance in Title 9, Health and Sanitation, Chapter 9.12, Hazardous Materials Storage. Thus, associated impacts from the operational phase of the project would be *less than significant*.

b) *Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?*

As described under criterion (a), above, construction and operation of the proposed project would involve the storage and use of common cleaning substances, building maintenance products, paints, and solvents, as well as petroleum-based fuels for maintenance and construction equipment, and coatings used in construction. As described in the existing conditions, the existing buildings were developed in 1948 and 1963, and the Phase I ESA identified that, although all suspect ACMs and LBP are in good condition and do not currently pose a health or safety concern, the demolition of the buildings could release these hazardous materials. An impact could occur if construction and operation of the proposed project creates conditions where these hazardous materials could easily contaminate surrounding soil, water, or air. The most likely scenarios would be from rainwater runoff spreading contaminated waste. Stormwater runoff is discussed in Section IX, Hydrology and Water Quality, of this Initial Study and impacts were found to be less than significant.

Construction Impacts

Similar to the operation of the proposed project, the types of construction materials and equipment would be considered standard for this type of development. All spills or leakage of petroleum products during construction activities are required to be immediately contained, the hazardous material identified, and the material remediated in compliance with applicable State and local regulations. All contaminated waste would be required to be collected and disposed of at an appropriately licensed disposal or treatment facility. Furthermore, strict adherence to all emergency response plan requirements set forth by the Santa Clara County Department of Environmental Health Hazardous Materials Compliance Division

ENVIRONMENTAL ANALYSIS

would be required through the duration of the construction of each individual development project.¹¹⁵ Therefore, substantial hazards to the public or the environment arising from the routine use of hazardous materials during project construction would not occur.

While the Phase I ESA identifies the potential for ACMs and LBP on the project site, removal of these types of hazardous materials would require licensed contractors to remove and handle these materials in accordance with existing federal, State, and local regulations. These regulations include the USEPA's National Emission Standards for Hazardous Air Pollutants (Code of Federal Regulation Part 61), Bay Area Air Quality Management District's Regulation 11, Title 8 of the California Codes of Regulations, the Unified Program, and the City's General Plan Health and Safety Element Policy HS-6.1, which would insure that risks associated with the transport, storage, use, and disposal of such materials would be reduced to the maximum extent practical. Consequently, associated impacts from demolition phase of the project would be *less than significant* and no mitigation measures are required.

Operational Impacts

The proposed mixed-use development is not considered the type of project that would create a hazardous materials threat to the users of the site or the surrounding land uses. The Santa Clara County Hazardous Materials Compliance Division (HMCD) is the Certified Unified Program Agency (CUPA) for Santa Clara County including the City of Cupertino and is responsible for enforcing Chapter 6.95 of the California Health and Safety Code. As the CUPA, Santa Clara County HMCD is required to regulate hazardous materials business plans (HMBP) and chemical inventory, hazardous waste and tiered permitting, underground storage tanks, and risk-management plans. The HMBP is required to contain basic information on the location, type, quantity, and health risks of hazardous materials stored, used, or disposed of on development sites. The HMBP also contains an emergency-response plan, which describes the procedures for mitigating a hazardous release, procedures and equipment for minimizing the potential damage of a hazardous materials release, and provisions for immediate notification of the California Emergency Management Agency and other emergency-response personnel, such as the SCCFD. Implementation of the emergency response plan facilitates rapid response in the event of an accidental spill or release, thereby reducing potential adverse impacts. Furthermore, Santa Clara County Department of Environmental Health, Hazardous Materials Compliance Division is required to conduct ongoing routine inspections to ensure compliance with existing laws and regulations; to identify safety hazards that could cause or contribute to an accidental spill or release; and to suggest preventative measures to minimize the risk of a spill or release of hazardous substances. Compliance with these regulations would ensure that the risk of accidents and spills is minimized to the maximum extent practicable during the operation of the proposed project. Consequently, associated impacts would be *less than significant*.

¹¹⁵ Santa Clara County Ordinance Code, Division B11, Chapter XIII (Hazardous Materials Storage Ordinance), Chapter XIV (Toxic Gas Ordinance).

ENVIRONMENTAL ANALYSIS

- c) *Would the project emit hazardous emissions or handle hazardous materials, substances or waste within one-quarter mile of an existing or proposed school?*

There are no schools within 0.25 miles of the project site, but the Cupertino Healthcare and Wellness nursing home is approximately 0.25 miles to the north. As discussed in criterion (a) and (b), the proposed project would not involve the storage, handling, or disposal of hazardous materials in sufficient quantities to pose a significant risk to the public. Thus, *no impact* related to hazardous emissions or hazardous material handling to schools or other sensitive receptors that are within 0.25 miles of the project site would occur and no mitigation measures are required.

Also see Section II, Air Quality, criterion (c), which concludes that the potential for impacts to sensitive receptors due to the release of hazardous materials during construction would be less than significant with mitigation.

- d) *Would the project be located on a site which is included on a list of hazardous material sites compiled pursuant to Government Code Section 65962.5 and, as a result, create a significant hazard to the public or the environment?*

As stated in the existing conditions above, the project site was not identified as being on a listed site pursuant to California Government Code Section 65952.5. The Phase I ESA revealed no indications of RECs on the project site and concluded that hazardous materials used by the existing bike shop are being used appropriately, with no indications of spills, releases, or violations.¹¹⁶ Accordingly, impacts would be *less than significant*.

- e) *For a project within an airport land use plan or, where such a plan has not been adopted, within 2 miles of a public airport or public use airport, would the project result in a safety hazard for people living or working in the project area?*

The project site is not within an airport land use plan or within 2 miles of a public use airport. Thus, there would be *no impact* related to public airport hazards.

- f) *Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?*

The City of Cupertino Office of Emergency Services is responsible for coordinating agency response to disasters or other large-scale emergencies in the City of Cupertino with assistance from the Santa Clara County Office of Emergency Services and the SCCFD. The Cupertino Emergency Operations Plan (EOP)¹¹⁷ establishes policy direction for emergency planning, mitigation, response, and recovery activities within the city. The Cupertino EOP addresses interagency coordination, procedures to maintain communications with county and State emergency response teams, and methods to assess the extent of damage and management of volunteers.

¹¹⁶ Applied Water Resources, 2018. Phase I Environmental Site Assessment, 10625-10637 South Foothill Boulevard, Cupertino, California, page 14.

¹¹⁷ City of Cupertino, Office of Emergency Services. *Emergency Operations Plan*. September 2005.

ENVIRONMENTAL ANALYSIS

The proposed project would not block roads and would not impede emergency access to surrounding properties or neighborhoods. As described in Chapter 3, Project Description, of this Initial Study, emergency vehicle access would be provided at two points on the project site, with ingress and egress located at the intersections of Stevens Canyon Road and McClellan Road and Stevens Canyon Road and St. Andrews Avenue, as shown in Figure 3-12. The emergency circulation plan includes a fire truck circulation route in addition to designated fireman access routes to reach the rear of the structures.

During demolition and construction, vehicles, equipment, and materials would be staged and stored on a portion of the project site. The construction site and staging areas would be clearly marked, and construction fencing would be installed to prevent disturbance and safety hazards. No staging would occur in the public right-of-way. A combination of on- and off-site parking facilities for construction workers would be identified during demolition, grading, and construction. The proposed project would not interfere with an adopted emergency response plan, or emergency evacuation plan; therefore, impacts would be *less than significant*.

g) Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?

The project site is fully developed and is surrounded by built-out urban uses. The project site is located approximately 0.25 miles from the Urban Wildland Interface area designated in the City's adopted Urban Wildland Interface Fire Area map.¹¹⁸ The very high fire hazard severity zone located within the LRA is located in the central southern portion of the Cupertino, which is approximately 1.75 miles southeast of the project site. Because the project is located outside of a designated fire hazard area, the proposed project would not subject people or structures to wildfire hazards and impacts would be *less than significant*.

IX. HYDROLOGY AND WATER QUALITY

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

¹¹⁸ City of Cupertino Municipal Code, Title 16, Building and Construction, Chapter 16.74. Wildland Urban Interface Fire Area.

ENVIRONMENTAL ANALYSIS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
i) Result in substantial erosion or siltation on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;				
iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or				
iv) Impede or redirect flood flows?				
d) In a flood hazard, tsunami, or seiche zones, risk the release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.8, Hydrology and Water Quality, of the General Plan EIR, addressed the hydrology- and water quality-related impacts associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant, and no mitigation measures were required. The following is a summary of Section, 4.8.1.2, Existing Conditions, of Chapter 4.8.

EXISTING CONDITIONS

The project site lies within the Stevens Creek Watershed,¹¹⁹ approximately 0.25 miles west of Stevens Creek, and approximately 1 mile north of Stevens Creek Reservoir. No creeks or natural drainage features are present on the project site. In addition to the natural drainage system within the watershed, a network of storm drains collects runoff from city streets and conveys it to four creeks, including Stevens Creek with ultimate discharge into San Francisco Bay.

The City of Cupertino Department of Public Works is responsible for the design, construction, and maintenance of City-owned facilities including public streets, sidewalks, curbs, gutters, and storm drains. The capacity of the storm drain facilities within the City of Cupertino was evaluated and documented in the 2018 *Storm Drain Master Plan*, which identifies areas within the system that do not have the capacity to handle runoff during a 10-year storm event, which is the City's design standard.

¹¹⁹ City of Cupertino, certified General Plan Amendment, Housing Element Update, and Associated Rezoning EIR, State Clearinghouse Number 2014032007. December 4, 2014, Chapter 4.8, Hydrology and Water Quality, Figure 4.8-1, Watersheds.

ENVIRONMENTAL ANALYSIS

As described in the 2018 *Storm Drain Master Plan*, the project site is in an area where some of the storm drains are deficient in conveying water from a 10-year storm. The project site would discharge stormwater to the City's storm drain system at two locations. Stormwater from the south portion of the site would discharge to the 18-inch storm drain that runs beneath St. Andrews Avenue, which currently does not have any capacity issues. However, the northern portion of the site would discharge to the City's existing 18-inch storm drain near the intersection of South Foothill Boulevard and McClellan Road. The storm drain beneath Stevens Canyon Road/South Foothill Boulevard that continues to Stevens Creek Boulevard is currently under capacity and is designated as high priority for replacement.¹²⁰ The City's proposed storm drain improvement to reduce flooding impacts would be to increase the storm drainpipe diameter to increase its carrying capacity.

The project site, as well as the entire city, is within the Santa Clara Subbasin of the Santa Clara Valley Groundwater Basin. In 2017, approximately 42 percent of the water used in Santa Clara County was pumped from groundwater.¹²¹ The depth of groundwater is estimated to be about 25 to 30 feet below ground surface or deeper.¹²² Therefore, construction dewatering will not be required. Most of the water supplied to the County is purchased from the Santa Clara Valley Water District (SCVWD), which receives surface water from the State Water Project (SWP) and the Central Valley Project. Additional details on water usage and local water purveyors are provided in Section XVII, Utilities and Service Systems, of this Initial Study.

The National Pollutant Discharge Elimination System (NPDES) permit program was established by the federal Clean Water Act (CWA) to regulate municipal and industrial discharges to surface waters of the United States from their municipal separate storm sewer systems (MS4s). Municipal storm water discharges in the City of Cupertino are subject to the Waste Discharge Requirements of the Municipal Regional Permit (MRP; Order Number R2-2015-0049, as amended by Order No. R2-2019-0004) and NPDES Permit Number CAS612008.

Construction activities that disturb one or more acres of land that could impact hydrologic resources must comply with the requirements of the State Water Resources Control Board (SWRCB) Construction General Permit (2009-0009-DWQ) as amended by 2010-0014-DWQ and 2012-0006-DWQ. Under the terms of the permit, applicants must file Permit Registration Documents (PRDs) with the SWRCB prior to the start of construction. The PRDs include a Notice of Intent, risk assessment, site map, Stormwater Pollution Prevention Plan (SWPPP), annual fee, and a signed certification statement. The PRDs are submitted electronically to the SWRCB via the Stormwater Multiple Application and Report Tracking System (SMARTS) website.

All new development or redevelopment projects that create and/or replace 10,000 square feet or more of impervious surfaces would be required to incorporate source control, site design, and stormwater treatment measures into the project, pursuant to the Santa Clara Valley Urban Runoff Pollution Prevention

¹²⁰ Schaaf & Wheeler Consulting Civil Engineers. 2018. *Cupertino Storm Drain Master Plan*.

¹²¹ Santa Clara Valley Water District, 2017. *Annual Groundwater Report for Calendar Year 2017*, page ES-1.

¹²² Applied Water Resources, 2018. *Phase I Environmental Site Assessment, 10625-10637 South Foothill/Stevens Canyon Road, Cupertino, CA*.

ENVIRONMENTAL ANALYSIS

Program C.3 requirements. The requirements include minimization of impervious surfaces, measures to detain or infiltrate runoff from peak flows, and agreements to ensure that the stormwater treatment and flow control facilities are maintained in perpetuity.

The San Francisco Bay RWQCB monitors surface water quality through implementation of the Water Quality Control Plan for the San Francisco Bay Basin (Basin Plan) and designates beneficial uses for surface water bodies and groundwater within the Santa Clara Valley. The Basin Plan also contains water quality criteria for groundwater. Groundwater quality in the Santa Clara subbasin is generally considered to be good, and water quality objectives are met in at least 95 percent of the County water supply wells without the use of treatment methods.¹²³

The project site is not located in a FEMA-designated 100-year floodplain or Special Flood Hazard Area. The project site is not within a dam inundation zone of Stevens Creek Reservoir or any other dams.¹²⁴ The City of Cupertino is more than 8 miles south of the San Francisco Bay and is more than 100 feet above mean sea level, which places the City at a distance beyond the impacts of a tsunami.¹²⁵ There are no large bodies of water within the City of Cupertino or near the project site; thus, the project site would not be impacted by a seiche.

DISCUSSION

a) *Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?*

Because the project would disturb one or more acres during construction, the project applicant would be required to comply with State's Construction General Permit and submit PRDs to the SWRCB prior to the start of construction. The PRDs include a Notice of Intent and a site-specific construction SWPPP that describes the incorporation of best management practices to control sedimentation, erosion, and hazardous materials contamination of runoff during construction. In addition, the City of Cupertino requires preparation of an erosion and sediment control plan and submittal with the site map/grading plan, pursuant to CMC Section 16.08.110, Interim Erosion and Sediment Control Plan. With implementation of these best management practices, water quality impacts during construction would be *less than significant*.

The proposed project would create and/or replace 10,000 square feet or more of impervious surfaces, and therefore would be required to incorporate source control, site design, and stormwater treatment measures into the project, pursuant to the Santa Clara Valley Urban Runoff Pollution Prevention Program C.3 requirements. A Stormwater Management Plan must also be prepared and submitted to the City for

¹²³ Santa Clara Valley Water District, 2016. Santa Clara Valley Water District, 2016. *2016 Groundwater Management Plan*.

¹²⁴ Santa Clara County Fire Department. 2012. Joint Stevens Creek Dam Failure Plan.
<https://www.cupertino.org/home/showdocument?id=7424> accessed on September 26, 2019.

¹²⁵ Association of Bay Area Governments, 2019. *Interactive Tsunami Inundation Map*.
<http://gis.abag.ca.gov/website/Hazards/?hlyr=tsunami>, accessed September 26, 2019.

ENVIRONMENTAL ANALYSIS

approval prior to the start of construction. The plan will detail how runoff and associated water quality impacts resulting from the proposed project will be controlled and managed.

The low impact development (LID) requirements include the preservation of open space and reduction of impervious surfaces, measures to detain or infiltrate runoff from peak flows during the 0.2 inches per hour storm event, and agreements to ensure that the stormwater treatment and flow control facilities are maintained in perpetuity. The proposed project would include 16,602 square feet of pervious area in the form of landscaping and two bioretention areas totaling 1,540 square feet. Bioretention areas percolate stormwater through the bioretention soil media, which acts as a filter removing pollutants such as suspended solids, metals, and nutrients and eventually discharging the runoff to the City's storm drain system. Implementation of these measures and compliance with the C.3 requirements of the MRP would ensure that post-development impacts to water quality would be *less than significant*.

The project must also comply with CMC Chapter 9.18, Storm Water Pollution Prevention and Watershed Protection, which is intended to provide regulations and give legal effect to certain requirements of the MRP permit issued to the City. CMC Chapter 9.18 also ensures ongoing compliance with the most recent version of the MRP regarding municipal storm water and urban runoff requirements and applies to all water entering the storm drain system generated on any private, public, developed, and undeveloped lands within the city. The CMC contains permit requirements for construction projects and new development or redevelopment projects to minimize the discharge of storm water runoff.

The City of Cupertino also requires submittal and approval of a Stormwater Management Plan (SMP) prior to the start of construction (CMC Section 9.18.120, Stormwater Management Plan Required for Regulated Projects). The SMP must include the C.3 impervious surface form, LID feasibility worksheets, site design measures to limit impervious surfaces, numeric sizing criteria for stormwater treatment facilities, source control measures to limit the discharge of pollutants to the storm drain system, and an operation and maintenance (O&M) plan, including certification that the treatment measures will be maintained for perpetuity.

The project applicant must also install full trash capture devices to collect litter and debris from the project site, prior to connecting to the City's storm drain system, as pursuant to CMC Section 9.18.115, Trash Load Reductions to Storm Drain Collection System, and the provisions of the MRP. A list of approved devices is available from the Public Works Department. The trash capture devices must be located onsite and situated so that trash carried by stormwater from the site is collected onsite does not flow directly into the City's storm drain system. The trash capture devices must be properly designed and sized to ensure that the devices do not cause an obstruction to onsite stormwater flow. The trash capture devices must also be maintained, following manufacturer's recommendations, for the life of the project. Implementation of these measures will improve the water quality of stormwater entering the City's storm drain system.

Adherence to applicable water quality regulations, preparation of a SWPPP, implementation of best management practices during construction, and compliance with the CMC would ensure that water quality standards are not violated during construction. Implementation of stormwater site design, source control, and stormwater treatment measures, compliance with C.3 provisions of the MRP and the City of

ENVIRONMENTAL ANALYSIS

Cupertino's stormwater requirements, and preparation of a SMP that describes the installation and operation and maintenance requirements for the bioretention areas would result in less-than-significant impacts during operation of the project. Consequently, potential impacts associated with water quality during construction and operation would be *less than significant*.

- b) *Would the project substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?*

The project would be connected to municipal water supplies and does not propose any groundwater wells on the property. Water is supplied to the site by the San José Water (SJW), which obtains its water from groundwater production (40 percent), purchases of surface water from the SCVWD (50 percent), and local mountain surface water (10 percent).¹²⁶ The 2015 *Urban Water Management Plan* (UWMP) for the SCVWD, which includes the area for the project site, states that there is sufficient water for SCVWD customers for normal, single-dry, and multiple-dry years until 2025. The SCVWD identifies actions within the water shortage contingency plan in its UWMP that would ensure water demand is met through 2040.¹²⁷ Therefore, the proposed project would not result in a depletion of groundwater supplies or result in a lowering of groundwater levels. Water supply is discussed in Section XVII, Utilities and Service Systems.

Groundwater beneath the site is more than 20 feet below ground surface (bgs). Therefore, no construction dewatering will be required. As a result, the development of the proposed project would not interfere with groundwater recharge that takes place in the McClellan Ponds recharge facility located within the City of Cupertino or the creeks and streams that run through the city. Therefore, the project would have a *less-than-significant* impact with respect to groundwater recharge.

The proposed project would be located on a site that is already developed and currently has about 47,975 square feet of existing impervious surfaces. The proposed project would result in a decrease of 4,556 square feet of impervious surfaces. In addition, the project would install two bioretention facilities, as discussed in criterion a), and landscaped areas would be installed along the perimeter and throughout the site, which would contribute to groundwater recharge by infiltration. As a result, the project would result in a decrease in the amount of runoff from the property. Therefore, the project would have a *less than significant* impact on groundwater supplies and groundwater recharge, and no mitigation measures are needed.

- c) *Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would: result in substantial erosion, siltation, or flooding on- or off-site; substantially increase the rate or amount of surface runoff in a manner which would result in flooding*

¹²⁶ San José Water Company, For Your Information, Education and Safety, Water Supply, https://www.sjwater.com/for_your_information/education_safety/water_supply, accessed on September 26, 2019.

¹²⁷ Santa Clara Valley Water District, 2015 *Urban Water Management Plan*, <https://www.valleywater.org/sites/default/files/SCVWD%202015%20UWMP-Report%20Only.pdf>, accessed on September 26, 2019.

ENVIRONMENTAL ANALYSIS

on- or off-site; create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or impede or redirect flood flows?

The proposed project would take place within the boundaries of a fully developed site that is currently connected to the City's storm drain system. The proposed redevelopment does not involve the alteration of any natural drainage channels or any watercourse.

As described in the 2018 *Storm Drain Master Plan*, the project site is within an area where some of the storm drains are deficient in conveying water from a 10-year storm. The southern portion of the site would discharge to the City's existing 18-inch storm drain that is located beneath St. Andrews Place. This storm drain currently does not have any capacity issues. However, the northern portion of the site would discharge to the City's existing 18-inch storm drain near the intersection of South Foothill Boulevard and McClellan Road. The storm drain at this location that continues north to Stevens Creek Boulevard is currently under capacity, and is designated as high priority for replacement;¹²⁸ however, the proposed project would not exacerbate this existing condition. The proposed project would provide two bioretention facilities on the project site. These would collect runoff from roof areas, parking lots, sidewalks and streets for treatment and flow control prior to discharge into the on-site storm drain system, which connects to the City's storm drain system beneath Stevens Canyon Road/South Foothill Boulevard and St. Andrews Avenue. The City has determined that the on-site stormwater treatment areas would meet the C.3 requirements of the MRP. In addition, the proposed project would result in a decrease in impervious surface area, resulting in a decrease in stormwater runoff to the municipal storm drain system as compared to existing conditions.

During construction, the project applicant would be subject to the NPDES construction permit requirements, including preparation of a SWPPP. The SWPPP includes erosion and sediment control measures to stabilize the site, protect slopes and channels, control the perimeter of the site, minimize the area and duration of exposed soils, and protect receiving waters adjacent to the site. Erosion and siltation impacts are minimized through compliance with these requirements and submittal of an erosion and sediment control plan to the City prior to the start of construction.

Once constructed, the requirements for new development or redevelopment projects include source control measures and site design measures that address stormwater runoff and would reduce the potential for erosion or siltation. In addition, Provision C.3 of the MRP would require the project to implement on-site stormwater treatment measures to contain site runoff, using specific numeric sizing criteria based on volume and flow rate. The bioretention areas will filter out sediment from the stormwater runoff.

The project would also be required to install stormwater trash capture devices that meet the requirements of the MRP. The trash capture devices must be located onsite and situated to ensure that trash carried by stormwater is collected onsite and does not flow directly into the City's storm drain system. With implementation of these erosion and sediment control measures and regulatory provisions

¹²⁸ Schaaf & Wheeler Consulting Civil Engineers. 2018. Cupertino Storm Drain Master Plan.

ENVIRONMENTAL ANALYSIS

to limit runoff for new development sites, the proposed project would not result in significant increases in erosion and sedimentation and these impacts would be *less than significant*.

In addition, the proposed development would result in a decrease in impervious surfaces as compared to existing conditions and would include on-site stormwater bioretention areas to temporarily retain peak flows prior to discharge to the City's storm drain system. To ensure that runoff from the site would not exceed the capacity of the City's storm drain system, the project applicant will prepare a hydrology and hydraulics report for review and approval by the Director of Public Works prior to the start of construction. The hydrology study shall include pre- and post-development flow rates and the ability of the bioretention areas to reduce the amount of runoff from the site and improve water quality. Also, the trash capture devices would be designed and sized to ensure that if the devices cause an obstruction to onsite stormwater flow, onsite flooding will not occur.

With compliance with these regulatory requirements, preparation of a hydrology/hydraulics study, and installation of on-site stormwater treatment systems to mitigate peak flows, the proposed project would not contribute to flooding on-site or off-site and impacts would be *less than significant*.

d) *In flood hazard, tsunami, or seiche zones, would the project risk the release of pollutants due to project inundation?*

The project site is not located near the San Francisco Bay or the Pacific Ocean and is not within a mapped tsunami inundation zone.¹²⁹ There are no large bodies of water in the vicinity of the project site; therefore, there would be no potential for seiches to impact the project site. The project site is also outside of the Stevens Creek Reservoir dam inundation zone.¹³⁰ In addition, the site is in a relatively flat area of the city and is outside of the ABAG mapped zones for earthquake-induced landslides or debris flow source areas.¹³¹ Therefore, *no impact* would occur with respect to the release of pollutants from these types of natural hazard events.

e) *Would the project conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?*

The San Francisco Bay RWQCB monitors surface water quality through implementation of the Water Quality Control Plan for the San Francisco Bay Basin, also referred to as the "Basin Plan," and designates beneficial uses for surface water bodies and groundwater within the Santa Clara Valley. The Basin Plan also contains water quality criteria for groundwater.

As required by storm water management guidelines discussed under criterion (a), best management practices and LID measures would be implemented across the project site during both construction and

¹²⁹ Association of Bay Area Governments, 2019. *Interactive Tsunami Inundation Map*. <http://gis.abag.ca.gov/website/Hazards/?hlyr=tsunami> accessed on September 26, 2019.

¹³⁰ Santa Clara County Fire Department. 2012. Joint Stevens Creek Dam Failure Plan. <https://www.cupertino.org/home/showdocument?id=7424> accessed on September 26, 2019.

¹³¹ Association of Bay Area Governments, 2019. Rainfall-Induced Landslides, Debris Flow Source Areas and Earthquake Induced Landslides. Accessed at <http://resilience.abag.ca.gov/landslides/> on September 26, 2019.

ENVIRONMENTAL ANALYSIS

operation of the proposed project. These measures would control and prevent the release of sediment, debris, and other pollutants into the storm drain system. Implementation of best management practices during construction would be in accordance with the provisions of the SWPPP and the erosion and sediment control plan, which would minimize the release of sediment, soil, and other pollutants. Operational best management practices would be required to meet the C.3 provisions of the MRP. These best management practices, along with the proposed LID measures, include the incorporation of site design, source control, and treatment control measures to treat and control runoff before it enters the storm drain system. The proposed treatment measures would include the use of two bioretention areas to treat and detain runoff prior to discharge to the City's storm drain system.

The project site is within the Santa Clara Valley Groundwater Basin, which is covered under the 2016 Groundwater Management Plan.¹³² This basin has been characterized by the Department of Water Resources as a medium-priority subbasin and therefore subject to the requirements to develop and implement a Groundwater Sustainability Plan. The Groundwater Management Plan states that the total recharge to the Santa Clara and Llagas subbasins exceeds the total outflow via groundwater pumping and subsurface outflow, with excess groundwater storage of 1,500 acre-feet. This indicates that the subbasins are in long-term balance and meet the criteria for sustainable groundwater conditions. Although SJW does use groundwater as a source of water supply, the Water Supply Evaluation prepared for the General Plan EIR included new development on the project site at a greater number of units than proposed under the project (27 net new units as compared to project's 18 new units); therefore, water supply impacts were adequately addressed in the General Plan EIR.

As discussed in criterion (b), the depth to groundwater is estimated to be 25 to 30 feet bgs and the proposed project would not require construction dewatering.

With implementation of these best management practices and LID measures in accordance with City and MRP requirements, the proposed project would not conflict with or obstruct the implementation of the Basin Plan of the Groundwater Management Plan, and potential impacts on water quality would be *less than significant*.

X. LAND USE AND PLANNING

Would the proposed project:		Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a)	Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b)	Cause a significant environmental impact due to a conflict with any land use plan, policy or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

¹³² Santa Clara Valley Water District, 2016 Groundwater Management Plan, Santa Clara and Llagas Subbasins.

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.9, Land Use and Planning, of the General Plan EIR, addressed impacts to land use and planning associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were determined to be less than significant, and no mitigation measures were required. The following is a summary of Section, 4.9.1.2, Existing Conditions, of Chapter 4.9.

EXISTING CONDITIONS

The General Plan land use designation for the project site is Commercial/Residential and the project site is within the (P(CG)) Zoning District. A complete description of the Commercial/Residential land use designation and (P(CG)) Zoning District is presented in Section 3.1.4, Land Use Designation and Zoning, in Chapter 3 of this Initial Study.

DISCUSSION

a) Would the project physically divide an established community?

Because the development of the proposed project would occur on a site that is currently developed, would retain existing roadway patterns, and would not introduce any new major roadways or other physical features through existing residential neighborhoods or other communities that would create new barriers, the project would not physically divide an established community. Therefore, *no impact* would occur.

b) Would the project cause a significant environmental impact due to a conflict with any applicable land use plan, policy or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

The proposed project does not include a request for any modification to the existing General Plan land use designation. However, the project does include a request to modify the existing General Commercial (P(CG)) Zoning District to a General Commercial with Residential (P(CG, Res)) Zoning District to allow residential uses on the project site. This request would make the Zoning District for the project site more consistent with the Commercial/Residential General Plan land use designation, which allows for residential uses. The proposed project (at 11.5 units per acres and with a building height of 30 feet at the highest point) is within the development parameters evaluated in the General Plan EIR (25 dwelling units per acre and a maximum building height of 30 feet tall) and the General Plan EIR found land use impacts to be less than significant. The proposed mixed-use development would be consistent with the types of development envisioned in the Inspiration Heights Neighborhood, Neighborhood Center, and Other Non-Residential/Mixed-Use Special Areas identified in the General Plan. Accordingly, the proposed project would also result in *less-than-significant* impacts with regard to conflicts with land use plans.

ENVIRONMENTAL ANALYSIS

XI. NOISE

Would the proposed project result in:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or in other applicable local, state, or federal standards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.10, Noise, of the General Plan EIR addressed the impacts from noise and vibration associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Noise impacts were found to be significant and unavoidable in the General Plan EIR because the project-specific details for future development were not available. No feasible mitigation measures were identified to reduce noise impacts to a less-than-significant level and project-specific noise evaluation is required to assess noise impacts from the proposed redevelopment of the site.

This section includes a summary of Section, 4.10.1.3, Existing Conditions, of Chapter 4.10, and analyzes the noise and vibration that would be generated by the construction and operation of the proposed project at a project level.

EXISTING CONDITIONS

Noise is defined as unwanted sound and is known to have several adverse effects on people including hearing loss, speech and sleep interference, physiological responses, and annoyance. Based on these known adverse effects of noise, the federal government, State of California, and City of Cupertino have established criteria to protect public health and safety and to prevent disruption of certain human activities. Noise terminology and fundamentals, pertinent existing local regulations traffic noise level increase calculations, and construction noise and vibration modeling can be found in Appendix C, Noise Data, of this Initial Study.

The project site is a bounded by adjacent single-family homes to the north, west, and south. South Foothill Boulevard and Stevens Canyon Road are located to the east of the project site, beyond which are single-family homes. The nearest sensitive receptors to the project site are the adjacent one-story and

ENVIRONMENTAL ANALYSIS

two-story single-family residences approximately 20 to 50 feet from the site property lines to the north, west, and south. The principal noise source affecting the project area is roadway traffic on Stevens Canyon Road and South Foothill Boulevard and surrounding residential roadways.

The nearest public airports are San José International Airport, approximately 8.5 miles to the northeast, and Palo Alto Airport, approximately 10 miles to the north. The nearest heliports are McCandless Towers Heliport, approximately 7 miles to the northeast, and County Medical Center Heliport, approximately 7.5 miles to the east. The nearest private airport is Moffett Federal Airfield, approximately 7 miles to the north. The project site is not located in within an airport land use plan.

The noise environment in the project area is approximately 60 to 70+ dBA Community Noise Equivalent Level (CNEL) based on the noise contour map in the General Plan Health and Safety Element (Attachment D. Community Noise), with ambient noise levels decreasing at further distance from Stevens Canyon Road. It is important to note that with the Supreme Court decision regarding the assessment of the environment's impacts on projects (*California Building Industry Association (CBIA) v. Bay Area Air Quality Management District (BAAQMD)*, 62 Cal. 4th 369 (No. S 213478) issued December 17, 2015), it is generally no longer the purview of the CEQA process to evaluate the impact of existing environmental conditions on any given project. As a result, while the noise from existing sources is taken into account as part of the baseline, the direct effects of existing outside (exterior) noise from nearby noise sources as it relates to land use compatibility of the project is no longer a required topic for impact evaluation under CEQA. No determination of significance is required or made in this Initial Study.

DISCUSSION

- a) *Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or in other applicable local, State, or federal standards?*

A significant stationary-source impact would occur if the activities or equipment at the proposed project site produce noise levels at nearby sensitive receptors in excess of local standards.

With respect to permanent traffic-related increases, noise impacts can be placed into three categories. The first is "audible" impacts, which refer to increases in noise level that are perceptible to humans. Audible increases in general community noise levels generally refer to a change of 3 decibels (dBA) or more since this level has been found to be the threshold of perceptibility in exterior environments. The second category, "potentially audible" impacts, refers to a change in noise level between 1 and 3 dBA. The last category includes changes in noise level of less than 1 dBA that are typically "inaudible" to the human ear except under quiet conditions in controlled environments. Only "audible" changes in noise levels at sensitive receptor locations (i.e., 3 dBA or more) are considered potentially significant. Note that a doubling of traffic flows (i.e., 10,000 vehicles per day to 20,000 per day) would be needed to create a 3 dBA increase in traffic-generated noise levels. For the purposes of this analysis, an increase of 3 dBA CNEL is often used as the threshold for a substantial increase.

ENVIRONMENTAL ANALYSIS

Project-Related Construction Noise

In terms of the proposed construction activities, the demolition, grading, and site paving activities are expected to generate the highest noise levels, since they involve the largest and most powerful equipment. Construction equipment for the proposed project would include equipment such as concrete saws, dozers, graders, tractors, loaders, backhoes, excavators, generators, forklifts, paving equipment, rollers, and a crane.

Two types of short-term noise impacts could occur during construction: (1) mobile-source noise from the transport of workers, material deliveries, and debris/soil hauling and (2) stationary-source noise from use of construction equipment. Construction activities are anticipated to last approximately 10 months. The following discusses construction noise impacts to the off-site sensitive receptors.

Construction Vehicles

The transport of workers and materials to and from the construction site would incrementally increase noise levels along local roadways. Individual construction vehicle pass-bys may create momentary noise levels of up to approximately 85 dBA (L_{max}) at 50 feet from the vehicle, but these occurrences would generally be infrequent and short lived. Therefore, noise impacts from construction-related truck traffic would be *less than significant* at noise-sensitive receptors along the construction routes and no mitigation measures would be required.

Construction Equipment

According to CMC Section 10.48.053, construction is allowed during “daytime hours” (7:00 a.m. to 8:00 p.m. Monday through Friday, and 9:00 a.m. to 6:00 p.m. on weekends) and exempt from the City’s daytime and nighttime maximum noise level limits, provided that such construction activities do not exceed 80 dBA at the nearest affected property or individual equipment items do not exceed 87 dBA at 25 feet. Only one of these two criteria must be met. In addition, construction is prohibited on holidays and within 750 feet of residential areas on weekends, holidays, and during the nighttime, unless a special exception has been granted, and during nighttime hours unless it meets the nighttime noise level standards. Even with these restrictions, project construction would temporarily increase ambient noise. However, noise levels would subside again after construction.

Noise generated by on-site construction equipment is based on the type of equipment used, its location relative to sensitive receptors, and the timing and duration of noise-generating activities. Each stage of construction involves different kinds of equipment and has distinct noise characteristics. Noise levels from construction activities are typically dominated by the loudest several pieces of equipment. The dominant equipment noise source is typically the engine, although work-piece noise (such as dropping of materials) can also be noticeable.

The noise produced at each construction stage is determined by combining the L_{eq} contributions from each piece of equipment used at a given time, while accounting for the on-going time-variations of noise emissions (commonly referred to as the usage factor). Heavy equipment, such as a bulldozer, can have

ENVIRONMENTAL ANALYSIS

maximum, short-duration noise levels of up to 85 dBA at 50 feet. However, overall noise emissions vary considerably, depending on what specific activity is being performed at any given moment. Noise attenuation due to distance, the number and type of equipment, and the load and power requirements to accomplish tasks at each construction phase would result in different noise levels from construction activities at a given receptor. Since noise from construction equipment is intermittent and diminishes at a rate of at least 6 dBA per doubling of distance (conservatively ignoring other attenuation effects from air absorption, ground effects, and/or shielding/scattering effects), the average noise levels at noise-sensitive receptors could vary considerably, because mobile construction equipment would move around the site with different loads and power requirements. Noise levels from project-related construction activities were calculated from the simultaneous use of all applicable construction equipment at spatially averaged distances (i.e., from the acoustical center of the general construction site) to the property line of the nearest receptors. Although construction may occur across the entire phase area, the area around the center of construction activities best represents the potential average construction-related noise levels at the various sensitive receptors.

The expected construction equipment mix was estimated and categorized by construction activity using the Federal Highway Administration Roadway Construction Noise Model. The associated, aggregate sound levels, grouped by construction activity, are summarized in Table 4-9.

TABLE 4-9 PROJECT-RELATED CONSTRUCTION NOISE, ENERGY-AVERAGE (L_{eq}) NOISE LEVELS, DBA

Construction Activity Phase	Noise Level at the Closest Distance from Construction Activities, dBA L_{eq}
	Residences (west)
	90 feet ^a
Demolition	81
Site Preparation	80
Utility Trenching	78
Grading (rough and fine)	80
Building Construction	78
Paving	81
Architectural Coating	69

Notes:

a. While the nearest sensitive receptors to the project site include the adjacent one-story and two-story single-family residences approximately 20 to 50 feet from the site property lines to the north, west, and south, this analysis is based on the distance from the acoustical center of the construction site to the nearest property line, which is 90 feet to the west.

Source: PlaceWorks, 2019.

Construction activities would increase noise levels at and near the proposed area of improvements. The highest expected construction-related noise levels, up to approximately 81 dBA L_{eq} , would occur at the residences to the west during demolition and paving phases, which would be greater than the 80 dBA limit in the CMC. Construction noise levels would create a substantial temporary increase in ambient noise levels in the vicinity of the project. This would be considered a potentially significant impact. With implementation of Mitigation Measure NOISE-1, which is not a General Plan EIR mitigation measure, project-related construction noise impacts to the nearby residences would be *less than significant*.

ENVIRONMENTAL ANALYSIS

Impact NOISE-1: The proposed project could result in the generation of a substantial temporary increase in ambient noise levels in the vicinity of the project site during the construction phase that would be in excess of standards established in the City of Cupertino Municipal Code.

Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:

- At least 90 days prior to the start of any construction, demolition, or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint.
- The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard:
 - At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.
 - During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.
 - Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors.
 - During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible.

ENVIRONMENTAL ANALYSIS

- During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations.
- Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase.
- Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes.
- During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.

Project-Related Operational Noise

Stationary-Source Noise

Noise from sources such as people talking and using outdoor common areas, or property maintenance may contribute to the total noise environment within the direct vicinity of the proposed project site. However, these types of noise are commonly associated with uses that already exist on the project site. As explained above, noise sources associated with landscape maintenance activities is exempted from the provisions of the CMC, provided said activities take place between the hours of 8:00 a.m. to 8:00 p.m. on weekdays, and 9:00 a.m. to 6:00 p.m. on weekends and holidays. Therefore, impacts from occasional property maintenance activities associated with the proposed project would be *less than significant*.

The mixed-use building will have the mechanical HVAC equipment on the rooftop enclosed by a parapet. The exterior mechanical and HVAC equipment associated with the proposed use are expected to be similar to the existing commercial uses. Typical HVAC units range from approximately 75 dBA L_{eq} at a distance of 3 feet. Future rooftop mechanical equipment associated with the mixed-use building would be located at least 90 feet from the nearest residential property lines to the east according to project rooftop plans (see Figure 3-6). In addition, noise from rooftop mechanical equipment associated with the mixed-use building would be attenuated by 5.5-foot parapet walls. At this distance and assuming approximately 5 dBA reduction from the parapet walls, the sound pressure level associated with a common central air conditioning unit would be reduced to approximately 40 dBA or less. Therefore, the noise level associated with future rooftop HVAC at the mixed-use building would be below the CMC Section 10.48.040 standards, which limit nighttime noise to 50 dBA and daytime noise to 60 dBA at nearby residential uses.

Future HVAC for the proposed residential units would be located on the ground in the backyard of each unit. Because mechanical specifications for these proposed units are not yet available, it is conservatively assumed that noise from these units would be up to 75 dBA L_{eq} at a distance of 3 feet and they could be located within approximately 15 feet from the nearest residential property lines to the west. At this distance, the sound pressure level associated with a common HVAC unit would be approximately 60 dBA. Therefore, the noise level associated with HVAC in the backyards of the future residential units could

ENVIRONMENTAL ANALYSIS

exceed the CMC Section 10.48.040 standards, which limit nighttime noise to 50 dBA at nearby residential. Therefore, this impact would be potentially significant. With implementation of Mitigation Measure NOISE-2, which is not a General Plan EIR mitigation measure, project-related operational noise impacts would be *less than significant*.

Impact NOISE-2: The proposed project could result in the generation of a substantial permanent increase in ambient noise levels in the vicinity of the project during the operation phase that would be in excess of standards established in the local general plan or noise ordinance.

Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to:

- Selection of equipment that emits low noise levels;
- Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or
- Locating equipment in less noise-sensitive areas, where feasible.

Mobile-Source Noise

The proposed project is anticipated to result in a net decrease in traffic trips when compared to existing traffic trips associated with the existing commercial building. The trip generation associated with the previous use is estimated to be 454 daily trips. The proposed project is estimated to result in 322 gross daily trips, which is a net decrease of 132 daily trips. Therefore, since the project would result in a net decrease in trips, no increase from traffic noise would occur and impacts would be *less than significant*.

b) *Would the project expose people to or generate excessive groundborne vibration or ground borne noise levels?*

Operational Vibration

Operation of the proposed project would not generate substantial levels of vibration because there are no known sources of vibrational energy associated with the proposed project, such as industrial machinery or railroad operations. Thus, vibration effects or impacts from operations sources would be *less than significant* and no mitigation measures would be required.

Construction Vibration

Construction activities generate varying degrees of ground vibration, depending on the construction procedures, construction equipment used, and proximity to vibration-sensitive uses. The generation of

ENVIRONMENTAL ANALYSIS

vibration can range from no perceptible effects at the lowest vibration levels, to low rumbling sounds and perceptible vibrations at moderate levels, to slight damage at the highest levels. Table 4-10 lists reference vibration levels for different types of commonly used construction equipment.

TABLE 4-10 CONSTRUCTION EQUIPMENT VIBRATION LEVELS

Equipment	Approximate PPV Velocity at 25 Feet (in/sec)
Vibratory Roller	0.210
Large Bulldozer	0.089
Loaded Trucks	0.076
Jackhammer	0.035
Small Bulldozer	0.003

Notes: PPV = Peak Particle Velocity in inches per second

Source: Federal Transit Administration (FTA), *Transit Noise and Vibration Impact Assessment*, 2018.

Proposed construction would include demolition and grading, which would include equipment such as loaders and bulldozers. Paving activities may also generate construction vibration and would include equipment such as pavers and rollers. Using the vibration source level of construction equipment provided in Table 4-10 and the construction vibration assessment guidelines published by the Federal Transit Administration's (FTA), the vibration impacts associated with the proposed project were assessed in terms of potential architectural damage due to vibration.

The City does not have specific, vibration-related standards. Thus, project-related construction vibration was evaluated for its potential to cause minor architectural damage based on FTA's architectural damage criteria. The term 'architectural damage' is defined as minor surface cracks (in plaster, drywall, tile, or stucco) or the sticking of doors and windows. This is below the severity of 'structural damage' which entails the compromising of structural soundness or the threatening the basic integrity of the building shell. Building damage is typically not a concern for most projects, with the occasional exception of blasting and pile driving during construction. No blasting, pile driving, or hard rock ripping/crushing activities would be required during project construction. Since vibration-induced architectural damage could result from an instantaneous vibration event, distances are measured from the receptor facade to the nearest location of potential construction activities.

A peak particle velocity (PPV) of 0.2 inches/second (in/sec) is used as the threshold for "non-engineered timber and masonry buildings" (which would apply to the surrounding structures). At a distance of approximately 10 feet from the existing pavement to residential structures to the west, a jackhammer (or similar pavement breaking device) would generate vibration levels of approximately 0.14 in/sec PPV, which would not exceed the threshold of 0.2 in/sec PPV. Proposed driveways would be paved within approximately 35 feet of nearby residential structures to the west. At this distance, a vibratory roller would generate vibration levels of up to 0.13 in/sec PPV. However, if grading equipment such as a large dozer operates within approximately 15 feet of a nearby residential structure, the 0.2 in/sec PPV threshold may be exceeded. This is considered a potentially significant impact. With implementation of Mitigation

ENVIRONMENTAL ANALYSIS

Measure NOISE-3, which is not a General Plan EIR mitigation measure, project-related construction vibration impacts to the adjacent residences to the west would be *less than significant*.

Impact NOISE-3: The proposed project could result in the generation of excessive groundborne vibration in the vicinity of the project during the construction phase that would be in excess of established thresholds.

Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.

c) *For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?*

The proposed project is not located within an airport land use plan or within 2 miles of an airport. The project would not expose people residing or working in the project area to excessive aircraft noise levels. There would be *no impact*.

XII. POPULATION AND HOUSING

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Induce substantial unexpected population growth or growth for which inadequate planning has occurred, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.11, Population and Housing, of the General Plan EIR, addressed the impacts to population growth and displacement associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were determined to be less than significant, and no mitigation measures were required.

ENVIRONMENTAL ANALYSIS

As discussed in the General Plan EIR, the General Plan would introduce approximately 12,998 new residents¹³³ and 16,855 new jobs¹³⁴ to Cupertino. These new residents and jobs combined with existing conditions would result in 71,200 residents, 24,040 households, and 33,110 jobs at the 2040 buildout horizon.¹³⁵ The proposed project is anticipated to be complete in 2022. As discussed in the General Plan EIR, according to the Association of Bay Area Governments (ABAG), Cupertino is projected to have 62,500 residents and 30,110 jobs by 2020 and 66,800 residents and 31,370 jobs by 2030.

EXISTING CONDITIONS

The site is currently developed with primarily commercial uses that are partially vacant and two residential units which are vacant or used as storage for a bike shop currently operating. Applying a generation rate of 1 job to 450 square feet for commercial land uses to the existing 9,000 square feet of commercial building and 1,500 square foot bike shop, the existing businesses are capable of generating up to approximately 23 jobs.

DISCUSSION

a) Would the project induce substantial unexpected population growth or growth for which inadequate planning has occurred, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

The proposed project would construct a 4,536 square-foot commercial building and 18 residential units, which would not result in any additional new population growth or employment growth beyond what was accounted for in the General Plan EIR. Table 4-15 in Section XIX, Mandatory Findings of Significance, shows the relationship of the proposed project to the other reasonably foreseeable projects in Cupertino and shows that the proposed when combined with the other reasonably foreseeable projects in Cupertino would not exceed the maximum buildout potential evaluated in the General Plan EIR.

As described in Chapter 3, Project Description, of this Initial Study, the operation of the project is estimated to generate up to 10 employees on the project site and the future homeowner's association (HOA), required by the City, could employ landscape and maintenance personnel for the common areas of the development. As described above, the existing commercial buildings are capable of supporting approximately 23 employees. Construction of the proposed project would result in a decrease of 13 supported employees on the project site. The proposed project is not a regionally significant employer and it is anticipated that future employees of the HOA or the commercial uses of the proposed project would come from Cupertino and surrounding Bay Area communities.

¹³³ Population is calculated by 4,421 units times 2.94 persons per household, which is the ABAG 2040 estimated generation rate.

¹³⁴ Jobs are calculated applying the City's generation rates as follows; 4,040,231 square feet of office allocation divided by 300 square feet equals 13,467 jobs; 1,343,679 square feet of commercial allocation divided by 450 square feet equals 2,986 jobs; and 1,339 hotel rooms at .3 jobs per room equals 402 jobs for a total of 16,855 jobs.

¹³⁵ City of Cupertino, 2015. Cupertino General Plan Community Vision 2015-2040, Housing Element, Table HE-2.

ENVIRONMENTAL ANALYSIS

The proposed project would directly contribute to housing through the construction of residential units. Based on a projected average household size of 2.87 persons,¹³⁶ it is assumed the proposed project would introduce 52 residents¹³⁷ to the project site, which would increase the number of residents on the site from 3 residents to approximately 52 residents at project buildout in 2022.

The 52 residents and 10 permanent jobs in combination with other future projects would not increase the overall City buildout to the year 2040 projections (see Table 4-15, Reasonably Foreseeable Development Projects in Cupertino, in Section XIX, Mandatory Findings of Significance). Therefore, the proposed project is well within the population projections considered in the General Plan EIR and adopted General Plan Housing Element. The growth occurring as a result of the project would be limited to the project site, and the project does not include infrastructure to allow indirect off-site development.

As discussed in Section X, Land Use and Planning, the project is consistent with the General Plan land use designation for the site (Commercial/Residential), but would require a Zoning Map amendment rezoning the site from P(CG) to P(CG, Res) to make the zoning consistent with the General Plan land use designation. Accordingly, there would be *no impacts* related to substantial unexpected population growth or growth for which inadequate planning has occurred.

b) Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

As discussed, in the Existing Conditions above, the project site currently has two residential units on-site; however, neither are used as habitable spaces. One is vacant and one is used for storage for a commercial business on-site. Because residents are not currently living on-site, the demolition of the existing residential structures would not directly displace housing or any residents. The project proposes the construction of 18 residential units on-site, which would not necessitate the construction of housing elsewhere. Therefore, the project would have *no impact* associated with the displacement of substantial numbers of housing.

¹³⁶ This analysis is based on the Association of Bay Area Governments (ABAG) 2019 projections of the average household size of 2.87 persons for Cupertino in 2020. This is the standard approach for population and housing analysis in Cupertino.

¹³⁷ 18 new units multiplied by 2.87 persons per unit equals 51.66 new residents.

ENVIRONMENTAL ANALYSIS**XIII. PUBLIC SERVICES**

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Libraries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.12, Public Services and Recreation, of the General Plan EIR, addressed the impacts to public service providers and public parks associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The General Plan EIR estimated that 80 new residents¹³⁸ could occupy the project site by 2040. Impacts were determined to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

The public service providers for the project site are as follows:

- The City contracts with the Santa Clara County Fire District (SCCFD) for fire protection, emergency, medical, and hazardous materials services.
- The City contracts with the Santa Clara County Sheriff's Office (Sheriff's Office) and West Valley Patrol Division for police protection services.
- The project site is within the Fremont Union High School District (FUHSD) and the project site is in the Monta Vista High School attendance area, which is located approximately 1 mile to the east of the project site.¹³⁹

¹³⁸ 27 units times 2.94 persons per household for Cupertino in 2040 equals 79.34 persons. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR. Applying the ABAG rates for population estimates is the standard approach for population and housing analysis in Cupertino.

¹³⁹ Fremont Union High School District, District Boundary Maps, Monta Vista High School Attendance Boundary, <https://www.fuhd.org/about-us/general-information/district-boundary-maps>, accessed November 15, 2018.

ENVIRONMENTAL ANALYSIS

- The project site is within the Cupertino Union School District (CUSD) which includes all elementary and middle schools in the city. The project site is in the attendance area of Abraham Lincoln Elementary School, located approximately 1 mile to the east of the project site, and John F. Kennedy Middle School located approximately 1 mile east of the project site.¹⁴⁰
- The Santa Clara County Library District governs and administers seven community libraries, one branch library, two bookmobiles, the Home Service Library, and the online library for all library users. The closest library to the project site is the Cupertino Library located at 10800 Torre Avenue in Cupertino.

A discussion of the existing conditions for each of these service providers is included in Chapter 4.12 of the General Plan EIR.

DISCUSSION

- a) *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services: fire protection, police protection, schools, and libraries?*

The primary purpose of the public services impact analysis is to examine the impacts associated with physical improvements to public service facilities required to maintain acceptable service ratios, response times or other performance objectives. Public service facilities need improvements (i.e., construction, renovation or expansion) as demand for services increase. Increased demand is typically driven by increases in population. The proposed project would have a significant environmental impact if it would exceed the ability of public service providers to adequately serve residents, thereby requiring construction of new facilities or modification of existing facilities.

As discussed in Section XII, Population and Housing, above, the proposed project would result in a net increase of 18 dwelling units and approximately 52 residents, which is the approximate number of dwelling units and residents anticipated and discussed in the General Plan EIR. As described in the General Plan EIR, the proposed project would include the payment of residential development impact fees, prior to issuance of construction permits, that provide support to public services to offset the project's fair share of impacts to public service providers. The proposed project also would include 4,536 square feet of neighborhood- serving commercial space that would result in a net decrease of 13 jobs on the project site, which is within the number of jobs anticipated and discussed in the General Plan EIR. Because impacts to public service providers were determined to be less than significant in the General Plan EIR and the proposed project would result in a similar number of residents, employees, and residential density considered in the General Plan EIR, impacts to public service providers as a result of the proposed project would also be *less than significant* and no mitigation measures would be required.

¹⁴⁰ Cupertino Union School District, <https://www.cusdk8.org/domain/96>, accessed November 15, 2018.

ENVIRONMENTAL ANALYSIS**XIV. PARKS AND RECREATION**

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Increase the use of existing neighborhood and regional parks or other recreational facilities, such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in substantial adverse physical impacts associated with the provision of new or physically altered park and recreational facilities, or result in the need for new or physically altered park and recreational facilities, the construction of which could cause significant environmental impacts?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.12, Public Services and Recreation, of the General Plan EIR, addressed the impacts to public service providers and public parks associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and 80 new residents¹⁴¹ on the site at a program level. Impacts were determined to be less than significant, and no mitigation measures were required.

EXISTING CONDITIONS

The City of Cupertino Recreation and Community Services and the Public Works Grounds Division and Facilities and Fleet Division are responsible for the operation and maintenance of the City's recreational facilities within the city boundary. The City of Cupertino owns or manages 224 acres of parks, trails, creek corridors, sports fields and recreation facilities at 32 sites.¹⁴² The City of Cupertino has an adopted parkland dedication standard of three acres of parkland for every 1,000 residents. According to the October 2019 *City of Cupertino Parks and Recreation System Master Plan*, there is approximately 3.7 acres of parkland per 1,000 residents.¹⁴³

The parks nearest to the project site are Monta Vista Park, located approximately 0.3 miles to the northwest; McClellan Ranch Preserve, located approximately 0.3 miles to the northeast; and Linda Vista Park, located approximately 0.3 miles to the southeast.

¹⁴¹ 27 units times 2.94 persons per household for Cupertino in 2040 equals 79.34 persons. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR. Applying the ABAG rates for population estimates is the standard approach for population and housing analysis in Cupertino.

¹⁴² *City of Cupertino Parks and Recreation System Master Plan, October 2019 (adopted by the City Council on February 18, 2020)*, page 4.

¹⁴³ *City of Cupertino Parks and Recreation System Master Plan, October 2019 (adopted by the City Council on February 18, 2020)*, page 51.

ENVIRONMENTAL ANALYSIS

Regional park facilities operated by the Midpeninsula Regional Open Space District (MROSD) and the Santa Clara County Parks could be used by residents of the project site. The closest Midpeninsula Regional Open Space District parks to Cupertino are the Fremont Older, Picchetti Ranch, and Rancho San Antonio, which are located just west of the city boundaries. Santa Clara County Park facilities that serve Cupertino include Rancho San Antonio County Park located south of I-280 and west of Foothill Boulevard, and the Stevens Creek County Park. Both County parks are roughly 1 mile from the project site. The privately operated Deep Cliff Golf Course is located approximately 0.3 miles to the southeast of the site.

DISCUSSION

a) *Would the project increase the use of existing neighborhood and regional parks or other recreational facilities, such that substantial physical deterioration of the facility would occur or be accelerated?*

As discussed in Chapter 3, Project Description, of this Initial Study, the proposed project includes 5,691 square feet (0.13 acres) of common open space available to residents and members of the general public. The proposed project includes a 2,657 square-foot outdoor common-use plaza and seating area on the northern section of the project site, adjacent to the ground floor commercial of the mixed-use building, for use by residents, visitors, and members of the public.

As discussed in Section XII, Population and Housing, above, the proposed project would result in 18 residential units and 52 new residents at the project site. Therefore, this would be less than what was evaluated in the General Plan EIR (80 new residents as compared to 52 new residents), which found impacts to be less than significant at General Plan buildout. The City's parkland-to-resident ratio is three acres of parkland for every 1,000 residents¹⁴⁴ Although the proposed project is not required to provide on-site parkland, the proposed project would include the payment of City-required impact fees to contribute to the City's parks and recreation fund. As discussed in the General Plan EIR, the proposed project would be required to comply with Cupertino Municipal Code Chapter 14.05, Park Maintenance Fee, Chapter 13.08, Park Land Dedication, and Chapter 18.24, Dedications and Reservations, which require the payment of impact fees to maintain existing parks and recreation facilities and offset the project's fair share of impacts to parklands. Therefore, considering the proposed project's provision of 0.13 acres of residential open space, in conjunction with the collection of impact fees that support the City's parks and recreation fund, the impacts to the City's recreational facilities would be *less than significant* and no mitigation measures would be required.

New residents of the project site would also be expected to use the regional park facilities operated by the MROSD and the Santa Clara County Parks. According to the MROSD's Budget and Action Plan for Fiscal Year 2017-18, a portion of the District's financing is provided by property taxes, which the project is required to pay. Because the project site would pay property taxes that fund the MROSD, the use of regional parks by the relatively small number of new residents of the proposed project would not result in substantial deterioration of those parks. The increase in usage that could potentially result from the proposed project is not likely to require the construction of new park facilities over and above the facilities

¹⁴⁴ Cupertino General Plan Community Vision 2015 to 2040, Chapter 9: Recreation, Parks and Community Services Element, "Park Standards."

ENVIRONMENTAL ANALYSIS

already foreseen in the long-range planning completed for the regional parks in the vicinity of the project site. Therefore, a *less-than-significant* impact to regional parks would occur and no mitigation measures would be required.

- b) *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered park and recreational facilities, or result in the need for new or physically altered park and recreational facilities, the construction of which could cause significant environmental impacts?*

As discussed in criterion (a) above, the proposed project includes open space features and would be required to pay impact fees that support the City's parks and recreation fund, which would create less-than-significant impacts to the City's recreational facilities. The project does not propose the construction of a park or any physical alterations to an existing park or recreational facilities; however, the payment of impact fees would go toward supporting the City's park fund that could be applied to the construction or expansion of recreational facilities that could have an adverse physical effect on the environment. It is not known at what time or location such facilities would be required or what the exact nature of these facilities would be, so it cannot be determined what specific environmental impacts would occur from their construction and operation. Because the payment of impact fees is the City requirement to offset the project's fair share of impacts to parklands, the City would be responsible for any environmental review in accordance with CEQA, as necessary, which would ensure that any environmental impacts are disclosed and mitigated to the extent possible for any future City project related to the expansion of or improvement to a City recreational facility. Accordingly, impacts to park and recreational facilities as a result of the proposed project would be *less than significant* and no mitigation measures would be required.

XV. TRANSPORTATION

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Would the project conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ENVIRONMENTAL ANALYSIS

GENERAL PLAN EIR

Chapter 4.13, Transportation and Circulation, of the General Plan EIR, addressed the impacts to the transportation network in the Cupertino area associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The General Plan EIR estimated that and 80 new residents¹⁴⁵ could occupy the project site by 2040. Impacts related to pedestrians, bicycles, transit, and emergency access were found to be less than significant and no mitigation measures were required. The General Plan EIR also found that the implementation of the General Plan would support and would not conflict with plans, programs and policies regarding bicycle or pedestrian facilities, or decrease the performance and safety of such facilities. As discussed in the General Plan EIR, the VMT per capita is projected to increase from 10.5 (2013) to 10.9 (2040).

METHODOLOGY

The following discussion of impacts is based in part on analysis regarding sight distance on Stevens Creek Road (June 17, 2019); pedestrian, bicycle, and transit facilities (July 12, 2019); and existing daily and peak hour trips, and vehicle miles traveled regarding (October 16, 2019), prepared for the proposed project by TJKM Transportation Consultants, and reviewed and approved by the City of Cupertino Transportation Division. The reports are included in Appendix D, Transportation Data, of this Initial Study.

EXISTING CONDITIONS

This section describes existing conditions in the immediate project site vicinity, including bicycle and pedestrian facilities, transit facilities, and VMT.

Existing Conditions

Pedestrian Facilities

Walkability is defined as the ability to travel easily and safely between various origins and destinations without having to rely on automobiles or other motorized travel. The ideal “walkable” community includes wide sidewalks, a mix of land uses such as residential, employment, and shopping opportunities, a limited number of conflict points with vehicle traffic, and easy access to transit facilities and services.

Pedestrian facilities consist of crosswalks, sidewalks, pedestrian signals, and off-street paths, which provide safe and convenient routes for pedestrians to access destinations such as institutions, businesses, public transportation, and recreation facilities.

¹⁴⁵ 27 units times 2.94 persons per household for Cupertino in 2040 equals 79.34 persons. Note that the 2.94 persons per household rate for year 2040 was applied in the General Plan EIR. Applying the ABAG rates for population estimates is the standard approach for population and housing analysis in Cupertino.

ENVIRONMENTAL ANALYSIS

The project site does not have adequate pedestrian access, because sidewalks are present only on the one side of Stevens Canyon Road within the project vicinity. Existing pedestrian facilities in the vicinity of the project site are shown on Figure 4-1.

The *2018 Cupertino Pedestrian Transportation Plan* (Pedestrian Plan) contains goals, policies, and specific recommendations to increase the walkability of Cupertino, including the Pedestrian Guidelines. The Pedestrian Plan is a companion document to the *City of Cupertino Bicycle Transportation Plan* (discussed below). It includes specific recommendations to improve pedestrian conditions. Consistent with the Pedestrian Plan and any other applicable recommendations, the project applicant would be required to contribute to implementing any recommended pedestrian improvements in the project area. The Pedestrian Plan recommends walk audits be conducted at Foothill Boulevard and Stevens Canyon Road through the project area. There is no further discussion of pedestrian improvements in the project area.

Bicycle Facilities

Bicycle facilities on and near the project site include the following:

- **Bike Paths (Class I).** Paved trails that are separated from roadways
- **Bike Lanes (Class II).** Lanes on roadways designated for use by bicycles through striping, pavement legends, and signs
- **Bike Routes (Class III).** Designated roadways for bicycle use by signs or other markings may or may not include additional pavement width for cyclists

Class II Bike Lanes are provided along both sides of the roadway at South Foothill Boulevard and Stevens Canyon Road near the project site. There is adequate signage for the bicyclists to maneuver without confusion. Class III Route designated signs and pavement markings for shared use bikes signs are provided along McClellan Road on both sides of the roadway. Overall, existing bicycle facilities provide adequate connectivity between the project site and the adjacent residential neighborhoods. The existing bicycle facilities within the project vicinity are shown on Figure 4-1.

In 2016, the City of Cupertino adopted the *Bicycle Transportation Plan* (Bike Plan), which is a citywide plan to encourage bicycling as a safe, practical, and healthy alternative to the use of the family car. The Bike Plan illustrates Cupertino's current bicycle network, identifies gaps in the network, and proposes improvement projects to address the identified gaps.¹⁴⁶ The Bike Plan includes standards for engineering, encouragement, education, and enforcement intended to improve the bicycle infrastructure in the city to enable people to bike to work and school, to utilize a bicycle to run errands, and to enjoy the health and environmental benefits that bicycling provides cyclists of every age. The Bike Plan recommends that the existing Class II Bike Lane on South Foothill Boulevard and Stevens Canyon Road through the project area be improved to a Class II Buffered Bike Lane. This recommendation is a low priority compared to other proposed projects in the Bike Plan.

¹⁴⁶ City of Cupertino, 2016 Bicycle Transportation Plan, Figure 3-7: Bikeway projects.

ENVIRONMENTAL ANALYSIS

The VTA adopted the *Santa Clara Countywide Bicycle Plan (CBP)*. The CBP guides the development of major bicycle facilities in the County by identifying Cross County Bicycle Corridors and other bicycle projects of countywide or intercity significance. The CBP maps one on-street Cross-County Bicycle Corridor (CCBC) along South Foothill Boulevard in the project area. This CCBC is not a high-priority corridor.

Transit Facilities

VTA operates bus services in the City of Cupertino and in the project vicinity. The closest bus stop is located within a 15-minute walk (about 0.6 miles feet) to and from the project site, providing access to local bus route 81. Bus route 81 provides transportation between Moffett Field/Ames Center and San Jose State University. Bus route 81 operates from 6:06 a.m. to 9:04 p.m. and has a peak headway of 25 to 35 minutes depending on the stop and direction.¹⁴⁷

Daily Trips

Based on trip generation rates recommended by the Institute of Transportation Engineers (ITE) *Trip Generation Manual, 9th Edition*, it is estimated that the existing uses on site generate approximately 454 daily vehicle trips.¹⁴⁸

Vehicles Miles Traveled

As previously discussed in Section 3.1.3, Existing Site Setting, the project site currently contains 10,500 square feet of existing commercial development that generates up to 23 employees when assuming one employee per 450 square feet. The project site also includes one residential unit. As shown in Table 4-11, these uses generate daily VMT of 662 and an annual VMT of 241,524.¹⁴⁹

TABLE 4-11 EXISTING VEHICLE MILES TRAVELED

Type	Rates	Daily	Annual
23 Employees	27.92 miles per worker ^a	642	234,388
1 Residential Unit	19.55 miles per household ^b	20	7,136
Total		662	241,524


Notes:

- a. The Year 2020 Plan Bay Area model forecasted daily VMT of 27.92 miles per worker employed in the project area.
 - b. The MTC model predicts a VMT of 19.55 miles per capita for households located in the project area in 2020.
- Source: TJKM Transportation Consultants 2019; PlaceWorks, 2020.

¹⁴⁷ Operating hours consider earliest and latest stop at each bus lines closest stop to the project site. Headways are defined as the time interval between two transit vehicles traveling in the same direction over the same route.

¹⁴⁸ TJKM Transportation Consultants. October 2019, Technical Memorandum (see Appendix D of this Initial Study).

¹⁴⁹ Applies the same assumptions to existing conditions as TJKM Transportation Consultants applied in their October 2019 memo for the proposed project (see Appendix D of this Initial Study).

ENVIRONMENTAL ANALYSIS

Source: TJKM, 2020.




Figure 4-1

Existing Pedestrian and Bicycle Facilities

ENVIRONMENTAL ANALYSIS

DISCUSSION

- a) *Would the project conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?*

Roadway Facilities

Operational Traffic

As previously discussed, the development of the project would not exceed the 15 dwelling units per acre currently permitted or the 25 dwelling units per acre maximum that was evaluated in the General Plan EIR. Therefore, the proposed project would not directly result in any additional new population growth or employment growth beyond what was analyzed in the General Plan EIR. As stated in Section II, Air Quality, and Section, VII, Greenhouse Gas Emissions, the proposed project is not considered a regionally significant project under CEQA Guidelines Section 15206 that would affect regional vehicle miles traveled (VMT) and warrant intergovernmental review by ABAG and MTC.

As shown in Table 4-12, the proposed project would generate 631 daily VMT, and 230,315 annual VMT. As shown in Table 4-13, the proposed project would generate about 322 daily trips.

TABLE 4-12 PROPOSED VEHICLE MILES TRAVELED

	Rates	Daily	Annual
10 Employees	27.92 miles per worker ^a	279	101,835
18 Residential	19.55 miles per worker ^b	352	128,480
Total		631	230,315

Notes:

a. The Year 2020 Plan Bay Area model forecasted daily VMT of 27.92 miles per worker employed in the project area.

b. The MTC model predicts a VMT of 19.55 miles per capita for households located in the project area in 2020.

Source: TJKM Transportation Consultants 2019; PlaceWorks, 2020.

TABLE 4-13 PROJECT TRIP GENERATION

Land Use (ITE Code)	Size	Daily		AM Peak		PM Peak	
		Rate	Trips	Rate	Total	Rate	Total
Residential Condo Townhouse ^a (230)	13 DU	5.81	76	0.44	6	0.52	7
Apartments ^b (220)	5 DU	6.65	33	0.51	3	0.62	3
Retail ^c (820)	5,000 SF	42.7	214	0.96	5	3.71	19
Total Trips			322		14		29

ENVIRONMENTAL ANALYSIS**TABLE 4-13 PROJECT TRIP GENERATION**

Land Use (ITE Code)	Size	Daily		AM Peak		PM Peak	
		Rate	Trips	Rate	Total	Rate	Total

Notes: DU = dwelling units; SF = square feet

a. ITE Trip rates per unit for residential condominium houses.

b. ITE Trip rates per unit for residential apartments.

c. ITE Trip rates per 1,000 square feet for commercial use.

Source: TJKM Transportation Consultants, *Traffic Impact Study Report*, July 2019, Table 2.

When compared to existing conditions, the proposed project would generate both fewer daily trips (322 proposed daily trips compared to 454 existing daily trips), less daily VMT (631 proposed daily VMT compared to 662 existing daily VMT), and less annual VMT (230,315 proposed annual VMT compared to 241,524 existing annual VMT). Therefore, the project would generate fewer daily trips and fewer VMT than existing conditions and would have a net benefit with respect to roadway facilities.

The Governor's Office of Planning and Research's *Technical Advisory On Evaluating Transportation Impacts in CEQA*¹⁵⁰ and the City's White Paper *SB 743 Implementation Decisions for the City of Cupertino*¹⁵¹ provide guidance on evaluating transportation impacts for small projects, redevelopment projects on infill sites, and projects that are consistent with the Regional Transportation Plan (RTP)/Sustainable Community Strategy (SCS). According to the OPR, the proposed project is consistent with the following scenario that concludes with less-than-significant transportation impacts:

- Where a project replaces existing VMT-generating land uses, if the replacement leads to a net overall decrease in VMT, the project would lead to a less-than-significant transportation impact.¹⁵²

In addition, according to these guiding documents, a project that generates less than 110 daily trips may be assumed to cause a less-than-significant transportation impact.¹⁵³ This threshold is based on CEQA's categorical exemption¹⁵⁴ for existing facilities (Class 1), including additions to existing structures of up to 10,000 square feet, so long as the project is in an area where public infrastructure is available to allow for maximum planned development and the project is not in an environmentally sensitive area (CEQA Guidelines Section 15301(e)(2)). Typical project types for which trip generation increases relatively linearly with building footprint (i.e., general office building, single tenant office building, office park, and business park) generate or attract an additional 110 to 124 average daily trips or 836 VMT per 10,000 square feet.

¹⁵⁰ Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, December 2018.

¹⁵¹ City of Cupertino White Paper *SB 743 Implementation Decisions for the City of Cupertino*, Appendix E: Appendix E, Small Project Screening for SB 743, February 2021.

¹⁵² Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, page 17, December 2018.

¹⁵³ Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, December 2018, page 12 and City of Cupertino White Paper *SB 743 Implementation Decisions for the City of Cupertino*, Appendix E: Small Project Screening for SB 743, February 2021, pages 138 and 139.

¹⁵⁴ Section 15300 of the CEQA Guidelines, Categorical Exemptions, states that Section 21084 of the Public Resources Code requires these Guidelines to include a list of classes of projects which have been determined not to have a significant effect on the environment and which shall, therefore, be exempt from the provisions of CEQA.

ENVIRONMENTAL ANALYSIS

A 20-unit housing project generates an equivalent number of VMT to a 10,000-square-foot non-residential project.¹⁵⁵ Therefore, absent substantial evidence otherwise, OPR and the City determined that it is reasonable to conclude that the addition of 20 housing units or 10,000 square feet of non-residential space could be considered a less-than-significant impact.

Furthermore, the OPR's *Technical Advisory On Evaluating Transportation Impacts in CEQA* also recognizes that for redevelopment projects on infill sites, such as the proposed project, where a project replaces existing VMT-generating land uses, if the replacement leads to a net overall decrease in VMT, the project would lead to a less-than-significant transportation impact.¹⁵⁶ This is consistent with CEQA Guidelines Section 15064.3(b), which states that projects that decrease VMT in the project area compared to existing conditions should be presumed to have a less-than-significant transportation impact.

On February 16, 2021, the City adopted CMC Chapter 17.08, Evaluation of Transportation Impacts Under the California Environmental Quality Act, which provides screening criteria and VMT thresholds for land-use development projects, transportation projects, and other projects pursuant to the CEQA. CMC Chapter 17.08 went into effect on April 1, 2021. Under CMC Chapter 17.08, a project would be screened out from more detailed VMT analysis if the project is consistent with applicable General Plan policies and supported by substantial evidence demonstrating cumulative VMT is declining. Project screening may be used for projects that meet one or more of the following criteria:

- A project located within one-quarter mile of a High-Quality Transit Corridor or transit stop as defined by CEQA;
- Local-serving retail of 50,000 square feet or less; or
- Land-use projects consisting of 100 percent affordable housing.

Under CMC Chapter 17.08, a project would have a significant impact if:

- The total project generated VMT per service population would exceed the City's target VMT reduction of 14.4 percent below the citywide baseline VMT rate, and
- If the project increases total countywide VMT compared to baseline conditions.

As described in Section X, Land Use and Planning, the proposed project is consistent with the General Plan and applicable policies. The proposed project, an infill redevelopment project currently served by existing public infrastructure and not in an environmentally sensitive area, would generate 631 daily VMT, which as described above is equivalent to the standards applied to a project qualifying for a CEQA exemption. The proposed project would generate fewer VMT than existing conditions (proposed 631 daily VMT and 230,315 annual VMT compared to existing 662 daily VMT and 241,524 annual VMT), which demonstrates a contribution to a decline in cumulative VMT. Accordingly, the proposed project would meet the

¹⁵⁵ Using statewide average data from the 2012 California Household Travel Survey (CHTS), the amount of daily VMT associated with 10,000 square feet of non-residential space is 836 VMT. Also using statewide average CHTS data, this level of VMT is associated with 20 housing units.

¹⁵⁶ Governor's Office of Planning and Research, *Technical Advisory On Evaluating Transportation Impacts in CEQA*, page 17, December 2018.

ENVIRONMENTAL ANALYSIS

standards to be screened out from detailed VMT evaluation under the City's standards as well as CEQA Guidelines Section 15064.3(b), which as previously stated finds that projects that decrease vehicle miles traveled in the project area compared to existing conditions should be presumed to have a less-than-significant transportation impact. Accordingly, transportation impacts during operation of the proposed project would be less than significant.

Construction Traffic

Demolition and construction would take place over a 10-month period, which is anticipated to begin in June 2021 and end in March 2022, subject to regulatory approval. During this period, the project would result in changes to existing transportation conditions. New traffic would be generated by construction employees and construction activities, including haul trucks. Construction traffic is temporary and would generate fewer trips than the projected trips during project operation. During demolition and construction, vehicle, equipment, and materials would be staged and stored on a portion of the project site. The construction site and staging areas would be clearly marked, and construction fencing would be installed to prevent disturbance and safety hazards. No staging would occur in the public right-of-way. Therefore, no hazards for pedestrians and bicyclists in the area would occur during this phase.

Pedestrian Facilities

The proposed project is expected to increase the number of pedestrians using the existing sidewalks and crosswalks in the area. The project site and surrounding uses would continue to use the existing sidewalks along Stevens Canyon Road, McClellan Road, and St. Andrews Avenue. The project would construct new sidewalks along the west side of South Foothill Boulevard and Stevens Canyon Road. The proposed sidewalk would also connect to the existing sidewalk to the north of the project site on west side of South Foothill Boulevard and existing sidewalk to the south of the project. The proposed project would have 5-foot sidewalks along Stevens Canyon Road, on the project side. The proposed project is expected to improve overall pedestrian access and facilities by providing sidewalks and ADA compliant ramps at existing crosswalks within the project vicinity with adequate accessible design (per the ADA) that meets the City of Cupertino design standards. The proposed project provides adequate and appropriate facilities for safe non-motorized mobility. Pedestrians would have safe access to the site via the existing crosswalks marked with ladder striping on Stevens Canyon Road connecting to McClellan Road and St. Andrews Avenue. The proposed project would contribute to the pedestrian facilities in the project vicinity and would not eliminate or impede any existing pedestrian facilities, nor would it conflict with any of the goals and policies in the City's Pedestrian Plan.

Bicycle Facilities

Class II Bike Lanes are located along both sides of the roadway at South Foothill Boulevard and Stevens Canyon Road in the vicinity of the project site. The proposed project would not remove any existing bicycle facilities, nor would it conflict with any adopted plans or policies for new bicycle facilities. The proposed project would be required to provide Class 1 bicycle parking spaces (bicycle lockers or secure rooms) and Class 2 bicycle parking spaces (publicly accessible bicycle racks) for commercial users and

ENVIRONMENTAL ANALYSIS

employees of the mixed-use building. Therefore, the proposed project would not obstruct or hinder the implementation of the City's Bike Plan and would support the use of bicycling by providing adequate bike facilities for commercial users and employees of the mixed-use building.

Transit Facilities

VTA operates bus services in the City of Cupertino and in the project vicinity. The closest bus stop is located within a 15-minute walk (about 0.6 miles feet) to and from the project site, providing access to local bus route 81. The VTA has not established policies or significance criteria related to transit vehicle delay. The 52 residents and 10 permanent jobs that would result from construction and operation of the proposed project are anticipated to come from Cupertino and surrounding Bay Area communities and would not introduce new riders to the VTA operated bus services that serve the project area. Therefore, the new transit trips generated by the project are not expected to create demand in excess of the transit service that is currently provided.

Conclusion

In summary, the proposed mixed-use, infill project would be expected to generate 132 fewer daily vehicle trips, 31 fewer daily VMT, and 11,209 fewer annual VMT than the existing use. The proposed project would not displace modify or interfere with any sidewalk, bicycle lanes, or sidewalks. In addition, the project would not generate a demand for transit that would exceed the capacity of the system. Therefore, the project would not conflict with adopted policies, plans, or programs regarding pedestrian, bicycle or pedestrian facilities. Accordingly, impacts would be *less than significant*.

b) Would the project conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)?

CEQA Guidelines Section 15064.3, which took effect on July 1, 2020, contains new requirements for evaluating a project's transportation impacts. As of July 1, 2020, impacts on auto delay or level of service are no longer be considered a significant impact under CEQA for land use projects.

VMT measures the overall effects of a project on the transportation system. VMT is the sum of all of the vehicle trips generated by a project multiplied by the lengths of their trips to and from the site on an average weekday. A vehicle driven 1 mile is 1 VMT. Therefore, a project with a higher VMT would have a greater environmental effect than a project with a lower VMT.

The trip lengths vary by the land use type and the trip purpose. For example, a trip from a residence to a job may be longer than the trip from a residence to a neighborhood school. The VMT values stated below represent the full length of a given trip, and are not truncated at city, county, or region boundaries.

Many factors affect travel behavior and trip lengths such as density of land use, diversity of land uses, design of the transportation network, distance to high-quality transit, and demographics. Low-density development separated from other land uses and located in areas with poor access to transit generates more automobile travel and higher VMT compared to development located in urban areas with more access to transit. As discussed in the General Plan EIR, the VMT per capita is projected to increase from

ENVIRONMENTAL ANALYSIS

10.5 to 10.9 under General Plan buildout conditions. The proposed project would construct a mixed-use project, which is consistent with the land use evaluated in the General Plan EIR and would not directly result in any additional new population growth or employment growth beyond what was accounted for in the General Plan EIR. Accordingly, implementation of the project would be consistent with and would have no effect on the VMT estimates presented in the General Plan EIR.

As discussed in criterion (a), the proposed project would be consistent with the analysis conducted in the General Plan EIR, and implementation of the proposed project would reduce VMT from the existing conditions at the project site. Therefore, the proposed project would not conflict or be inconsistent with CEQA Guidelines Section 15064.3(b) and impacts would be *less than significant*.

c) *Would the project substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?*

The project proposes a two-lane entrance/exit circulation pattern with the access points on South Foothill Boulevard and Stevens Canyon Road, which is the same as how the site is currently accessed. As discussed in criterion (a), the proposed project would generate fewer daily trips than the existing conditions and would not create a significant impact on the expected left-turn or right-turn queues or sight distance at the study intersections.

The proposed project would not modify any design features to a public road or introduce a potentially unsafe feature that would increase hazards. *No impacts* would occur, and no mitigation measures would be required.

d) *Would the project result in inadequate emergency access?*

The proposed project is located in a predominately residential neighborhood with residential driveways and neighborhood streets adjacent and in close proximity to the project site. There are three streets in the proposed project: McClellan Road extension, St. Andrews Avenue extension, and a new roadway on the project site to connect the streets. Service and emergency vehicles would be accommodated with two access points as well as sufficiently wide aisle ways for entering and turning. The internal circulation was reviewed for issues related to queueing, turning radii, safety and circulation aisles. All circulation aisles are 20 feet wide, and the turning radii are adequate for emergency and service vehicles. The SCCFD and City of Cupertino Building Division coordinate the review of building permits. All access driveways would be designed in accordance with City of Cupertino standards and would have to be reviewed and approved by SCCFD.

Project plans include approved fire and emergency access through all phases of construction and operation. Compliance with the provisions of the CFC and the CBC (described above), would ensure that adequate access would be provided. Therefore, the proposed project would not result in inadequate emergency access, *no impacts* would occur, and no mitigation measures would be required.

ENVIRONMENTAL ANALYSIS

XVI. TRIBAL CULTURAL RESOURCES

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less-Than-Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American Tribe, and that is: <ul style="list-style-type: none"> i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resource Code Section 5024.1. In applying the criteria set forth in subdivision (c) of the Public Resource Code Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance to a California Native American tribe. 	□	■	□	□

GENERAL PLAN EIR

As described above in Section IV, Cultural Resources, the General Plan EIR addressed impacts to cultural resources associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. The impacts were found to be less than significant, and no mitigation measures were required. The cultural resources study prepared for the General Plan EIR consists of archival research at the Northwest Information Center at Sonoma State University, examination of the library and files, field inspection, and contact with the Native American community. The cultural resources study addressed impacts associated with archeological resources, including those of Native Americans. As shown in Table 4.4-2, *Cultural Resources in the Project Study Area and Vicinity*, and on Figure 4.4-1, *Cultural Resources*, of the General Plan EIR, there are no identified cultural resources, including those affiliated with Native Americans, present on the project site.

EXISTING CONDITIONS

CEQA Sections 21074 and 21084.2 contain CEQA standards of significance that relate to Native American consultation and added “tribal cultural resources” to the specific cultural resources protected under CEQA. CEQA sections 21080.3.1 requires the CEQA lead agency to begin consultation with any California Native American Tribe that is traditionally and culturally affiliated with the geographic area of a proposed project if the Tribe requests in writing, to be informed by the lead agency through formal notification of

ENVIRONMENTAL ANALYSIS

the proposed projects in the area. The consultation is required before the determination of whether a negative declaration, mitigated negative declaration, or EIR is required. In addition, CEQA Section 21080.3.1 includes time limits for certain responses regarding consultation. Pursuant to CEQA Section 21084.3, public agencies shall, when feasible, avoid damaging effects to any tribal cultural resources. Information shared by tribes as a result of consultation shall be documented in a confidential file, as necessary, and made part of a lead agency's administrative record. The City of Cupertino has not received a request from any Tribes in the geographic area with which it is traditionally and culturally affiliated with or otherwise to be notified about projects in the city.

CEQA Section 21074.3(a) defines a tribal cultural resource as a site, feature, place, cultural landscape that is geographically defined in terms of size and scope, sacred place, and object with cultural value to a California Native American tribe that is either included or eligible for inclusion in the California Register of Historic Resources or included a local register of historical resources, or if the City, acting as the lead agency, supported by substantial evidence, chooses at its discretion to treat the resource as a tribal cultural resource.

DISCUSSION

- a) *Would the proposed project cause a substantial adverse change in the significance of a Tribal Cultural Resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American Tribe, and that is:*
 - i) *Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or*
 - ii) *A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resource Code Section 5024.1. In applying the criteria set forth in subdivision (c) of the Public Resource Code Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance to a California Native American tribe?*

The discussion in Section IV, Cultural Resources, is applicable to impacts to tribal cultural resources. As discussed under criteria (b) and (c) in Section IV, Cultural Resources, no known archeological resources, ethnographic sites, or Native American remains are located on the project site. As discussed under criterion (b), implementation of Mitigation Measure CULT-1 would reduce impacts to unknown archaeological deposits, including tribal cultural resources, to a less-than-significant level. As discussed under criterion (c), compliance with State and federal regulations would reduce the likelihood of disturbing or discovering human remains, including those of Native Americans. Therefore, implementation of Mitigation Measure CULT-1, which is not a General Plan EIR mitigation measure, and compliance with State and federal regulations related to the protection of human remains would reduce impacts to tribal cultural resources to a *less-than-significant* level.

Impact TRC-1: The proposed project could cause a substantial adverse impact to an unknown Tribal Cultural Resource.

ENVIRONMENTAL ANALYSIS

Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.

XVII. UTILITIES AND SERVICE SYSTEMS

Would the proposed project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Have insufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.14, Utilities and Services Systems, of the General Plan EIR, addressed the impacts to water supply, wastewater, and solid waste associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant with mitigation. The City is required to implement General Plan Mitigation Measures UTIL-6a through UTIL-6c, and UTIL-8, which were previously adopted and incorporated into the General Plan, to ensure impacts related to wastewater and solid waste are less than significant. General Plan Mitigation Measures UTIL-6a through UTIL-6c require the City to work with the Cupertino Sanitary District (CSD) to increase the available citywide treatment and transmission capacity, identify appropriate and current wastewater generation rates that are approved by CSD and establish a monitoring and tracking system for wastewater generation to better understand the City's need for potential capacity upgrades from CSD. General Plan Mitigation Measure UTIL-8 requires the City to continue current recycling and zero-waste practices, monitor solid waste generation, and seek new landfill sites to replace the Altamont and Newby Island landfills at such time that these landfills are closed. These mitigation measures, which were previously adopted by the City and incorporated into the General Plan, will be implemented by the City.

ENVIRONMENTAL ANALYSIS

EXISTING CONDITIONS

The existing conditions for each of the utility providers is listed below:

- The Santa Clara Valley Water District (SCVWD) is the primary water resources agency for Santa Clara County. The project site is located within the San José Water (SJW) service area until 2022. SJW would supply water to the project site. Water supply for the SJW is a combination of groundwater from wells in the Santa Clara Groundwater Basin, treated water purchased from SCVWD, and local mountain surface water from the Santa Cruz Mountains.
- Cupertino Sanitary District (CSD) provides sanitary sewer services for the project site. Wastewater would be treated at the San José/Santa Clara Water Pollution Control Plant (SJ/SCWPCP).
- Recology South Bay (Recology) would provide curbside recycling, garbage, and compost and yard waste service to the residents of the project. The City has a contract with Newby Island Sanitary Landfill (NISL)¹⁵⁷ until 2023. According to CalRecycle, the landfill had a remaining capacity of 21,200,000 cubic yards as of October 31, 2014 and a permitted maximum disposal capacity of 4,000 tons per day.¹⁵⁸ The landfill is scheduled to operate until 2041. In 2019, the landfill accepted 582,174 tons of waste, which equates to approximately 1,940 tons/day.¹⁵⁹ This results in a residual capacity of about 2,060 tons/day.
- Electricity and natural gas would be supplied to the project site via infrastructure maintained by Pacific Gas & Electric (PG&E). Electricity would be supplied by Silicon Valley Clean Energy.
- Telephone service would be provided by AT&T and other providers. Cable television service would be available from numerous providers, including Comcast.

DISCUSSION

- a) *Would the project require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction of which could cause significant environmental effects?*

Water Treatment Facilities

The Santa Clara Valley Water District (SCVWD) operates three treatment plants. The Rinconada Water Treatment Plant, which serves the project site, draws water from the South Bay Aqueduct and the San Luis Reservoir, which is treated and supplied to residential and commercial water dealers, such as SJW, which serves the site. The plant can provide up to 80 million gallons of water per day. The water treatment plant

¹⁵⁷ City of Cupertino, Garbage and Recycling Services Fact Sheet, <http://www.recyclestuff.org/Guides/CityGuideCupertino.pdf>, accessed May 7, 2019.

¹⁵⁸ Calrecycle website, <http://www.calrecycle.ca.gov/SWFacilities/Directory/43-AN-0003/Detail/>, accessed May 29, 2019.

¹⁵⁹ Assuming 300 operational days/year; the landfill is open six days a week.

ENVIRONMENTAL ANALYSIS

is currently under renovation to modernize the system and will result in an increased capacity of 100 million gallons per day as well as improved water quality and greater seismic stability.¹⁶⁰

As discussed in the General Plan EIR and criterion b) below, buildout of the General Plan including the proposed project would not result in insufficient water supplies from SJW under normal year conditions or during single-dry year and multiple-dry years, with the proposed and existing water conservation regulations and measures in place. Therefore, implementation of the project would not require any new water treatment facilities or improvements other than those currently under construction.

Wastewater Treatment Facilities

Wastewater from the project site would be discharged to the CSD sewer collection system, which the conveys the wastewater to the SJ/SCWPCP, which is jointly owned by the cities of San José and Santa Clara. The NPDES permit for this facility (NPDES No. CA0037842) is currently in the process of being renewed by the San Francisco Bay RWQCB (Tentative Order No. R2-2020-XXXX). The NPDES permit allows for dry weather discharges of up to 167 million gallons per day (mgd) with full tertiary treatment. The plant is designed to route fully treated secondary effluent in excess of the filtration design capacity around the filters (250 mgd) during extreme wet weather flow events and recombine it with filter effluent prior to disinfection. As discussed below in criterion (c), future demands from the proposed project would not exceed the design or permitted capacity of the SJ/SCWPCP that serves the project site. Future wastewater treatment demand was assessed in consultation with the City of Cupertino and includes consideration of development in the city through the 2040 buildout horizon of the General Plan. Therefore, development of the proposed project would not require any improvements not already considered, and the impact of the proposed project on SJ/SCWPCP would be *less than significant*.

Stormwater Drainage

Municipal storm water discharges in the City of Cupertino are subject to the Waste Discharge Requirements of the Municipal Regional Permit (MRP; Order Number R2-2015-0049, as amended by Order No. R2-2019-0004) and NPDES Permit Number CAS612008. As previously discussed in Section IX, Hydrology and Water Quality, the proposed project would be subject to Provision C.3 guidelines for stormwater control. Through C.3 compliance, the proposed project would minimize runoff from the project site as described in Section IX, Hydrology and Water Quality. The proposed project also would comply with CMC Chapter 9.18, described in Section 3.1.4.2, Zoning, which implements the requirements of the NPDES permit issued to the City. Additionally, the project would submit an SMP to the City for review and approval prior to the start of construction that describes the stormwater treatment measures that would be implemented to reduce stormwater runoff to the City's storm drain system.

The project site is within an area where some of the storm drains are deficient in conveying the water from a 10-year storm, based on the 2018 *Storm Drain Master Plan*. Stormwater from the southern portion of the site would discharge to the City's existing 18-inch storm drain that is aligned beneath St. Andrews

¹⁶⁰ Santa Clara Valley Water District, 2020. Rinconada Water Treatment Plant. Accessed at <https://www.valleywater.org/node/98> on January 11, 2021.

ENVIRONMENTAL ANALYSIS

Avenue; this storm drain does not currently have capacity issues. However, stormwater from the northern portion of the site would discharge to the City's existing 18-inch storm drain near the intersection of South Foothill Boulevard and McClellan Road. The storm drain beneath Stevens Canyon Road/South Foothill Boulevard that continues to Stevens Creek Boulevard is currently under capacity and is designated as high priority for replacement.¹⁶¹ The proposed project would not exacerbate this existing condition, however, because it will increase the amount of pervious surfaces through landscaping and reduce the amount of impervious surfaces, resulting in a net reduction in stormwater runoff. Additionally, the project would provide two bioretention facilities that would collect runoff from roof areas, parking lots, sidewalks and streets for treatment and flow control prior to discharge into the internal storm drain system, which connects to the City's storm drain system at Stevens Canyon Road/South Foothill Boulevard and St. Andrews Avenue. The City has determined that the on-site stormwater treatment areas would meet the C.3 requirements of the MRP. In addition, a hydrology and hydraulics report will be prepared for submittal and review by the Director of Public Works prior to the start of construction to ensure that the stormwater runoff from the site does not exceed the capacity of the City's storm drain system.

The proposed project would not require the expansion of existing stormwater facilities or the construction of new facilities, the construction of which could otherwise have significant impacts. Therefore, impacts would be *less than significant*, and no mitigation measures would be required.

Other Utility Facilities

Other utility facilities that serve the project site include electric power, natural gas, and telecommunications facilities. PG&E would supply natural gas and electricity infrastructure and Silicon Valley Clean Energy would provide electricity to the project site. AT&T and other providers would provide telephone service. Cable television service would be available from numerous providers, including Comcast.

The proposed project is an infill development project that would result in an increase in land use intensity in a portion of the city that has access to existing infrastructure and services, which was accounted for in the General Plan EIR. The proposed project would include appropriate on-site infrastructure to connect to the existing PG&E and telecommunication systems and would not require new off-site facilities and distribution infrastructure or capacity enhancing alterations to any existing facilities. Accordingly, impacts would be *less than significant*.

b) *Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?*

As described in the General Plan EIR in Chapter 4.14, the water supply for the City of Cupertino at project buildout year 2022 would be 13,078 acre-feet¹⁶² per year (afy) and at General Plan buildout year 2040 would be 16,984 afy. Buildout associated with the General Plan would result in sufficient water supplies

¹⁶¹ Schaaf & Wheeler Consulting Civil Engineers. 2018. Cupertino Storm Drain Master Plan.

¹⁶² One *acre-foot* equals about 326,000 gallons, or enough water to cover an *acre* of land, about the size of a football field, one *foot* deep.

ENVIRONMENTAL ANALYSIS

from SJW under normal year conditions or during single-dry year and multiple-dry years, with the implementation of proposed and existing water conservation regulations and measures. The Water Supply Evaluation prepared for the General Plan EIR included new development on the project site at a greater number of units than proposed for the project (27 net new units as compared to 18 new units for the proposed project); therefore, water supply impacts were adequately addressed in the General Plan EIR.

The proposed project's water demand was calculated using the applicable water demand generation factors included in the Cupertino Sanitary District's *Flow Modeling Analysis*.¹⁶³ For the residential component of the project, a total indoor residential water demand of 155 gallons/day/unit was calculated. For the commercial portion of the property, the water demand factor of 0.11 gpd/square foot from the Water Supply Evaluation prepared for the General Plan Amendment was used. The irrigation demand was based on the Maximum Applied Water Allowance (MAWA) pursuant to the Water Efficient Landscape Ordinance. This conservatively assumes that all the pervious area at the site will be irrigated; actual irrigation water usage will most likely be less than the calculated amount. The results are provided in Table 4-14.

TABLE 4-14 WATER DEMAND FOR THE PROPOSED PROJECT

Development Type	Water Demand Factor	Size	Water Demand
Residential	155 gpd/unit ^a	18 units	2,790 gpd
Retail/Commercial	0.11 gpd/square foot	4,536 square feet	499 gpd
Irrigation	--	16,602 square feet of pervious surfaces	639 gpd
Total Water Demand			3,928 gpd

Note:

a. Water demand factor calculated as 60 gallons/resident/day x 2.87 residents per unit x 10 percent reduction for new construction and low-flow fixtures. Sources: Water Supply Evaluation (Yarne & Associates), May 20, 2014; prepared with input from the City of Cupertino. Mark Thomas & Company, Inc, 2019. Cupertino Sanitary District, *Flow Modeling Analysis, Homestead Flume Outfall to City of Santa Clara*.

The projected water demand for the project would be approximately 3,928 gpd or 4.4 AFY. This is less than 0.03 percent of Cupertino's water supply at buildout and the proposed project was accounted for in the General Plan EIR at a higher density land use and water demand rate. There is no shortage in water supply to the City of Cupertino by SJW under normal year, single-dry year, and multiple dry years. Accordingly, the proposed project's water demand would not exceed the available water supply in 2022 at project buildout or General Plan buildout by year 2040 and impacts to water supply under the proposed project would be *less than significant*.

- c) *Would the project result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?*

The calculated wastewater demand for the proposed project is provided in Table 4-15. The proposed project with 4,536 square feet of commercial space and 18 residential units would generate approximately 2,982 gallons/day of wastewater, or 0.0030 mgd of wastewater. The wastewater demand

¹⁶³ Mark Thomas & Co. Inc., December 6, 2019, *Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara*.

ENVIRONMENTAL ANALYSIS

calculations are based on the residential water demand factor of 155 gpd/unit and the assumption that 95 percent of the water demand would result in wastewater generation. For the retail/commercial component of the project, the wastewater demand factor of 0.073 gpd/sq ft for retail/commercial land use from the CSD's *Flow Modeling Analysis* was used.

TABLE 4-15 WASTEWATER DEMAND FOR THE PROPOSED PROJECT

Development Type	Wastewater Demand Factor	Size	Water Demand
Residential	147 gpd/unit ^a	18 units	2,651 gpd
Retail/Commercial	0.073 gpd/square foot ^b	4,536 square feet	331 gpd
Total Water Demand			2,982 gpd

Notes:

a. Water demand factor of 155 gpd/unit x 95 percent (amount of water demand that becomes wastewater).

b. From source reference for retail/commercial.

Source: Mark Thomas & Company, Inc, 2019. *Cupertino Sanitary District, Flow Modeling Analysis, Homestead Flume Outfall to City of Santa Clara.*

The wastewater demand under existing conditions was also calculated to determine the net increase in wastewater demand with implementation of the proposed project. Based on the CSD's *Flow Modeling Analysis*, the wastewater demand factor for retail and commercial uses of 0.073 gpd per square foot, and assuming that the existing commercial buildings total 13,225 square feet, the current wastewater demand would be 965 gpd or approximately 0.0008 mgd of wastewater. The proposed project would generate up to 2,982 gpd or approximately 0.0024 mgd of wastewater.¹⁶⁴ Therefore, the proposed project would increase wastewater generation at the site by 2,017 gpd or 0.0016 mgd of wastewater. However, the estimated project wastewater demand would be much less than that generated for the proposed buildout of the site in the General Plan, which assumed 27 new units for a wastewater demand of 3,969 gpd. In addition, the wastewater demand calculations are conservative, because no credit is taken for water conservation measures that would be applicable with new construction, thus reducing the amount of wastewater generated.

The SJ/SCWPCP's projected peak wet weather capacity stated in *The San Jose Santa Clara Water Pollution Control Plant Master Plan*, November 2013, is 450 mgd. The proposed project's wastewater generation (0.0030 mgd) and the existing wastewater generated in the SJ/SCWPCP's service area (110 mgd) would not exceed the SJ/SCWPCP's current total peak wet weather capacity of 450 mgd. The ADWF capacity is 167 mgd pursuant to the most recent National Pollutant Discharge Elimination System (NPDES) permit for the SJ/SCWPCP (Order No. R2-2014-0034, NPDES No. CA0037842). Combined, the proposed project's wastewater generation (0.0030 mgd) and the existing wastewater generated (110 mgd) would not exceed the SJ/SCWPCP's current ADWF capacity limits (167 mgd).

The CSD has a contractual maximum treatment allocation of 7.85 mgd with the SJ/SCWPCP. At the time of the General Plan EIR, the CSD estimated the existing wastewater generation rate for the City of Cupertino

¹⁶⁴ Mark Thomas & Co. Inc., December 6, 2019, *Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara.*

ENVIRONMENTAL ANALYSIS

to be 5.3 mgd and the proposed General Plan build-out would generate 7.2 mgd of wastewater.¹⁶⁵ Combined, the existing wastewater flow (5.3 mgd) plus the proposed project (0.0030 mgd) would not exceed the City's contractual allocation limits (7.85 mgd). Furthermore, the proposed mixed-use development was included within the 4,421 residential units and the 1,343,679 square feet of commercial land use evaluated in the General Plan EIR. Furthermore, as demonstrated in Table 1.1 in Section 1.2, Tiering Process, the and the site was originally assumed to have a higher density land use. Therefore, the project would not result in an exceedance of the City's contractual agreement with SJ/SCWPCP and there would be no significant impact with respect to wastewater treatment capacity.

However, the CSD's wastewater flows through a portion of the City of Santa Clara's sewer system. The contractual agreement between CSD and the City of Santa Clara, for this portion of the Santa Clara sewer system, allows the City 13.8 mgd of capacity in the sewer system during peak wet weather flows. The existing CSD peak wet weather flow into the Santa Clara system is 13.14 mgd.¹⁶⁶ However, the estimated wastewater generation from the proposed project and from other potential projects in Cupertino, as established by the General Plan and other approved projects, is approximately 14.61 mgd, which is the total capacity needed to serve the General Plan buildout.¹⁶⁷ Therefore, the proposed project, and other approved and potential projects as established by the General Plan buildout, will require a reduction in sewer generation from the CSD system prior to flowing into the City of Santa Clara system, or additional capacity rights will need to be acquired from the City of Santa Clara.

Until such corrections to the system can occur, future projects in Cupertino, including the proposed project would exceed the 13.8 mgd contractual limit through the City of Santa Clara sewer system resulting in a potentially *significant* impact.

Impact UTIL-1: Implementation of the proposed project may result in a determination by the wastewater treatment provider, which serves or may serve the proposed project, that it does not have adequate capacity to serve the project's projected demand in addition to the provider's existing commitments.

Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:

2. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or

¹⁶⁵ City of Cupertino, General Plan (Community Vision 2015–2040, Appendix B: Housing Element Technical Report, 4.3 Environmental, Infrastructure & Public Service Constraints, page B-93.

¹⁶⁶ Mark Thomas & Co. Inc, December 6, 2019, Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara.

¹⁶⁷ Mark Thomas & Co. Inc, December 6, 2019, Cupertino Sanitary District Flow Modeling Analysis Homestead Flume Outfall to City of Santa Clara.

ENVIRONMENTAL ANALYSIS

3. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD.

The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the *Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara*, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.

Alternatively, if the prior agreement between CSD and the City of Santa Clara that currently limits the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system were to be updated to increase the permitted peak wet weather flow, this impact would then be less than significant. If this were to occur prior to the City's approval of building permits, then Mitigation Measure UTIL-1 would no longer be required to be implemented.

Significance with Mitigation: Less than significant. Implementation of Mitigation Measure UTIL-1 would guarantee that no development on the project site could occur that would exceed the 13.8 mgd peak wet weather flow contractual limit through the City of Santa Clara and CSD by ensuring that no building permit would be issued for any structures or units that result in the contractual limit being exceeded until: (1) additional capacity is available through the City of Santa Clara's sewer system; (2) improvements are made to the CSD sewer system that reduce the peak wet weather flows that enter the City of Santa Clara system; (3) improvements are made on the project site that ensure the contractual limit is not exceeded; or (4) the completion of any combination of these approaches that adequately addresses potential capacity issues. Accordingly, impacts would be *less than significant with mitigation*.

- d) *Would the project generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?*

The City contracts with Recology to provide solid waste collection services to residents and businesses in the city. The City has a contract with Newby Island Sanitary Landfill (NISL) until 2023, but has not secured a new landfill contract for landfill disposal after that date. However, according to the Integrated Waste Management Plan, the landfills in the County (including NISL where the City's collected solid waste is currently being landfilled) have adequate disposal capacity beyond 2026 and NISL's operational life has recently been extended to 2041.¹⁶⁸ The City, therefore, has options for landfill service once the City's existing contract with NISL ends in 2023. In addition to the Newby Island Landfill, solid waste generated in Cupertino can also be disposed of at the Altamont Landfill and Resource Recovery facility, the Corinda Los Trancos Landfill, Forward Landfill Inc., Guadalupe Sanitary Landfill, Kirby Canyon Recycling and Disposal Facility, the Monterey Peninsula Landfill, Recology Hay Road, the Vasco Road Sanitary Landfill, the Zanker Material Processing Facility, and the Zanker Road Class III Landfill.

¹⁶⁸ Santa Clara County Integrated Waste Management Plan, County of Santa Clara Environmental Resources Agency, 1996.

ENVIRONMENTAL ANALYSIS

Waste management for the proposed project includes recycling and composting. Solid waste generated by construction of the proposed project would largely consist of demolition waste from the existing buildings as well as construction debris. The project would be required to comply with CMC Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, and the City's Zero Waste Policy, which requires the recycling or diversion of at least 65 percent of all construction and demolition (C&D) waste by salvage or by transfer to an approved facility.^{169,170} Prior to the issuance of any demolition, grading, and/or building permits, the applicant is required to submit a properly completed Waste Management Plan to the Cupertino Public Works Department, Environmental Programs Division. The Waste Management Plan shall do the following:

- Identify the materials to be diverted from disposal by recycling, reused on the project, or salvaged for future use or sale.
- Specify if materials would be sorted on-site or mixed for transportation to a diversion facility.
- Identify the diversion facility where the material collected will be taken.
- Identify construction methods employed to reduce the amount of waste generated.
- Specify that the amount of materials diverted shall be calculated by weight or volume, but not by both.

Compliance with CMC Chapter 16.72 and the City's Zero Waste Policy would reduce solid waste and construction-related impacts on landfill capacity.

Once the project is operational, there would be 52 residents and 10 employees at the site. In 2019, the City of Cupertino's disposal rate for residents was 3.5 pounds per day (PPD) and for employees was 3.4 PPD. This is much lower than the CalRecycle's target rate of 4.3 PPD for residents and 8.1 PPD for employees.¹⁷¹ The City of Cupertino's disposal rates for residents and employees have been below target rates and decreasing since 2007, with the exception of 2014, when the rate (9.8 PPD) exceeded the target (8.10 PPD).¹⁷² Applying these disposal rates, the project would generate approximately 211 PPD or 0.11 tons per day of new waste. The Newby Island Sanitary Landfill has a permitted daily disposal capacity of 4,000 tons per day and in 2019, the average daily disposal rate was approximately 1,940 tons/day. Therefore, the residual daily landfill capacity of 2,060 tons/day is more than sufficient to meet the solid waste generation rate for the project of 0.11 tons/day. Additionally, the proposed project would comply with the City's current recycling ordinances and zero-waste policies, which would further reduce solid waste disposed of in the landfill. Therefore, implementation of the project would not generate solid waste

¹⁶⁹ Cupertino Municipal Code, Title 16, Buildings and Construction, Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, Section 16.72.040, Diversion Requirement.

¹⁷⁰ City of Cupertino, Public Works, Garbage & Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed May 30, 2019.

¹⁷¹ CalRecycle. 2017. Jurisdiction Per Capita Disposal Trends. <https://www2.calrecycle.ca.gov/LGCentral/AnnualReporting/ReviewReports>, accessed May 30, 2019.

¹⁷² CalRecycle. 2017. Jurisdiction Per Capita Disposal Trends. <https://www2.calrecycle.ca.gov/LGCentral/AnnualReporting/ReviewReports>, accessed May 30, 2019.

ENVIRONMENTAL ANALYSIS

in excess of State or local standards, or excess the capacity of the landfill, or otherwise impair the attainment of solid waste reduction goals and would be *less than significant*.

e) *Would the project comply with federal, state, and local statutes and regulations related to solid waste?*

The City's per capita disposal rate for residents and employees in 2018 was 3.1 PPD and 3.2 PPD, respectively, which is below the 4.3 PPD and 8.1 PPD target rate established by CalRecycle.¹⁷³ As part of the *Countywide Integrated Waste Management Plan* to address waste management conditions within Santa Clara County, Cupertino adopted a Source Reduction and Recycling Element (SRRE)¹⁷⁴ and Household Hazardous Waste Element (HHWE)¹⁷⁵ in compliance with the California Integrated Waste Management Act.¹⁷⁶ The City has gone beyond the SRRE by implementing several programs, including the City's and Recology's organics or food waste collection program, and Environmental Recycling Day events offered to residents three times per year by Recology.

In December 2017, the City adopted a Zero Waste Policy.¹⁷⁷ According to the Zero Waste Policy, the City will require, through the City's waste hauling franchise agreement, steadfast and ongoing efforts by the City's franchisee to maintain a minimum residential and commercial waste diversion rate of 75 percent with a goal of reaching and maintaining 80 percent by 2025. In 2019, the City's solid waste diversion rate was 69 percent. These programs will be sufficient to ensure that future development in Cupertino, including the proposed project, would not compromise the ability to meet or exceed the State mandated target.

Construction and any demolition debris associated with the project would be subject to CMC Chapter 16.72, requiring that a minimum of 65 percent of C&D debris be diverted from landfill.¹⁷⁸ In addition, the City's Zero Waste Policy requires that all private construction projects that come through the City's permitting process, and all City projects (through contract requirements), recover and divert at least 65 percent of the construction waste generated by the project. Compliance with applicable statutes and regulations would ensure that the impact would be *less than significant*, and no mitigation measures would be required.

¹⁷³ CalRecycle. 2017. Disposal Rate Calculator. <https://www2.calrecycle.ca.gov/LGCentral/AnnualReporting/DisposalRateCalculator>, accessed May 30, 2019.

¹⁷⁴ City of Cupertino, Public Works. 1992. Source Reduction and Recycling Element, September 21, 1992.

¹⁷⁵ City of Cupertino, Public Works. 1992. Household Hazardous Waste Element, September 21, 1992.

¹⁷⁶ Cupertino Municipal Code, Title 9, Health and Sanitation, Chapter 9.6, Solid Waste, Non-Organic Recycling and Recycling Areas, Section 9.16.010(a), Purpose.

¹⁷⁷ City of Cupertino, Public Works, Garbage & Recycling, <https://www.cupertino.org/our-city/departments/environment-sustainability/waste>, accessed May 30, 2019.

¹⁷⁸ Cupertino Municipal Code, Title 16, Buildings and Construction, Chapter 16.72, Recycling and Diversion of Construction and Demolition Waste, Section 16.72.040, Diversion Requirement.

ENVIRONMENTAL ANALYSIS**XVIII. WILDFIRE**

If located in or near State responsibility areas or lands classified as very high fire hazard severity zones, would the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>

GENERAL PLAN EIR

Chapter 4.7, Hazards and Hazardous Materials, of the General Plan EIR, addressed the impacts to wildfire hazards associated with buildout of the General Plan including the redevelopment of the project site with up to 27 dwelling units and a 30-foot height maximum at a program level. Impacts were found to be less than significant, and no mitigation measures were required. This section of the Initial Study also addresses additional questions regarding wildfire related impacts pursuant to the updated CEQA Guidelines that were adopted by the California Natural Resource Agency in December 2018.

EXISTING CONDITIONS

Wildland fire protection in California is the responsibility of either the State, local government, or the federal government. State Responsibility Areas (SRA) are the areas where the State of California has the primary financial responsibility for the prevention and suppression of wildland fires. The SRA includes a 31-million-acre area, in which the State Department of Forestry and Fire Protection (CAL FIRE) provides a basic level of wildland fire prevention and protection services. Local Responsibility Areas (LRA) include lands within incorporated cities, cultivated agriculture lands, and portions of the desert. LRA fire protection is typically provided by city fire departments, fire protection districts, counties, or by CAL FIRE under contract to local government.¹⁷⁹ CAL FIRE determines fire hazard zones within the LRA using an extension of the SRA Fire Hazard Severity Zone model as the basis. The LRA hazard rating reflects flame and ember intrusion from adjacent wildlands and from flammable vegetation in the urban area.

¹⁷⁹ California Department of Forestry and Fire Prevention (CAL FIRE). Frequently Asked Questions. http://www.fire.ca.gov/firepreventionfee/sra_faqs, accessed May 30, 2019.

ENVIRONMENTAL ANALYSIS

CAL FIRE designates fire hazard severity zones (FHSZs) as authorized under California Government Code Sections 51175 et seq. CAL FIRE considers many factors such as fire history, existing and potential fuel (natural vegetation), flame length, blowing embers, terrain, and typical weather for the area. There are three types of FHSZs: moderate, high, and very high.

According to the California Office of Emergency Services, a Wildland-Urban Interface (WUI) is defined as any area where structures and other human development meet or intermingle within wildland vegetation.¹⁸⁰ Developments in the wildland-urban interface exacerbate fire occurrence and fire spread in several ways, including:

- Increased numbers of human-caused wildfires.
- Wildfires become harder to fight.
- Firefighting resources are diverted from containing the wildfire to protecting lives and homes.
- Letting natural fires burn becomes impossible; leading to buildup of fuel, increasing wildfire hazard further.¹⁸¹

The project site is located within an LRA and the SCCFD currently provides fire protection and emergency medical services to the city and project site. The nearest SRA is approximately 0.5 miles to the west and is designated as a High FHSZ. The nearest Very High FHSZ within the Cupertino LRA is located approximately 1.5 miles to the southeast. The project site is not located within the Cupertino designated WUI.¹⁸² However, it is located within the CalOES defined WUI, which is an area of transition between wildland (unoccupied land) and land with human development (occupied land).¹⁸³ therefore, impacts related to wildfire are discussed below.

DISCUSSION

a) Substantially impair an adopted emergency response plan or emergency evacuation plan?

The City of Cupertino Office of Emergency Services is responsible for coordinating agency response to disasters or other large-scale emergencies in the City of Cupertino with assistance from the Santa Clara County Office of Emergency Services and the SCCFD. The Cupertino EOP establishes emergency planning, mitigation, response, and recovery policies within the city.

As described in Section VIII, Hazards and Hazardous Materials, emergency vehicle access would be provided at two points on the project site and the proposed project would not block roads or impede emergency access to surrounding properties or neighborhoods during either construction or operation of the project. The Emergency Circulation Plan includes a fire truck circulation route in addition to designated fireman access routes to reach the rear of the structures. During demolition and construction,

¹⁸⁰ Cal OES. 2018. California State Hazard Mitigation Plan.

¹⁸¹ Radeloff, Volker; Helmers, David; Kramer, H., et al. 2018. Rapid Growth of the US Wildland-Urban Interface Raises Wildfire Risk. Proceedings of the National Academy of Sciences (PNAS): Volume 115 No. 13. Accessed May 30, 2019 at <https://www.pnas.org/content/pnas/115/13/3314.full.pdf>.

¹⁸² Cupertino Municipal Code, Section 16.74, Wildland Urban Interface Fire Area.

¹⁸³ CAL FIRE. 2018. Wildland-Urban Interface Fire Threat. <http://www.arcgis.com/home/item.html?id=d45bf08448354073a26675776f2d09cb>, accessed May 7, 2019.

ENVIRONMENTAL ANALYSIS

vehicles, equipment, and materials would be staged and stored on a portion of the project site and no staging would occur in the public right-of-way.

As stated in Section VIII, Hazards and Hazardous Materials, the proposed project would not interfere or impair with an adopted emergency response plan, or emergency evacuation plan; therefore, impacts would be *less than significant*.

Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?

As stated in Section 3, Project Description, of this Initial Study, the project site is classified as “urban area” under the CALVEG classification system and is surrounded by residential and other urban uses. The site is characterized as generally flat and surrounding by low topographic relief. Prevailing winds in Cupertino derive from the west from February to November, and from the north from November to February, with the windier part of the year occurring from March to July with wind speeds averaging 7.6 miles per hour.¹⁸⁴ The project site is not located within an SRA or Very High FHSZ in an LRA. The project site is also not located within the Cupertino Wildland Urban Interface Fire Area as defined in CMC Chapter 16.74, Wildland Urban Interface Area Adopted.

The proposed landscaping includes a variety of low water use plants with shrubs and trees surrounding the exterior of the site, as shown in Figure 3-13. The proposed buildings and landscaping would be required to comply with CMC Chapter 9.22.020, Property Maintenance, which requires the upkeep of vegetation and landscaping on the properties to prevent fire and health hazards. CMC Chapter 16.40, Fire Code, would also require the proposed project to comply with the 2019 California Fire Code and 2015 International Fire Code, which provide specific regulations governing conditions hazardous to life and property from fire or explosion. Therefore, the proposed project would have fire prevention and management measures and would not expose occupants and the surrounding neighborhoods to pollutant concentrations or the uncontrolled spread of wildfire. Impacts would be *less than significant*, and no mitigation would be required.

Require the installation of maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?

As discussed in Section 3.1.1, Existing Site Character, of the Project Description, the project site is fully developed with commercial buildings and associated parking, and utility infrastructure already serves the project site. The proposed project would not include new roads, fuel breaks, or sources of emergency water. Overhead power lines are currently located above the eastern edge of the project site, and new power lines are not proposed as part of the project. Minor alterations such as water, natural gas, and sewer line piping would be installed to connect existing utilities to the proposed residential units. Therefore, installation and maintenance of infrastructure would not exacerbate wildfire risks and new

¹⁸⁴ Weather Spark. 2019. <https://weatherspark.com/y/504/Average-Weather-in-Cupertino-California-United-States-Year-Round>, accessed June 3, 2019.

ENVIRONMENTAL ANALYSIS

infrastructure would not cause temporary or ongoing impacts on the environment. Impacts would be *less than significant*, and no mitigation measures would be required.

Expose people or structure to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire instability, or drainage changes?

As stated in criterion b), the project site is characterized as generally flat and is surrounded by low topographic relief. The project site is not located within a floodplain or an area that has a high potential for landslides. As discussed in Section IX, Hydrology and Water Quality, the proposed project would result in a 4,556 square foot decrease in the amount of impervious surface and provide 267 additional square feet of water treatment area through two bioretention areas that would hold and treat stormwater before it is released into the City's off-site storm drain infrastructure, which will reduce runoff on the project site. Therefore, the proposed project would not expose people or structures to flooding or landslides that result from post-fire instability and runoff, and impacts would be *less than significant*.

XIX. MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant	No Impact
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DISCUSSION

- a) *Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a*

ENVIRONMENTAL ANALYSIS

rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

The project site is in an urbanized and extensively developed area of Cupertino. The project site and surrounding area is entirely built out with existing commercial and residential development and associated surface parking. The project site is currently developed with commercial buildings that are partially vacant, and a vacant single-family home. Landscaping currently consists of a few green spaces with trees surrounding the buildings and the eastern edge of the project site. There are no identified sensitive natural communities, no areas of sensitive habitat, and no areas of critical habitat on the project site. In addition, there are no buildings currently listed or eligible for listing on the California Register of Historical Resources, no recorded archaeological sites, and no known paleontological resources located on the project site. The implementation of Mitigation Measures AQ-1, AQ-2, BIO-1, CULT-1, GEO-1, NOISE-1, NOISE-2, TCR-1, and UTIL-1 would serve to protect the quality of the air, nesting birds, and unknown cultural and tribal resources, as well as ensure adequate services are provided and that no additional physical impacts would occur elsewhere. Therefore, implementation of the proposed project would result in a *less-than-significant* impact to the quality of the environment, wildlife, and major periods of California history or prehistory.

b) *Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?*

CEQA Guidelines Section 15355 defines cumulative impacts as two or more individual effects which, when considered together, are considerable or which compound or increase other environmental impacts. Cumulative impacts may result from individually minor, but collectively significant projects taking place over a period of time. CEQA Guidelines Section 15130(b) advises that a discussion of cumulative impacts should reflect both the severity of the impacts and the likelihood of their occurrence. To accomplish these two objectives, CEQA Guidelines Section 15130 permits two different methods for completion of a cumulative impact analysis and allows for a reasonable combination of the two approaches:

- The 'list' approach permits the use of a list of past, present, and probable future projects producing related or cumulative impacts, including projects both within and outside the city; and
- The 'projections' approach allows the use of a summary of projections contained in an adopted plan or related planning document, such as a regional transportation plan, or in an EIR prepared for such a plan. The projections may be supplemented with additional information such as regional modeling.

Table 4-16 shows the other reasonably foreseeable projects in Cupertino and how they relate to the maximum buildout potential evaluated in the General Plan EIR.

ENVIRONMENTAL ANALYSIS**TABLE 4-16 REASONABLY FORESEEABLE DEVELOPMENT PROJECTS IN CUPERTINO**

	Hotel	Residential	Commercial	Office
General Plan EIR: Maximum Development Potential	1,339	4,421	1,343,679	4,040,231
<i>Reasonably Foreseeable Projects</i>				
<i>Marina Plaza^a</i>	<i>122</i>	<i>188</i>	<i>23,000</i>	
<i>The Hamptons Redevelopment^a</i>		<i>600</i>		
<i>The Forum^a</i>		<i>23</i>		
<i>The Village Hotel^a</i>	<i>185</i>			
<i>De Anza Hotel^a</i>	<i>155</i>			
<i>Westport^a</i>		<i>267</i>	<i>20,000</i>	
<i>Public Storage^{a, d}</i>			<i>209,485</i>	
<i>Scandinavian Design^a</i>			<i>2,235</i>	
<i>Vallco^{a, c}</i>		<i>2,402</i>	<i>400,000</i>	<i>1,810,000</i>
<i>Loc-N-Stor^{b, d}</i>			<i>96,432</i>	
<i>22690 Stevens Creek Boulevard</i>		<i>9</i>		
Total Foreseeable Development	463	3,443	764,381	1,810,000
General Plan EIR: Remaining Development Potential	876	978	579,298	2,230,231

Notes:

a. The project has been approved or is under construction.

b. The project is under review.

c. The buildout numbers are for the Vallco SB 35 Application (0 hotel rooms, 2,402 units, 1,810,000 square feet commercial, and 400,000 square feet commercial).

d. The storage facility sites currently have existing storage facilities and the square footage shown in this table is the net new.

Source: City of Cupertino, 2019.

The General Plan EIR evaluated the cumulative effects of the General Plan Amendments, Housing Element Update, and Associated Rezoning using the summary of projections approach provided for in CEQA Guidelines Section 15130(b)(1)(B). The General Plan EIR took into account growth from the General Plan within the Cupertino city boundary and Sphere of Influence (SOI), in combination with projected growth in the rest of Santa Clara County and the surrounding region, as forecast by ABAG.

As provided for by CEQA Guidelines Section 15130, the cumulative context considered in the General Plan EIR varies, depending on the nature of the issue being studied, to best assess each issue's geographic extent. For example, the cumulative impacts on water and air quality can be best analyzed within the boundaries of the affected resources, such as water bodies and air basins. For other cumulative impacts, such as hazard risks, traffic, and the need for new public service facilities, the cumulative impact is best analyzed within the context of the population growth and associated development that are expected to occur in the region or the public service providers' jurisdiction.

The General Plan EIR included an assessment of the redevelopment of the project site with mixed-use, with commercial and residential projects. The residential assumptions included a residential density of 25 dwelling units per acres with a 30-foot height maximum, which would result in up to 27 residential units. Therefore, as shown in Table 4-16, when combined with the other reasonably foreseeable projects in Cupertino the project would not exceed the maximum buildout potential evaluated in the General Plan

ENVIRONMENTAL ANALYSIS

EIR. The impact discussions in Section I through Section XVIII above describe the proposed project's relationship to and consistency with the scope of development, land use designations, population projections, and cumulative impacts analyses contained in the General Plan EIR. As shown, the project's cumulative impacts were determined to be less than significant or less than significant with mitigation in the cumulative context.

Since the certification of the General Plan EIR, the City has considered new development at the Vallco project site. While, as shown in Table 4-16, this development at the Vallco site is consistent with the maximum buildout potential in the General Plan EIR for citywide cumulative discussions (e.g., population and housing, water supply, etc.), the General Plan EIR did not evaluate the specific amount of buildout at the Vallco site that is shown in Table 4-16, therefore, localized cumulative impacts such as traffic, traffic related noise, and utilities infrastructure were not captured in the General Plan EIR. Due to the distance between the proposed Canyon Crossings Mixed-Use Project and the Vallco project site, the proposed project's impacts would result in no localized cumulative impacts related traffic, noise, or utilities in combination with development of the Vallco site.

As described in the environmental checklist, the impacts of the proposed project would be mitigated to *less-than-significant* levels. The proposed project would incrementally contribute to, but would not exceed, the cumulative impacts analyses included in the General Plan EIR. Therefore, the proposed project would not be expected to contribute to significant cumulative impacts when considered along with other impacts under the General Plan.

c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

As discussed previously, the proposed project would not result in a significant impact that could not be mitigated to a less-than-significant level, thus the proposed project's environmental effects would be *less than significant*.

ENVIRONMENTAL ANALYSIS

This page intentionally left blank.

5. Mitigation Monitoring and Reporting Program

This Mitigation Monitoring and Reporting Program (MMRP) has been prepared for the Canyon Crossings Mixed-Use Project. The purpose of the MMRP is to ensure the implementation of project-specific mitigation measures identified as part of the environmental review for the proposed project. The MMRP includes:

- The full text of the mitigation measures;
- The party responsible for implementing the mitigation measures;
- The timing for implementation of the mitigation measures;
- The agency responsible for monitoring the implementation; and
- The monitoring action and frequency.

The City of Cupertino must adopt this MMRP, or an equally effective program, if it approves the proposed project with the mitigation measures that were adopted or made conditions of project approval.

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1** MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
AIR QUALITY					
<p>Mitigation Measure AQ-1: The project's construction contractor shall comply with the following best management practices for reducing construction emissions of fugitive dust (PM₁₀ and PM_{2.5}) as required by the Bay Area Air Quality Management District Revised California Environmental Quality Act Air Quality Guidelines:</p> <ul style="list-style-type: none"> Water all active construction areas at least twice daily, or as often as needed to control dust emissions. Watering should be sufficient to prevent airborne dust from leaving the site. Increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour. Reclaimed water should be used whenever possible. Pave, apply water twice daily or as often as necessary to control dust, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas, and staging areas at construction sites. Cover all trucks hauling soil, sand, and other loose materials. Sweep daily (with water sweepers using reclaimed water if possible) or as often as needed all paved access roads, parking areas and staging areas at the construction site to control dust. Sweep public streets daily (with water sweepers using reclaimed water if possible) in the vicinity of the project site, or as often as needed, to keep streets free of visible soil material. Hydroseed or apply non-toxic soil stabilizers to inactive construction areas. Enclose, cover, water twice daily, or apply non-toxic soil binders to exposed stockpiles (dirt/sand). Limit vehicle traffic speeds on unpaved roads to 15 miles per hour. Replant vegetation in disturbed areas as quickly as possible and water appropriately until vegetation is established. Install sandbags or other erosion control measures to prevent silt runoff from public roadways. All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe. 	Applicant	During construction	City of Cupertino Public Works Department And Building Department	Plan Review and Approval	During scheduled construction site inspections

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>Mitigation Measure AQ-2: During construction, the construction contractor(s) shall:</p> <ul style="list-style-type: none"> Use construction equipment that have engines that meet either the United States Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim emissions standards for off-road diesel-powered construction equipment with more than 50 horsepower, unless it can be demonstrated to the City of Cupertino Building Division that such equipment is not available. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by Tier 4 Interim emissions standards for a similarly sized engine, as defined by the CARB's regulations. Prior to issuance of any construction permit, ensure that all construction plans submitted to the City of Cupertino Planning Department and/or Building Division clearly show the requirement for Tier 4 Interim emissions standards for construction equipment more than 50 horsepower. Maintain a list of all operating equipment in use on the project site for verification by the City of Cupertino Building Division official or their designee. The construction equipment list shall state the makes, models, and number of construction equipment on site. Ensure that all equipment shall be properly serviced and maintained in accordance with the manufacturer's recommendations. Communicate with all sub-contractors in contracts and construction documents that all nonessential idling of construction equipment is restricted to 5 minutes or less in compliance with CARB Rule 2449 and is responsible for ensuring that this requirement is met. 	Applicant	During construction	City of Cupertino Public Works Planning & Building Department	Plan Review and Approval	During scheduled construction site inspections
BIOLOGICAL RESOURCES					
<p>Mitigation Measure BIO-1: Nests of raptors and other birds shall be protected when in active use, as required by the federal Migratory Bird Treaty Act and the California Fish and Game Code. The construction contractor shall indicate the following on all construction plans, if</p>	Applicant	Prior to construction During construction	Qualifying biologist in consultation with California Department of Fish	Preconstruction Survey	Once for survey; ongoing if nesting birds identified and until they have left the nest

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>construction activities and any required tree removal occur during the breeding season (February 1 and August 31).</p> <ul style="list-style-type: none"> Preconstruction surveys shall: <ul style="list-style-type: none"> Be conducted by a qualified biologist prior to tree removal or grading, demolition, or construction activities. Note that preconstruction surveys are not required for tree removal or construction, grading, or demolition activities outside the nesting period. Be conducted no more than 14 days prior to the start of tree removal or construction. Be repeated at 14-day intervals until construction has been initiated in the area after which surveys can be stopped. Document locations of active nests containing viable eggs or young birds. Protective measures for active nests containing viable eggs or young birds shall be implemented under the direction of the qualified biologist until the nests no longer contain eggs or young birds, and the young have left the nest and are foraging independently, or the nest is no longer active. Protective measures shall include: <ul style="list-style-type: none"> Establishment of clearly delineated exclusion zones (i.e., demarcated by identifiable fencing, such as orange construction fencing or equivalent) around each nest location as determined by the qualified biologist, taking into account the species of birds nesting, their tolerance for disturbance and proximity to existing development. In general, exclusion zones shall be a minimum of 300 feet for raptors and 75 feet for passerines and other birds. Monitoring active nests within an exclusion zone on a weekly basis throughout the nesting season to identify signs of disturbance and confirm nesting status. An increase in the radius of an exclusion zone by the qualified biologist if project activities are determined to be adversely affecting the nesting birds. Exclusion zones may be reduced by the qualified biologist only in consultation with the California Department of Fish and Wildlife. 			and Wildlife as needed		

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
CULTURAL RESOURCES					
<p>Mitigation Measure CULT-1: Mitigation Measure CULT-1: A tribal representative from the Tamien Nation shall be retained and permitted on-site at all times during ground disturbance (including grading, demolition and/or construction) to monitor for potential prehistoric or historic subsurface cultural resources. Notice shall be given to the Tribe <u>Tamien Nation</u> in a manner requested by the Tribe <u>Tamien Nation</u> at least 48 hours <u>five (5) days</u> before any ground disturbing activity. Prior to ground disturbance activities, construction workers conducting the ground disturbing activities shall undergo cultural resource sensitivity training conducted by the on-site tribal <u>Tamien Nation</u> representative.</p> <p>If any prehistoric or historic subsurface cultural resources are discovered during ground-disturbing (including grading, demolition and/or construction) activities:</p> <ul style="list-style-type: none"> All work within 50 feet of the resources shall be halted, the City shall be notified, and a qualified archaeologist and tribal <u>Tamien Nation</u> representative shall be consulted. The contractor shall cooperate in the recovery of the materials. Work may proceed on other parts of the project site while mitigation for tribal cultural resources, historical resources or unique archaeological resources is being carried out. The qualified archaeologist shall prepare a report for the evaluation of the resource to the California Register of Historical Places and the City Building Department. The report shall also include appropriate recommendations in collaboration with a tribal <u>Tamien Nation</u> representative regarding the significance of the find and appropriate mitigations as follows: <ul style="list-style-type: none"> If the resource is a non-tribal resource, the archaeologist shall assess the significance of the find according to CEQA Guidelines Section 15064.5. If the resource is a tribal resource – whether historic or prehistoric – the consulting archaeologist shall consult with the 	Applicant	During construction	Consulting archeologist and City of Cupertino Public Works & Building Department	Plan Review and Approval	As needed if resources are unearthed

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1** **MITIGATION MONITORING AND REPORTING PROGRAM**

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>appropriate tribe(s) <u>Tamien Nation</u> to evaluate the significance of the resource and to recommend appropriate and feasible avoidance, testing, preservation, or mitigation measures, in light of factors such as the significance of the find, proposed project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) may be implemented.</p> <ul style="list-style-type: none"> All significant non-tribal cultural materials recovered shall be, as necessary, and at the discretion of the consulting archaeologist, subject to scientific analysis, professional museum curation, and documentation according to current professional standards. 					
GEOLOGY AND SOILS					
<p>Mitigation Measure GEO-1: The construction contractor shall incorporate the following in all grading, demolition, and construction plans:</p> <ul style="list-style-type: none"> In the event that fossils or fossil-bearing deposits are discovered during grading, demolition, or building, excavations within 50 feet of the find shall be temporarily halted or diverted. The contractor shall notify the City of Cupertino Building Department and a City-approved qualified paleontologist to examine the discovery. The paleontologist shall document the discovery as needed, in accordance with Society of Vertebrate Paleontology standards (Society of Vertebrate Paleontology 1995), evaluate the potential resource, and assess the significance of the finding under the criteria set forth in CEQA Guidelines Section 15064.5. The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find. If the project applicant determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the proposed project based on the qualities that make the resource important. The excavation plan shall be submitted to the City for review and approval prior to implementation. 	Applicant	During construction	City of Cupertino Public Works & Building Department	Plan Review and Approval	During scheduled construction site inspections

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
NOISE					
<p>Mitigation Measure NOISE-1: The following shall be incorporated in all activity phases and construction plans, as required by the Cupertino Municipal Code (CMC). Construction activities shall take place only during daytime hours of 7:00 a.m. and 8:00 p.m. on weekdays and due to the close proximity of the adjacent residential land use to the west, construction may occur on the weekends, holidays or nighttime only if a special exception has been granted by the City. In addition, the construction crew shall adhere to the following best management practices:</p> <ul style="list-style-type: none"> At least 90 days prior to the start of any construction, demolition or grading activities, all off-site businesses and residents within 300 feet of the project site will be notified of the planned activities. The notification will include a brief description of the project, the activities that would occur, the hours when activity would occur, and the construction period's overall duration. The notification should include the telephone numbers of the contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. The project applicant and contractors shall prepare and submit a Construction Noise Control Plan to the City's Building Department and Code Enforcement for review and approval prior to issuance of any grading, demolition, and/or building permits. The Construction Noise Plan shall demonstrate compliance with the 80-dBA limit in the CMC. The details of the Construction Noise Control Plan, including those details listed herein, shall be included as part of the permit application drawing set and as part of the construction drawing set, shall be implemented by the on-site Construction Manager, and shall include, but not be limited to, the following available controls to comply with the 80 dBA performance standard: <ul style="list-style-type: none"> At least 10 days prior to the start of construction activities, a sign will be posted at the entrance(s) to the job site, clearly visible to the public, which includes permitted construction days and hours, as well as the telephone numbers of the City's and contractor's 	Applicant	Prior to issuance of building permits	City of Cupertino Public Works Department	Plan review and approval/site inspections	Once for plan review/ during scheduled construction site inspections

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
<p>authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they will investigate, take appropriate corrective action, and report the action to the City.</p> <ul style="list-style-type: none"> During the entire active construction period, equipment and trucks used for project construction will utilize the best available noise control techniques (e.g., improved mufflers, equipment re-design, use of intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible. Include noise control requirements for equipment and tools, including concrete saws, to the maximum extent feasible. Such requirements could include, but are not limited to, erecting temporary plywood noise barriers between construction areas and nearby sensitive receptors; performing work in a manner that minimizes noise; and undertaking the noisiest activities during times of least disturbance to nearby sensitive receptors. During the entire active construction period, stationary noise sources will be located as far from sensitive receptors as possible, and they will be muffled and enclosed within temporary sheds, or insulation barriers or other measures will be incorporated to the extent feasible. During the entire active construction period, noisy operations will be conducted simultaneously to the degree feasible in order to reduce the time periods of these operations. Select haul routes that avoid the greatest amount of sensitive use areas and submit to the City of Cupertino Public Works Department for approval prior to the start of the construction phase. Signs will be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment will be turned off if not in use for more than 5 minutes. During the entire active construction period and to the extent feasible, the use of noise producing signals, including horns, 					

MITIGATION MONITORING AND REPORTING PROGRAM

TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
whistles, alarms, and bells will be for safety warning purposes only. The construction manager will use smart back-up alarms, which automatically adjust the alarm level based on the background noise level or switch off back-up alarms and replace with human spotters in compliance with all safety requirements and laws.					
Mitigation Measure NOISE-2: Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the Cupertino Municipal Code noise limits of 60 dBA and 50 dBA at residential uses during daytime and nighttime, respectively, and 65 dBA and 55 dBA at non-residential sensitive uses during daytime and nighttime, respectively. A qualified acoustical consultant shall be retained to review mechanical noise as these systems are selected to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements. Mechanical equipment shall be selected and designed to reduce impacts on surrounding uses to meet the City's noise level requirements. Noise reduction measures could include, but are not limited to: <ul style="list-style-type: none"> ▪ Selection of equipment that emits low noise levels; ▪ Installation of noise dampening techniques, such as enclosures and parapet walls, to block the line-of-sight between the noise source and the nearest receptors; or ▪ Locating equipment in less noise-sensitive areas, where feasible. 	Applicant	Prior to and during construction	Qualified acoustical consultant and City of Cupertino Public Works & Building Department	Plan review and approval/site inspections	Once for plan review/ during scheduled construction site inspections
Mitigation Measure NOISE-3: If paving activity during construction is required within 25 feet of nearby residential structures, the use of a static roller in lieu of a vibratory roller shall be employed. Grading and earthwork activities within 15 feet of adjacent residential structures shall be conducted with off-road equipment that is limited to 100 horsepower or less. This mitigation measure shall be identified on the permit application drawing set and as part of the construction drawing set, and shall be implemented by the on-site Construction Manager.	Applicant	During construction	Qualified acoustical consultant and City of Cupertino Public Works & Building Department	Plan review and approval/site inspections	Once for plan review/ during scheduled construction site inspections
TRIBAL CULTURAL RESOURCES					
Mitigation Measure TCR-1: Implement Mitigation Measure CULT-1.	Applicant	During construction	Consulting archeologist and City of Cupertino	Plan Review and Approval	As needed if resources are unearthed

MITIGATION MONITORING AND REPORTING PROGRAM**TABLE 5-1 MITIGATION MONITORING AND REPORTING PROGRAM**

Mitigation Measures	Party Responsible for Implementation	Implementation Timing	Agency Responsible for Monitoring	Monitoring Action	Monitoring Frequency
			Public Works Department		
UTILITIES AND SERVICE SYSTEMS					
<p>Mitigation Measure UTIL-1: No building permits shall be issued by the City for the proposed Canyon Crossing Mixed-Use Project that would result in exceeding the permitted peak wet weather flow capacity of 13.8 mgd through the Santa Clara sanitary sewer system. The project applicant shall demonstrate, to the satisfaction of the City of Cupertino and Cupertino Sanitary District (CSD), that the proposed project would not exceed the peak wet weather flow capacity of the Santa Clara sanitary sewer system by implementing one or more of the following methods:</p> <ol style="list-style-type: none"> 1. Reduce inflow and infiltration in the CSD system to reduce peak wet weather flows; or 2. Increase on-site water reuse, such as increased grey water use, or reduce water consumption of the fixtures used within the proposed project, or other methods that are measurable and reduce sewer generation rates to acceptable levels, to the satisfaction of the CSD. <p>The proposed project's estimated wastewater generation shall be calculated using the generation rates used by the CSD in the <i>Flow Modeling Analysis for the Homestead Flume Outfall to the City of Santa Clara</i>, prepared by Mark Thomas & Co. Inc., dated December 6, 2019, unless alternative (i.e., lower) generation rates achieved by the proposed project are substantiated by the project applicant based on evidence to the satisfaction of the CSD. To calculate the peak wet weather flow for a 10-year storm event, the average daily flow rate shall be multiplied by a factor of 2.95 as required by CSD pursuant to their December 2019 flow modeling analysis.</p>	Applicant	Prior to construction	Cupertino Sanitary District, City of Cupertino Public Works and Building Departments	Plan Review and Approval	During scheduled construction site inspections

6. Organizations and Persons Consulted

This Initial Study was prepared by the following consultants and individuals:

LEAD AGENCY

CITY OF CUPERTINO

Benjamin Fu Director of Community Development
Piu Ghosh..... Principal Planner
Erick Serrano..... Senior Planner
Chad Mosley..... Assistant Director of Public Work
David Stillman..... Transportation Manager
Winnie Pagan..... Senior Civil Engineer

REPORT PREPARERS

PlaceWorks

Terri McCracken Associate Principal, Principal-in-Charge
Jacqueline Protsman Associate, Project Manager
Nicole Vermilion Principal, Air Quality and Greenhouse Gas Practice Leader
Cathy Fitzgerald Principal Engineer
Steve Bush Senior Engineer
John Vang Senior Associate, Air Quality, Greenhouse Gas, and Energy
Josh Carman Senior Associate, Noise Specialist
Alejandro Garcia..... Associate, Noise Specialist
Kristie Nguyen Project Scientist, Air Quality, Greenhouse Gas, and Energy
Torina Wilson Associate
Grant Reddy Graphics Specialist

ORGANIZATIONS AND PERSONS CONSULTED

This page intentionally left blank.



Berkeley, California | 510.848.3815

www.PlaceWorks.com

CITY OF CUPERTINO
RECOMMENDATION OF ENVIRONMENTAL REVIEW COMMITTEE
October 28, 2021

As provided by the Environmental Assessment Procedure, adopted by the City Council of the City of Cupertino on March 27, 1973, as amended, the following described project was reviewed by the Environmental Review Committee of the City of Cupertino on October 28, 2021.

PROJECT DESCRIPTION AND LOCATION

Application No(s): EA-2020-001, Z-2020-001, DP-2020-001, TM-2020-001, ASA-2020-003, and U-2020-001
Applicant(s): Alan Enterprise LLC
Location: 22690 Stevens Creek Boulevard; APN#s 341-14-066, 342-14-104 & 105)

DISCRETIONARY ACTION REQUEST

Consider a development proposal to demolish and existing commercial building, and construct a new nine (9) unit single-family home development with one (1) home containing an Accessory Dwelling Unit (ADU). A Mitigated Negative Declaration is proposed.

FINDINGS OF THE ENVIRONMENTAL REVIEW COMMITTEE

The Environmental Review Committee finds that the preparation of a Mitigated Negative Declaration is appropriate for the project.

_____/s/Kitty Moore
Kitty Moore
City Councilmember




PROJECT INFORMATION

PROPOSED ZONING: RESIDENTIAL P(RES)
EXISTING ZONING: GENERAL COMMERCIAL
APN: 342-14-066, 345-14-104, 342-14-105
EXISTING GROSS AREA: 33,769 SF 0.78 ACRES
EXISTING NET AREA: 27,506 SF 0.63 ACRES
PROPOSED NET AREA: 27,506 SF 0.63 ACRES
PROPOSED DENSITY: 11.5 du/ac
TOTAL UNITS: 9 UNITS
AFFORDABLE UNITS: 1 UNIT
CONSTRUCTION TYPE: V-B
SPRINKLER TYPE: 13D
OCCUPANCY GROUP: R-3 (PER CBC CHAPTER 3)
ALLOWABLE HEIGHT: 30'
ALLOWABLE AREA: UNLIMITED (PER CBC CHAPTER 5)

PROJECT DESCRIPTION:
A NEW, FOR-SALE 9-UNIT PROJECT (8 SINGLE-FAMILY ATTACHED UNITS AND 1 DETACHED SINGLE-FAMILY UNIT) LOCATED ON AN APPROXIMATELY 2/3 ACRE SITE AT THE INTERSECTION OF STEVENS CREEK BOULEVARD AND FOOTHILL BOULEVARD IN CUPERTINO. THE BUILDINGS FEATURE CONTEMPORARY FORMS WITH A PALETTE OF RICH MATERIALS AND CONTRASTING NEUTRAL TONES.

SHEET INDEX

-	COVER SHEET
A1.01	SITE AERIAL
A1.02	SITE PHOTOS
A1.03	ILLUSTRATED SITE PLAN
A1.04	TECHNICAL SITE PLAN
A1.05	UNIT 1 FLOOR PLANS
A1.06	UNIT 2 FLOOR PLANS
A1.07	UNIT 3 FLOOR PLANS
A1.08	UNIT 3 FLOOR PLANS
A1.09	BLDG TYPE 1- FLOOR PLANS/ ROOF PLAN/ SECTION
A1.10	BLDG TYPE 1 ELEVATIONS
A1.11	BLDG TYPE 2- FLOOR PLANS/ ROOF PLAN/ SECTION
A1.12	BLDG TYPE 2 ELEVATIONS
A1.13	BLDG TYPE 3- FLOOR PLANS/ ROOF PLAN/ SECTION
A1.14	BLDG TYPE 3 ELEVATIONS
A1.15	SITE PERSPECTIVE
A1.16	SITE PERSPECTIVE
A1.17	SITE PERSPECTIVE
A1.18	SITE PERSPECTIVE
A1.19	SITE PERSPECTIVE
A1.20	COLORS & MATERIALS
L1	PRELIMINARY LANDSCAPE PLAN
L2	LANDSCAPE DETAILS/IMAGES
L3	LANDSCAPE AREA DIAGRAM
L4	LIGHTING PLAN
C0.0	VESTING TENTATIVE MAP
C1.0	EXISTING CONDITIONS
C2.0	PRELIMINARY DEMOLITION PLAN
C3.0	PRELIMINARY SITE PLAN
C3.1	PRELIMINARY SITE PLAN
C4.0	PRELIMINARY GRADING PLAN
C5.0	PRELIMINARY UTILITY PLAN
C5.1	PRELIMINARY FIRE HOSE REACH PLAN
C6.0	PRELIMINARY STORMWATER CONTROL PLAN
C7.0	PRELIMINARY TRASH TRUCK CIRCULATION PLAN
C7.1	PRELIMINARY FIRE TRUCK CIRCULATION PLAN
C7.2	PRELIMINARY VEHICULAR CIRCULATION PLAN
JT1	JOINT TRENCH COMPOSITE TITLE SHEET
JT2	JOINT TRENCH GENERAL NOTES AND DETAILS
JT3	JOINT TRENCH DETAILS
JT4	JOINT TRENCH SECTIONS AND DETAILS
JT5	JOINT TRENCH COMPOSITE PLAN
SL1-SL2	STREET LIGHTING GENERAL NOTES AND DETAILS
SL3	STREET LIGHTING SITE PLAN
-	PHOTOMETRIC PLAN




22690 STEVENS CREEK BLVD.

BY ALAN ENTERPRISE, LLC

P.D. SUBMITTAL
CUPERTINO, CA
JANUARY 29, 2021



ALAN ENTERPRISE, LLC
ALI MOZAFFARI, PRESIDENT
1177 CALIFORNIA ST. SUITE 1821
SAN FRANCISCO, CA 94108
510.324.7600



SITE AERIAL

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC



0102040

NORTH

DATE	12-03-2020
JOB NO.	1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.01

AERIAL SITE PHOTOS



SITE PHOTOS



SITE PHOTOS

22690 STEVENS CREEK BLVD.

ALAN ENTERPRISE, LLC



DATE	12-03-2020
JOB NO.	1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200



0 10 20 40
NORTH


A1.02

ILLUSTRATED SITE PLAN

22690 STEVENS CREEK BLVD.

ALAN ENTERPRISE, LLC

- | | |
|---|---------------|
| 1 | LOT NUMBER |
| 1 | UNIT TYPE |
| 1 | PARKING SPACE |



5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.03

DAHLIN

TECHNICAL SITE PLAN


22690 STEVENS CREEK BLVD.

ALAN ENTERPRISE, LLC


DAHLIN

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200


A1.04



THIRD FLOOR PLAN




SECOND FLOOR PLAN



FIRST FLOOR PLAN

FAR DIAGRAMS






UNIT 1	
FIRST FLOOR	592 S.F.
SECOND FLOOR	1145 S.F.
THIRD FLOOR	764 S.F.
TOTAL LIVING	2502 S.F.
GARAGE	463 S.F.
PORCH	47 S.F.
DECK	229 S.F.


UNIT 1 - FLOOR PLANS

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC





FAR DIAGRAMS




UNIT 2	
FIRST FLOOR	317 S.F.
SECOND FLOOR	738 S.F.
THIRD FLOOR	709 S.F.
TOTAL LIVING	1764 S.F.
GARAGE	473 S.F.
PORCH	35 S.F.
DECK	80.08333 SQ. FT.


UNIT 2 - FLOOR PLANS

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC






SECOND FLOOR PLAN



FIRST FLOOR PLAN

FAR DIAGRAMS



UNIT 3	
FIRST FLOOR	394 S.F.
JUNIOR ADU	470 S.F.
SECOND FLOOR	1335 S.F.
THIRD FLOOR	846 S.F.
TOTAL LIVING	3045 S.F.
GARAGE	553 S.F.
PORCH	166 S.F.
DECK	473 S.F.

UNIT 3 - 1ST AND 2ND FLOOR PLANS

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC




0 4 8 16

DATE 01-29-2021
JOB NO. 1562.001


5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.07



THIRD FLOOR PLAN

FAR DIAGRAMS




UNIT 3	
FIRST FLOOR	394 S.F.
JUNIOR ADU	470 S.F.
SECOND FLOOR	1335 S.F.
THIRD FLOOR	846 S.F.
TOTAL LIVING	3045 S.F.
GARAGE	553 S.F.
PORCH	166 S.F.
DECK	473 S.F.

UNIT 3 - 3RD FLOOR PLAN







SECTION "A"




ROOF PLAN




SECOND FLOOR PLAN



SECTION "B"



THIRD FLOOR PLAN



FIRST FLOOR PLAN

BUILDING TYPE 1 - FLOOR PLANS / ROOF PLAN / SECTION

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC

081632

DATE12-03-2020
JOB NO.1562.001

DAHLIN


5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.09



BUILDING TYPE 1 ELEVATIONS

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC



DATE 01-29-2021
JOB NO. 1562.001


DAHLIN

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200


A1.10




SECTION "A"




ROOF PLAN




SECOND FLOOR PLAN



SECTION "B"



THIRD FLOOR PLAN



FIRST FLOOR PLAN

BUILDING TYPE 2 - FLOOR PLANS / ROOF PLAN / SECTION

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC

081632


DATE12-03-2020

JOB NO.1562.001

DAHLIN

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.11




NOTE: SEE LANDSCAPE SHEETS FOR PRIVACY SCREENING TREES PLANTED ALONG PROPERTY LINES. THE SARATOGA LAUREL TREES REACH ABOVE 30' AT MATURITY AND ARE ON THE CITY'S LIST OF ACCEPTABLE SCREENING TREES. ADDITIONALLY, ALL WINDOWS OF PROPOSED HOMES ARE A MINIMUM OF 30' AWAY FROM PROPERTY LINES OF ANY NEIGHBORING SIDE OR REAR YARDS.

2ND FLOOR WINDOW SILL HEIGHT: 13' MIN. ABOVE GRADE

3RD FLOOR WINDOW SILL HEIGHT: 22' MIN. ABOVE GRADE

BUILDING TYPE 2 ELEVATIONS


22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC




5865 Owens Drive
Pleasanton, CA 94588
925-251-7200




A1.12



SECTION "A"




ROOF PLAN




SECOND FLOOR PLAN



SECTION "B"



THIRD FLOOR PLAN



FIRST FLOOR PLAN

UNIT/BUILDING TYPE 3 - FLOOR PLANS / ROOF PLAN / SECTION

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC

04816

DATE12-03-2020

JOB NO.1562.001

DAHLIN

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.13



FRONT ELEVATION 1/4" = 1'-0"



LEFT ELEVATION



REAR ELEVATION



RIGHT ELEVATION

NOTE: SEE LANDSCAPE SHEETS FOR PRIVACY SCREENING TREES PLANTED ALONG PROPERTY LINES. THE SARATOGA LAUREL TREES REACH ABOVE 30' AT MATURITY AND ARE ON THE CITY'S LIST OF ACCEPTABLE SCREENING TREES. ADDITIONALLY, ALL WINDOWS OF PROPOSED HOMES ARE A MINIMUM OF 30' AWAY FROM PROPERTY LINES OF ANY NEIGHBORING SIDE OR REAR YARDS.


2ND FLOOR WINDOW SILL HEIGHT:
13' MIN. ABOVE GRADE

3RD FLOOR WINDOW SILL HEIGHT:
22' MIN. ABOVE GRADE

UNIT 3 ELEVATIONS

22690 STEVENS CREEK BLVD.

ALAN ENTERPRISE, LLC



DATE 01-29-2021
JOB NO. 1562.001

DAHLIN

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.14



SITE PERSPECTIVE - STEVENS CREEK BLVD & SOUTH FOOTHILL BLVD

22690 STEVENS CREEK BLVD.

ALAN ENTERPRISE, LLC



DATE 12-03-2020
JOB NO. 1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.15



SITE PERSPECTIVE - STEVENS CREEK BOULEVARD

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC



DATE 12-03-2020
JOB NO. 1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.16



SITE PERSPECTIVE - STEVENS CREEK BOULEVARD & CAMINO VISTA DR.

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC



DATE 12-03-2020
JOB NO. 1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.17



SITE PERSPECTIVE

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC



DATE 12-03-2020
JOB NO. 1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200

A1.18



SITE PERSPECTIVE - S FOOTHILL BLVD.

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC



DATE 12-03-2020
JOB NO. 1562.001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200


A1.19



BOK MODERN ARCHITECTURAL METAL
RAILING & WINDOW FRAME DETAILS



COLORS AND MATERIALS



BODY COLOR 1
STUCCO
White Duck SW 7010



BODY COLOR 2
STUCCO
Anonymous SW 7046



TRIM COLOR
WINDOW TRIM, METAL RAILING & ACCENTS
Urbane Bronze SW 7048



SIDING
ALUMINUM SIDING
Longboard Siding - Western Cedar



STONE VENEER
By Creative Mines
Craft Carved Rectangle "Sandollar"




ACCENT COLOR 1
FRONT DOOR
Goldenrod SW 6677

Longboard Siding - Western Cedar
Installation example



Craft Carved Rectangle "Sandollar"
Installation example





COLORS & MATERIALS



BASIS OF BEARINGS

THE BEARING NORTH 89°56'35" WEST OF THE MONUMENT LINE OF STEVENS CREEK BOULEVARD, BETWEEN FOUND MONUMENTS, AS SAID BEARING IS SHOWN ON THAT CERTAIN TRACT MAP NO. 7207, FILED FOR RECORD ON JANUARY 25, 1982 IN BOOK 495 OF MAPS AT PAGES 33 & 34, RECORDS OF SANTA CLARA COUNTY WAS TAKEN AS THE BASIS OF BEARINGS FOR THIS MAP.

STEVENS CREEK BOULEVARD WIDTH VARIES



VICINITY MAP NOT TO SCALE

GENERAL NOTES

- DEVELOPER: ALAN ENTERPRISES LLC
1177 CALIFORNIA ST., SUITE 1821
SAN FRANCISCO, CA 94108
CONTACT: ALI MOZAFFARI
PHONE: (415) 971-0609
 - CIVIL ENGINEER: BKF ENGINEERS
1730 NORTH FIRST STREET, SUITE 600
SAN JOSE, CA 95112
(408) 467-9100
PHONG KIET
R.C.E. 78237
 - PROJECT DESCRIPTION: A NEW 9 UNIT SINGLE FAMILY ATTACHED PROJECT
LOCATED ON A 0.67± ACRES SITE AT THE SOUTHWEST CORNER
OF STEVENS CREEK BOULEVARD AND FOOTHILL BOULEVARD
 - ASSESSORS PARCEL NO: 342-14-066, 342-14-104, 342-14-105
 - GENERAL PLAN: PLANNED DEVELOPMENT - GENERAL COMMERCIAL P(GC)
 - EXISTING ZONING: GENERAL COMMERCIAL
 - PROPOSED ZONING: RESIDENTIAL P(RES)
 - EXISTING USE: COMMERCIAL (BATEH BROTHERS LIQUORS)
 - PROPOSED USE: RESIDENTIAL (SINGLE FAMILY ATTACHED)
 - EXISTING GROSS AREA: 33,769 S.F.±
 - EXISTING NET AREA: 27,506 S.F.±
 - PROPOSED NET AREA: 27,506 S.F.±
 - NUMBER OF UNITS: 9
 - NUMBER OF LOTS: 10 (9 DEVELOPABLE LOTS AND 1 NON-DEVELOPABLE COMMON LOT)
 - UTILITIES:
 - WATER:
PUBLIC STREETS: SAN JOSE WATER COMPANY
PRIVATE STREETS: HOME OWNERS ASSOCIATION (HOA)
 - SANITARY SEWER:
PUBLIC STREETS: CUPERTINO SANITARY DISTRICT
PRIVATE STREETS: HOME OWNERS ASSOCIATION (HOA)
 - STORM SEWER:
PUBLIC STREETS: CITY OF CUPERTINO
PRIVATE STREETS: HOME OWNERS ASSOCIATION (HOA)
 - ELECTRIC / GAS: PACIFIC GAS & ELECTRIC (PG&E)
 - TELEPHONE: AT&T
 - CABLE TV: COMCAST
 - BENCHMARK: THE BENCHMARK USED FOR THIS SURVEY IS CITY OF CUPERTINO BENCHMARK #73:
1-INCH IRON PIPE IN MONUMENT WELL AT THE CENTERLINE OF STEVENS CREEK
BOULEVARD AND CALIFORNIA OAK WAY. ELEVATION = 399.98 FEET (NGVD29 DATUM)
 - TOPOGRAPHY: THE INFORMATION SHOWN IS BASED ON A FIELD SURVEY PREPARED BY BKF ENGINEERS
 - FLOOD ZONE: THIS PROPERTY IS LOCATED WITHIN ZONE X AS SHOWN IN FLOOD INSURANCE RATE
MAP COMMUNITY PANEL NO. 06085C0204H, DATED MAY 18, 2009.
 - EASEMENTS:

P.I.E.E. = PRIVATE INGRESS-EGRESS EASEMENT; P.S.D.E = PRIVATE STORM DRAIN EASEMENT;
P.S.S.E. = PRIVATE SANITARY SEWER EASEMENT; P.W.E. = PRIVATE WATER EASEMENT
P.U.E. = PUBLIC UTILITY EASEMENT; S.S.E. = SANITARY SEWER EASEMENT (CSD)
W.M.E. = PUBLIC WATER METER EASEMENT;
- THE EXISTING LIGHT & AIR EASEMENT FOR PUBLIC USE PER TRACT NO. 1093, BOOK 47, PAGE 37 IS TO BE VACATED
BY THE CITY OF CUPERTINO PURSUANT TO GOVERNMENT CODE SECTION 66445.(J) OF THE SUBDIVISION MAP ACT.
- PRIVATE LOT UTILITIES: P.S.D.E. & PGE EASEMENTS FOR INDIVIDUAL LOTS FOR THE BENEFIT OF OTHER LOTS
WILL BE PROVIDED ON THE FINAL MAP.
 - EXISTING TREES: NONE

LEGEND

BOUNDARY LINE	---
LOT LINE	---
EASEMENT LINE	---
MONUMENT LINE	---
ROADWAY CENTER LINE	---
TIE LINE	---
SURVEY IRON PIPE	●
SURVEY STREET MONUMENT	⊙
PUBLIC UTILITY EASEMENT (P.U.E.), PRIVATE INGRESS- EGRESS EASEMENT (P.I.E.E.), & SANITARY SEWER EASEMENT (S.S.E.)	---
PACIFIC GAS & ELECTRIC EASEMENT (PG&E)	---
PRIVATE INGRESS-EGRESS EASEMENT (P.I.E.E.)	---
PRIVATE STORM DRAIN EASEMENT (P.S.D.E.)	---
PUBLIC WATER METER EASEMENT (W.M.E.)	---
RIGHT OF WAY DEDICATION IN FEE TO CITY OF CUPERTINO	---

ABBREVIATIONS

AB	ASPHALT BERM	GV	GAS VALVE	SDMH	STORM DRAIN MANHOLE
AC	ASPHALTIC CONCRETE	INV	INVERT	SJWC	SAN JOSE WATER COMPANY
AD	AREA DRAIN	IRR	IRRIGATION	SLB	STREET LIGHT BOX
APN	ASSESSORS PARCEL NUMBER	JP	JOINT POLE	SS	SANITARY SEWER
CB	CATCH BASIN	LG	LIP OF GUTTER	SSCO	SANITARY SEWER CLEANOUT
CLDR	CENTERLINE OF DOOR	LSCP	LANDSCAPING	SSMH	SANITARY SEWER MANHOLE
COM	COMMUNICATIONS PULLBOX	M-M	MONUMENT TO MONUMENT	STD.	STANDARD
CONC	CONCRETE	MH	MANHOLE	TO	TOP OF CURB, AT FACE
CSD	CUPERTINO SANITARY DISTRICT	ML	MONUMENT LINE	TMH	TELEPHONE MANHOLE
DI	DROP INLET	N	NORTH	TSB	TRAFFIC SIGNAL BOX
DW	DRIVEWAY	PL	PROPERTY LINE	UMH	UNKNOWN MANHOLE
E	EAST	PL	PROPERTY LINE	UNK	UNKNOWN MATERIAL
EB	ELECTRIC PULLBOX	R.O.W.	RIGHT OF WAY	W	WEST
EV	ELECTRIC VAULT	S	SOUTH	WM	WATER METER
EX	EXISTING	S.F.	SQUARE FEET	WV	WATER VALVE
FL	FLOW LINE	S.F.N.F.	SEARCHED FOR, NOT FOUND		
FOC	FACE OF CURB	SD	STORM DRAIN		
FNC	FENCE	SDAD	STORM DRAIN AREA DRAIN		
FH	FIRE HYDRANT	SDCB	STORM DRAIN CATCH BASIN		
GM	GAS METER	SOCO	STORM DRAIN CLEANOUT		
		SDDI	STORM DRAIN DROP INLET		
		SDJB	STORM DRAIN JUNCTION BOX		

RANCO VENTURA STREET

SHEET INDEX

- C0.0 VESTING TENTATIVE MAP
C1.0 EXISTING CONDITIONS
C2.0 PRELIMINARY DEMOLITION PLAN
C3.0 PRELIMINARY SITE PLAN
C3.1 PRELIMINARY SITE PLAN
C4.0 PRELIMINARY GRADING PLAN
C5.0 PRELIMINARY UTILITY PLAN
C6.0 PRELIMINARY STORMWATER CONTROL PLAN
C7.0 PRELIMINARY TRASH TRUCK CIRCULATION PLAN
C7.1 PRELIMINARY FIRE TRUCK CIRCULATION PLAN
C7.2 PRELIMINARY VEHICULAR CIRCULATION PLAN

VESTING TENTATIVE MAP

22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC




BKF 100+ YEARS
ENGINEERS . SURVEYORS . PLANNERS
1730 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112


DAHLIN

DATE 08-05-2020
JOB NO. 1562-001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200



C0.0



LEGEND

BOUNDARY LINE	---
LOT LINE	---
EASEMENT LINE	---
MONUMENT LINE	---
ROADWAY CENTER LINE	---
TIE LINE	---
BUILDING WALL LINE	---
FENCE LINE	---
DRIVEWAY	---
SIDEWALK	---
OVERHEAD LINE	---
COMMUNICATION LINE	---
ELECTRICAL LINE	---
GAS LINE	---
STORM DRAIN LINE	---
SANITARY SEWER LINE	---
WATER LINE	---
ELEVATION	(TC XX.XX)
BOLLARD	•
COMMUNICATION BOX	COM
ELECTRIC BOX	EB
FIRE HYDRANT	⊕
GAS METER	⊕
GUY WIRE	---
JOINT POLE	⊕
SANITARY SEWER CLEANOUT	⊕
SANITARY SEWER MANHOLE	⊕
STORM DRAIN CATCH BASIN	⊕
STORM DRAIN DROP INLET	⊕
STORM DRAIN MANHOLE	⊕
STREET LIGHT BOX	⊕
SURVEY IRON PIPE	⊕
SURVEY STREET MONUMENT	⊕
TRAFFIC SIGNAL	⊕
TRAFFIC SIGNAL BOX	⊕
UNKNOWN MANHOLE	⊕
WATER METER	⊕
WATER VALVE	⊕

ABBREVIATIONS


AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS PARCEL NUMBER
CS	CATCH BASIN
CLDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FDC	FACE OF CURB
FNC	FENCE
FH	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
J	JOINT POLE
LG	LUP OF GUTTER
LSOP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SJWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UWH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE

SURVEYOR'S STATEMENT:

THIS MAP WAS PREPARED BY ME OR UNDER MY DIRECTION AND IS BASED UPON A FIELD SURVEY IN CONFORMANCE WITH THE REQUIREMENTS OF THE SUBDIVISION MAP ACT AND LOCAL ORDINANCE AT THE REQUEST OF ALAN ENTERPRISES LLC.

03/11/2020

DAVIS THRESH
P.L.S. 6868
BKF ENGINEERS



GRAPHIC SCALE



EXISTING CONDITIONS


ST SCR D A A T R I S C

BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
1130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112


DAHLIN

DAT 08-05-2020
1562-001

5865 Owens Drive
Pleasanton, CA 94588
925-251-1200



C1.0




LEGEND

BOUNDARY LINE	---
LOT LINE	---
REMOVE EX. ASPHALT AND BASEROCK	///
REMOVE EX. CONCRETE PAVEMENT AND BASEROCK	///
REMOVE EX. STRUCTURE, FOUNDATION, AND BASEROCK	///
REMOVE EX. COMPACTED GRAVEL AND VEGETATION (INCLUDES BOLLARDS)	///
LIMIT OF SAWCUT	---
ABANDON EXISTING UTILITY LINE PER CITY STD.	---
REMOVE EX. OVERHEAD LINE	---
REMOVE EX. UTILITY LINE	X X X
REMOVE EX. TREE	X

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS' PARCEL NUMBER
CB	CATCH BASIN
CLDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FM	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD.	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE




GRAPHIC SCALE



PRELIMINARY DEMOLITION PLAN

ST SCR D A A T R I S C




LEGEND

BOUNDARY LINE	---
LOT LINE	- - - -
MONUMENT LINE	---
BIORETENTION BASIN	[Symbol]
2" AC GRIND & OVERLAY	[Symbol]
AC PAVEMENT IMPERMEABLE	[Symbol]
AC PAVEMENT PERMEABLE	[Symbol]
CONCRETE SIDEWALK	[Symbol]
CONCRETE STAMPED	[Symbol]
TRUNCATED DOMES	[Symbol]
DRIVEWAY	[Symbol]
ROLLED CURB & GUTTER	[Symbol]
VALLEY GUTTER	[Symbol]
VERTICAL CURB	[Symbol]
VERTICAL CURB & GUTTER	[Symbol]
ADA LIVING UNIT	[Symbol]
ADA PARKING STALL PAINT	[Symbol]
ADA PARKING STALL SIGN	[Symbol]
BIKE LANE MARKING & GREEN THERMOPLASTIC	[Symbol]
PAINTED RED CURB	[Symbol]
PARKING WHEEL STOP	[Symbol]
PRIVACY FENCE	[Symbol]
STOP MARKING & SIGN	[Symbol]
TRAFFIC SIGNAL	[Symbol]
TURN ARROW	[Symbol]

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS PARCEL NUMBER
CB	CATCH BASIN
CDDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FH	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD.	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER



GRAPHIC SCALE




PRELIMINARY SITE PLAN

ST SCRD AATRISC












BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DAT 08-05-2020
1562-001
5865 Owens Drive
Pleasanton, CA 94588
925-251-1200



C3.0




PRELIMINARY SITE PLAN

ST SCR D A A T R R I S C


BKF 100+
ENGINEERS . SURVEYORS . PLANNERS
1130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DAT 08-05-2020
1562-001
5865 Owens Drive
Pleasanton, CA 94588
925-251-1200



C3.1




LEGEND

BOUNDARY LINE
LOT LINE
MONUMENT LINE

STORM DRAIN (UNTREATED)
STORM DRAIN AREA DRAIN
STORM DRAIN BUBBLER BOX
STORM DRAIN CLEANOUT
STORM DRAIN CATCH BASIN
STORM DRAIN DROP INLET
STORM DRAIN JUNCTION BOX
STORM DRAIN MANHOLE
SANITARY SEWER CLEANOUT

ABBREVIATIONS

AB ASPHALT BERM
AC ASPHALTIC CONCRETE
AD AREA DRAIN
ADN ASSESSORS' PARCEL NUMBER
CB CATCH BASIN
CLDR CENTERLINE OF DOOR
COM COMMUNICATIONS PULLBOX
CONC CONCRETE
CSD CUPERTINO, SANITARY DISTRICT
DI DROP INLET
DW DRIVEWAY
E EAST
EB ELECTRIC PULLBOX
EP EDGE OF PAVEMENT
EV ELECTRIC VAULT
EX EXISTING
FL FLOW LINE
FNC FACE OF CURB
FNC FENCE
FH FIRE HYDRANT
GM GAS METER
GV GAS VALVE
INV INVERT
IRR IRRIGATION
JP JOINT POLE
LG LIP OF GUTTER
LSCP LANDSCAPING
M-M MONUMENT TO MONUMENT
MH MANHOLE
ML MONUMENT LINE
N NORTH
PL PROPERTY LINE
ROW RIGHT OF WAY
S SOUTH
S.F. SQUARE FEET
S.F.N.F. SEARCHED FOR, NOT FOUND
SD STORM DRAIN
SDAD STORM DRAIN AREA DRAIN
SDCB STORM DRAIN CATCH BASIN
SDCO STORM DRAIN CLEANOUT
SDDI STORM DRAIN DROP INLET
SDJB STORM DRAIN JUNCTION BOX
SDMH STORM DRAIN MANHOLE
SWC SAN JOSE WATER COMPANY
SLB STREET LIGHT BOX
SS SANITARY SEWER
SSCO SANITARY SEWER CLEANOUT
SSMH SANITARY SEWER MANHOLE
STD STANDARD
TC TOP OF CURB, AT FACE
TMH TELEPHONE MANHOLE
TSB TRAFFIC SIGNAL BOX
UMH UNKNOWN MANHOLE
W WEST
WM WATER METER
WV WATER VALVE




PRELIMINARY GRADING PLAN

ST SCR D A A T R R I S C


BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
1330 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DAT 08-05-2020
1562-001
5865 Owens Drive
Pleasanton, CA 94588
925-251-1200



C4.0




LEGEND

BOUNDARY LINE	---
LOT LINE	- - -
MONUMENT LINE	---
ELEVATION	RIM XXX.XX INV XXX.XX
COMMUNICATION LINE	COMM COMM
DOMESTIC WATER LINE	W W
ELECTRIC LINE	E E
FIRE WATER LINE	FW FW
GAS LINE	G G
IRRIGATION LINE	IR IR
JOINT TRENCH LINE	JT JT
SANITARY SEWER LINE	SS XX'-X" SS
STORM DRAIN (DIRECTION)	SD XX'-X" SD
STORM DRAIN (PERFORATED)	SD XX'-X" S=X.XX
STORM DRAIN (TREATED)	SD XX'-X" S=X.XX
STORM DRAIN (UNTREATED)	SD XX'-X" S=X.XX
STORM DRAIN AREA DRAIN	SDA
STORM DRAIN BUBBLER BOX	SB
STORM DRAIN CLEANOUT	SC
STORM DRAIN CATCH BASIN	SCB
STORM DRAIN DROP INLET	SDI
STORM DRAIN JUNCTION BOX	SDJB
STORM DRAIN MANHOLE	SDMH
SANITARY SEWER CLEANOUT	SSCO
SANITARY SEWER MANHOLE	SSMH
BACKFLOW PREVENTER	BFP
FIRE HYDRANT	FD
WATER METER	WM
WATER VALVE	WV
ELECTRIC STRUCTURES (FOR REFERENCE ONLY, SEE JOINT TRENCH PLANS)	ES

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS' PARCEL NUMBER
CB	CATCH BASIN
CLDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO, SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FD	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SJWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD.	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE



GRAPHIC SCALE



PRELIMINARY UTILITY PLAN


ST SCR D A A T R I S C

BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112


DAHLIN

DAT 08-05-2020
1562-001

5865 Owens Drive
Pleasanton, CA 94588
925-251-1200



C5.0



LEGEND


BOUNDARY LINE	---
LOT LINE	---
MONUMENT LINE	---
BACKFLOW PREVENTER	---

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS' PARCEL NUMBER
CB	CATCH BASIN
CLDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO, SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FM	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE



GRAPHIC SCALE




PRELIMINARY FIRE HOSE REACH PLAN

ST SCR D A A T R I S C


BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DAT 08-05-2020
1562-001
5865 Owens Drive
Pleasanton, CA 94588
925-251-1200



C5.1



LEGEND

BOUNDARY LINE	---
DRAINAGE AREA	---
BIORETENTION BASIN	[Symbol]
AC PAVEMENT IMPERMEABLE	[Symbol]
AC PAVEMENT PERMEABLE	[Symbol]
CONCRETE SIDEWALK	[Symbol]
CONCRETE STAMPED	[Symbol]
TRUNCATED DOMES	[Symbol]
DRIVEWAY	[Symbol]
STORM DRAIN (DIRECTION)	[Symbol]
STORM DRAIN (PERFORATED)	[Symbol]
STORM DRAIN (TREATED)	[Symbol]
STORM DRAIN (UNTREATED)	[Symbol]
STORM DRAIN AREA DRAIN	[Symbol]
STORM DRAIN BUBBLER BOX	[Symbol]
STORM DRAIN CLEANOUT	[Symbol]
STORM DRAIN CATCH BASIN	[Symbol]
STORM DRAIN DROP INLET	[Symbol]
STORM DRAIN JUNCTION BOX	[Symbol]
STORM DRAIN MANHOLE	[Symbol]

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS' PARCEL NUMBER
CB	CATCH BASIN
CDLR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO, SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EP	ELECTRIC PULLBOX
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FH	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD.	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE

TREATMENT CONTROL MEASURES SUMMARY TABLE

TREATMENT CONTROL MEASURE SUMMARY TABLE									
DRAINAGE AREAS	DRAINAGE AREA SIZE (SQ. FT.)	PERVIOUS SURFACE (SQ. FT.)	TYPE OF PERVIOUS SURFACE	IMPERVIOUS SURFACE (SQ. FT.)	TYPE OF IMPERVIOUS SURFACE	WATER QUANTITY (FLOW AND/OR VOLUME GENERATED)		PROPOSED TREATMENT CONTROLS	CONFORMS TO SIZE STANDARDS?
						REQUIRED (SQ. FT.)	PROVIDED (SQ. FT.)		
A-1	27,506	9,454	BIO-RETENTION LANDSCAPE	18,052	AC PAVING CONCRETE & ROOF	516	525	B.B.1 BIORETENTION BASIN 1	YES
TOTAL SITE	27,506	9,454		18,052		516	525		YES
TREATMENT CONTROL MEASURE SUMMARY TABLE (OFFSITE)									
B-1	9,343	2,050	BIO-RETENTION LANDSCAPE	7,293	AC PAVING CONCRETE	222	497	B.B.2 BIORETENTION BASIN 2	YES
B-2	5,387	1,747	BIO-RETENTION LANDSCAPE	3,640	AC PAVING CONCRETE	113	237	B.B.3 BIORETENTION BASIN 3	YES
TOTAL OFFSITE	14,730	3,797				335	734		YES

PRELIMINARY STORMWATER CONTROL PLAN


22690 STEVENS CREEK BLVD. ALAN ENTERPRISE, LLC

BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
1730 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DATE 08-05-2020
JOB NO. 1562-001

5865 Owens Drive
Pleasanton, CA 94588
925-251-7200



C6.0

LEGEND


BOUNDARY LINE	---
LOT LINE	- - - -
AC PAVEMENT IMPERMEABLE	[Pattern]
AC PAVEMENT PERMEABLE	[Pattern]
CONCRETE SIDEWALK	[Pattern]
CONCRETE STAMPED	[Pattern]
TRUNCATED DOMES	[Pattern]
DRIVEWAY	[Symbol]
ROLLED CURB & GUTTER	[Symbol]
VALLEY GUTTER	[Symbol]
VERTICAL CURB	[Symbol]
VERTICAL CURB & GUTTER	[Symbol]
ADA LIVING UNIT	*
ADA PARKING STALL PAINT	[Symbol]
ADA PARKING STALL SIGN	[Symbol]
BIKE LANE MARKING & GREEN THERMOPLASTIC	[Symbol]
PAINTED RED CURB	[Symbol]
PARKING WHEEL STOP	[Symbol]
PRIVACY FENCE	[Symbol]
STOP MARKING & SIGN	[Symbol]
TRAFFIC SIGNAL	[Symbol]
TURN ARROW	[Symbol]
TRASH, RECYCLE, & COMPOST CURB SIDE BINS (RECOLOGY - 64 GALLONS)	[Symbol]

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS' PARCEL NUMBER
CB	CATCH BASIN
CLDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO, SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FM	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE



DAT	08-05-2020
[Symbol]	1562-001



C 0.0


5865 Owens Drive
Pleasanton, CA 94588
925-251-1200

DAHLIN

BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

PRELIMINARY TRASH TRUCK CIRCULATION PLAN

ST SCRD AATRISC






LEGEND

BOUNDARY LINE	---
LOT LINE	- - - -
AC PAVEMENT IMPERMEABLE	[Pattern]
AC PAVEMENT PERMEABLE	[Pattern]
CONCRETE SIDEWALK	[Pattern]
CONCRETE STAMPED	[Pattern]
TRUNCATED DOMES	[Pattern]
DRIVEWAY	[Symbol]
ROLLED CURB & GUTTER	[Symbol]
VALLEY GUTTER	[Symbol]
VERTICAL CURB	[Symbol]
VERTICAL CURB & GUTTER	[Symbol]
ADA LIVING UNIT	*
ADA PARKING STALL PAINT	[Symbol]
ADA PARKING STALL SIGN	[Symbol]
BIKE LANE MARKING & GREEN THERMOPLASTIC	[Symbol]
PAINTED RED CURB	[Symbol]
PARKING WHEEL STOP	[Symbol]
PRIVACY FENCE	[Symbol]
STOP MARKING & SIGN	[Symbol]
TRAFFIC SIGNAL	[Symbol]
TURN ARROW	[Symbol]
TRASH, RECYCLE, & COMPOST CURB SIDE BINS (RECOLOGY - 64 GALLONS)	[Symbol]

ABBREVIATIONS

AB	ASPHALT BERM
AC	ASPHALTIC CONCRETE
AD	AREA DRAIN
APN	ASSESSORS' PARCEL NUMBER
CB	CATCH BASIN
CLDR	CENTERLINE OF DOOR
COM	COMMUNICATIONS PULLBOX
CONC	CONCRETE
CSD	CUPERTINO, SANITARY DISTRICT
DI	DROP INLET
DW	DRIVEWAY
E	EAST
EB	ELECTRIC PULLBOX
EP	EDGE OF PAVEMENT
EV	ELECTRIC VAULT
EX	EXISTING
FL	FLOW LINE
FOC	FACE OF CURB
FNC	FENCE
FM	FIRE HYDRANT
GM	GAS METER
GV	GAS VALVE
INV	INVERT
IRR	IRRIGATION
JP	JOINT POLE
LG	LIP OF GUTTER
LSCP	LANDSCAPING
M-M	MONUMENT TO MONUMENT
MH	MANHOLE
ML	MONUMENT LINE
N	NORTH
PL	PROPERTY LINE
ROW	RIGHT OF WAY
S	SOUTH
S.F.	SQUARE FEET
S.F.N.F.	SEARCHED FOR, NOT FOUND
SD	STORM DRAIN
SDAD	STORM DRAIN AREA DRAIN
SDCB	STORM DRAIN CATCH BASIN
SDCO	STORM DRAIN CLEANOUT
SDDI	STORM DRAIN DROP INLET
SDJB	STORM DRAIN JUNCTION BOX
SDMH	STORM DRAIN MANHOLE
SWC	SAN JOSE WATER COMPANY
SLB	STREET LIGHT BOX
SS	SANITARY SEWER
SSCO	SANITARY SEWER CLEANOUT
SSMH	SANITARY SEWER MANHOLE
STD.	STANDARD
TC	TOP OF CURB, AT FACE
TMH	TELEPHONE MANHOLE
TSB	TRAFFIC SIGNAL BOX
UMH	UNKNOWN MANHOLE
UNK	UNKNOWN MATERIAL
W	WEST
WM	WATER METER
WV	WATER VALVE



PRELIMINARY FIRE TRUCK STAGING PLAN

ST SCRD AATRISC


BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DAT 08-05-2020
1562-001
5865 Owens Drive
Pleasanton, CA 94588
925-251-1200

NORTH

C 1



PRELIMINARY PASSANGER CAR BACKUP PLAN


ST SCRD AATRISC

BKF 100+
YEARS
ENGINEERS . SURVEYORS . PLANNERS
130 N. FIRST STREET, SUITE 600
SAN JOSE, CA 95112

DAHLIN

DAT 08-05-2020
1562-001
5865 Owens Drive
Pleasanton, CA 94588
925-251-1200
C 0.2


ALAN ENTERPRISES LLC.
ALAN ROW
CUPERTINO SANTA CLARA COUNTY CALIFORNIA



<u>SHEET INDEX</u>	
SHEET NO.	DESCRIPTION
JT1	JOINT TRENCH COMPOSITE TITLE SHEET
JT2	JOINT TRENCH GENERAL NOTES AND DETAILS
JT3	JOINT TRENCH DETAILS
JT4	JOINT TRENCH SECTIONS AND DETAILS
JT5	JOINT TRENCH COMPOSITE PLAN
SL2 - SL2	STREET LIGHTING GENERAL NOTES AND DETAILS
SL3	STREET LIGHTING SITE PLAN

600 L.F. OF JOINT TRENCH
SHALL BE INSTALLED WITH THIS JOINT TRENCH PLAN SET

10	NEW FULL SERVICE COMPLETIONS (ELECTRIC AND TELEPHONE) TOWNHOME STYLE.
1	NEW SERVICE COMPLETION (METERED SERVICE PEDESTAL)



TARRAR UTILITY REP.:	<u>KHALID TARRAR</u>	JOB NO.	<u>220001</u>	PHONE NO.	<u>(925) 240-2595</u>
DEVELOPER:	<u>ALI MOZAFFARI</u>	JOB NO.	<u>220001</u>	PHONE NO.	<u>(415) 971-0609</u>
PG&E ELECTRIC COORDINATOR:	<u>STEVE TAYLOR</u>	JOB NO.	<u>PM# 35171843</u>	PHONE NO.	<u>(408) 299-1084</u>
PG&E GAS COORDINATOR:	<u>-</u>	JOB NO.	<u>-</u>	PHONE NO.	<u>-</u>
TELEPHONE REP.:	<u>HOWARD PROCK</u>	JOB NO.	<u>-</u>	PHONE NO.	<u>(408) 439-1476</u>
CABLE T.V. REP.:	<u>-</u>	JOB NO.	<u>-</u>	PHONE NO.	<u>-</u>

FILES STATUS			
DESCRIPTION:	BY:	DATE:	STATUS
CIVIL PLANS (ELECTRONIC FILE)	BKF CIVIL ENGINEERS	3/11/2020	R
ARCHITECTURAL PLANS (ELECTRONIC FILE)	DAHLIN GROUP ARCHITECTURE	3/11/2020	R
LANDSCAPE PLANS (ELECTRONIC FILE)	RW STOVER & ASSOCIATES	3/11/2020	R
GAS DESIGN	-	-	-
ELECTRIC DESIGN	LOPES UTILITY DESIGN SERVICES	XX-XX-XXXX	X
TELEPHONE INTENT REPLY	AT&T	3/3/2020	R
CATV INTENT REPLY	-	-	-
STREET LIGHT PLANS – PUBLIC	TARRAR UTILITY CONSULTANTS	3/19/2020	R
STREET LIGHT PLANS – PRIVATE	-	-	-
SOILS REPORT	ACHIEVEMENT ENGINEERING CORP.	1/16/2020	R

A = APPROVED ANS = APPROVED NOT SIGNED NA = NOT APPROVED F = FIRST SUBMITTAL SS = SECOND SUBMITTAL R = RECEIVER





















TARRAR UTILITY CONSULTANTS
APPROVED FOR SUBMITTAL
HAIDER KAMMOONAH
QUALIFIED APPLICANT DESIGN ENGINEER

DEVELOPER
PLEASE NOTE AND SIGN

ALL PG&E ENCLOSURES AND BOXES HAVE BEEN SET TO GRADE
ACCORDING TO GRADE STAKES PROVIDED BY DEVELOPERS ENGINEER.
ALL COSTS TO RELOCATE OR READJUST BOXES AT A LATER DATE
WILL BE BILLED TO THE DEVELOPER. PLEASE HAVE YOUR JOB
SUPT. VERIFY THE CORRECT GRADE OF ALL ENCLOSURES AND
BOXES, AND SIGN AND DATE DRAWING.

THANK YOU

SIGNED _____ DATE _____

<u>LEGEND</u>	
	PROPOSED JOINT TRENCH
	PROPOSED JOINT TRENCH SERVICE
	PROPOSED UNDERGROUND ELECTRIC LINES
	PROPOSED UNDERGROUND TELEPHONE LINES
	EXISTING GAS
	EXISTING OVERHEAD UTILITY LINES
	EXISTING OVERHEAD TELEPHONE LINES
	DESIGNATES UTILITY LINES TO BE REMOVED
	EXISTING PRIMARY SPICE BOX
	EXISTING SECONDARY SPICE BOX
	TELEPHONE SERVICE BOX, 30" x 48" x 32" (F.V.T.)
	PG&E SUBSURFACE TRANSFORMER, 4' x 6'6" x 5'
	EXISTING JOINT/UTILITY POLE
	ELECTROJOUR, SINGLE ARM (PUBLIC)
	ELECTROJOUR, POST TOP (PRIVATE)
	LIGHTING BOLLARD (PRIVATE)
	EXISTING TRAFFIC SIGNAL
	EXISTING ELECTROJOUR, SINGLE ARM
	METER SERVICE PEDESTAL
XX-X'	JOINT TRENCH LABEL, XX INDICATES SECTION NUMBER X' INDICATES TRENCH SECTION LENGTH
	PG&E SKETCH LOCATION NUMBER

COMPOSITE DRAWING BY DEVELOPER

Estimate # _____		
Approved _____	Gas ADE _____	Date _____
Approved _____	Electric ADE _____	Date _____


& E is not responsible for the accuracy of the specifications shown
this drawing.

COMPOSITE DRAWING BY DEVELOPER

Approved _____ Date _____
Telephone representative

Approved _____ Date _____
CATV representative


Approved _____ CATV representative _____ Date _____




NOTE:

- CONTRACTOR TO EXCAVATE TRANSITIONS FROM MAIN-LINE TRENCH TO VAULTS AS REQUIRED BY EACH UTILITY.
- TRANSITIONS NOT SHOWN ON COMPOSITE DRAWING FOR CLARITY.
- CONTRACTOR TO INCLUDE COST OF TRANSITIONS IN VAULT EXCAVATION COST.

DETAIL **1** **TYPICAL PRIMARY BOX EXCAVATION USING CONDUIT**
N.T.S. JT3



JOINT TRENCH OVER WATER, SANITARY SEWER OR STORM DRAIN
CHOICE 1 (PREFERRED METHOD)



JOINT TRENCH UNDER WATER, SANITARY SEWER OR STORM DRAIN
CHOICE 2 (OPTIONAL METHOD)

* SEE MINIMUM COVER & CLEARANCE CHART

** WITH MUTUAL AGREEMENT, WHEN 4" O.D. OR SMALLER GAS PIPE IS INSTALLED SEPARATION MAY BE REDUCED TO NOT LESS THAN 6" BETWEEN GAS AND COMMUNICATION DUCTS (TELEPHONE & CATV).

*** 6" MINIMUM REQUIRED BY PG&E-ADDITIONAL CLEARANCE MAYBE REQUIRED BY CITY OR COUNTY

DETAIL **2** **OVER UNDER DETAILS**
N.T.S. JT3

CONSTRUCTION LABOR AND MATERIAL RESPONSIBILITY

**PUBLIC UTILITY SYSTEM
(JOINT TRENCH)**

TRENCHING:	PG&E	ELECTRIC	GAS	TELEPHONE	C.A.T.V.	CONTRACTOR
EXCAVATE, BACKFILL AND COMPACT:						
GAS MATERIAL:						
FURNISH:						
INSTALL:						
ELECTRIC CABLE:						
FURNISH:						
INSTALL:						
ELECTRIC CONDUIT:						
FURNISH:						
INSTALL:						
ELECTRIC SPLICE BOXES:						
EXCAVATE:						
FURNISH:						
INSTALL:						
ELECTRIC TMR ENCLS:						
EXCAVATE:						
FURNISH:						
INSTALL:						
ELECTRIC EQUIP. ENCLS:						
EXCAVATE:						
FURNISH:						
INSTALL:						
ELECTRIC TMR PADS:						
GRADE:						
FURNISH:						
INSTALL:						
TELEPHONE CONDUIT:						
FURNISH:						
INSTALL:						
TELEPHONE CABLE:						
FURNISH:						
INSTALL:						
TELEPHONE SPLICE BOX:						
EXCAVATE:						
FURNISH:						
INSTALL:						
TELEPHONE INTER. PADS:						
GRADE:						
FURNISH:						
INSTALL:						
C.A.T.V. CONDUITS:						
FURNISH:						
INSTALL:						
C.A.T.V. SPLICE BOXES:						
EXCAVATE:						
FURNISH:						
INSTALL:						


● DESIGNATES THE WORK TO BE PERFORMED BY THE CONTRACTOR AND EACH UTILITY COMPANY.

**STREET LIGHTING SYSTEM
(PUBLIC)**

WIRE:	PG&E	CONTRACTOR
FURNISH:		
INSTALL:		
CONDUIT:		
FURNISH:		
INSTALL:		
BASES:		
FURNISH:		
INSTALL:		
LUMINAIRES:		
FURNISH:		
INSTALL:		
SPLICE BOXES:		
FURNISH:		
INSTALL:		
EXCAVATE:		
POLES & ARMS:		
FURNISH:		
INSTALL:		

SCHEDULE:	LS2A
INSTALL IN JOINT TRENCH:	YES
INSTALL IN SEPARATE TRENCH:	NO
CONDUIT SIZE:	2"
CONDUIT TYPE:	SCH. 40
WIRE SIZE:	#8
TYPE:	CU


ADDITIONAL NOTES:
DEVELOPER TO SUPPLY AND INSTALL GAS & ELECTRIC FACILITIES UNDER THE COMPETITIVE BIDDING PROVISIONS OF PG&E GREEN BOOK RULES 15, 16 AND 20.




DIM "X"

3' MIN. 3'0" x 5'0" ENCLOSURES
4' MIN. 4' x 6'6" x 5'0" ENCLOSURES
5' MIN. 4'6" x 8'6" x 6'0" ENCLOSURES
(OR EASEMENT REQUIRED)


DETAIL **3** **PG&E ENCLOSURE CLEARANCES**
N.T.S. JT3



DETAIL **4** **METER SERVICE**
N.T.S. JT3 **PEDESTAL BASE DETAIL**



DETAIL "A"



DETAIL **5** **METERED SERVICE PEDESTAL PAD STUB-UP**
N.T.S. JT3 **SERVICE FOR LIGHTING AND IRRIGATION CONTROLLER**

DATE: January 2020

DATE LAST WORKED ON: 8/6/2020

SCALE: NOT TO SCALE

DRAWN: HK

CHECKED: KT

JOB NO.: 220001

SHEET

JT3

OF

JT5

PROJECT NOTES:

1. FIELD ADJUST SERVICES TO MINIMIZE INTERFERENCE WITH EXISTING FACILITIES (TYPICAL).
2. CONTRACTOR SHALL PERFORM ALL TRENCHING, EXCAVATING, BACKFILLING AND OTHER WORK AS SHOWN OR NOTED ON PLANS, AND AS SPECIFIED ON UTILITY BID DOCUMENTS.
3. FIELD ADJUST SPLICE BOXES TO KEEP CLEAR OF SIDEWALK, DRIVEWAYS AND EXISTING FACILITIES (TYPICAL).
4. A 3 FOOT LEVEL WORKING AREA MUST BE MAINTAINED AROUND ALL ELECTRIC ENCLOSURES. PRIOR TO ENERGIZING THE SYSTEM, THE ELECTRIC UTILITY COMPANY INSPECTOR WILL DETERMINE IF RETAINING WALLS ARE REQUIRED TO MEET MINIMUM CLEARANCE BETWEEN ENCLOSURES AND THE TOPS OR TOES OF SLOPES. IF RETAINING WALLS ARE REQUIRED, THE DEVELOPER AND/OR CONTRACTOR SHALL OBTAIN THE NECESSARY PERMITS FROM THE CITY/COUNTY BUILDING DEPARTMENT PRIOR TO WALL CONSTRUCTION.
5. TRANSITION TO VAULTS FROM TRENCH NOT SHOWN, SEE TRANSITION DETAIL SHEET JT3 (TYPICAL).
6. CONTRACTOR SHALL PLACE ALL UTILITY SPLICE BOXES, ENCLOSURES & CONDUIT IN PROPER RELATIONSHIP TO FINAL GRADE (SHOWN SCHEMATICALLY).
7. ALL PG&E, TELEPHONE, CABLE T.V. AND FIBER OPTIC BOXES AND JOINT TRENCH FACILITIES ARE TO MAINTAIN A MINIMUM OF 3' SEPARATION FROM SEWER, WATER LATERALS AND DRIVEWAYS.
8. CONTRACTOR SHALL COORDINATE ALL CONNECTIONS BETWEEN PROPOSED AND EXISTING FACILITIES AS DIRECTED BY THE RESPECTIVE UTILITY COMPANY INSPECTOR. UTILITY COMPANY PERSONNEL SHALL MAKE ALL "HOT TIE-INS"; THE CONTRACTOR IS PROHIBITED FROM WORKING IN ANY ENERGIZED FACILITIES.
9. THE CONTRACTOR SHALL OBTAIN THE APPROPRIATE STREET EXCAVATION AND ENCROACHMENT PERMIT(S) FROM THE CITY/COUNTY PRIOR TO STARTING WORK IN THE PUBLIC STREET AREA.
10. FIELD LOCATE JOINT TRENCH FACILITIES TO KEEP CLEAR OF SERVICE LATERALS. SERVICE LATERALS TO BE ROUTED TO AVOID SPLICE BOX (ADDITIONAL P.U.E MAY BE REQUIRED).
11. RESPECTIVE UTILITY COMPANY TO OBTAIN CITY APPROVAL OF ALL ABOVE GROUND EQUIPMENT.
12. UNLESS OTHERWISE SHOWN ON THE PLANS, NATURAL BENDS SHALL BE USED FOR ALL CONDUIT EXCEPT STREET LIGHT CONDUIT.
13. INCIDENTAL TRENCHING TO SPLICE BOXES NOT SHOWN (TYPICAL). CONTRACTOR TO PROVIDE ADDITIONAL TRENCHING AS REQUIRED FOR CONDUIT ROUTING TO SPLICE BOXES AND CABINETS (TYPICAL).
14. ALL CONDUITS SHALL ENTER OR EXIT PERPENDICULAR TO BOX WALLS.
15. ALL CONDUITS MUST BE MANDREL TESTED AND APPROVED.
16. OFFSET SPLICE BOXES TO ROUTE TELEPHONE/FIBER OPTIC CONDUIT AS NEEDED (TYPICAL).
17. PULL ROPES SHALL BE PLACED IN ALL EMPTY CONDUITS AS REQUIRED BY EACH UTILITY COMPANY.
18. ALL PG&E SPLICE BOXES ADJACENT TO TRANSFORMER SHALL BE 26" IN DEPTH (TYPICAL).
19. ALL CONDUITS NOT ENTERING SPLICE BOXES OR ENCLOSURES SHALL BE CAPPED.
20. COORDINATE TIE-IN WITH UTILITY COMPANY AS REQUIRED.
21. THE STREET LIGHT SYSTEM SHALL BE INSTALLED IN ACCORDANCE WITH THE "MATERIAL AND LABOR RECAP" AND LIGHT SCHEDULE AS SHOWN ON THESE PLANS.
22. ALL EXISTING DUCTS TO BE USED IN THESE PLANS SHALL BE "VERIFIED" BY PULLING A MANDREL THROUGH THE ENTIRE EXISTING LENGTH PRIOR TO CONNECTION.
23. EDGE OF SPLICE BOXES & PEDESTALS SHALL BE 5' FROM EDGE OF FIRE HYDRANT AND 3' FROM STREET LIGHT (TYPICAL). CONTRACTOR TO AVOID DISTURBING FIRE HYDRANT THRUST BLOCK.
24. ALL UTILITY SUBSTRUCTURES SHALL BE INSTALLED IN ACCORDANCE WITH THE "MATERIAL AND LABOR RECAP" SHOWN ON THESE PLANS
25. MAINTAIN 3' CLEARANCE AND LEVEL AREA AROUND PRIMARY SPLICE BOXES & XFMRs.
26. DUE TO UNCERTAINTIES OF THE EXACT LOCATION OF EXISTING FACILITIES, FIELD LOCATION OF PROPOSED FACILITIES MAY BE REQUIRED. CONFIRM WITH VARIOUS UTILITIES FOR EXACT PLACEMENT.
27. FOR CLARITY – BOXES/PEDESTALS ARE SHOWN AT LARGER SIZE THAN ACTUAL. FIELD ADJUST TO KEEP CLEAR OF DRIVEWAYS (TYPICAL).
28. ALL SERVICE FACILITIES SHALL BE EXTENDED TO EITHER THE PROPERTY LINE OR TO POSITION SHOWN ON THE PLANS, AND THEN CAPPED, BURIED AND LOCATION STAKED.
29. THESE PLANS WERE PREPARED UTILIZING PLANS RECEIVED FROM BFK (408) 467-9100.

ABBREVIATION LIST

B/C	BACK OF CURB	H.P.S.	HIGH PRESSURE SODIUM	RT	RETAINING WALL
B/W	BACK OF WALK	IRR.	IRRIGATION CONTROLLER	R/W	RIGHT OF WAY
BTU	BRITISH TERM UNITS	J.T.	JOINT TRENCH	SCH.	SCHEDULE
CB	CATCH BASIN	KV	KILO-VOLTS	SD	STORM DRAIN
CL	CENTERLINE	LE	LANDSCAPE EASEMENT	SHt.	SHEET
CAT.	CATALOG	LF	LINEAR FOOT/FEET	S/W	SIDE WALK
C OR CATV	CABLE TELEVISION	MH	MANHOLE	SS	SANITARY SEWER
CFH	CUBIC FEET PER HOUR	MIN.	MINIMUM	SSE	SANITARY SEWER EASEMENT
C.I.P.	CAPITOL IMPROVEMENT PROJECT	MPOE	MINIMUM POINT OF ENTRY	ST. LT.-S/L	STREET LIGHT
CL	CENTER LINE	N.T.S.	NOT TO SCALE	SUBD'V	SUBDIVISION
CU	COPPER	O.D.	OUTER DIAMETER	Sqft.	SQUARE FOOTAGE
E	ELECTRIC	O.H.	OVER HEAD	T	TELEPHONE
EP	EDGE OF PAVEMENT	PIEUE	PRIVATE INGRESS, EGRESS, AND UTILITY EASEMENT	TUC	TARRAR UTILITY CONSULTANTS
EVAE	EMERGENCY VEHICLE ACCESS EASEMENT	PL	PROPERTY LINE	TYP.	TYPICAL
EX.	EXISTING	P.S.	POWER SUPPLY	T/S	TRAFFIC SIGNAL
F/C	FACE OF CURB	PROJ.	PROJECT	U.G.	UNDERGROUND
FH	FIRE HYDRANT	PSDE	PRIVATE STORM DRAIN EASEMENT	U.O.N.	UNLESS OTHERWISE NOTED
FUT.	FUTURE	PSE	PUBLIC SERVICE EASEMENT	V	VOLT
F.O.	FIBER OPTIC	PVAV	PRIVATE VEHICLE ACCESS WAY	W	WATT
G	GAS	P.V.C.	POLY VINYL CHLORIDE	WT	WATER
GALV.	GALVANIZE	PwE	PUBLIC WATER LINE EASEMENT	W/	WITH
G.E.	GENERAL ELECTRIC	PWR	POWER	W/O	WITHOUT
GRD.	GROUND	PUE	PUBLIC UTILITY EASEMENT	WLE	WATER LINE EASEMENT
H.O.A.	HOME OWNERS ASSOCIATION			XFMR	TRANSFORMER

JOINT TRENCH AND UTILITY BOX LOCATION

THIS AREA DOES NOT PERTAIN
TO THIS PROJECT

JOINT TRENCH STREET SECTIONS

NOT TO SCALE
NOTE: SEE PLANS FOR CONFIGURATIONS AND ARRANGEMENTS.
* UNLESS OTHERWISE SHOWN

WITHIN ROADWAY SECTION
(95% RELATIVE COMPACTION FOR THE TOP 6" BELOW ROAD SUBGRADE AND 90% BELOW THAT)

GENERAL NOTES:



1. ALL JOINT TRENCH CONSTRUCTION WORK SHALL BE IN ACCORDANCE WITH PG&E UTILITY OPERATIONS UO STANDARD S5453.
2. ALL WORK SHALL BE SUBJECT TO THE INSPECTION AND SATISFACTION OF ALL PARTICIPATING UTILITIES AND CITY INSPECTORS.
3. BACKFILL SELECTION SHALL BE SUBJECT TO THE APPROVAL OF THE RESPECTIVE UTILITY COMPANIES. THE SOILS ENGINEER AND THE CITY AND/OR COUNTY WHERE THE PROJECT IS LOCATED. CONSULT PARTICIPATING UTILITIES, SOILS ENGINEER, AND THE CITY FOR APPROVED BACKFILL MATERIAL. COMPACTION TO MEET LOCAL AGENCIES REQUIREMENTS.
4. THE BOTTOM OF THE TRENCH SHALL BE CLEARED OF ROCKS AND OTHER HARD SURFACES. DISTRIBUTION TRENCHES WITHOUT TELEPHONE CONDUIT DO NOT REQUIRE BEDDING MATERIAL. SERVICE TRENCHES WITHOUT TELEPHONE CONDUIT REQUIRE 2" SAND BEDDING AS A PAD ON WHICH UTILITY FACILITIES CAN REST. SERVICE TRENCHES CONTAINING TELEPHONE CONDUIT ONLY REQUIRE A 1" SAND BEDDING. ALL OTHER TRENCHES CONTAINING TELEPHONE CONDUIT REQUIRE A 3" SAND BEDDING. REFER TO PG&E GREEN BOOK PUBLICATION S5453, EXHIBIT B AND AT&T SPEC95 "AT&T SPECIFICATIONS" TRENCHING AND CONDUIT GUIDE FOR FURTHER INFORMATION.
5. THE CONTRACTOR SHALL BE RESPONSIBLE TO REPLACE PAVEMENT AND/OR SIDEWALK WHERE REMOVED OR DAMAGED AS A RESULT OF ITS OPERATION (UNLESS OTHERWISE NOTED). REPLACEMENT OF PAVEMENT AND/OR SIDEWALK TO BE PER CITY SPECIFICATIONS.
6. THE CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE AND NOTIFY ALL PARTICIPATING UTILITY INSTALLATIONS.
7. THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR ANY FIELD CHANGES MADE WITHOUT FIRST NOTIFYING TARRAR UTILITY CONSULTANTS.
8. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE EXISTENCE AND/OR PRECISE LOCATION OF ALL UNDERGROUND FACILITIES PRIOR TO THE START OF CONSTRUCTION. TARRAR UTILITY CONSULTANTS MAKES NO WARRANTY WHATSOEVER THAT THE EXISTING UNDERGROUND UTILITIES AND/OR STRUCTURES DEPICTED ON THE PLANS HAVE BEEN ACCURATELY LOCATED OR THAT THERE ARE NO OTHER UNDERGROUND UTILITIES AND STRUCTURES IN ADDITION TO WHAT HAS BEEN SHOWN. CALL U.S.A. A MINIMUM OF 48 HOURS PRIOR TO STARTING CONSTRUCTION. FOR CALIFORNIA NORTH, (KERN COUNTY AND NORTHERLY, AND NEVADA) CALL (800)227-2600. FOR CALIFORNIA SOUTH, (SAN BERNARDINO COUNTY AND SOUTHERLY) CALL (800)422-4133.
9. CONTRACTOR SHALL COMPLY WITH ALL STATE, COUNTY AND CITY LAWS AND ORDINANCES AND WITH THE REGULATIONS OF THE DEPARTMENT OF INDUSTRIAL RELATIONS, O.S.H.A. AND ANY OTHER GOVERNMENTAL AGENCY RELATING TO THE SAFETY AND CHARACTER OF WORK, EQUIPMENT AND LABOR PERSONNEL.
10. THE DRAWINGS AND SPECIFICATIONS SHALL BE CONSIDERED TO BE COMPLEMENTARY TO EACH OTHER. ANYTHING SHOWN ON THE DRAWINGS AND NOT MENTIONED IN THE SPECIFICATIONS, OR MENTIONED IN THE SPECIFICATIONS AND NOT SHOWN ON THE DRAWINGS, SHALL BE OF LIKE EFFECT AS IF SHOWN ON OR MENTIONED IN BOTH. IF DISCREPANCY IS FOUND, NOTIFY TARRAR UTILITY CONSULTANTS PRIOR TO STARTING WORK.
11. TRENCH AND CONDUIT LAYOUTS ARE SHOWN SCHEMATICALLY.
12. TRENCHING OR SUBSTRUCTURE EXCAVATION MAY NECESSITATE OPERATION OVER, UNDER, OR ADJACENT TO OTHER UNDERGROUND UTILITIES (STORM, SEWER, WATER, ETC...). THE CONTRACTOR IS RESPONSIBLE TO LOCATE, PROSPECT, EXPOSE AND PROTECT ALL ADJACENT OR CROSSING UNDERGROUND UTILITIES. THIS WORK TO PROTECT THOSE UTILITIES IS NOT CONSIDERED AS EXTRA WORK. IT IS THE CONTRACTOR'S RESPONSIBILITY TO REVIEW IMPROVEMENT PLANS, IN CONJUNCTION WITH THIS PLAN, AND BID THE WORK ACCORDINGLY.
13. THE QUANTITIES SHOWN ON THESE PLANS ARE ONLY ESTIMATES OF WHAT WILL ACTUALLY BE REQUIRED FOR THE CONSTRUCTION OF THE OVERALL PROJECT. FINAL QUANTITIES MAY VARY ACCORDING TO CHANGES, ADDITIONS, DELETIONS OR OMISSIONS ON THE ORIGINAL PLAN.
14. VERIFY ALL SUBSTRUCTURE EXCAVATION DIMENSIONS WITH SUPPLIER(S) BEFORE BIDDING.
15. TARRAR UTILITY CONSULTANTS ASSUMES NO RESPONSIBILITY FOR ANY VARIANCE BETWEEN THESE PLANS AND THE ACTUAL FIELD CONDITIONS. THE CONTRACTOR SHOULD REVIEW THE PROJECT SITE PRIOR TO SUBMITTING ITS BID.
16. THE CONTRACTOR IS REQUIRED TO EXCAVATE BELL HOLE(S) AT TIE-IN LOCATIONS AS DIRECTED BY PARTICIPATING UTILITY.
17. CONTRACTOR WILL COMPLY WITH ALL LAWS, ORDINANCES AND REGULATIONS. CONTRACTOR SHALL BE FAMILIAR WITH O.S.H.A. INDUSTRIAL ORDERS AND SHALL CONDUCT HIS WORK ACCORDINGLY. WHEN WORKING ENERGIZED EQUIPMENT, THE UTILITY OWNER SHALL BE NOTIFIED TO SUPPLY THE APPROPRIATE MAN POWER AND SAFETY PRECAUTIONS AS NEEDED. THE CONTRACTOR IS RESPONSIBLE FOR PUBLIC SAFETY AND TRAFFIC CONTROL MEASURES.
18. THE CONTRACTOR IS RESPONSIBLE TO PROVIDE AS-BUILT DRAWINGS AFTER INSTALLATION OF PG&E'S GAS AND ELECTRIC SYSTEMS (PRIOR TO "HOT TIE-INS").
19. THE CITY INSPECTOR SHALL BE NOTIFIED TWO WORKING DAYS PRIOR TO COMMENCEMENT OF WORK. COORDINATE WITH THE INSPECTOR ANY SERVICES TO BE ABANDONED.
20. THE CONTRACTOR IS TO VERIFY THE RIGHT OF WAY, PUBLIC UTILITY EASEMENT AND/OR PUBLIC SERVICE EASEMENT ACQUISITION WITH THE APPLICANT PRIOR TO CONSTRUCTION WITHIN AREAS OF QUESTION.
21. PG&E'S GENERAL TERM AND CONDITIONS FOR GAS AND ELECTRIC EXTENSION AND SERVICE CONSTRUCTION BY "APPLICANT" (EFFECTIVE 07/1/95) TO BE UTILIZED FOR ALL TRENCHING, BACKFILLING, AND INSTALLATION WORK.
22. IN THE EVENT OF DISPUTES OR DISAGREEMENT OVER ANY INSTALLATIONS, DESIGNS, PLANS OR DRAWINGS, THE SPECIFICATIONS AND REQUIREMENTS OF THE INDIVIDUAL UTILITY COMPANIES AND THEIR INSPECTORS SHALL TAKE PRECEDENCE. IN CASE OF DISCREPANCIES WITHIN THE DRAWINGS AND SPECIFICATIONS HEREIN, THE CONTRACTOR SHALL CONSULT TARRAR UTILITY CONSULTANTS FOR INTERPRETATION BEFORE WORK IS STARTED.
23. TARRAR UTILITY CONSULTANTS HEREIN, ASSUMES NO RESPONSIBILITY WHATSOEVER FOR THE QUALITY, QUANTITY OR TIMING OF WORK TO BE PERFORMED BY THE CONTRACTOR, UTILITY COMPANY CONSTRUCTION CREWS, OR OTHER SUB-CONTRACTOR OF DEVELOPER.
24. ALL TRENCHING, BACKFILLING AND INSTALLATION WORK IS TO BE IN ACCORDANCE WITH THE STANDARD PRACTICES AND SPECIFICATIONS OF EACH UTILITY COMPANY PARTICIPATING IN THE UTILITY TRENCHES WITHIN THE PROJECT.
25. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING POINTS OF ACCESS THAT ARE AGREEABLE TO ADJACENT LAND USES AND TENANTS AT ALL TIMES.
26. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ASCERTAINING WHAT INSPECTIONS WILL BE REQUIRED FOR APPROVAL OF THE WORK AND FOR COORDINATING ALL SUCH INSPECTIONS. THE CONTRACTOR SHALL GIVE AT LEAST 48 HOURS PRIOR NOTICE TO THE CITY, SOILS ENGINEER, UTILITY COMPANIES OR ANY OTHER INDIVIDUALS OR PUBLIC AGENCIES, THAT THE WORK IS READY FOR INSPECTION.
27. THE CONTRACTOR SHALL NOTIFY DEVELOPER 48 HOURS PRIOR TO THE NEED FOR SURVEY STAKING. THE CONTRACTOR IS RESPONSIBLE FOR THE PRESERVATION OF ALL CONSTRUCTION STAKING SET BY THE DEVELOPER'S SURVEYORS AND WILL BE BACK CHARGED FOR ANY RE-STAKING THAT IS REQUIRED. ANY EXTRA CONSTRUCTION STAKING NECESSITATED SOLELY BY THE CONTRACTOR'S NEGLIGENCE WILL BE CHARGED TO AND PAID FOR BY THE CONTRACTOR.
28. ALL TRANSFORMERS AND TRANSFORMER PADS ARE TO BE INSTALLED PER PG&E SPECIFICATIONS. PROTECTIVE BOLLARDS ARE TO BE PLACED WHERE NEEDED.
29. THE CONTRACTOR SHALL MAKE HIMSELF FAMILIAR WITH THE PROJECT IMPROVEMENT PLANS AND CONDUCT HIS WORK ACCORDINGLY.
30. KEEP ALL BOXES AND PEDESTALS WITHIN PUBLIC UTILITY EASEMENTS OR RIGHT OF WAY. AS SHOWN.
31. ALL SAND BACKFILL MUST HAVE TESTING OF PH LEVEL AS WELL AS SAND EQUIVALENT. SEE CITY OF CUPERTINO REQUIREMENTS.
32. THE PROPOSED CONSTRUCTION OPERATION MAY TAKE PLACE AT OR NEAR FENCE LINES, PROPERTY LINES AND PROPERTY IMPROVEMENTS PRIOR TO CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR IDENTIFYING THESE AREAS AND FOR MAINTAINING THESE AREAS AND FACILITIES AT ALL TIMES DURING THE CONSTRUCTION OPERATION.
33. THE CONTRACTOR ASSUMES SOLE AND COMPLETE RESPONSIBILITY FOR THE SITE CONDITION AND SHALL DEFEND AND HOLD THE DEVELOPER AND TARRAR UTILITY CONSULTANTS HARMLESS FROM ANY ALLEGED CLAIMS OR LIABILITIES, EXCEPT THOSE ARISING FROM SOLE NEGLIGENCE OF THE DEVELOPER OR TARRAR UTILITY CONSULTANTS.
34. THE APPROXIMATE LOCATIONS OF ALL EXISTING UTILITY COMPANY UNDERGROUND LINES, POLES BOXES, ETC., WERE OBTAINED FROM A REVIEW OF AVAILABLE UTILITY COMPANY RECORDS, REPRESENTATIONS OF UTILITY COMPANY PERSONAL, OR FIELD OBSERVATIONS. NEITHER THE DEVELOPER NOR TARRAR UTILITY CONSULTANTS ASSUME ANY RESPONSIBILITY FOR VARIANCES BETWEEN THESE PLANS AND THE ACTUAL FIELD CONDITIONS. NO EXTRA PAYMENT WILL BE MADE TO THE CONTRACTOR FOR ANY ADDITIONAL TRENCHING, BOX EXCAVATIONS, MATERIALS, ETC., THAT MAY BE REQUIRED TO COMPLETE THIS PROJECT IN THE EVENT AN EXISTING TIE-IN POINT SUBSTRUCTURE IS EITHER NON-EXISTING OR IS NOT SHOWN ON THE PLANS IN ITS ACTUAL FIELD POSITION. IT IS THE CONTRACTOR'S OBLIGATION AND RESPONSIBILITY TO SAFELY LOCATE ALL EXISTING UNDERGROUND FACILITIES BY SURFACE MARKING AND/OR HAND EXCAVATION PRIOR TO STARTING CONSTRUCTION.
35. "DEVELOPER AND/OR CONTRACTOR IS RESPONSIBLE TO OBTAIN A CITY OF CUPERTINO ENCROACHMENT PERMIT FOR ALL WORK DONE IN THE PUBLIC RIGHT OF WAY. DEVELOPER AND/OR CONTRACTOR IS ALSO RESPONSIBLE TO PROVIDE JOINT TRENCH PLANS TO THE CITY OF CUPERTINO AT THE TIME OF APPLICATION FOR THE ENCROACHMENT PERMIT."

813 First Street
Brentwood, CA 94513
(925) 240-2595
(925) 240-7013 fax
www.tarrar.com




- Planning
- Design
- Estimating
- Joint Trench
- Street Lighting
- Fiber Optic
- T-24
- PG&E Gas Design
- PG&E Elec Design
- M.E.P. Design
- Cost Analysis
- Due Diligence


JOINT TRENCH GENERAL NOTES AND DETAILS
ALAN ENTERPRISES LLC.
ALAN ROW
CUPERTINO CALIFORNIA

NO.	REVISIONS	BY	DATE	DATE: January 2020	DATE LAST WORKED ON: 8/6/2020			SHEET JT2 OF JT5 SHEETS 628	
				SCALE: NOT TO SCALE	DRAWN: HK				CHECKED: KT
				JOB NO: 220001					

JOINT TRENCH MINIMUM COVER AND CLEARANCES													
MINIMUM SEPARATION FROM													
	UTILITY	G	T	TD	C	S	P	SL	SLP	F	FE	MINIMUM COVER	
G	(GAS)*	-	12"	12"	12"	6"	12"	12"	6"	12"	12"	24"; 30"	IN STREET
T	(TELEPHONE) DUCT	12"	-	1"	1"	12"	12"	12"	12"	1"	12"	24"; 30"	IN STREET
TD	(TELEPHONE) DIRECT BURY	12"	1"	-	1"	12"	12"	12"	12"	1"	12"	24"; 30"	IN STREET
C	(CABLE T.V.)	12"	1"	1"	-	12"	12"	12"	12"	1"	12"	24"; 30"	IN STREET
S	(ELECT. SECONDARY)	6"	12"	12"	12"	1.5"	3"	12"	1.5"	12"	12"	24"; 30"	IN STREET
P	(ELECT. PRIMARY)	12"	12"	12"	12"	3"	3"	3"	3"	12"	12"	36"; 36"	IN STREET
SL	(PUBLIC AND PRIVATE--STREET LIGHT)**	12"	12"	12"	12"	12"	12"	-	12"	12"	12"	24"; 30"	IN STREET
SLP	(P.G.E.--STREET LIGHT)	6"	12"	12"	12"	1.5"	3"	12"	1.5"	12"	12"	24"; 30"	IN STREET
FE	(FOREIGN ELECTRIC SOURCES, NON PG&E)	12"	12"	12"	12"	12"	12"	12"	12"	12"	-	24"; 30"	IN STREET
F	(FIBER OPTIC)	12"	1"	1"	1"	12"	12"	12"	12"	-	12"	24"; 30"	IN STREET



- LEGEND**
- MEETS UTILITY TRENCH ALLOTMENT
 - EXCEEDS UTILITY TRENCH ALLOTMENT
 - GAS
 - ELECTRIC PRIMARY
 - ELECTRIC SECONDARY
 - TELEPHONE (DUCT OR DIRECT BURY)
 - CATV
 - STREET LIGHT (PUBLIC OR PRIVATE)
 - STREET LIGHT (PG&E)
 - FOREIGN ELECTRIC
 - FIBER OPTIC




JOINT TRENCH NOTES:

- TRENCH COVER & CLEARANCES SHOWN ARE MINIMUMS ONLY AND MAY REQUIRE ALTERATIONS TO SUIT FIELD CONDITIONS.
- IT IS RECOMMENDED THAT ALL FACILITIES ARE TO BE A MINIMUM OF 12" BELOW SUB-BASE DISTURBANCE.
- * WITH MUTUAL AGREEMENT FROM PARTICIPATING UTILITIES, WHEN 4" O.D. OR SMALLER GAS PIPE IS INSTALLED, SEPARATION MAY BE REDUCED TO NOT LESS THAN 6" BETWEEN GAS AND COMMUNICATION DUCTS (TELEPHONE, C.A.T.V. & FIBER OPTIC).
- * WHERE 6" GAS MAIN IS LOCATED IN THE JOINT TRENCH A 18" MINIMUM SEPARATION FROM GAS MAIN TO ALL UTILITIES WILL BE REQUIRED.
- ** WITH MUTUAL AGREEMENT FROM PARTICIPATING UTILITIES, STREET LIGHT SEPARATION MAY BE REDUCED TO 0" BETWEEN STREET LIGHT AND COMMUNICATION DUCTS (TELEPHONE, C.A.T.V. & FIBER OPTIC).
- TRENCH CONFIGURATIONS SHOWN ARE FOR INSTALLATION WHERE EACH OCCUPANT IS UTILIZING HIS ENTIRE SPACE ALLOCATION. OTHER CONFIGURATIONS OR REDUCED DIMENSIONS MAY BE USED, PROVIDED THAT MINIMUM COVER AND CLEARANCES ARE MAINTAINED.
- THE CONTRACTOR IS TO ADJUST TRENCH DEPTHS AT ALL JOINT TRENCH LATERAL CROSSINGS TO MAINTAIN REQUIRED CLEARANCES BETWEEN ALL PARTICIPATING UTILITIES.
- TRENCH SECTIONS ARE SHOWN SCHEMATICALLY AND INDICATE AREAS OF OCCUPANCY ONLY; THEY DO NOT REFLECT SIZE OR QUANTITY OF FACILITIES TO BE INSTALLED.
- TRENCH FOOTAGES PER SECTION ARE APPROXIMATE. SECTIONS ARE DESIGNED TO ACCOMMODATE ALL REQUIRED FACILITIES AS INDICATED ON EACH TRENCH PARTICIPANT'S CONSTRUCTION DRAWINGS.
- THE CONTRACTOR SHALL VERIFY TRENCH FOOTAGES FOR ACCURACY PRIOR TO EXCAVATION AND TAKE NECESSARY PRECAUTION CROSSING WATER AND SEWER FACILITIES.
- THE CONTRACTOR SHALL REFER TO THE COMPOSITE, CONDUIT, AND/OR EACH RESPECTIVE UTILITY INSTALLATION PLAN FOR THE NECESSARY CONDUIT CABLE AND/OR PIPE TO BE INSTALLED IN THIS PROJECT.
- TYPE "M2" TRENCH SHALL BE INSTALLED AFTER CURB AND GUTTER INSTALLATION. CONTRACTOR SHALL COORDINATE ADDITIONAL MOVE-INS NECESSARY TO COMPLETE THE SERVICES TO THE DWELLING UNITS WITH THE DEVELOPER, ALL AGENCIES AND THE UTILITY COMPANIES. THE COST OF THESE MOVE-INS SHALL BE INCLUDED IN THE CONTRACTOR'S UNIT PRICE FOR TRENCHING.
- THE AVERAGE TRENCH DEPTHS SHOWN ARE BASED ON THE MINIMUM UTILITY COMPANY REQUIREMENTS FOR DEPTH AND SEPARATION. CONTRACTOR SHALL ADJUST TRENCH WIDTH & DEPTH AS REQUIRED TO ADEQUATELY CLEAR EXISTING UNDERGROUND FACILITIES AND MAINTAIN MINIMUM UTILITY CLEARANCES. ALL TRENCHES OVER 60" DEEP MUST COMPLY WITH OSHA REQUIREMENTS. (SEE THE JOINT TRENCH MINIMUM COVER AND CLEARANCE TABLE)
- CONTRACTOR SHALL USE SAND BEDDING AND SHADING AS REQUIRED BY THE UTILITY COMPANIES. THE BOTTOM OF THE TRENCH SHALL BE CLEARED OF ROCKS AND OTHER HARD SURFACES. DISTRIBUTION TRENCHES WITHOUT TELEPHONE CONDUIT DO NOT REQUIRE BEDDING MATERIAL. SERVICE TRENCHES WITHOUT TELEPHONE CONDUIT REQUIRE 2" SAND BEDDING AS A PAD ON WHICH UTILITY FACILITIES CAN REST. SERVICE TRENCHES CONTAINING TELEPHONE CONDUIT ONLY REQUIRE A 1" SAND BEDDING. ALL OTHER TRENCHES CONTAINING TELEPHONE CONDUIT REQUIRE A 3" SAND BEDDING. REFER TO PG&E GREEN BOOK PUBLICATION S5453, EXHIBIT B AND AT&T SPEC95 "AT&T SPECIFICATIONS" TRENCHING AND CONDUIT GUIDE FOR FURTHER INFORMATION.
- ALL TRENCHING AND BACKFILLING TO BE DONE IN ACCORDANCE WITH THE CITY OF CUPERTINO ENGINEERING STANDARDS AND SPECIFICATIONS.
- ALL PG&E, TELEPHONE, CABLE, AND FIBER OPTIC BOXES AND JOINT TRENCH FACILITIES ARE TO MAINTAIN A MINIMUM OF 3' SEPARATION FROM SEWER AND WATER LATERALS AND DRIVEWAYS. ALL UTILITY VAULTS, BOXES, PEDESTALS, ETC. MUST MAINTAIN A 5' MINIMUM CLEARANCE FROM FIRE HYDRANTS, AND 3' MINIMUM FROM STREETLIGHTS.

JOINT TRENCH OCCUPANCY GUIDE																		
TRENCH SECTION	A*	B*	C*	D*	E*	F*	G*	H*	I	J	K	L	M	N	O	P	Q	R
GAS	X	X	X	X					X	X	X	X	X	X	X	X	X	X
TELEPHONE	X	X	X	X					X	X	X	X	X	X	X	X	X	X
CABLE T.V.	X	X	X	X					X	X	X	X	X	X	X	X	X	X
ELECTRIC SEC.	X	X	X	X	X	X	X	X					X	X	X	X	X	X
ELECTRIC PRL	X	X	X	X	X	X	X	X										
FIBER OPTICS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

*THESE SECTIONS MAY OR MAY NOT CONTAIN SECONDARY



THIS AREA RESERVED FOR JOINT TRENCH SECTIONS
TO BE PLACED AT A LATER TIME

813 First Street
Brentwood, CA 94513
(925) 240-2595
(925) 240-7013 fax
www.tarrar.com

TARRAR
UTILITY CONSULTANTS

- Planning
- Design
- Estimating
- Joint Trench
- Street Lighting
- Fiber Optic
- T-24
- PG&E Gas Design
- PG&E Elec Design
- M.E.P. Design
- Cost Analysis
- Due Diligence


JOINT TRENCH SECTIONS AND DETAILS
ALAN ENTERPRISES LLC.
ALAN ROW
CUPERTINO CALIFORNIA

NO.	REVISIONS	BY	DATE	DATE: January 2020	DATE LAST WORKED ON: 8/6/2020
				SCALE: NOT TO SCALE	DRAWN: HK
				JOB NO.: 220001	CHECKED: KT

811
CALL BEFORE YOU DIG
UNDERGROUND SERVICE ALERT

811
CALL BEFORE YOU DIG
UNDERGROUND SERVICE ALERT

SHEET
JT4
OF
JT5
SHEETS 629



SERVICE TERMINATION LEGEND

E.T.C. ELECTRIC, TELEPHONE, CATV LOCATION

NOTE: JOINT TRENCH CONTRACTOR TO TIE-IN TO CONDUIT STUBS INSTALLED BY THE BUILDING CONTRACTOR. ADJUST SERVICE TRENCH ROUTE AS NECESSARY.

CAUTION !! CAUTION !! CAUTION !!

EX. JOINT TRENCH AND EX. GAS AND ALL OTHER UTILITY LOCATIONS ARE SHOWN BASED UPON INFORMATION PROVIDED BY OTHERS AND FIELD OBSERVATION. JOINT TRENCH CONTRACTOR TO VERIFY EXACT LOCATION OF ALL EXISTING FACILITIES PRIOR OF ANY JOINT TRENCH CONSTRUCTION. POTHOLE IF NECESSARY. CONTACT U.S.A. DIG ALERT 2 WORKING DAYS IN ADVANCE.

CONTRACTOR WILL COMPLY WITH ALL LAWS, ORDINANCES AND REGULATIONS. CONTRACTOR SHALL BE FAMILIAR WITH O.S.H.A. INDUSTRIAL ORDERS AND SHALL CONDUCT HIS WORK ACCORDINGLY. WHEN WORKING AROUND ENERGIZED EQUIPMENT, THE UTILITY OWNER SHALL BE NOTIFIED TO SUPPLY THE APPROPRIATE MAN POWER AND SAFETY PRECAUTIONS AS NEEDED. THE CONTRACTOR IS RESPONSIBLE FOR PUBLIC SAFETY AND TRAFFIC CONTROL MEASURES.

JOINT TRENCH OCCUPANCY GUIDE																	
TRENCH SECTION	A*	B*	C*	D*	E*	F*	G*	H*	I*	J*	K*	L*	M*	N*	O*	P*	Q*
GAS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TELEPHONE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CABLE T.V.	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ELECTRIC SEC.	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ELECTRIC PRI.	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

*THESE SECTIONS MAY OR MAY NOT CONTAIN SECONDARY

813 First Street
Brentwood, CA 94513
(925) 240-2595
(925) 240-7013 fax
www.tarrar.com

TARRAR
UTILITY CONSULTANTS

• Planning

• Design

• Estimating

• Joint Trench

• Street Lighting

• Fiber Optic

• T-24

• PG&E Gas Design

• PG&E Elec Design

• M.E.P. Design

• Cost Analysis

• Due Diligence

JOINT TRENCH COMPOSITE PLAN

ALAN ENTERPRISES LLC.

ALAN ROW

CUPERTINO CALIFORNIA

NO.	REVISIONS	BY	DATE

DATE: January 2020

DATE LAST WORKED ON: 8/6/2020

SCALE: 1" = 20'

DRAWN: HK

CHECKED: KT

JOB NO.: 220001

811
CALL BEFORE YOU DIG
UNDERGROUND SERVICE ALERT

811
CALL BEFORE YOU DIG
UNDERGROUND SERVICE ALERT

STATE OF CALIFORNIA
CIVIL
C 93446
2/21/2020

SHEET


JT5

OF

JT5

SHEETS 630

REVISIONS	
08-04-20	1.00 Final Check
10-01-20	2.00 Submittal 3
01-28-21	3.00 Submittal




ALAN ROW
22690 STEVENS CREEK BLVD.
CUPERTINO, CALIFORNIA
ALAN ENTERPRISE, LLC

PRELIMINARY
LANDSCAPE PLAN

DESIGNED:	DRAWN:
CHECKED:	JOB NO:
DATE 03-10-20	
SCALE	

SHEET
L1
OF SHEETS



RECOMMENDED PLANT MATERIALS LIST

BOTANICAL NAME	COMMON NAME	SIZE	SPACING
STEVENS CREEK BLVD. STREET TREE (WUCOLS MEDIUM WATER USE)			
ACER RUBRUM	SCARLET MAPLE	15 GAL	±40 FT. O.C.
CAMINO VISTA DRIVE STREET TREE (WUCOLS LOW WATER USE)			
PISTACIA CHINENSIS	CHINESE PISTACHE	15 GAL	N/A
FOOTHILL BLVD. STREET TREE (WUCOLS LOW WATER USE)			
ARBUTUS 'MARINA'	ARBUTUS MARINA	15 GAL	30 FT. O.C.
BROADLEAF EVERGREEN TREE (WUCOLS LOW WATER USE)			
LAURUS NOBILIS 'SARATOGA'	SARATOGA LAUREL	24" BOX	10 FT. O.C.
PRIMARY ACCENT TREE (WUCOLS MEDIUM WATER USE)			
PYRUS CALLERYANA 'CHANTICLEER'	FLOWERING PEAR	24" BOX	VARIES
MINOR ACCENT TREE (WUCOLS LOW WATER USE)			
CERCIS OCCIDENTALIS (STANDARD)	WESTERN REDBUD	15 GAL	VARIES
STANDARDIZED SHRUB (WUCOLS MEDIUM WATER USE)			
PHOTINIA FRASERI	PHOTINIA	15 GAL	VARIES
STANDARDIZED SHRUB (WUCOLS MEDIUM WATER USE)			
RHAPHIOLEPIS 'MAJESTIC BEAUTY'	INDIAN HAWTHORN	15 GAL	VARIES

BOTANICAL NAME	COMMON NAME	SIZE	SPACING
BUILDING FOUNDATION PLANTING (WUCOLS LOW WATER USE):			
CALLISTEMON 'LITTLE JOHN'	DWARF BOTTLEBRUSH	5 GAL	3 FT.
LOROPETALUM CHINENSIS	FRINGE FLOWER	5 GAL	4 FT.
MYRTUS COMMUNIS 'COMPACTA'	COMP. MYRTLE	5 GAL	3 FT.
NANDINA 'COMPACTA'	COMP. NANDINA	5 GAL	4 FT.
SALVIA NEMEROSA	PURPLE SAGE	5 GAL	4 FT.
TEUCRIUM 'COMPACTA'	COMP. GERMANDER	5 GAL	4 FT.
PERIMETER HEDGES (WUCOLS LOW WATER USE):			
ELAEAGNUS 'MACULATA'	GOLDEN ELAEAGNUS	5 GAL	6 FT.
HETEROMELES ARBUTIFOLIA	TOYON	5 GAL	6 FT.
LOW PARKING LOT PLANTING (WUCOLS LOW WATER USE):			
CALLISTEMON 'LITTLE JOHN'	DWARF BOTTLEBRUSH	5 GAL	3 FT.
DIETES IRIODIDES	FORTNIGHT LILY	1 GAL	4 FT.
LOMANDRA LONG. 'BREEZE'	DWARF MAT RUSH	1 GAL	3 FT.
NANDINA 'GULFSTREAM'	GULFSTREAM NAND.	5 GAL	4 FT.
PENNISETUM 'BUNNY TAILS'	DWF FOUNTAIN GRASS	5 GAL	3 FT.
TEUCRIUM LUCIDRYS	GERMANDER	1 GAL	3 FT.
GROUND COVER (WUCOLS LOW WATER USE):			
COPROSMA 'KIRKII'	CREeping COPROSMA	1 GAL	3 FT.
LANTANA MONTEVIDENSIS	WHITE LANTANA	1 GAL	3 FT.
ROSMARINUS 'HUNTINGTON BLUE'	ROSEMARY	1 GAL	3 FT.
STORMWATER BIO-TREATMENT BASIN PLANTING (WUCOLS LOW WATER USE):			
DESCHAMPSIA CESPITOSA	TUFTED HAIR GRASS	1 GAL	3 FT.
FESTUCA CALIFORNICA	CALIFORNIA FESCUE	1 GAL	3 FT.
JUNCUS PATENS	CALIF. GREY RUSH	1 GAL	3 FT.
MUHLBERGIA RIGENS	DEER GRASS	1 GAL	3 FT.

GENERAL NOTES:

- ALL PLANTING SHALL BE WATERED BY A FULLY AUTOMATIC, WATER-CONSERVING IRRIGATION SYSTEM W/ WEATHER-BASE CONTROLLER.
- ALL PLANTING AREAS (EXCEPT STORMWATER BASINS) SHALL RECEIVE A 3" LAYER OF FIREBARK MULCH DRESSING.
- STORMWATER BASINS (BOTTOMS) SHALL RECEIVE A 2" LAYER OF RIVERWASHED PEBBLES.
- PROPOSED TREES TO ALL BE 15 GALLON SIZE.
- PLANTING FOR STORMWATER BASIN PLANTERS SELECTED FROM THE SANTA CLARA VALLEY STORMWATER GUIDEBOOK SUGGESTED PLANT LIST.
- LANDSCAPE PLAN IS IN COMPLIANCE WITH THE CITY STANDARDS:

SIGNED: _____


ONSITE / OFFSITE AREAS

TOTAL LANDSCAPE AREA: 10,608 S.F.

OFFSITE LANDSCAPE AREA: 4,388 S.F.

ONSITE LANDSCAPE AREA: 6,220 S.F.

SIGNED: _____





STREET TREE CAMINO VISTA DRIVE
CHINESE PISTACHE



STANDARDIZED SHRUB
INDIAN HAWTHORN



STANDARDIZED SHRUB
PHOTINIA




MINOR ACCENT TREE
WESTERN REDBUD



BROADLEAF EVERGREEN TREE
SARATOGA LAUREL



PRIMARY ACCENT TREE
FLOWERING PEAR



STREET TREE FOOTHILL BLVD.
ARBUTUS MARINA



STREET TREE STEVENS CREEK BLVD.
SCARLET MAPLE




PEDESTAL-MOUNTED
CHARCOAL GRILL
PILOT ROCK HEAVY-DUTY
16" SQUARE SURFACE

WATER EFFICIENT LANDSCAPE WORKSHEET							
REFERENCE EVAPOTRANSPIRATION (ET _o):		45.3					
HYDROZONE / PLANTING DESCRIPTION	PLANT FACTOR (PF)	IRRIGATION METHOD	IRRIGATION EFFICIENCY (IE)	ETAF (PF / IE)	LANDSCAPE AREA (sq. ft.)	ETAF x AREA	ESTIMATED TOTAL WATER USE (ETWU)
REGULAR LANDSCAPE AREAS:							
LOW WATER USE	0.3	D RIP	0.81	0.3703703	9926	3676.295998	103252.4
MEDIUM WATER USE	0.5	BUBBLER	0.81	0.6172839	234	144.444326	4056.9
HIGH WATER USE	0.7	SPRAY	0.75	0.9333333	448	418.1333184	11743.7
TOTALS:					10608	4239	
SPECIAL LANDSCAPE AREAS:							
REC. AREA				1	0	0	0
WATER FEATURE 1				1	0	0	0
WATER FEATURE 2				1	0	0	0
TOTALS:					0	0	
ETWU TOTAL:							119,053
MAXIMUM ALLOWED WATER ALLOWANCE (MAWA):							134,071
ETAF CALCULATIONS:							
REGULAR LANDSCAPE AREAS:							
TOTAL ETAF x AREA		4,239		NOTE: AVERAGE ETAF FOR REGULAR LANDSCAPE AREAS MUST BE 0.55 OR BELOW FOR RESIDENTIAL AREAS, AND 0.45 OR BELOW FOR NON-RESIDENTIAL AREAS.			
TOTAL LANDSCAPE AREA		10,608					
AVERAGE ETAF		0.40					
ALL LANDSCAPE AREAS:							
TOTAL ETAF x AREA		4,239					
TOTAL LANDSCAPE AREA		10,608					
SITEWIDE ETAF		0.40					

DESCRIPTIONS:

- A 3" SQ." TUBULAR STEEL MEMBERS
SPAN INSIDE FRAME
- B 4"x8" TUBULAR STEEL ROOF FRAME
- C 4" SQ. TUBULAR STEEL CORNER POSTS
- D FINISH SURFACE PAVING

NOTES:
ALL EXPOSED METAL SURFACES TO RECEIVE
ONE COAT PRIMER AND (2) COATS 'RUST-O-LEUM'
PAINT; MATCH DARK COLOR OF ARCHITECTURAL
COVERS AT DECK AREAS.



FREESTANDING TRELLIS DETAIL




GALVANIZED BIKE RACK LOOP
(PARKING FOR 2 BIKES)



STEPSTONE 'SONORASTONE'
18" SQUARE PRECAST PAVER
AT RECREATION AREA
(PEBBLE COLOR)



DECORATIVE CONCRETE
STAMPED PATTERN: RUNNING BOND BRICK
COLOR: 'DAVIS' INTEGRAL COLOR #860 'COBBLESTONE'





PLAN AREA DESCRIPTIONS:

SYMBOL: DESCRIPTION:

- | | |
|--|---|
| | RECREATIONAL USE AREA (1,846 SQ. FT.) |
| | ORNAMENTAL PLANTING AREAS (8,812 SQ. FT.) |
| | STORMWATER TREATMENT PLANTERS (1,374 SQ. FT.) |

- OFFSITE VERSUS ONSITE LANDSCAPE AREAS:
- OFFSITE LANDSCAPE (W/IN R.O.W.) 4,424 S.F.
 - ONSITE LANDSCAPE 6,184 S.F.



CC 01-13-2022
633 of 641

REVISIONS	
08-04-20	City Plan Check
10-03-20	City Submittal 3
01-28-21	City Submittal

Thomas Beck & Associates, LLP
Landscape Architects
650 North Main Street, Suite 4
Walnut Creek, CA 94596
Ph: 925.933.2260


ALAN ROW
22690 STEVENS CREEK BLVD.
CUPERTINO, CALIFORNIA
ALAN ENTERPRISE, LLC

LANDSCAPE AREA
DIAGRAM

DESIGNED:	DRAWN:
CHECKED:	JOB NO:
DATE 03-10-20	
SCALE	

SHEET
L3
OF SHEETS

634 of 641	
REVISION	
△	08-04-20 City Plan Ch
△	12-03-20 PD Submittal
△	01-28-21 PD Submittal
△	
△	
△	
△	



ALAN ROW
222690 STEVENS CREEK BLVD.
CUPERTINO, CALIFORNIA
ALAN ENTERPRISE, LLC


LIGHTING PLAN

DESIGNED:	DRAWN:
CHECKED:	JOB:
DATE 03-10-20	
SCALE	

SHEET


L4





OF



DECORATIVE BOLLARD 120 VOLT LED LIGHT FIXTURE
36" HT., BLACK COLOR

SECURITY POLE-MOUNTED 120 VOLT LED LIGHT FIXTURE
ON 16 FT. HEIGHT POLE, BLACK COLOR



Luminaire Schedule							
Symbol	Qty	Label	Arrangement	LMF	Lum. Lumens	Lum. Watts	Part Number
	4	RSWL	SINGLE	1.000	14575	122	RSWL-A-HT-3ME-14L-40K7-___-GY-N-Q9
	4	RSWM	SINGLE	1.000	9325	78	RSWM-A-HT-3ME-9L-40K7-___-GY-N-Q8
	1	SL	SINGLE	1.000	7468	70	ARE-EDR-5M-R3-04-E-UL-___-525-40K
	7	BL	SINGLE	1.000	1666	22	PWY-EDG-5M-P3-02-E-UL-___-350-40K


Calculation Summary (Footcandles calculated using intial lumen values @ 25 °C)						
Label	Units	Avg	Max	Min	Avg/Min	Max/Min
CalcPts	Fc	0.73	3.1	0.0	N.A.	N.A.
PATHWAY	Fc	3.90	14.7	0.0	N.A.	N.A.
SECURITY CALC	Fc	0.53	2.6	0.0	N.A.	N.A.
INTERSECTION	Fc	1.44	3.1	0.3	4.80	10.33


Poles to be provided by others.

Fixture Mounting Height:
Roadway Lighting: 32' AFG
Security Pole: 16' AFG
Bollard: 3' AFG

Pole Arm Length for Roadway: 8'

*** CUSTOMER TO VERIFY ORDERING INFORMATION AND
CATALOGUE NUMBER PRIOR TO PLACING ORDER ***





SHEET
SL3
OF
SHEETS

Lauren Sapudar

From: Paul <krnunit0415@gmail.com>
Sent: Tuesday, November 30, 2021 1:49 AM
To: Erick Serrano
Subject: 22690 STEVENS CREEK BLVD. Construction by Alan Enterprise

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello, Eric.

I hope this e-mail finds you well. I address this to you based on the information found on this page: <https://www.cupertino.org/our-city/departments/community-development/planning/major-projects/22690scb>

This is in regards to the Construction that has been Applied for at 22690 STEVENS CREEK BLVD. in Cupertino, CA 95014.

I've been in this part of Cupertino for over two decades as a resident, practically adjacent to this aforementioned location. I know this area very well.

As a long-time resident here, I am strongly AGAINST allowing a Residential construction project to be done at 22690 STEVENS CREEK BLVD, the tiny amount of land left in the area for General Commercial use.

If anything, something to replace the old Liquor Store should be allowed in. Some place providing food or other edible supplies.

Not only will a condominium at that location severely impact the already-restricted traffic at the Stevens Creek and Foothill Blvd intersection (it's terrible already with huge numbers of trucks on that one-way road), more people will lead to more opportunity for crime. Crime's already seen a rise in the last couple years with the completion of other residential projects. Coincidence? I think not-- I recently had my car broken into for the first time in over TWENTY YEARS here.

How are these Alan Enterprise guys going to make up for the inconveniences their construction will bring? Let them be, and they won't. We residents will be the only ones that have to suffer and put up with everything. This region of Cupertino hardly has cop patrols, let alone security cameras at the intersections. Security is virtually nonexistent.

I know this. I walk around all the time, even at night. Cars speed by red lights and trucks drive far faster than they should already. There is literally no security to account for the intrusiveness a condominium would bring to this region, increasing the number of people in this region, all day, every day.

We've lived here for DECADES without fearing for our safety or the loss of our wealth until recent years. Recent years? There's more theft and break-ins. Now these guys want to turn a profit at our expense? Security for Cupertino already needs to either be ramped up as is. Why should they be allowed to push for something that will only burden us further?

We residents also have ZERO need for a condo here. What good would it do for us? Nothing! It would cause us problems for no benefit to us. A restaurant or food supplier would be far better -- It's a Commercial zone anyway!

Please reject this construction application on behalf of the residents that live here and encourage something that would actually benefit the community.

Thank you,
Paul Choi