# CC 3-3-20

Special Meeting #1 Closed Session

Written Communications

### Kirsten Squarcia

**From:** Peggy Griffin < griffin@compuserve.com>

**Sent:** Sunday, March 1, 2020 12:17 PM

**To:** City Attorney's Office

**Cc:** City Council; Deborah L. Feng; City Clerk

**Subject:** Fwd: 3/3/2020 - CC Agenda Item #1-City Attorney Evaluation

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear City Attorney Heather Minner,

My apologies. I forgot to include you in this email. Please see below.

Sincerely, Peggy Griffin

#### Begin forwarded message:

From: Peggy Griffin < Griffin@Compuserve.com>

**Date:** March 1, 2020 at 10:41:54 AM PST **To:** City Council < CityCouncil@cupertino.org >

Cc: City Clerk < CityClerk@cupertino.org>, Deborah Feng < DebF@cupertino.org>

Subject: 3/3/2020 - CC Agenda Item #1-City Attorney Evaluation

Dear Mayor Scharf, Vice Mayor Paul and Council Members,

Please add this to the written communication/public record for 3/3/2020 CC meeting.

Agenda Item #1 is a closed session item listed as a review of the City Attorney. I do not know all the tasks and activities Heather Minner has had to deal with for the City of Cupertino but I have attended and/or watched many of the City Council meetings.

From a public perspective, I have found her refreshing, knowledgeable and straightforward. When the council is struggling with what or how to do something, she often steps in without being asked and provides guidance without being forceful. When resolutions need to be reworded or changed during the meeting, she often has it written down and can display it for review. When she does not know an answer, she does not hesitate to say she needs time to research it.

I know many of the official City responses to attacks and accusations are the efforts of a combination of the City Manager, Council and staff and drafted by the City Attorney. I, as a resident of Cupertino, find it refreshing that when possible the City provides a public response to these accusations. They have been well-written, direct and to the point.

Sincerely, Peggy Griffin

### Kirsten Squarcia

**From:** Peggy Griffin < griffin@compuserve.com>

**Sent:** Sunday, March 1, 2020 10:42 AM

**To:** City Council

Cc: City Clerk; Deborah L. Feng

**Subject:** 3/3/2020 - CC Agenda Item #1-City Attorney Evaluation

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Mayor Scharf, Vice Mayor Paul and Council Members,

Please add this to the written communication/public record for 3/3/2020 CC meeting.

Agenda Item #1 is a closed session item listed as a review of the City Attorney. I do not know all the tasks and activities Heather Minner has had to deal with for the City of Cupertino but I have attended and/or watched many of the City Council meetings.

From a public perspective, I have found her refreshing, knowledgeable and straightforward. When the council is struggling with what or how to do something, she often steps in without being asked and provides guidance without being forceful. When resolutions need to be reworded or changed during the meeting, she often has it written down and can display it for review. When she does not know an answer, she does not hesitate to say she needs time to research it.

I know many of the official City responses to attacks and accusations are the efforts of a combination of the City Manager, Council and staff and drafted by the City Attorney. I, as a resident of Cupertino, find it refreshing that when possible the City provides a public response to these accusations. They have been well-written, direct and to the point.

Sincerely, Peggy Griffin

# CC 3-3-20

# Oral Communications

Written Comments

### Kirsten Squarcia

Subject: Oral Communications; Cupertino Annual Housing Element Progress Report to State

From: Connie Cunningham < <a href="mailto:cunninghamconniel@gmail.com">cunninghamconniel@gmail.com</a>>

**Sent:** Tuesday, March 3, 2020 6:29 PM **To:** City Council < CityCouncil@cupertino.org>

Subject: Oral Communications; Cupertino Annual Housing Element Progress Report to State

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

March 3,2020 Cupertino City Council, Oral Communications:

Good evening Mayor, Vice-Mayor, and Council Members,

Topic: 2019 Progress Report to the State of California. It is about progress on our Cupertino Annual Housing Element. You will hear it at your March 17, 2020 meeting.

Our progress is this: In 2019, zero applications for homes were issued in Cupertino; and zero building permits were issued. That is not progress. Zero homes will be built from those zero building permits. Zero homes will not help people in our community: seniors seeking to downsize, young people seeking to buy or rent a home, and people who are afraid rising rents will force them out of their long time homes.

That lack of progress does not honor the intent of the Housing Element in our General Plan. It does not honor our commitment to each other and to our neighbors.

Nor will the State be impressed with "Zero".

New draft housing targets will be coming out in June. We should get ahead of those new targets by taking it on ourselves to find a way to build in this expensive market. We must begin a new effort to get ahead of our housing needs.

We must look beyond the numbers. Safe housing is a human right. Cupertino does have a Below Market Rate Housing program with some rentals and some for sale homes. However, the number of homes in that program has not increased in decades, except for the Veranda. Plans for the Veranda started several years ago and opened last year. Obviously, with no new starts in 2019 we will see no new homes soon.

Cupertino has a few homes in the "missing middle". We have many more homes for high paid tech company employees. Yet, it is known that for every high paid tech employee, there are four or more other workers in our City – teachers, hospitality, retail, teachers and, also, students at De Anza College.

Question: Where do the workers at the new Hyatt Hotel live? Revenue to the City is around \$1M a year from the hotel. Where will that money be spent?

For a sustainable city, we need housing for all incomes and abilities.

There will be a RHNA study session in the next fiscal year. However, we already know many things:

- 1. Need multi-family housing
- 2. We know where some properties are already.
  - a. Some are listed in the General Plan that you are reviewing tonight under LU.26. They are limited to 1 or 2, maybe 3 stories.
  - b. LU 27.6 discusses multi-family residential design.

### Techniques are also listed:

- 1. ADU
- 2. Lot consolidation (LU22 parcel assembly)
- 3. Flexible development standards
- 4. Surplus properties
- 5. Financial support
- 6. Density bonus
- 7. Fair Housing Services
- 8. Outside agencies ie Apple gave \$150M to developers through a non-profit loan agency.

If we plan ahead, we can minimize the unknown, and minimize the fear caused by the unknown.

#### Things we need:

- 1) Info we have it
- 2) Money State and Tech have stepped up
- 3) Contractors-Affordable housing builders are building in our region- Sunnyvale, Mountain View, Santa Clara, San Jose. But not here—yet
- 4) Housing friendly rules. That is what we can offer here.

Sincerely,

Connie Cunningham

Quote from: Jennifer Loving, of Destination Home:

"In Silicon Valley,

We have all the problem and
All of the solution
In the same 20 mile radius.
We have people
Who can solve homelessness,
And companies that can help solve homelessness
Along with thousands of people
Who slept outdoors last night."
-

### Kirsten Squarcia

**Subject:** FW: re. get Cupertino residents inputs on Vallco plan

From: Yan Yu <<u>yanyu2005@gmail.com</u>> Sent: Monday, March 2, 2020 10:28 PM

To: City Council < <a href="mailto:CityCouncil@cupertino.org">CityCouncil@cupertino.org</a>; Cupertino City Manager's Office < <a href="mailto:manager@cupertino.org">manager@cupertino.org</a>;

Subject: Re: re. get Cupertino residents inputs on Vallco plan

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello, Dear City council members and city management team:

re. my previous email, I am mostly concerned about the traffic jam by the high density plan proposed by Sand Hill and its significant negative impact on our quality of life and our school system, and safety to the community, especially children to elderly.

Btw, Please put both of emails in public record.

Thanks! Best, yan

On Mon, Mar 2, 2020 at 9:55 PM Yan Yu < <a href="mailto:yanyu2005@gmail.com">yanyu2005@gmail.com</a>> wrote:

Hello, Dear City council members and city management team:

I have been a Cupertino resident since 2014. I am very concerned about the Vallco development issue from 2014. I would like to see Vallco remain a vibrant shopping and community center that we can hang out and relax and that Cupertino residents can feel proud of talking about. We lack such places in our city. I heard our city council clarified the Vallco zoning last year. I am wondering when the Vallco specific plan can be put on agenda? Moreover, I really hope our city can start community outreach program on Vallco ASAP.

The Vallco developer has finished almost all the demolishment job at Vallco, however, there's no discussion in our city council meeting regarding Vallco specific plan. Could our city start the community outreach and give our residents a chance to share our opinion on Vallco? We hope our city can listen to residents voice, instead of one-side story from the developer. An email survey would be great to get the voice from our busy Cupertino residents.

From my understanding, Saratoga Council has recently put the SB35 plan submitted by developer Sand Hill on council meeting agenda. Though Saratoga City Council can't vote on SB35 plan, their council are giving guidance to city staff on this development project. I am wondering whether Cupertino Council will do the same? I hope our residents inputs can be collected by our city. My friends and I are really concerned. We hope our city can do community outreach on Vallco before making any decision. I have a toddler, which makes it hard to attend city council meetings at night, However, I would love to be able to get my voice heard via emails or online surveys.

Thanks! yan

# CC 3-3-20

#7 February 18 Minutes

Written Communications

City Clerk Kirsten Squarcia read the title of Ordinance No. 20-2197: "An Ordinance of the City Council of the City of Cupertino repealing and replacing Chapter 5.50 of Title 5 (Business Licenses and Regulations) to regulate the sale of tobacco products."

Sinks moved and Scharf seconded to read Ordinance No. <u>1920</u>-2197 by title only and that the City Clerk's reading would constitute the second reading thereof. Ayes: Scharf, Paul, Chao, Sinks, and Willey. Noes: None. Abstain: None. Absent: None. Recuse: None.

Sinks moved and Scharf seconded to enact Ordinance No. 1920-2197 by title only and that the City Clerk's reading would constitute the second reading thereof. Ayes: Scharf, Paul, Chao, Sinks, and Willey. Noes: None. Abstain: None. Absent: None. Recuse: None

16. <u>Subject</u>: Second reading of Municipal Code Amendment to Cupertino Municipal Code Section 2.20.010 to remove the City Clerk's duty to attend each closed session of the City Council and keep closed session minutes.

Recommended Action: Conduct the second reading and enact Ordinance No. 20-2198: "An Ordinance of the City Council of the City of Cupertino amending City Code Section 2.20.010 (Recordkeeping Duties-Closed Sessions) of Chapter 2.20 (City Clerk) to Title 2 (Administration and Personnel) to remove the City Clerk's duty to attend City Council closed sessions and keep minutes."

Councilmembers asked questions and made comments.

Council did not conduct the second reading and directed staff to bring back a future agenda item for discussion and to rescind the effective Resolution No. 20-014 designating the City Manager as the city employee/officer to attend City Council closed sessions and keep minutes from February 4, 2020.

#### **PUBLIC HEARINGS**

17. <u>Subject</u>: Municipal Code Amendments to Chapter 19.112 - Accessory Dwelling Units; Chapter 19.20 - Permitted, Conditional and Excluded Uses in Agricultural and Residential Zones; and Chapter 19.08 - Definitions; for Clarifications, and Consistency with recently adopted State Bills (Application No. MCA-2018-04; Applicant: City of Cupertino; Location: City-wide)

Recommended Action: That the City Council:

- 1. Find that the proposed actions are exempt from CEQA; and
- 2. Conduct the first reading of Ordinance No. 20-2199: "An Ordinance of the City Council of the City of Cupertino amending Chapter 19.112, Accessory Dwelling Units; Chapter 19.20 Permitted, Conditional and Excluded Uses in Agricultural and

Residential Zones; and Chapter 19.08 Definitions."

Written Communications for this item included an email to Council and a presentation.

Senior Planner Gian Martire gave a presentation.

Attorney Sarah Clark from the City Attorney's office answered questions.

Councilmembers made comments and asked questions.

Mayor Scharf opened the public hearing and the following people spoke:

Jennifer Griffin- pushback for State Accessory Dwelling Unit (ADU) bills, people weren't able to vote on them, overriding local zoning laws, SB 50 and SB 35.

Lisa Warren- redlines for architectural style, rules on building envelopes, eave depth, covered decks and patios, lofts, setbacks between buildings, and roof designs.

Daniel Boxer (Cupertino resident)- compliance with rules on floor area ratio and increasing size of existing structure.

Joan Meehan- occupancy limits on square footage, over density in shared common areas and Homeowner Association (HOA) environment, maximum number of toilets per person.

Mayor Scharf closed the public hearing.

City Clerk Kirsten Squarcia read the title of Ordinance No. 20-2199: "An Ordinance of the City Council of the City of Cupertino amending Chapter 19.112, Accessory Dwelling Units; Chapter 19.20 - Permitted, Conditional and Excluded Uses in Agricultural and Residential Zones; and Chapter 19.08 Definitions."

Sinks moved and Scharf seconded to:

- 1. Find that the proposed actions are exempt from CEQA; and
- 2. Conduct the first reading of Ordinance No. 20-2199: "An Ordinance of the City Council of the City of Cupertino amending Chapter 19.112, Accessory Dwelling Units; Chapter 19.20 Permitted, Conditional and Excluded Uses in Agricultural and Residential Zones; and Chapter 19.08 Definitions" with the amendments as added in the staff report and as presented on screen: "Living space" means, for the purposes of Chapter 19.112, the same as that set forth for "living area" in California Government Code Section 65852.2(j)(4). All attic and basement square footage proposed as part of an Accessory Dwelling Unit shall be limited by the maximum size allowed per Chapter 19.112.

# CC 03-03-20

Item #10 Accessory
Dwelling Units Ordinance

Written Communications

From:

Jennifer Griffin

To:

City Council

Cc: Subject: <u>grenna5000@yahoo.com</u> ADU Children and Schools

Date:

Tuesday, March 3, 2020 4:24:32 AM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

#### Dear City Council:

If someone puts in two ADUs in their back yard, do the children from those ADUs have to go to the local schools? Can these children legally be sent to schools within the dstrict that are having enrollment problems or can they be sent to another school district completely? This is being done with apartments in cities where there are new children in an apartment complex because of added apartments. Cupertino has some apartment complexes like this. So too ADUs?

If children live in a motel, where do they go to school?

Sincerely,

Jennifer Griffin

From:

Jennifer Griffin

To:

City Council

Cc: Subject: grenna5000@yahoo.com Property Tax on ADUs

Date:

Tuesday, March 3, 2020 4:17:41 AM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

#### Dear City Council:

Does someone who puts in one or even two ADUs on their single family lot have to pay more property tax than someone who does not? The ADU owner has to pay more money to build the ADUs and they will be getting a lot of revenue from the two income ADUs so wouldn't they have to pay more property tax on this new construction? If you add onto a home, you have too.

Does the landlord have to pay any more to the city for the income from these two ADUs? If the owner put in an ADU and rented it out for AIr BnB, they have to register it with the city. The owner of the Ar BmB has to pay a license fee to the city each year. So too the two ADUs?

Thank you.

Sincerely,

Jennifer Griffin

# CC 3-3-20

#11 De Anza Hotel

Written Communications



T 510.836.4200 F 510.836.4205 1939 Harrison Street, Ste. 150 Oakland, CA 94612 www.lozeaudrury.com michael@lozeaudrurv.com

March 3, 2020

Via E-Mail and Hand Delivery

Mayor Steven Scharf
Vice Mayor Darcy Paul
Councilmember Rod Sinks
Councilmember Liang Chao
Councilmember Jon Willey
Lauren Sapudar, Executive Assistant to City Council
10300 Torre Avenue
Cupertino, CA 95014
citycouncil@cupertino.org

Gian Paolo Martire, Associate Planner City of Cupertino Community Development Department Planning Division 10300 Torre Avenue Cupertino, CA 95014 gianm@cupertino.org

Grace Schmidt, City Clerk City of Cupertino 10300 Torre Avenue Cupertino, CA 95014 cityclerk@cupertino.org

Re: Comment on the De Anza Hotel Project (GPA-2018-01, DP-2018-01, ASA-2018-02, DA-2018-01, U-2018-02, EA-2018-03)

Dear Mayor Scharf, Honorable City Council Members, Ms. Schmidt and Mr. Martire:

I am writing on behalf of the Laborers International Union of North America, Local Union No. 270 ("LIUNA") and its members regarding the Initial Study and Mitigated Negative Declaration (collectively the "MND") prepared for the De Anza Hotel Project ("Project") (GPA-2018-01, DP-2018-01, ASA-2018-02, DA-2018-01, U-2018-02, EA-2018-03) for Applicant Sherly Kwok of De Anza Properties ("Applicant"), including all actions related or referring to the proposed demolition of the existing commercial building and development of a hotel. The Project site is located at 10931 North De Anza Boulevard in the City of Cupertino, California. APN: 326-10-061.

LIUNA previously submitted comments to the City of Cupertino ("City") pointing out the MND's lack of disclosure and analysis for several important issues, including potential significant health impacts on future employees from formaldehyde emissions that will be emitted by finishing materials used to construct the interior of the hotel as well as the reasonably foreseeable emissions of formaldehyde from furniture and other materials that will be brought

De Anza Hotel Project March 3, 2020 Page 2 of 4

into the hotel rooms (*see* Indoor Environmental Engineering Comment dated January 16, 2020 ("Offermann Comment")), potential mitigation measures for impacts to birds from avian strikes, errors in the air pollution modeling and potential significant impacts from construction and operation emissions and greenhouse gas emissions (*see* environmental consultant SWAPE comments dated January 16, 2020), and potential noise impacts and improper reliance on an operational noise mitigation measure (*see* noise expert Derek Watry's comments dated January 15, 2020).

After reviewing the Project, MND, and the City's response to our comments, a "fair argument" remains that the Project may have unmitigated adverse environmental impacts. Therefore, CEQA requires that the City prepare an environmental impact report ("EIR") for the Project pursuant to the California Environmental Quality Act ("CEQA"), Public Resources Code section 21000, et seq.

### A. Indoor Air Quality Impacts

LIUNA's concerns regarding health risks posed by the Project's formaldehyde's emissions are based on the expert analysis and opinions of industrial hygienist and engineer Francis Offermann, PE CIH. Formaldehyde is a potential carcinogen and toxic air contaminant ("TAC"). Mr. Offermann's comments identified a significant health risk posed by the Project's emissions of formaldehyde from composite wood products typically used in hotel construction containing formaldehyde-based glues which off-gas formaldehyde over a very long time period. The formaldehyde emissions are from composite wood products manufactured with ureaformaldehyde resins, such as plywood, medium density fiberboard, and particle board. These materials are commonly used for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims in hotel building construction (Offermann Comments, p. 3.) In his comments, Mr. Offermann calculated that future employees of the Project will be exposed to a cancer risk from formaldehyde of approximately 16.4 cancers per million, assuming all materials used for the Project are compliant with the California Air Resources Board's ("CARB") formaldehyde airborne toxics control measure. (Offermann Comments, p 4.) As was noted, this health risk level exceeds the BAAQMD's CEQA significance thresholds for airborne cancer risk of 10 per million and 100 in a million for cumulative risks. (Id.)

Despite the City's duty to investigate issues relating to a project's potential environmental impacts, City staff, the Planning Commission, and the EIR have, thus far, attempted to deny Mr. Offermann's expert analysis and refuse to consider with any informed expertise the likely impacts of indoor formaldehyde emissions posed by the Project to future employees. (See County Sanitation Dist. No. 2 v. County of Kern, (2005) 127 Cal.App.4th 1544, 1597–98. ["[U]nder CEQA, the lead agency bears a burden to investigate potential environmental impacts."].) Rather than objectively study this serious health threat, staff assigned Place Works to attempt to critique Mr. Offermann's expert analysis without itself bringing any expertise to bear on the Project's formaldehyde emissions. (See Place Works Memo, pp. 8-9 (Feb. 20, 2020).)

De Anza Hotel Project March 3, 2020 Page 3 of 4

PlaceWorks states there "is no substantial evidence that the project will involve use of materials that contain formaldehyde in levels that pose a risk to human health" because the Project would comply with CALGreen, "which requires that all composite wood products used on the interior of a building 'shall meet the requirements for formaldehyde as specified in California Air Resources Board Air Toxics Control Measure for Composite Wood." (PlaceWorks Memo, p. 9.) However, Mr. Offermann's analysis of the Project's health risks from formaldehyde assumes the Project will use materials that are compliant with CARB's formaldehyde airborne toxics control measure. (Offermann Comments, p. 4.)

Mr. Offermann's expertise is unassailable given his long-standing involvement in the technical studies underlying the Formaldehyde ATCM, including for example his 2009 California New Homes Study. (See Offermann Comments, attached resume.) PlaceWorks' cavalier assertion that Mr. Offermann is resorting to speculation is not supported by Mr. Offermann's expertise, detailed comments and citations to relevant studies. It is PlaceWorks, not Mr. Offermann, that fails to corroborate its speculations with any evidence or relevant expertise. It is the City's obligation to investigate impacts by requiring the applicant to disclose information regarding the Project necessary to evaluate its impacts. As it stands, the Project is only required to use materials compliant with the Formaldehyde ATCM. Hence, it is more than reasonable to assume that this is what will happen. If the City were to abide by its duty to investigate this potentially significant health issue, Mr. Offermann describes in detail the methodology that the City could use to more precisely estimate the Project's formaldehyde emissions. (Offermann Comments, pp. 4-9.) He also identifies the availability of mitigation, including a measure to require that the Project "[u]se only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins or ultra-low emitting formaldehyde (ULEF) resins (CARB, 2009)." (Id., p. 11.) It is now up to the City to disclose and analyze this potentially significant impact in an EIR.

Nor do PlaceWorks' efforts to critique Mr. Offermann's expert comments stand-in as a sufficient analysis in the MND of this potentially significant environmental impact of the Project. Mr. Offermann's expert comments are substantial evidence that, based on the available data, and without the benefit of the City investigating or gathering any information on formaldehyde emissions from the Project, the Project may have significant health risks on future employees from its emissions of formaldehyde. Because Mr. Offermann's expert review is substantial evidence of a fair argument of a significant environmental impact to future employees and users of the Project, an EIR must be prepared to disclose and mitigate those impacts.

#### **B.** Biological Resources Mitigation

In LIUNA's previous comment on the Project's MND, Dr. Shawn Smallwood concurred with the implementation of the Project's identified mitigation measures to lessen the risk of bird collisions, but believed the measures must include a post-construction fatality monitoring component in order to ensure their effectiveness. In response to this comment, PlaceWorks stated this measure "will be forwarded to the decision-makers for consideration as a condition for

De Anza Hotel Project March 3, 2020 Page 4 of 4

approval." (PlaceWorks Memo, p. 10.) In order to ensure the City's mitigation for bird collisions is feasible, LIUNA wants to ensure this condition for approval is discussed and considered by the City Council since it is not listed on the agenda for the March 3, 2020 City Council meeting or the accompanying Staff Report.

#### C. Noise Impacts

LIUNA's concerns regarding noise impacts posed by the Project's construction are based on the expert analysis and opinions of Derek Watry. Mr. Watry's comments identified a potentially significant noise impact posed by the five stages of the Project's construction. Regardless of whether or not the City and its staff interpret the City's Municipal Code as an average noise level limit and not a maximum noise limit, Mr. Watry's analysis provides substantial evidence of a fair argument that the Project's construction will create significant noise impacts on nearby properties and should be analyzed in an EIR.

For the foregoing reasons, the MND for the Project should be withdrawn, an EIR should be prepared, and the draft EIR should be circulated for public review and comment in accordance with CEQA. Thank you for considering these comments.

Sincerely,

Michael R. Lozeau Paige Fennie

Michael R Hozeau

Lozeau | Drury LLP

From:

David Rolnick
City Council

To: Subject:

De Anza Hotel

Date:

Thursday, February 27, 2020 10:50:05 PM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Mayor Scharf and Members of the Cupertino City Council,

I strongly support the DeAnza Hotel application. This will be a beautiful hotel and its location, being near a major freeway interchange, should mitigate traffic impacts on city streets. I would expect that most hotel guests would be visiting Apple, which is a short walk from the proposed hotel or a very short drive on the freeway to the Apple Campus 2.

Hotels are also efficient revenue generators for the city, as the city keeps the entire Transient Occupancy Tax (TOT). I understand that the city will be experiencing budget shortfalls a few years from now, so the revenue generated by this project will help maintain the current level of city services. Finally, the hotel will also help our struggling restaurants.

I noticed that the main opposition to this hotel (Better Neighborhoods, Inc.) is coming from a person who is not even a resident of the Bay Area. What his motives are for opposing this hotel are suspect.

The Planning Commission overwhelmingly supported this application. I hope you approve this project without any further delay.

Regards,

David Rolnick

### The following attachments are comments referenced in Attachment L of Item 11.

#### **Attachments:**

A: Late Comment Letter #1: Michael R. Lozeau, Lozeau Drury LLP (January 20, 2020)

B: Late Comment Letter #2: Michael Goolsby, Better Neighborhoods, Inc. (January 21, 2020)

C: Affidavit of Mailing for the Notice of Intent for the IS/MND, De Anza Hotel

## Attachment A



T 510.836.4200 F 510.836.4205 1939 Harrison Street, Ste. 150 Oakland, CA 94612 www.lozeaudrury.com michael@lozeaudrury.com

January 20, 2020

### Via E-Mail and Hand Delivery

Mayor Steven Scharf
Vice Mayor Darcy Paul
Councilmember Rod Sinks
Councilmember Liang Chao
Councilmember Jon Willey
Lauren Sapudar, Executive Assistant to City Council
10300 Torre Avenue
Cupertino, CA 95014
citycouncil@cupertino.org

City of Cupertino Community Development Department Planning Division 10300 Torre Avenue Cupertino, CA 95014 gianm@cupertino.org

Gian Paolo Martire, Associate Planner

Grace Schmidt, City Clerk City of Cupertino 10300 Torre Avenue Cupertino, CA 95014 cityclerk@cupertino.org

Re: Comment on the De Anza Hotel Project (GPA-2018-01, DP-2018-01, ASA-2018-02, DA-2018-01, U-2018-02, EA-2018-03)

Dear Mayor Scharf, Honorable City Council Members, Ms. Schmidt and Mr. Martire:

I am writing on behalf of the Laborers International Union of North America, Local Union No. 270 ("LIUNA") and its members regarding the Initial Study and Mitigated Negative Declaration (collectively the "MND") prepared for the De Anza Hotel Project ("Project") (GPA-2018-01, DP-2018-01, ASA-2018-02, DA-2018-01, U-2018-02, EA-2018-03) for Applicant Sherly Kwok of De Anza Properties ("Applicant"), including all actions related or referring to the proposed demolition of the existing commercial building and development of a hotel. The Project site is located at 10931 North De Anza Boulevard in the City of Cupertino, California. APN: 326-10-061.

On August 1, 2019, our office submitted a CEQA and Land Use Notice Request on behalf of LIUNA to Mr. Gian Paolo Martire, Mr. Benjamin Fu, and Ms. Grace Schmidt requesting that the City of Cupertino ("City") send us notice of any and all actions or hearings related to activities undertaken, authorized, approved, permitted, licensed, or certified by the City and any of its subdivisions on the Project. *See* Exhibit D. We did not receive notice of the

De Anza Hotel Project January 20, 2020 Page 2 of 17

Planning Commission meeting held on December 10, 2019 at which the Planning Commission considered recommending the Mitigated Negative Declaration ("MND") to City Council for adoption. These comments would have been submitted at that meeting and we would have attended the meeting if we had received notice as requested.

After reviewing the Project and MND, it is evident that the MND is inadequate and fails as an informational document because there is a "fair argument" that the Project may have unmitigated adverse environmental impacts. Therefore, CEQA requires that the City of Cupertino prepare an environmental impact report ("EIR") for the Project pursuant to the California Environmental Quality Act ("CEQA"), Public Resources Code section 21000, et seq.

This comment has been prepared with the assistance of Certified Industrial Hygienist Francis Offerman, PE, CIH, environmental consulting firm SWAPE, and noise expert Derek Watry. Mr. Offermann's comment and curriculum vitae are attached as Exhibit A hereto and are incorporated herein by reference and entirety. SWAPE's comment and curriculum vitae are attached as Exhibit B hereto and are incorporated herein by reference in their entirety. Mr. Watry's comment and curriculum vitae are attached as Exhibit C hereto and are incorporated herein by reference in their entirety.

#### I. PROJECT BACKGROUND

Applicant proposes to demolish the existing commercial building on the Project site and construct a seven-story hotel with up to 156 rooms, a rooftop terrace, lounge, bar, ground-floor conference facilities, a restaurant, and four levels of below-grade parking.

#### II. STANDING

Members of LIUNA Local 270 live, work, and/or recreate in the vicinity of the Project Site. These members will suffer the impacts of a poorly executed or inadequately mitigated Project, just as would the members of any nearby homeowners association, community group or environmental group. LIUNA Local 270 members live and work in areas that will be affected by traffic, noise, air pollution, wildlife impacts and greenhouse gas ("GHG") emissions generated by the Project. Therefore, LIUNA Local 270 and its members have a direct interest in ensuring that the Project is adequately analyzed and that its environmental and public health impacts are mitigated to the fullest extent possible.

#### III. LEGAL STANDARDS

As the California Supreme Court has held, "[i]f no EIR has been prepared for a nonexempt project, but substantial evidence in the record supports a fair argument that the project may result in significant adverse impacts, the proper remedy is to order preparation of an EIR." Communities for a Better Env't v. South Coast Air Quality Mgmt. Dist. (2010) 48 Cal.4th 310, 319-320 (CBE v. SCAQMD) (citing No Oil, Inc. v. City of Los Angeles (1974) 13 Cal.3d 68, 75, 88; Brentwood Assn. for No Drilling, Inc. v. City of Los Angeles (1982) 134 Cal.App.3d 491,

De Anza Hotel Project January 20, 2020 Page 3 of 17

504–505). "Significant environmental effect" is defined very broadly as "a substantial or potentially substantial adverse change in the environment." Pub. Res. Code ("PRC") § 21068; see also 14 CCR § 15382. An effect on the environment need not be "momentous" to meet the CEQA test for significance; it is enough that the impacts are "not trivial." No Oil, Inc., 13 Cal.3d at 83. "The 'foremost principle' in interpreting CEQA is that the Legislature intended the act to be read so as to afford the fullest possible protection to the environment within the reasonable scope of the statutory language." Communities for a Better Env't v. Cal. Res. Agency (2002) 103 Cal.App.4th 98, 109 (CBE v. CRA).

The EIR is the very heart of CEQA. Bakersfield Citizens for Local Control v. City of Bakersfield (2004) 124 Cal.App.4th 1184, 1214 (Bakersfield Citizens); Pocket Protectors v. City of Sacramento (2004) 124 Cal.App.4th 903, 927. The EIR is an "environmental 'alarm bell' whose purpose is to alert the public and its responsible officials to environmental changes before they have reached the ecological points of no return." Bakersfield Citizens, 124 Cal.App.4th at 1220. The EIR also functions as a "document of accountability," intended to "demonstrate to an apprehensive citizenry that the agency has, in fact, analyzed and considered the ecological implications of its action." Laurel Heights Improvements Assn. v. Regents of Univ. of Cal. (1988) 47 Cal.3d 376, 392. The EIR process "protects not only the environment but also informed self-government." Pocket Protectors, 124 Cal.App.4th at 927.

An EIR is required if "there is substantial evidence, in light of the whole record before the lead agency, that the project may have a significant effect on the environment." PRC § 21080(d); see also *Pocket Protectors*, 124 Cal.App.4th at 927. In very limited circumstances, an agency may avoid preparing an EIR by issuing a negative declaration, a written statement briefly indicating that a project will have no significant impact thus requiring no EIR (14 CCR § 15371), only if there is not even a "fair argument" that the project will have a significant environmental effect. PRC, §§ 21100, 21064. Since "[t]he adoption of a negative declaration . . . has a terminal effect on the environmental review process," by allowing the agency "to dispense with the duty [to prepare an EIR]," negative declarations are allowed only in cases where "the proposed project will not affect the environment at all." *Citizens of Lake Murray v. San Diego* (1989) 129 Cal.App.3d 436, 440.

Where an initial study shows that the project may have a significant effect on the environment, a mitigated negative declaration may be appropriate. However, a mitigated negative declaration is proper *only* if the project revisions would avoid or mitigate the potentially significant effects identified in the initial study "to a point where clearly no significant effect on the environment would occur, and...there is no substantial evidence in light of the whole record before the public agency that the project, as revised, may have a significant effect on the environment." PRC §§ 21064.5 and 21080(c)(2); *Mejia v. City of Los Angeles* (2005) 130 Cal.App.4th 322, 331. In that context, "may" means a reasonable possibility of a significant effect on the environment. PRC §§ 21082.2(a), 21100, 21151(a); *Pocket Protectors*, 124 Cal.App.4th at 927; *League for Protection of Oakland's etc. Historic Res. v. City of Oakland* (1997) 52 Cal.App.4th 896, 904–05.

De Anza Hotel Project January 20, 2020 Page 4 of 17

Under the "fair argument" standard, an EIR is required if any substantial evidence in the record indicates that a project may have an adverse environmental effect—even if contrary evidence exists to support the agency's decision. 14 CCR § 15064(f)(1); *Pocket Protectors*, 124 Cal.App.4th at 931; *Stanislaus Audubon Society v. County of Stanislaus* (1995) 33 Cal.App.4th 144, 150-51; *Quail Botanical Gardens Found., Inc. v. City of Encinitas* (1994) 29 Cal.App.4th 1597, 1602. The "fair argument" standard creates a "low threshold" favoring environmental review through an EIR rather than through issuance of negative declarations or notices of exemption from CEQA. *Pocket Protectors*, 124 Cal.App.4th at 928.

The "fair argument" standard is virtually the opposite of the typical deferential standard accorded to agencies. As a leading CEQA treatise explains:

This 'fair argument' standard is very different from the standard normally followed by public agencies in making administrative determinations. Ordinarily, public agencies weigh the evidence in the record before them and reach a decision based on a preponderance of the evidence. [Citations]. The fair argument standard, by contrast, prevents the lead agency from weighing competing evidence to determine who has a better argument concerning the likelihood or extent of a potential environmental impact. The lead agency's decision is thus largely legal rather than factual; it does not resolve conflicts in the evidence but determines only whether substantial evidence exists in the record to support the prescribed fair argument.

Kostka & Zishcke, *Practice Under CEQA*, §6.29, pp. 273-274. The Courts have explained that "it is a question of law, not fact, whether a fair argument exists, and the courts owe no deference to the lead agency's determination. Review is de novo, with *a preference for resolving doubts in favor of environmental review.*" *Pocket Protectors*, 124 Cal.App.4th at 928 (emphasis in original).

CEQA requires that an environmental document include a description of the project's environmental setting or "baseline." CEQA Guidelines § 15063(d)(2). The CEQA "baseline" is the set of environmental conditions against which to compare a project's anticipated impacts. CBE v. SCAQMD, 48 Cal.4th at 321. CEQA Guidelines section 15125(a) states, in pertinent part, that a lead agency's environmental review under CEQA:

...must include a description of the physical environmental conditions in the vicinity of the project, as they exist at the time [environmental analysis] is commenced, from both a local and regional perspective. This environmental setting will normally constitute the baseline physical conditions by which a Lead Agency determines whether an impact is significant.

See Save Our Peninsula Committee v. County of Monterey (2001) 87 Cal.App.4th 99, 124–25 ("Save Our Peninsula").) As the court of appeal has explained, "the impacts of the project must be measured against the 'real conditions on the ground," and not against hypothetical permitted levels. *Id.* at 121–23.

#### III. DISCUSSION

# A. There is Substantial Evidence of a Fair Argument that the Project Will Have a Significant Health Risk Impact from its Indoor Air Quality Impacts.

Certified Industrial Hygienist, Francis "Bud" Offermann, PE, CIH, has conducted a review of the proposed Project and relevant documents regarding the Project's indoor air emissions. Indoor Environmental Engineering Comments (Jan. 16, 2020) (Exhibit A). Mr. Offermann concludes that it is likely that the Project will expose future hotel employees of the Project to significant impacts related to indoor air quality, and in particular, emissions of the cancer-causing chemical formaldehyde. Mr. Offermann is a leading expert on indoor air quality and has published extensively on the topic. *See* attached CV.

Mr. Offermann explains that many composite wood products used in modern hotel construction contain formaldehyde-based glues which off-gas formaldehyde over a very long time period. He states, "The primary source of formaldehyde indoors is composite wood products manufactured with urea-formaldehyde resins, such as plywood, medium density fiberboard, and particleboard. These materials are commonly used in building construction for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims." Ex. A, pp. 2-3.

Formaldehyde is a known human carcinogen. Mr. Offermann states that there is a fair argument that the employees of the Project are expected to experience significant work-day exposures. *Id.* p. 4. This exposure of employees would result in "significant cancer risks resulting from exposures to formaldehyde released by the building materials and furnishing commonly found in offices, warehouses, residences and hotels." *Id.* Assuming they work eight hour days, five days per week, an employee would be exposed to a cancer risk of approximately 16.4 per million, assuming all materials are compliant with the California Air Resources Board's formaldehyde airborne toxics control measure. *Id.* This is more than the Bay Area Air Quality Management District (BAAQMD) CEQA significance threshold for airborne cancer risk of 10 per million. *Id.* 

Mr. Offermann also notes that the high cancer risk that may be posed by the Project's indoor air emissions likely will be exacerbated by the additional cancer risk that exists as a result of the Project's location near roadways with moderate to high traffic (i.e. I-280, Homestead Road, Sunnyvale-Saratoga Road) and the high levels of PM2.5 already present in the ambient air. Ex. A, p. 10. No analysis has been conducted of the significant cumulative health impacts that will result to employees working at the Project.

Mr. Offermann concludes that this significant environmental impact should be analyzed in an EIR and mitigation measures should be imposed to reduce the risk of formaldehyde exposure. *Id.* Mr. Offermann identifies mitigation measures that are available to reduce these significant health risks, including the installation of air filters and a requirement that the

De Anza Hotel Project January 20, 2020 Page 6 of 17

applicant use only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins or ultra-low emitting formaldehyde (ULEF) resins in the buildings' interiors. *Id.*, pp. 11-12.

The City has a duty to investigate issues relating to a project's potential environmental impacts, especially those issues raised by an expert's comments. *See Cty. Sanitation Dist. No. 2 v. Cty. of Kern*, (2005) 127 Cal.App.4th 1544, 1597–98 ("under CEQA, the lead agency bears a burden to investigate potential environmental impacts"). In addition to assessing the Project's potential health impacts to workers, Mr. Offermann identifies the investigatory path that the City should be following in developing an EIR to more precisely evaluate the Projects' future formaldehyde emissions and establishing mitigation measures that reduce the cancer risk below the BAAQMD level. *Id.*, pp. 4-9. Such an analysis would be similar in form to the air quality modeling and traffic modeling typically conducted as part of a CEQA review.

The failure to address the project's formaldehyde emissions is contrary to the California Supreme Court's decision in *California Building Industry Ass'n v. Bay Area Air Quality Mgmt. Dist.* (2015) 62 Cal.4th 369, 386 ("*CBIA*"). At issue in *CBIA* was whether the Air District could enact CEQA guidelines that advised lead agencies that they must analyze the impacts of adjacent environmental conditions on a project. The Supreme Court held that CEQA does not generally require lead agencies to consider the environment's effects on a project. *CBIA*, 62 Cal.4th at 800-801. However, to the extent a project may exacerbate existing adverse environmental conditions at or near a project site, those would still have to be considered pursuant to CEQA. *Id.* at 801 ("CEQA calls upon an agency to evaluate existing conditions in order to assess whether a project could exacerbate hazards that are already present"). In so holding, the Court expressly held that CEQA's statutory language required lead agencies to disclose and analyze "impacts on *a project's users or residents* that arise *from the project's effects* on the environment." *Id.* at 800 (emphasis added).

The carcinogenic formaldehyde emissions identified by Mr. Offermann are not an existing environmental condition. Those emissions to the air will be from the Project. Employees will be users of the hotel. Currently, there is presumably little if any formaldehyde emissions at the site. Once the project is built, emissions will begin at levels that pose significant health risks. Rather than excusing the City from addressing the impacts of carcinogens emitted into the indoor air from the project, the Supreme Court in *CBIA* expressly finds that this type of effect by the project on the environment and a "project's users and residents" must be addressed in the CEQA process.

The Supreme Court's reasoning is well-grounded in CEQA's statutory language. CEQA expressly includes a project's effects on human beings as an effect on the environment that must be addressed in an environmental review. "Section 21083(b)(3)'s express language, for example, requires a finding of a 'significant effect on the environment' (§ 21083(b)) whenever the 'environmental effects of a project will cause substantial adverse effects on human beings, either directly or indirectly." CBIA, 62 Cal.4th at 800 (emphasis in original). Likewise, "the

De Anza Hotel Project January 20, 2020 Page 7 of 17

Legislature has made clear—in declarations accompanying CEQA's enactment—that public health and safety are of great importance in the statutory scheme." *Id.*, citing e.g., §§ 21000, subds. (b), (c), (d), (g), 21001, subds. (b), (d). It goes without saying that the hundreds of future employees of the project are human beings and the health and safety of those workers is as important to CEQA's safeguards as nearby residents currently living near the project site.

Because Mr. Offermann's expert review is substantial evidence of a fair argument of a significant environmental impact to future users of the project, an EIR must be prepared to disclose and mitigate those impacts.

## B. The IS/MND Fails to Adequately Mitigate the Potential Adverse Impacts of the Project on Wildlife by Window Collisions.

The IS/MND states that the Project "would alter the physical characteristics of the site; however, this change is not expected to contribute to a substantial increase in the risk of collisions to local and migratory birds." IS/MND, p. 4-22. We had wildlife expert, Dr. Shawn Smallwood, review the analysis of bird collision impacts and mitigation measures. Dr. Smallwood concurs with the implementation of the identified mitigation measures but believes they must include a post-construction fatality monitoring component in order to ensure their effectiveness. In order to inform of whether and to what degree fatality reduction measures or compensation measures might be needed to mitigate bird collisions with windows, Dr. Smallwood recommends adding a requirement that the Project conduct weekly fatality searches and a qualified biologist integrate carcass detection trials into the fatality searches to estimate a carcass detection rate. Dr. Smallwood's recommended fatality monitoring strategy will inform whether or not the mitigation measures identified in the MND actually address any potential significant bird collision impacts.

# C. The IS/MND Failed to Adequately Analyze the Project's Construction Emission Impacts.

SWAPE reviewed the IS/MND and construction emission analysis and found that the IS/MND incorrectly analyzed these emissions. The BAAQMD provides significance thresholds to evaluate air pollution emissions in the form of pounds per day. In order to compare the Project's air pollutant emissions to these thresholds, the IS/MND stated that "[a]verage daily emissions are based on the annual construction emissions divided by the total number of active construction days." IS/MND, p. 4-11. However, SWAPE states that the IS/MND's conversion of annual emissions measured in tons per year to pounds per year and then divided by the number of construction workdays is incorrect. Ex. B, p. 2.

California Emissions Estimator Model ("CalEEMod") provides three types of output files – winter, summer, and annual. Winter and summer output files provide emissions estimates in pounds per day while the annual output files measure emissions in tons per year. *Id.* CEQA requires the most conservative analysis, and the use of converted annual CalEEMod output files may underestimate emissions. SWAPE therefore concludes that the IS/MND's conversion from

De Anza Hotel Project January 20, 2020 Page 8 of 17

the annual tons per year to pounds per day was unsubstantiated and incorrect, and the IS/MND should have provided and utilized emissions from the winter or summer CalEEMod output files in order to compare to the BAAQMD thresholds. *Id*.

# D. The IS/MND Relied on Unsubstantiated Input Parameters to Estimate Project Emissions and Thus Failed to Adequately Analyze the Project's Air Quality Impacts.

The IS/MND for the Project relies on emissions calculated from CalEEMod.2016.3.2. This model relies on recommended default values, or on site-specific information related to a number of factors. The model is used to generate a project's construction and operational emissions. SWAPE reviewed the Project's CalEEMod output files and found that the values input into the model were inconsistent with information provided in the IS/MND, resulting in an underestimation of the Project's emissions. *Id.* The particular errors identified by SWAPE are discussed below. These errors should be corrected in a subsequent CEQA document prior to approval of the Project.

#### 1. The IS/MND relies on the use of an underestimated land use size.

Review of the CalEEMod output files demonstrates that the floor surface area values of the proposed parking lot and hotel land uses were underestimated within the model, and as a result, may underestimate the Project's emissions. *Id.* According to the IS/MND, the Project proposes to construct an 18,000 square-foot driveway and surface parking lot and a 129,000 square-foot hotel building. IS/MND, p. 3-25. However, the CalEEMod output files reveals that only 860 square feet of the parking lot and only 122,256 square feet of the hotel were included in the model. IS/MND Revised App. A, pp 93, 135. By underestimating the floor surface areas of the proposed parking lot and hotel land uses, the model underestimates the Project's construction and operational emissions and should not be relied upon to determine Project significance.

### 2. The IS/MND relies on unsubstantiated changes to intensity factors.

Review of the CalEEMod output files demonstrates that the model's CO<sub>2</sub> intensity factor was artificially reduced from 641.35 to 10.84, the CH<sub>4</sub> intensity factor was reduced from 0.029 to 0, and the N<sub>2</sub>O intensity factor was reduced from 0.006 to 0. IS/MND Revised App. A, pp. 96, 138, Ex. B, p. 3. According to the "User Entered Comments & Non-Default Data" table, the justification provided for this change is that "Carbon Intensity factors adjusted for Silicon Valley Clean Energy Power." IS/MND Revised App. A, pp. 94, 136. Furthermore, the IS states that Silicon Valley Clean Energy will supply electricity to the Project site. IS/MND, p. 4-30. However, neither the IS/MND nor its associated appendices provide a citation or further justification for the updated carbon intensity factors. Ex. B, p. 4. Without any evidence supporting this, reliance on these reductions violates CEQA.

### 3. The IS/MND fails to include the total amount of material export.

Review of the CalEEMod output files demonstrates that the IS/MND's model failed to include the total amount of material export expected to occur during Project construction. *Id.* According to the IS/MND, "[t]he proposed Project would require up to 72,000 cubic yards of cut." IS/MND, p. 3-25. However, review of the CalEEMod output files demonstrates that only 71,054 cubic yards of material export were included in the model. IS/MND Revised App. A, pp. 95, 137, Ex. B, p. 4. The underestimation of 946 cubic yards of material export presents an issue, as the inclusion of the entire amount of material export within the model is necessary to calculate the emissions produced from material movement, including truck loading and unloading, and additional hauling truck trips. Ex. B, p. 4. As a result of the IS/MND failing to include the total amount of material export, emissions generated during Project construction may be underestimated.

# 4. <u>The IS/MND relies on unsubstantiated changes to pieces of construction equipment.</u>

Review of the CalEEMod output files demonstrates that the number of several pieces of construction equipment were reduced to zero. IS/MND Revised App. A, pp. 95, 138, Ex. B, p. 4. According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is: "No grading soil haul equipment." IS/MND Revised App. A, pp. 94, 136. However, this change is not mentioned or justified in the IS/MND and associated appendices. Without any evidence supporting this, reliance on these reductions violates CEQA.

#### 5. The IS/MND relies on unsubstantiated changes to fleet fix.

The CalEEMod output files demonstrate that several fleet mix percentage values were manually altered. IS/MND Revised App. A, pp. 95, 137, Ex. B, p. 5. The explanation provided in the file is: "Refer to CalEEMod inputs fleet mix." IS/MND Revised App. A, p. 94. But neither the IS/MND nor the associated appendices mention or justify these changes. Ex. B, p. 5. Without any evidence supporting this, reliance on the model violates CEQA.

# 6. <u>The IS/MND relies on unsubstantiated changes to wastewater treatment system percentages.</u>

Review of the CalEEMod output files demonstrates that the wastewater treatment system percentages were manually altered. IS/MND Revised App. A, pp. 96, 138, 139, Ex. B, p. 6. The explanation provided is "Refer to CalEEMod inputs." IS/MND Revised App. A, pp. 94, 136. However, the IS/MND fails to justify this statement or mention the changes. According to the CalEEMod User's Guide, each type of wastewater treatment system is associated with different GHG emission factors. Therefore, artificially altering the wastewater treatment system percentages may result in an underestimation of the Project's GHG emissions. Ex. B, p. 6. Without any evidence supporting these changes, reliance on the model violates CEQA.

#### 7. The IS/MND relies on an incorrect indoor water use rate.

Review of the CalEEMod output files demonstrates that the indoor water use rate, used to estimate the Project's GHG emissions associated with the supply and treatment of water, was incorrectly changed from the CalEEMod default value without sufficient justification. *Id.* According to the IS/MND, "[t]he estimated water demand is 156 hotel rooms x 390 square foot per room x 0.50 gpd/sf for a total of 30,420 gpd." IS/MND, p. 4-93. Converted, this correlates with an indoor water use rate of 11,103,300 gallons per year (gpy). Ex. B, p. 6. However, only 82,125 gpy were inputted into the model for the hotel land use. IS/MND Revised App. A, p. 138, Ex. B, p. 6. The explanation provided is "Refer to CalEEMod inputs." IS/MND Revised App. A, p. 136. This fails to substantiate the changes or justify a different indoor water use rate than was specified in the IS/MND. Ex. B, p. 7. Thus, the CalEEMod is incorrect and underestimates the hotel land use's indoor water use rate.

Further, while the IS/MND provides data on the hotel land use's indoor water use rate, it fails to provide an indoor water use rate for the Project's other proposed land uses. *Id.* As a result, the model may underestimate the Project's water-related operational emissions.

### 8. The IS/MND relies on an unsubstantiated change to solid waste generation rates.

Review of the CalEEMod output files demonstrates that the Project's solid waste generation rates were manually changed without adequate justification. IS/MND Revised App. A, p. 138, Ex. B, p. 7. The explanation provided is "Refer to CalEEMod inputs." IS/MND Revised App. A, p. 136. However, the IS/MND fails to justify or mention these changes, and can therefore not be relied upon to determine Project significance.

# 9. <u>The IS/MND relies on an unsubstantiated application of a construction mitigation</u> measure.

Review of the CalEEMod output files reveals that the model includes a 9% reduction of particulate matter emissions as a result of the "Clean Paved Roads" mitigation measure. IS/MND Revised App. A, pp. 94, 134, Ex. B, p. 8. While the IS/MND mentions sweeping paved roads, it does not justify or mention the 9% reduction. IS/MND, p. 4-11. As a result, the model may underestimate the Project's construction emissions and the mitigation cannot be relied upon.

# 10. <u>The IS/MND relies on an unsubstantiated application of water-related operational mitigation measures.</u>

Review of the CalEEMod output files demonstrates that the Project's emissions were modeled with several unsubstantiated water-related mitigation measures. IS/MND Revised App. A, p. 129, Ex. B, p. 9. The Project's operational emissions were modeled including the following water-related mitigation measures: "Install Low Flow Bathroom Faucet," "Install Low Flow Kitchen Faucet," "Install Low Flow Toilet," and "Install Low Flow Shower." IS/MND Revised App. A, p. 129. However, the "User Entered Comments & Non-Default Data" table fails to mention or provide a justification for the inclusion of these mitigation measures and the IS/MND fails to address these mitigation measures. As a result, the model cannot be relied upon to

De Anza Hotel Project January 20, 2020 Page 11 of 17

determine Project significance.

## E. The IS/MND Fails to Adequately Evaluate Health Risks from Diesel Particulate Matter Emissions.

SWAPE's review of the IS/MND and construction health risk assessment ("HRA") found that the IS/MND relies on an unsubstantiated air model that underestimates the Project's emissions and completely failed to conduct a quantified HRA for Project operation. Ex. B, pp. 9-10. SWAPE concluded that the use of the construction related mitigation measures and the failure to evaluate the operational health risk posed to nearby receptors to the Project is inappropriate for several reasons.

First, the construction HRA relies on an unsubstantiated air model that underestimates the Project's emissions as discussed above. As a result, the IS/MND's conclusion that, after mitigation, the construction-related health risk to the maximally exposed individual receptor would be approximately 5.1 in one million cannot be relied upon to determine the Project's significance.

Second, simply stating that the Project "would not result in creation of land uses that would generate substantial concentrations of TACs" does not justify the omission of an operational HRA. By failing to prepare an operational HRA, the IS/MND is inconsistent with recommendations set forth by the Office of Environmental Health and Hazard Assessment's (OEHHA) most recent Risk Assessment Guidelines: Guidance Manual for Preparation of Health Risk Assessments, which was formally adopted in March of 2015. "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, available at: https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf. The OEHHA guidance document describes the types of projects that warrant the preparation of a health risk assessment. Id. Once construction of the Project is complete, the Project will operate for a long period of time. During operation, the Project will generate vehicle trips, which will generate additional exhaust emissions, thus continuing to expose nearby sensitive receptors to emissions. The OEHHA document recommends that exposure from projects lasting more than 6 months should be evaluated for the duration of the project, and recommends that an exposure duration of 30 years be used to estimate individual cancer risk for the maximally exposed individual resident (MEIR). Id. at 8-6, 8-15. Although the IS/MND did not provide the expected lifetime of the Project, SWAPE reasonably assumes that the Project will operate for at least 30 years, if not more. Therefore, SWAPE states that health risks from Project operation should have also been evaluated in the IS/MND, as a 30-year exposure duration vastly exceeds the 6-month requirement set forth by OEHHA. Ex. B, p. 10.

Third, SWAPE found that the IS/MND failed to sum the cancer risk calculated for each age group. *Id.* According to OEHHA guidance, "the excess cancer risk is calculated separately for each age grouping and then summed to yield cancer risk at the receptor location." "Guidance Manual for preparation of Health Risk Assessments." OEHHA, February 2015, *available at:* https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf p. 8-4. However, review of

De Anza Hotel Project January 20, 2020 Page 12 of 17

the construction HRA conducted in the IS/MND failed to sum each age bin to evaluate the total cancer risk over the course of the Project's lifetime. Ex. B, p. 10. This is incorrect and an updated analysis should quantify the Project's construction and operational health risks and then sum them to compare to the BAAQMD threshold of 10 in one million. *Id.*, pp. 10-11, "California Environmental Quality Act Air Quality Guidelines." BAAQMD, May 2017, *available at:* http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa\_guidelines\_may2017-pdf.pdf?la=en.

# F. There is Substantial Evidence that the Project May have a Significant Health Risk Impact.

Correcting the above errors, SWAPE prepared a screening-level HRA to evaluate potential impacts from the construction and operation of the Project. SWAPE used AERSCREEN, the leading screening-level air quality dispersion model. Ex. B, pp. 11-14. SWAPE used a sensitive receptor distance of 50 meters (the distance to the closest residential receptor) and analyzed impacts to individuals at different stages of life based on OEHHA guidance. *Id.*, pp. 11-13.

SWAPE calculates that the Project's construction and operation may pose cancer risks to adults, children, and infants of approximately 21, 140, and 150 in one million, well above the BAAQMD significance threshold of 10 in one million. *Id.*, p. 14. The excess cancer risk over the course of a residential lifetime calculated by SWAPE is 310 in one million, resulting in a potentially significant health risk impact not previously addressed or identified by the IS/MND. *Id.* These screening level calculations demonstrate that the Project's construction and operational diesel particulate matter emissions may result in a potentially significant health risk impact. SWAPE's screening-level HRA analysis and results can be found in Exhibit B, pp. 11-14.

### G. The IS/MND Failed to Adequately Analyze Greenhouse Gas Impacts.

The IS/MND concludes that the Project's GHG emissions would exceed the BAAQMD's bright line threshold, and subsequently proposes mitigation to find that the GHG emissions impact would be less than significant. IS.MND, p. 4-39. The IS/MND also evaluates the Project's consistency with the CARB Scoping Plan, the Plan Bay Area 2040, and Cupertino's Climate Action Plan ("CAP") to determine that the Project would have a less than significant impact. *Id.*, p. 4-40. However, SWAPE concludes that this analysis and subsequent less than significant impact conclusion is incorrect for several reasons.

First, the CARB Scoping Plan and the Plan Bay Area cannot be relied upon to determine project significance because they do not qualify as CAPs. Ex. B, p. 15. When CEQA Guidelines sections 15064.4(b)(3) and 15183.5(b)(1) are read in conjunction, they make clear that qualified GHG reduction plans, also known as CAPs, should require the following features: 1) inventory; 2) establish GHG reduction goals; 3) analyze project types; 4) craft performance based mitigation measures; and 5) monitoring. *Id.*, pp. 15-16. These CAP features provide the necessary substantial evidence demonstrating a project's incremental contribution is not

cumulatively considerable as required by CEQA Guidelines section 15064.4(b)(3). As SWAPE points out, the IS/MND fails to demonstrate that the plans and policies include these 5 listed requirements to be considered a qualified CAP for the City, leaving an analytical gap showing that compliance with said plans can be used for a project-level significance determination. *Id.* at 16.

Second, the Project fails to demonstrate consistency with the Cupertino CAP. SWAPE notes that the CAP fails to provide specific, project-level measures, and instead provides "community-wide" measures with quantified GHG reduction potentials. *Id.* Regardless of this, the IS/MND fails to demonstrate consistency with all of the CAP's "community-wide" measures and associated GHG reduction potentials. *See*, *id.*, pp. 16-20.

# H. There is Substantial Evidence that the Project May have a Significant Greenhouse Gas Impact.

The IS/MND's GHG analysis is also flawed because it relies on an incorrect CalEEMod model (discussed above), and cannot assume that the implementation of one mitigation measure would reduce the Project's GHG emissions to a less than significant level without quantifying impacts. SWAPE ran an updated GHG analysis using the updated CalEEMod output files and comparing the total Project's GHG emissions, including construction emissions and operational emissions, to the BAAQMD bright-line threshold of 1,100 MT CO2e/year and found that the Project's GHG emissions exceed the threshold.

SWAPE Annual Greenhouse Gas Emissions		
Project Phase	Proposed Project (MT CO₂e/year)	
Construction (amortized over 30		
years)	34.85	
Area	0.01	
Energy	974.49	
Mobile	1,183.11	
Waste	47.71	
Water	42.52	
Total	2,282.69	
Threshold	1,100	
Exceed?	Yes	

When accurately modeled, SWAPE determined that the Project's GHG emissions would be approximately 2,283 MT CO<sub>2</sub>e/year. Ex. B, pp. 21-22. Since this exceeds the BAAQMD's 1,100 MT CO<sub>2</sub>e/year threshold, a Tier 4 analysis is warranted. *Id.*, p. 22. SWAPE divided the Project's GHG emissions by the service population value of 78 people to find that the Project

would emit approximately 29.3 MT CO<sub>2</sub>e/SP/year, which exceeds the BAAQMD 2030 substantial progress threshold of 2.6 MT CO<sub>2</sub>e/SP/year. *Id.* When accurately analyzed, the Project's total GHG emissions exceeds the "Substantial Progress" efficiency threshold for 2030, thus resulting in a significant impact not previously assessed or identified in the IS/MND. *Id.* 

SWAPE Greenhouse Gas Emissions		
Project Phase	Proposed Project (MT CO₂e/year)	
Annual Emissions	2,282.69	
Service Population	78	
Service Population Efficiency	29.3	
Threshold	2.6	
Exceed?	Yes	

SWAPE concludes that due to these significant impacts and the failure of the IS/MND to analyze all potential GHG emission impacts, an updated GHG analysis should be prepared in a Project-specific EIR and additional mitigation measures should be incorporated into the Project. *Id.* 

### I. The IS/MND Fails to Adequately Evaluate and Mitigate the Project's Noise Impacts.

The comment of noise expert Derek Watry is attached as Exhibit D. Mr. Watry has identified several issues with the IS/MND for the Project. His concerns are summarized below.

#### 1. The MND fails to adequately evaluate construction noise levels.

Mr. Watry reviewed the proposed Project and relevant documents regarding the Project's noise impacts, and concludes that the IS/MND improperly analyzed construction noise levels. Mr. Watry concludes that analyzed properly, construction noise levels during the five stages of the Project construction would create a significant noise impact. Ex. D, p. 2.

The Cupertino Municipal Code ("CMC") section 10.48.053 sets the quantitative requirements for construction noise as: ". . . construction activities [may] not exceed 80 dBA at the nearest affected property or individual equipment items do not exceed 87 dBA at 25 feet. Only one of these two criteria must be met." The IS/MND uses the first of these two options and presents estimates of construction noise at the two nearest property lines shared with noise-sensitive receptors. However, as Mr. Watry points out, "the [IS/MND] treats the 80 dBA limit as a limit for the average noise level." Ex. D, p.1. There is no indication in CMC section 10.48.053 that the code intended this limit to be for the average noise level limit, and "it is more likely that the 80 dBA limit is intended to be a maximum for noise levels from the construction activities." *Id*.

Mr. Watry also noted that the IS/MND uses the Federal Highway Administration Roadway Construction Noise Model to determine the data output for the Project's noise levels. However, the Federal Highway Administration Roadway Construction Noise Model shows the maximum noise levels for construction phases at a distance of 200 feet while the construction equipment used at the Project site will be closer than 200 feet to the Cupertino Hotel property line. *Id.*, p. 2. Mr. Watry used the attenuation with distance factor used in the IS/MND and the closest approach point to the Cupertino Hotel property line to calculate the maximum noise levels of the Project's construction phases, shown below:

TABLE I Maximum Construction Noise Levels			
<b>Construction Phase</b>	Lmax	Distance to 80 dBA Lmax	
Demolition	93 dBA	150 ft	
Site Preparation	88 dBA	89 ft	
Grading	93 dBA	150 ft	
Building Construction	87 dBA	80 ft	
Paving	87 dBA	80 ft	

*Id.* The table also shows the distance of the loudest piece of equipment in each phase will need to be from the property to produce a maximum noise level of 80 dBA. As Mr. Watry notes, "[f]or the demolition and grading phases, the distance is nearly half the width of the project site indicating that the 80 dBA limit will be exceeded half of the time during these phases."

Mr. Watry concludes that the City's misinterpretation of the CMC led to an inadequate noise impact analysis, and when properly analyzed the Project's noise levels during five stages of construction will create a significant noise impact. An EIR must therefore be prepared.

### 2. The MND fails to adequately mitigate the operational noise impacts.

The IS/MND concludes that the Project's operational noise impacts would be potentially significant but Mitigation Measure NOISE-2 would make that impact less than significant. IS/MND, p. 4-63. However, Mitigation Measure NOISE-2 does not provide a substantive analysis that feasible mitigation is possible. Ex. D, p. 3. Instead, it simply states that a qualified acoustician will, at some point in the future, determine specific measures to reduce noise levels.

CEQA prohibits deferring the formulation of mitigation measures to post-approval studies. CEQA Guidelines § 15126.4(a)(1)(B); Sundstrom v. County of Mendocino (1988) 202 Cal.App.3d 296, 308-309. An agency may only defer the formulation of mitigation measures when it possesses "meaningful information' reasonably justifying an expectation of compliance." Sundstrom at 308; see also Sacramento Old City Association v. City Council of Sacramento (1991) 229 Cal.App.3d 1011, 1028-29 (mitigation measures may be deferred only "for kinds of impacts for which mitigation is known to be feasible"). A lead agency is precluded from making the required CEQA findings unless the record shows that all uncertainties regarding

De Anza Hotel Project January 20, 2020 Page 16 of 17

the mitigation of impacts have been resolved; an agency may not rely on mitigation measures of uncertain efficacy or feasibility. *Kings County Farm Bureau v. City of Hanford* (1990) 221 Cal.App.3d 692, 727 (finding groundwater purchase agreement inadequate mitigation because there was no evidence that replacement water was available). This approach helps "insure the integrity of the process of decisionmaking by precluding stubborn problems or serious criticism from being swept under the rug." *Concerned Citizens of Costa Mesa, Inc. v. 32nd Dist. Agricultural Assn.* (1986) 42 Cal.3d 929, 935.

Mr. Watry points out that the IS/MND attempts to minimize operational noise levels from the generator including a Level II sound enclosure, but still found that the noise levels exceed the adopted criteria. Ex. D, p. 3. Mr. Watry concludes that this "provides more impetus for additional analysis to demonstrate that feasible mitigation is possible or to determine that the impact is significant." *Id*.

# 3. The IS/MND fails to adequately evaluate traffic noise levels.

For the traffic noise analysis, the IS/MND uses a relative, "audible" threshold of significance and "only 'audible' changes in noise levels at sensitive receptor locations (i.e., 3 dBA or more) are considered potentially significant." IS/MND, p. 4-58. Mr. Watry states that "[t]he fundamental problem with using a relative threshold of significance, e.g., a change of 3 dBA or greater, is that, over time, there will effectively be no limit." Ex. D, p. 3. In order to keep noise levels from increasing continually without limit over time, Mr. Watry concludes that absolute criteria should be used as well. *Id.*, p. 4.

For this project, an appropriate source for absolute criteria is the *Cupertino General Plan – Community Vision 2015-2040*. Chapter 7, Health and Safety Element, contains Land Use Compatibility for Community Noise Environments, cast in terms of either the Day-Night Equivalent Level (L<sub>dn</sub>) or the Community Noise Equivalent Level (CNEL), both 24-hour weighted average noise levels. [General Plan, Figure HS-8]. For various types of land uses, Figure HS-8 indicates if a particular noise exposure is "normally acceptable", "conditionally acceptable", "normally unacceptable", or "clearly unacceptable". A very reasonable, absolute threshold of significance would be if the noise level changed from one classification to another, regardless of the amount of the increase.

Id.

Mr. Watry's absolute criteria analysis would necessarily be based on measurements of the existing noise environment around the Project site, which the IS/MND did not do in its noise analysis.

#### IV. CONCLUSION

For the foregoing reasons, the MND for the Project should be withdrawn, an EIR should

De Anza Hotel Project January 20, 2020 Page 17 of 17

be prepared, and the draft EIR should be circulated for public review and comment in accordance with CEQA. Thank you for considering these comments.

Sincerely,

Michael R. Lozeau

Michael R X jean

Paige Fennie

Lozeau | Drury LLP

# Exhibit A



## INDOOR ENVIRONMENTAL ENGINEERING



1448 Pine Street, Suite 103 San Francisco, California 94109
Telephone: (415) 567-7700
E-mail: offermann@IEE-SF.com
http://www.iee-sf.com

Date: January 16, 2020

To: Michael Lozeau

Lozeau | Drury LLP

1939 Harrison Street, Suite 150 Oakland, California 94612

From: Francis J. Offermann PE CIH

Subject: Indoor Air Quality: De Anza Hotel – Cupertino, CA

(IEE File Reference: P-4327)

Pages: 15

# **Indoor Air Quality Impacts**

Indoor air quality (IAQ) directly impacts the comfort and health of building occupants, and the achievement of acceptable IAQ in newly constructed and renovated buildings is a well-recognized design objective. For example, IAQ is addressed by major high-performance building rating systems and building codes (California Building Standards Commission, 2014; USGBC, 2014). Indoor air quality in homes is particularly important because occupants, on average, spend approximately ninety percent of their time indoors with the majority of this time spent at home (EPA, 2011). Some segments of the population that are most susceptible to the effects of poor IAQ, such as the very young and the elderly, occupy their homes almost continuously. Additionally, an increasing number of adults are working from home at least some of the time during the workweek. Indoor air quality also is a serious concern for workers in hotels, offices and other business establishments.

The concentrations of many air pollutants often are elevated in homes and other buildings relative to outdoor air because many of the materials and products used indoors contain

and release a variety of pollutants to air (Hodgson et al., 2002; Offermann and Hodgson, 2011). With respect to indoor air contaminants for which inhalation is the primary route of exposure, the critical design and construction parameters are the provision of adequate ventilation and the reduction of indoor sources of the contaminants.

Indoor Formaldehyde Concentrations Impact. In the California New Home Study (CNHS) of 108 new homes in California (Offermann, 2009), 25 air contaminants were measured, and formaldehyde was identified as the indoor air contaminant with the highest cancer risk as determined by the California Proposition 65 Safe Harbor Levels (OEHHA, 2017a), No Significant Risk Levels (NSRL) for carcinogens. The NSRL is the daily intake level calculated to result in one excess case of cancer in an exposed population of 100,000 (i.e., ten in one million cancer risk) and for formaldehyde is 40  $\mu$ g/day. The NSRL concentration of formaldehyde that represents a daily dose of 40  $\mu$ g is 2  $\mu$ g/m³, assuming a continuous 24-hour exposure, a total daily inhaled air volume of 20 m³, and 100% absorption by the respiratory system. All of the CNHS homes exceeded this NSRL concentration of 2  $\mu$ g/m³. The median indoor formaldehyde concentration was 36  $\mu$ g/m³, and ranged from 4.8 to 136  $\mu$ g/m³, which corresponds to a median exceedance of the 2  $\mu$ g/m³ NSRL concentration of 18 and a range of 2.3 to 68.

Therefore, the cancer risk of a resident living in a California home with the median indoor formaldehyde concentration of  $36 \mu g/m^3$ , is 180 per million as a result of formaldehyde alone. The CEQA significance threshold for airborne cancer risk is 10 per million, as established by the Bay Air Quality Management District (BAAQMD, 2017).

Besides being a human carcinogen, formaldehyde is also a potent eye and respiratory irritant. In the CNHS, many homes exceeded the non-cancer reference exposure levels (RELs) prescribed by California Office of Environmental Health Hazard Assessment (OEHHA, 2017b). The percentage of homes exceeding the RELs ranged from 98% for the Chronic REL of 9  $\mu$ g/m³ to 28% for the Acute REL of 55  $\mu$ g/m³.

The primary source of formaldehyde indoors is composite wood products manufactured with urea-formaldehyde resins, such as plywood, medium density fiberboard, and

particleboard. These materials are commonly used in building construction for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims.

In January 2009, the California Air Resources Board (CARB) adopted an airborne toxics control measure (ATCM) to reduce formaldehyde emissions from composite wood products, including hardwood plywood, particleboard, medium density fiberboard, and also furniture and other finished products made with these wood products (California Air Resources Board 2009). While this formaldehyde ATCM has resulted in reduced emissions from composite wood products sold in California, they do not preclude that homes built with composite wood products meeting the CARB ATCM will have indoor formaldehyde concentrations that are below cancer and non-cancer exposure guidelines.

A follow up study to the California New Home Study (CNHS) was conducted in 2016-2018 (Chan et. al., 2019), and found that the median indoor formaldehyde in new homes built after 2009 with CARB Phase 2 Formaldehyde ATCM materials had lower indoor formaldehyde concentrations, with a median indoor concentrations of 22.4  $\mu$ g/m<sup>3</sup> (18.2 ppb) as compared to a median of 36  $\mu$ g/m<sup>3</sup> found in the 2007 CNHS.

Thus, while new homes built after the 2009 CARB formaldehyde ATCM have a 38% lower median indoor formaldehyde concentration and cancer risk, the median lifetime cancer risk is still 112 per million for homes built with CARB compliant composite wood products, which is more than 11 times the OEHHA 10 in a million cancer risk threshold (OEHHA, 2017a).

With respect to this project, the buildings in the De Anza Hotel Project in Cupertino, CA consist of a hotel.

The employees of the hotel are expected to experience significant indoor exposures (e.g., 40 hours per week, 50 weeks per year). These exposures for employees are anticipated to result in significant cancer risks resulting from exposures to formaldehyde released by the building materials and furnishing commonly found in offices, warehouses, residences and hotels.

Because the hotel will be constructed with CARB Phase 2 Formaldehyde ATCM materials, and be ventilated with the minimum code required amount of outdoor air, the indoor formaldehyde concentrations are likely similar to those concentrations observed in residences built with CARB Phase 2 Formaldehyde ATCM materials, which is a median of 22.4 µg/m<sup>3</sup> (Chan et. al., 2019)

Assuming that the hotel employees work 8 hours per day and inhale 20 m<sup>3</sup> of air per day, the formaldehyde dose per work-day at the offices is 149 µg/day.

Assuming that these employees work 5 days per week and 50 weeks per year for 45 years (start at age 20 and retire at age 65) the average 70-year lifetime formaldehyde daily dose is  $65.8 \mu g/day$ .

This is 1.64 times the NSRL (OEHHA, 2017a) of 40  $\mu$ g/day and represents a cancer risk of 16.4 per million, which exceeds the CEQA cancer risk of 10 per million. This impact should be analyzed in an environmental impact report ("EIR"), and the agency should impose all feasible mitigation measures to reduce this impact. Several feasible mitigation measures are discussed below and these and other measures should be analyzed in an EIR.

While measurements of the indoor concentrations of formaldehyde in residences built with CARB Phase 2 Formaldehyde ATCM materials (Chan et. al., 2018), indicate that indoor formaldehyde concentrations in buildings built with similar materials (e.g. hotels, residences, offices, warehouses, schools) will pose cancer risks in excess of the CEQA cancer risk of 10 per million, a determination of the cancer risk that is specific to this project and the materials used to construct these buildings can and should be conducted prior to completion of the environmental review.

The following describes a method that should be used prior to construction in the environmental review under CEQA, for determining whether the indoor concentrations resulting from the formaldehyde emissions of the specific building materials/furnishings

selected for the building exceed cancer and non-cancer guidelines. Such a design analyses can be used to identify those materials/furnishings prior to the completion of the City's CEQA review and project approval, that have formaldehyde emission rates that contribute to indoor concentrations that exceed cancer and non-cancer guidelines, so that alternative lower emitting materials/furnishings may be selected and/or higher minimum outdoor air ventilation rates can be increased to achieve acceptable indoor concentrations and incorporated as mitigation measures for this project.

Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment.

This formaldehyde emissions assessment should be used in the environmental review under CEQA to <u>assess</u> the indoor formaldehyde concentrations from the proposed loading of building materials/furnishings, the area-specific formaldehyde emission rate data for building materials/furnishings, and the design minimum outdoor air ventilation rates. This assessment allows the applicant (and the City) to determine before the conclusion of the environmental review process and the building materials/furnishings are specified, purchased, and installed if the total chemical emissions will exceed cancer and non-cancer guidelines, and if so, allow for changes in the selection of specific material/furnishings and/or the design minimum outdoor air ventilations rates such that cancer and non-cancer guidelines are not exceeded.

- 1.) <u>Define Indoor Air Quality Zones</u>. Divide the building into separate indoor air quality zones, (IAQ Zones). IAQ Zones are defined as areas of well-mixed air. Thus, each ventilation system with recirculating air is considered a single zone, and each room or group of rooms where air is not recirculated (e.g. 100% outdoor air) is considered a separate zone. For IAQ Zones with the same construction material/furnishings and design minimum outdoor air ventilation rates. (e.g. hotel rooms, apartments, condominiums, etc.) the formaldehyde emission rates need only be assessed for a single IAQ Zone of that type.
- 2.) Calculate Material/Furnishing Loading. For each IAQ Zone, determine the building material and furnishing loadings (e.g., m<sup>2</sup> of material/m<sup>2</sup> floor area, units of furnishings/m<sup>2</sup> floor area) from an inventory of <u>all</u> potential indoor formaldehyde

sources, including flooring, ceiling tiles, furnishings, finishes, insulation, sealants, adhesives, and any products constructed with composite wood products containing ureaformaldehyde resins (e.g., plywood, medium density fiberboard, particleboard).

3.) <u>Calculate the Formaldehyde Emission Rate</u>. For each building material, calculate the formaldehyde emission rate ( $\mu$ g/h) from the product of the area-specific formaldehyde emission rate ( $\mu$ g/m²-h) and the area (m²) of material in the IAQ Zone, and from each furnishing (e.g. chairs, desks, etc.) from the unit-specific formaldehyde emission rate ( $\mu$ g/unit-h) and the number of units in the IAQ Zone.

NOTE: As a result of the high-performance building rating systems and building codes (California Building Standards Commission, 2014; USGBC, 2014), most manufacturers of building materials furnishings sold in the United States conduct chemical emission rate tests using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017), or other equivalent chemical emission rate testing methods. Most manufacturers of building furnishings sold in the United States conduct chemical emission rate tests using ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions (BIFMA, 2018), or other equivalent chemical emission rate testing methods.

CDPH, BIFMA, and other chemical emission rate testing programs, typically certify that a material or furnishing does not create indoor chemical concentrations in excess of the maximum concentrations permitted by their certification. For instance, the CDPH emission rate testing requires that the measured emission rates when input into an office, school, or residential model do not exceed one-half of the OEHHA Chronic Exposure Guidelines (OEHHA, 2017b) for the 35 specific VOCs, including formaldehyde, listed in Table 4-1 of the CDPH test method (CDPH, 2017). These certifications themselves do not provide the actual area-specific formaldehyde emission rate (i.e.,  $\mu g/m^2$ -h) of the product, but rather provide data that the formaldehyde emission rates do not exceed the maximum rate allowed for the certification. Thus for example, the data for a certification of a specific type of flooring may be used to calculate that the area-specific emission rate of formaldehyde is less than 31  $\mu g/m^2$ -h, but not the actual measured specific emission

rate, which may be 3, 18, or 30  $\mu$ g/m<sup>2</sup>-h. These area-specific emission rates determined from the product certifications of CDPH, BIFA, and other certification programs can be used as an initial estimate of the formaldehyde emission rate.

If the actual area-specific emission rates of a building material or furnishing is needed (i.e. the initial emission rates estimates from the product certifications are higher than desired), then that data can be acquired by requesting from the manufacturer the complete chemical emission rate test report. For instance if the complete CDPH emission test report is requested for a CDHP certified product, that report will provide the actual area-specific emission rates for not only the 35 specific VOCs, including formaldehyde, listed in Table 4-1 of the CDPH test method (CDPH, 2017), but also all of the cancer and reproductive/developmental chemicals listed in the California Proposition 65 Safe Harbor Levels (OEHHA, 2017a), all of the toxic air contaminants (TACs) in the California Air Resources Board Toxic Air Contamination List (CARB, 2011), and the 10 chemicals with the greatest emission rates.

Alternatively, a sample of the building material or furnishing can be submitted to a chemical emission rate testing laboratory, such as Berkeley Analytical Laboratory (https://berkeleyanalytical.com), to measure the formaldehyde emission rate.

- 4.) <u>Calculate the Total Formaldehyde Emission Rate.</u> For each IAQ Zone, calculate the total formaldehyde emission rate (i.e. μg/h) from the individual formaldehyde emission rates from each of the building material/furnishings as determined in Step 3.
- 5.) <u>Calculate the Indoor Formaldehyde Concentration</u>. For each IAQ Zone, calculate the indoor formaldehyde concentration ( $\mu$ g/m³) from Equation 1 by dividing the total formaldehyde emission rates (i.e.  $\mu$ g/h) as determined in Step 4, by the design minimum outdoor air ventilation rate (m³/h) for the IAQ Zone.

$$C_{in} = \frac{E_{total}}{Q_{oa}}$$
 (Equation 1)

where:

 $C_{in}$  = indoor formaldehyde concentration ( $\mu g/m^3$ )

 $E_{total}$  = total formaldehyde emission rate (µg/h) into the IAQ Zone.

 $Q_{oa}$  = design minimum outdoor air ventilation rate to the IAQ Zone (m<sup>3</sup>/h)

The above Equation 1 is based upon mass balance theory, and is referenced in Section 3.10.2 "Calculation of Estimated Building Concentrations" of the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017).

- 6.) <u>Calculate the Indoor Exposure Cancer and Non-Cancer Health Risks</u>. For each IAQ Zone, calculate the cancer and non-cancer health risks from the indoor formaldehyde concentrations determined in Step 5 and as described in the OEHHA Air Toxics Hot Spots Program Risk Assessment Guidelines; Guidance Manual for Preparation of Health Risk Assessments (OEHHA, 2015).
- 7.) <u>Mitigate Indoor Formaldehyde Exposures of exceeding the CEQA Cancer and/or Non-Cancer Health Risks</u>. In each IAQ Zone, provide mitigation for any formaldehyde exposure risk as determined in Step 6, that exceeds the CEQA cancer risk of 10 per million or the CEQA non-cancer Hazard Quotient of 1.0.

Provide the source and/or ventilation mitigation required in all IAQ Zones to reduce the health risks of the chemical exposures below the CEQA cancer and non-cancer health risks.

Source mitigation for formaldehyde may include:

- 1.) reducing the amount materials and/or furnishings that emit formaldehyde
- 2.) substituting a different material with a lower area-specific emission rate of formaldehyde

Ventilation mitigation for formaldehyde emitted from building materials and/or furnishings may include:

1.) increasing the design minimum outdoor air ventilation rate to the IAQ Zone.

NOTE: Mitigating the formaldehyde emissions through use of less material/furnishings,

or use of lower emitting materials/furnishings, is the preferred mitigation option, as mitigation with increased outdoor air ventilation increases initial and operating costs associated with the heating/cooling systems.

Further, we are not asking that the builder to "speculate" on what and how much composite materials be used, but rather at the design stage to select composite wood materials based on the formaldehyde emission rates that manufacturers routinely conduct using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017), and use the procedure described earlier (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

Outdoor Air Ventilation Impact. Another important finding of the CNHS, was that the outdoor air ventilation rates in the homes were very low. Outdoor air ventilation is a very important factor influencing the indoor concentrations of air contaminants, as it is the primary removal mechanism of all indoor air generated air contaminants. Lower outdoor air exchange rates cause indoor generated air contaminants to accumulate to higher indoor air concentrations. Many homeowners rarely open their windows or doors for ventilation as a result of their concerns for security/safety, noise, dust, and odor concerns (Price, 2007). In the CNHS field study, 32% of the homes did not use their windows during the 24-hour Test Day, and 15% of the homes did not use their windows during the entire preceding week. Most of the homes with no window usage were homes in the winter field session. Thus, a substantial percentage of homeowners never open their windows, especially in the winter season. The median 24-hour measurement was 0.26 ach, with a range of 0.09 ach to 5.3 ach. A total of 67% of the homes had outdoor air exchange rates below the minimum California Building Code (2001) requirement of 0.35 ach. Thus, the relatively tight envelope construction, combined with the fact that many people never open their windows for ventilation, results in homes with low outdoor air exchange rates and higher indoor air contaminant concentrations.

The De Anza Hotel Project – Cupertino CA is close to roads with moderate to high traffic (e.g. I-280, Homestead Road, Sunnyvale-Saratoga Road, etc.). As a result of the outdoor vehicle traffic noise, the Project site is likely to be a sound impacted site. The noise analyses provided in the Public Review Draft Initial Study (Placeworks, 2019), does not report the existing plus project noise levels (e.g. CNEL, Ldn), rather this report simply reports what the increase in the existing noise levels caused by the Project.

As a result of the high outdoor noise levels, the current project will require the need for mechanical supply of outdoor air ventilation air to allow for a habitable interior environment with closed windows and doors. Such a ventilation system would allow windows and doors to be kept closed at the occupant's discretion to control exterior noise within building interiors.

<u>PM<sub>2.5</sub> Outdoor Concentrations Impact</u>. An additional impact of the nearby motor vehicle traffic associated with this project, are the outdoor concentrations of PM<sub>2.5</sub>. According to the Public Review Draft Initial Study (Placeworks, 2019), this Project is located in the San Francisco Bay Area Air Basin, which is a State and Federal non-attainment area for PM<sub>2.5</sub>.

An air quality analyses should to be conducted to determine the concentrations of PM<sub>2.5</sub> in the outdoor and indoor air that people inhale each day. This air quality analyses needs to consider the cumulative impacts of the project related emissions, existing and projected future emissions from local PM<sub>2.5</sub> sources (e.g. stationary sources, motor vehicles, and airport traffic) upon the outdoor air concentrations at the project site. If the outdoor concentrations are determined to exceed the California and National annual average PM<sub>2.5</sub> exceedence concentration of 12  $\mu$ g/m³, or the National 24-hour average exceedence concentration of 35  $\mu$ g/m³, then the buildings need to have a mechanical supply of outdoor air that has air filtration with sufficient PM<sub>2.5</sub> removal efficiency, such that the indoor concentrations of outdoor PM<sub>2.5</sub> particles is less than the California and National PM<sub>2.5</sub> annual and 24-hour standards.

It is my experience that based on the projected high traffic noise levels, the annual average concentration of PM<sub>2.5</sub> will exceed the California and National PM<sub>2.5</sub> annual and 24-hour

standards and warrant installation of high efficiency air filters (i.e. MERV 13 or higher) in all mechanically supplied outdoor air ventilation systems.

# **Indoor Air Quality Impact Mitigation Measures**

The following are recommended mitigation measures to minimize the impacts upon indoor quality:

- indoor formaldehyde concentrations
- outdoor air ventilation
- PM<sub>2.5</sub> outdoor air concentrations

Indoor Formaldehyde Concentrations Mitigation. Use only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins or ultra-low emitting formaldehyde (ULEF) resins (CARB, 2009). Other projects such as the AC by Marriott Hotel – West San Jose Project (Asset Gas SC Inc.) and 2525 North Main Street, Santa Ana (AC 2525 Main LLC, 2019) have entered into settlement agreements stipulating the use of composite wood materials only containing NAF or ULEF resins.

Alternatively, conduct the previously described Pre-Construction Building Material/Furnishing Chemical Emissions Assessment, to determine that the combination of formaldehyde emissions from building materials and furnishings do not create indoor formaldehyde concentrations that exceed the CEQA cancer and non-cancer health risks.

It is important to note that we are not asking that the builder to "speculate" on what and how much composite materials be used, but rather at the design stage to select composite wood materials based on the formaldehyde emission rates that manufacturers routinely conduct using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017), and use the procedure described earlier (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to

insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

Outdoor Air Ventilation Mitigation. Provide each habitable room with a continuous mechanical supply of outdoor air that meets or exceeds the California 2016 Building Energy Efficiency Standards (California Energy Commission, 2015) requirements of the greater of 15 cfm/occupant or 0.15 cfm/ft² of floor area. Following installation of the system conduct testing and balancing to insure that required amount of outdoor air is entering each habitable room and provide a written report documenting the outdoor airflow rates. Do not use exhaust only mechanical outdoor air systems, use only balanced outdoor air supply and exhaust systems or outdoor air supply only systems. Provide a manual for the occupants or maintenance personnel, that describes the purpose of the mechanical outdoor air system and the operation and maintenance requirements of the system.

PM<sub>2.5</sub> Outdoor Air Concentration Mitigation. Install air filtration with sufficient PM<sub>2.5</sub> removal efficiency (e.g. MERV 13 or higher) to filter the outdoor air entering the mechanical outdoor air supply systems, such that the indoor concentrations of outdoor PM<sub>2.5</sub> particles are less than the California and National PM<sub>2.5</sub> annual and 24-hour standards. Install the air filters in the system such that they are accessible for replacement by the occupants or maintenance personnel. Include in the mechanical outdoor air ventilation system manual instructions on how to replace the air filters and the estimated frequency of replacement.

## References

AC 2525 Main LLC. 2019. Environmental Settlement Agreement with Laborers' International Union of North America Local 652.

Asset Gas SC. Inc. 2019. Settlement Agreement and Release with Jose Mexicano, Alejandro Martinez, and Laborers' International Union of North America Local 652.

Bay Area Air Quality Management District (BAAQMD). 2017. California Environmental Quality Act Air Quality Guidelines. Bay Area Air Quality Management District, San Francisco, CA. <a href="http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa\_guidelines\_may2017-pdf.pdf?la=en">http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa\_guidelines\_may2017-pdf.pdf?la=en</a>

BIFA. 2018. BIFMA Product Safety and Performance Standards and Guidelines. <a href="https://www.bifma.org/page/standardsoverview">www.bifma.org/page/standardsoverview</a>

California Air Resources Board. 2009. Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products. California Environmental Protection Agency, Sacramento, CA.

https://www.arb.ca.gov/regact/2007/compwood07/fro-final.pdf

California Air Resources Board. 2011. Toxic Air Contaminant Identification List. California Environmental Protection Agency, Sacramento, CA. <a href="https://www.arb.ca.gov/toxics/id/taclist.htm">https://www.arb.ca.gov/toxics/id/taclist.htm</a>

California Building Code. 2001. California Code of Regulations, Title 24, Part 2 Volume 1, Appendix Chapter 12, Interior Environment, Division 1, Ventilation, Section 1207: 2001 California Building Code, California Building Standards Commission. Sacramento, CA.

California Building Standards Commission (2014). 2013 California Green Building Standards Code. California Code of Regulations, Title 24, Part 11. California Building Standards Commission, Sacramento, CA. http://www.bsc.ca.gov/Home/CALGreen.aspx.

California Energy Commission, 2015. 2016 Building Energy Efficiency Standards for Residential and Nonresidential Buildings, California Code of Regulations, Title 24, Part 6. <a href="http://www.energy.ca.gov/2015publications/CEC-400-2015-037/CEC-400-2015-037-CMF.pdf">http://www.energy.ca.gov/2015publications/CEC-400-2015-037/CEC-400-2015-037-CMF.pdf</a>

CDPH. 2017. Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers, Version 1.1. California Department of Public Health, Richmond, CA. https://www.cdph.ca.gov/Programs/CCDPHP/DEODC/EHLB/IAQ/Pages/VOC.aspx.

Chan, W., Kim, Y., Singer, B., and Walker I. 2019. Ventilation and Indoor Air Quality in New California Homes with Gas Appliances and Mechanical Ventilation. Lawrence Berkeley National Laboratory, Energy Technologies Area, LBNL-2001200, DOI: 10.20357/B7QC7X.

EPA. 2011. Exposure Factors Handbook: 2011 Edition, Chapter 16 – Activity Factors. Report EPA/600/R-09/052F, September 2011. U.S. Environmental Protection Agency, Washington, D.C.

Hodgson, A. T., D. Beal, J.E.R. McIlvaine. 2002. Sources of formaldehyde, other aldehydes and terpenes in a new manufactured house. Indoor Air 12: 235–242.

OEHHA (Office of Environmental Health Hazard Assessment). 2015. Air Toxics Hot Spots Program Risk Assessment Guidelines; Guidance Manual for Preparation of Health Risk Assessments.

OEHHA (Office of Environmental Health Hazard Assessment). 2017a. Proposition 65 Safe Harbor Levels. No Significant Risk Levels for Carcinogens and Maximum Allowable Dose Levels for Chemicals Causing Reproductive Toxicity. Available at: <a href="http://www.oehha.ca.gov/prop65/pdf/safeharbor081513.pdf">http://www.oehha.ca.gov/prop65/pdf/safeharbor081513.pdf</a>

OEHHA - Office of Environmental Health Hazard Assessment. 2017b. All OEHHA Acute, 8-hour and Chronic Reference Exposure Levels. Available at: http://oehha.ca.gov/air/allrels.html

Offermann, F. J. 2009. Ventilation and Indoor Air Quality in New Homes. California Air Resources Board and California Energy Commission, PIER Energy-Related

Environmental Research Program. Collaborative Report. CEC-500-2009-085. https://www.arb.ca.gov/research/apr/past/04-310.pdf

Offermann, F. J. and A. T. Hodgson. 2011. Emission Rates of Volatile Organic Compounds in New Homes. Proceedings Indoor Air 2011 (12<sup>th</sup> International Conference on Indoor Air Quality and Climate 2011), June 5-10, 2011, Austin, TX USA.

Placeworks. 2019. Public Review Draft Initial Study, The De Anza Hotel Project.

Price, Phillip P., Max Sherman, Robert H. Lee, and Thomas Piazza. 2007. Study of Ventilation Practices and Household Characteristics in New California Homes.

California Energy Commission, PIER Program. CEC-500-2007-033. Final Report, ARB Contract 03-326. Available at: www.arb.ca.gov/research/apr/past/03-326.pdf.

USGBC. 2014. LEED BD+C Homes v4. U.S. Green Building Council, Washington, D.C. <a href="http://www.usgbc.org/credits/homes/v4">http://www.usgbc.org/credits/homes/v4</a>

# Francis (Bud) J. Offermann III PE, CIH

## Indoor Environmental Engineering

1448 Pine Street, Suite 103, San Francisco, CA 94109 Phone: 415-567-7700 Email: Offermann@iee-sf.com http://www.iee-sf.com

#### **Education**

M.S. Mechanical Engineering (1985) Stanford University, Stanford, CA.

Graduate Studies in Air Pollution Monitoring and Control (1980) University of California, Berkeley, CA.

B.S. in Mechanical Engineering (1976) Rensselaer Polytechnic Institute, Troy, N.Y.

# **Professional Experience**

<u>President:</u> Indoor Environmental Engineering, San Francisco, CA. December, 1981 - present.

Direct team of environmental scientists, chemists, and mechanical engineers in conducting State and Federal research regarding indoor air quality instrumentation development, building air quality field studies, ventilation and air cleaning performance measurements, and chemical emission rate testing.

Provide design side input to architects regarding selection of building materials and ventilation system components to ensure a high quality indoor environment.

Direct Indoor Air Quality Consulting Team for the winning design proposal for the new State of Washington Ecology Department building.

Develop a full-scale ventilation test facility for measuring the performance of air diffusers; ASHRAE 129, Air Change Effectiveness, and ASHRAE 113, Air Diffusion Performance Index.

Develop a chemical emission rate testing laboratory for measuring the chemical emissions from building materials, furnishings, and equipment.

Principle Investigator of the California New Homes Study (2005-2007). Measured ventilation and indoor air quality in 108 new single family detached homes in northern and southern California.

Develop and teach IAQ professional development workshops to building owners, managers, hygienists, and engineers.

<u>Air Pollution Engineer</u>: Earth Metrics Inc., Burlingame, CA, October, 1985 to March, 1987.

Responsible for development of an air pollution laboratory including installation a forced choice olfactometer, tracer gas electron capture chromatograph, and associated calibration facilities. Field team leader for studies of fugitive odor emissions from sewage treatment plants, entrainment of fume hood exhausts into computer chip fabrication rooms, and indoor air quality investigations.

<u>Staff Scientist:</u> Building Ventilation and Indoor Air Quality Program, Energy and Environment Division, Lawrence Berkeley Laboratory, Berkeley, CA. January, 1980 to August, 1984.

Deputy project leader for the Control Techniques group; responsible for laboratory and field studies aimed at evaluating the performance of indoor air pollutant control strategies (i.e. ventilation, filtration, precipitation, absorption, adsorption, and source control).

Coordinated field and laboratory studies of air-to-air heat exchangers including evaluation of thermal performance, ventilation efficiency, cross-stream contaminant transfer, and the effects of freezing/defrosting.

Developed an *in situ* test protocol for evaluating the performance of air cleaning systems and introduced the concept of effective cleaning rate (ECR) also known as the Clean Air Delivery Rate (CADR).

Coordinated laboratory studies of portable and ducted air cleaning systems and their effect on indoor concentrations of respirable particles and radon progeny.

Co-designed an automated instrument system for measuring residential ventilation rates and radon concentrations.

Designed hardware and software for a multi-channel automated data acquisition system used to evaluate the performance of air-to-air heat transfer equipment.

Assistant Chief Engineer: Alta Bates Hospital, Berkeley, CA, October, 1979 to January, 1980.

Responsible for energy management projects involving installation of power factor correction capacitors on large inductive electrical devices and installation of steam meters on physical plant steam lines. Member of Local 39, International Union of Operating Engineers.

<u>Manufacturing Engineer:</u> American Precision Industries, Buffalo, NY, October, 1977 to October, 1979.

Responsible for reorganizing the manufacturing procedures regarding production of shell and tube heat exchangers. Designed customized automatic assembly, welding, and testing equipment. Designed a large paint spray booth. Prepared economic studies justifying new equipment purchases. Safety Director.

Project Engineer: Arcata Graphics, Buffalo, N.Y. June, 1976 to October, 1977.

Responsible for the design and installation of a bulk ink storage and distribution system and high speed automatic counting and marking equipment. Also coordinated material handling studies which led to the purchase and installation of new equipment.

#### PROFESSIONAL ORGANIZATION MEMBERSHIP

American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE)

- Chairman of SPC-145P, Standards Project Committee Test Method for Assessing the Performance of Gas Phase Air Cleaning Equipment (1991-1992)
- Member SPC-129P, Standards Project Committee Test Method for Ventilation Effectiveness (1986-97)
  - Member of Drafting Committee
- Member Environmental Health Committee (1992-1994, 1997-2001, 2007-2010)
  - Chairman of EHC Research Subcommittee
  - Member of Man Made Mineral Fiber Position Paper Subcommittee
  - Member of the IAQ Position Paper Committee
  - Member of the Legionella Position Paper Committee
  - Member of the Limiting Indoor Mold and Dampness in Buildings Position Paper Committee
- Member SSPC-62, Standing Standards Project Committee Ventilation for Acceptable Indoor Air Quality (1992 to 2000)
  - Chairman of Source Control and Air Cleaning Subcommittee
- Chairman of TC-4.10. Indoor Environmental Modeling (1988-92)
  - Member of Research Subcommittee
- Chairman of TC-2.3, Gaseous Air Contaminants and Control Equipment (1989-92)
  - Member of Research Subcommittee

American Society for Testing and Materials (ASTM)

- D-22 Sampling and Analysis of Atmospheres
  - Member of Indoor Air Quality Subcommittee
- E-06 Performance of Building Constructions

American Board of Industrial Hygiene (ABIH)

American Conference of Governmental Industrial Hygienists (ACGIH)

• Bioaerosols Committee (2007-2013)

American Industrial Hygiene Association (AIHA)

Cal-OSHA Indoor Air Quality Advisory Committee

International Society of Indoor Air Quality and Climate (ISIAQ)

- Co-Chairman of Task Force on HVAC Hygiene
- U. S. Green Building Council (USGBC)
  - Member of the IEQ Technical Advisory Group (2007-2009)
  - Member of the IAQ Performance Testing Work Group (2010-2012)

Western Construction Consultants (WESTCON)

#### **PROFESSIONAL CREDENTIALS**

Licensed Professional Engineer - Mechanical Engineering

Certified Industrial Hygienist - American Board of Industrial Hygienists

#### SCIENTIFIC MEETINGS AND SYMPOSIA

Biological Contamination, Diagnosis, and Mitigation, Indoor Air'90, Toronto, Canada, August, 1990.

Models for Predicting Air Quality, Indoor Air'90, Toronto, Canada, August, 1990.

Microbes in Building Materials and Systems, Indoor Air '93, Helsinki, Finland, July, 1993.

Microorganisms in Indoor Air Assessment and Evaluation of Health Effects and Probable Causes, Walnut Creek, CA, February 27, 1997.

Controlling Microbial Moisture Problems in Buildings, Walnut Creek, CA, February 27, 1997.

Scientific Advisory Committee, Roomvent 98, 6<sup>th</sup> International Conference on Air Distribution in Rooms, KTH, Stockholm, Sweden, June 14-17, 1998.

Moisture and Mould, Indoor Air '99, Edinburgh, Scotland, August, 1999.

Ventilation Modeling and Simulation, Indoor Air '99, Edinburgh, Scotland, August, 1999.

Microbial Growth in Materials, Healthy Buildings 2000, Espoo, Finland, August, 2000.

Co-Chair, Bioaerosols X- Exposures in Residences, Indoor Air 2002, Monterey, CA, July 2002.

Healthy Indoor Environments, Anaheim, CA, April 2003.

Chair, Environmental Tobacco Smoke in Multi-Family Homes, Indoor Air 2008, Copenhagen, Denmark, July 2008.

Co-Chair, ISIAQ Task Force Workshop; HVAC Hygiene, Indoor Air 2002, Monterey, CA, July 2002.

Chair, ETS in Multi-Family Housing: Exposures, Controls, and Legalities Forum, Healthy Buildings 2009, Syracuse, CA, September 14, 2009.

Chair, Energy Conservation and IAQ in Residences Workshop, Indoor Air 2011, Austin, TX, June 6, 2011.

Chair, Electronic Cigarettes: Chemical Emissions and Exposures Colloquium, Indoor Air 2016, Ghent, Belgium, July 4, 2016.

#### **SPECIAL CONSULTATION**

Provide consultation to the American Home Appliance Manufacturers on the development of a standard for testing portable air cleaners, AHAM Standard AC-1.

Served as an expert witness and special consultant for the U.S. Federal Trade Commission regarding the performance claims found in advertisements of portable air cleaners and residential furnace filters.

Conducted a forensic investigation for a San Mateo, CA pro se defendant, regarding an alleged homicide where the victim was kidnapped in a steamer trunk. Determined the air exchange rate in the steamer trunk and how long the person could survive.

Conducted *in situ* measurement of human exposure to toluene fumes released during nailpolish application for a plaintiffs attorney pursuing a California Proposition 65 product labeling case. June, 1993.

Conducted a forensic *in situ* investigation for the Butte County, CA Sheriff's Department of the emissions of a portable heater used in the bedroom of two twin one year old girls who suffered simultaneous crib death.

Consult with OSHA on the 1995 proposed new regulation regarding indoor air quality and environmental tobacco smoke.

Consult with EPA on the proposed Building Alliance program and with OSHA on the proposed new OSHA IAQ regulation.

Johnson Controls Audit/Certification Expert Review; Milwaukee, WI. May 28-29, 1997.

Winner of the nationally published 1999 Request for Proposals by the State of Washington to conduct a comprehensive indoor air quality investigation of the Washington State Department of Ecology building in Lacey, WA.

Selected by the State of California Attorney General's Office in August, 2000 to conduct a comprehensive indoor air quality investigation of the Tulare County Court House.

Lawrence Berkeley Laboratory IAQ Experts Workshop: "Cause and Prevention of Sick Building Problems in Offices: The Experience of Indoor Environmental Quality Investigators", Berkeley, California, May 26-27, 2004.

Provide consultation and chemical emission rate testing to the State of California Attorney General's Office in 2013-2015 regarding the chemical emissions from ecigarettes.

#### **PEER-REVIEWED PUBLICATIONS:**

F.J.Offermann, C.D.Hollowell, and G.D.Roseme, "Low-Infiltration Housing in Rochester, New York: A Study of Air Exchange Rates and Indoor Air Quality," *Environment International*, 8, pp. 435-445, 1982.

W.W.Nazaroff, F.J.Offermann, and A.W.Robb, "Automated System for Measuring Air Exchange Rate and Radon Concentration in Houses," *Health Physics*, <u>45</u>, pp. 525-537, 1983.

F.J.Offermann, W.J.Fisk, D.T.Grimsrud, B.Pedersen, and K.L.Revzan, "Ventilation Efficiencies of Wall- or Window-Mounted Residential Air-to-Air Heat Exchangers," *ASHRAE Annual Transactions*, 89-2B, pp 507-527, 1983.

W.J.Fisk, K.M.Archer, R.E Chant, D. Hekmat, F.J.Offermann, and B.Pedersen, "Onset of Freezing in Residential Air-to-Air Heat Exchangers," <u>ASHRAE Annual Transactions</u>, <u>91-18</u>, 1984.

W.J.Fisk, K.M.Archer, R.E Chant, D. Hekmat, F.J.Offermann, and B.Pedersen, "Performance of Residential Air-to-Air Heat Exchangers During Operation with Freezing and Periodic Defrosts," *ASHRAE Annual Transactions*, *91-1B*, 1984.

F.J.Offermann, R.G.Sextro, W.J.Fisk, D.T.Grimsrud, W.W.Nazaroff, A.V.Nero, and K.L.Revzan, "Control of Respirable Particles with Portable Air Cleaners," *Atmospheric Environment*, Vol. 19, pp.1761-1771, 1985.

- R.G.Sextro, F.J.Offermann, W.W.Nazaroff, A.V.Nero, K.L.Revzan, and J.Yater, "Evaluation of Indoor Control Devices and Their Effects on Radon Progeny Concentrations," *Atmospheric Environment*, *12*, pp. 429-438, 1986.
- W.J. Fisk, R.K.Spencer, F.J.Offermann, R.K.Spencer, B.Pedersen, R.Sextro, "Indoor Air Quality Control Techniques," *Noyes Data Corporation*, Park Ridge, New Jersey, (1987).
- F.J.Offermann, "Ventilation Effectiveness and ADPI Measurements of a Forced Air Heating System," *ASHRAE Transactions*, Volume 94, Part 1, pp 694-704, 1988.
- F.J.Offermann and D. Int-Hout "Ventilation Effectiveness Measurements of Three Supply/Return Air Configurations," *Environment International*, Volume 15, pp 585-592 1989.
- F.J. Offermann, S.A. Loiselle, M.C. Quinlan, and M.S. Rogers, "A Study of Diesel Fume Entrainment in an Office Building," <u>IAQ '89</u>, The Human Equation: Health and Comfort, pp 179-183, ASHRAE, Atlanta, GA, 1989.
- R.G.Sextro and F.J.Offermann, "Reduction of Residential Indoor Particle and Radon Progeny Concentrations with Ducted Air Cleaning Systems," submitted to *Indoor Air*, 1990.
- S.A.Loiselle, A.T.Hodgson, and F.J.Offermann, "Development of An Indoor Air Sampler for Polycyclic Aromatic Compounds", *Indoor Air*, Vol 2, pp 191-210, 1991.
- F.J.Offermann, S.A.Loiselle, A.T.Hodgson, L.A. Gundel, and J.M. Daisey, "A Pilot Study to Measure Indoor Concentrations and Emission Rates of Polycyclic Aromatic Compounds", *Indoor Air*, Vol 4, pp 497-512, 1991.
- F.J. Offermann, S. A. Loiselle, R.G. Sextro, "Performance Comparisons of Six Different Air Cleaners Installed in a Residential Forced Air Ventilation System," *IAQ'91*, Healthy Buildings, pp 342-350, ASHRAE, Atlanta, GA (1991).
- F.J. Offermann, J. Daisey, A. Hodgson, L. Gundell, and S. Loiselle, "Indoor Concentrations and Emission Rates of Polycyclic Aromatic Compounds", *Indoor Air*, Vol 4, pp 497-512 (1992).
- F.J. Offermann, S. A. Loiselle, R.G. Sextro, "Performance of Air Cleaners Installed in a Residential Forced Air System," *ASHRAE Journal*, pp 51-57, July, 1992.
- F.J. Offermann and S. A. Loiselle, "Performance of an Air-Cleaning System in an Archival Book Storage Facility," *IAO'92*, ASHRAE, Atlanta, GA, 1992.
- S.B. Hayward, K.S. Liu, L.E. Alevantis, K. Shah, S. Loiselle, F.J. Offermann, Y.L. Chang, L. Webber, "Effectiveness of Ventilation and Other Controls in Reducing Exposure to ETS in Office Buildings," Indoor Air '93, Helsinki, Finland, July 4-8, 1993.

- F.J. Offermann, S. A. Loiselle, G. Ander, H. Lau, "Indoor Contaminant Emission Rates Before and After a Building Bake-out," *IAQ'93*, Operating and Maintaining Buildings for Health, Comfort, and Productivity, pp 157-163, ASHRAE, Atlanta, GA, 1993.
- L.E. Alevantis, Hayward, S.B., Shah, S.B., Loiselle, S., and Offermann, F.J. "Tracer Gas Techniques for Determination of the Effectiveness of Pollutant Removal From Local Sources," *IAQ '93*, Operating and Maintaining Buildings for Health, Comfort, and Productivity, pp 119-129, ASHRAE, Atlanta, GA, 1993.
- L.E. Alevantis, Liu, L.E., Hayward, S.B., Offermann, F.J., Shah, S.B., Leiserson, K. Tsao, E., and Huang, Y., "Effectiveness of Ventilation in 23 Designated Smoking Areas in California Buildings," *IAQ '94*, Engineering Indoor Environments, pp 167-181, ASHRAE, Atlanta, GA, 1994.
- L.E. Alevantis, Offermann, F.J., Loiselle, S., and Macher, J.M., "Pressure and Ventilation Requirements of Hospital Isolation Rooms for Tuberculosis (TB) Patients: Existing Guidelines in the United States and a Method for Measuring Room Leakage", Ventilation and Indoor air quality in Hospitals, M. Maroni, editor, Kluwer Academic publishers, Netherlands, 1996.
- F.J. Offermann, M. A. Waz, A.T. Hodgson, and H.M. Ammann, "Chemical Emissions from a Hospital Operating Room Air Filter," *IAQ'96*, Paths to Better Building Environments, pp 95-99, ASHRAE, Atlanta, GA, 1996.
- F.J. Offermann, "Professional Malpractice and the Sick Building Investigator," <u>IAQ'96</u>, Paths to Better Building Environments, pp 132-136, ASHRAE, Atlanta, GA, 1996.
- F.J. Offermann, "Standard Method of Measuring Air Change Effectiveness," *Indoor Air*, Vol 1, pp.206-211, 1999.
- F. J. Offermann, A. T. Hodgson, and J. P. Robertson, "Contaminant Emission Rates from PVC Backed Carpet Tiles on Damp Concrete", Healthy Buildings 2000, Espoo, Finland, August 2000.
- K.S. Liu, L.E. Alevantis, and F.J. Offermann, "A Survey of Environmental Tobacco Smoke Controls in California Office Buildings", *Indoor Air*, Vol 11, pp. 26-34, 2001.
- F.J. Offermann, R. Colfer, P. Radzinski, and J. Robertson, "Exposure to Environmental Tobacco Smoke in an Automobile", Indoor Air 2002, Monterey, California, July 2002.
- F. J. Offermann, J.P. Robertson, and T. Webster, "The Impact of Tracer Gas Mixing on Airflow Rate Measurements in Large Commercial Fan Systems", Indoor Air 2002, Monterey, California, July 2002.
- M. J. Mendell, T. Brennan, L. Hathon, J.D. Odom, F.J.Offermann, B.H. Turk, K.M. Wallingford, R.C. Diamond, W.J. Fisk, "Causes and prevention of Symptom Complaints

- in Office Buildings: Distilling the Experience of Indoor Environmental Investigators", submitted to Indoor Air 2005, Beijing, China, September 4-9, 2005.
- F.J. Offermann, "Ventilation and IAQ in New Homes With and Without Mechanical Outdoor Air Systems", Healthy Buildings 2009, Syracuse, CA, September 14, 2009.
- F.J. Offermann, "ASHRAE 62.2 Intermittent Residential Ventilation: What's It Good For, Intermittently Poor IAQ", IAQVEC 2010, Syracuse, CA, April 21, 2010.
- F.J. Offermann and A.T. Hodgson, "Emission Rates of Volatile Organic Compounds in New Homes", Indoor Air 2011, Austin, TX, June, 2011.
- P. Jenkins, R. Johnson, T. Phillips, and F. Offermann, "Chemical Concentrations in New California Homes and Garages", Indoor Air 2011, Austin, TX, June, 2011.
- W. J. Mills, B. J. Grigg, F. J. Offermann, B. E. Gustin, and N. E. Spingarm, "Toluene and Methyl Ethyl Ketone Exposure from a Commercially Available Contact Adhesive", Journal of Occupational and Environmental Hygiene, 9:D95-D102 May, 2012.
- F. J. Offermann, R. Maddalena, J. C. Offermann, B. C. Singer, and H, Wilhelm, "The Impact of Ventilation on the Emission Rates of Volatile Organic Compounds in Residences", HB 2012, Brisbane, AU, July, 2012.
- F. J. Offermann, A. T. Hodgson, P. L. Jenkins, R. D. Johnson, and T. J. Phillips, "Attached Garages as a Source of Volatile Organic Compounds in New Homes", HB 2012, Brisbane, CA, July, 2012.
- R. Maddalena, N. Li, F. Offermann, and B. Singer, "Maximizing Information from Residential Measurements of Volatile Organic Compounds", HB 2012, Brisbane, AU, July, 2012.
- W. Chen, A. Persily, A. Hodgson, F. Offermann, D. Poppendieck, and K. Kumagai, "Area-Specific Airflow Rates for Evaluating the Impacts of VOC emissions in U.S. Single-Family Homes", Building and Environment, Vol. 71, 204-211, February, 2014.
- F. J. Offermann, A. Eagan A. C. Offermann, and L. J. Radonovich, "Infectious Disease Aerosol Exposures With and Without Surge Control Ventilation System Modifications", Indoor Air 2014, Hong Kong, July, 2014.
- F. J. Offermann, "Chemical Emissions from E-Cigarettes: Direct and Indirect Passive Exposures", Building and Environment, Vol. 93, Part 1, 101-105, November, 2015.
- F. J. Offermann, "Formaldehyde Emission Rates From Lumber Liquidators Laminate Flooring Manufactured in China", Indoor Air 2016, Belgium, Ghent, July, 2016.
- F. J. Offermann, "Formaldehyde and Acetaldehyde Emission Rates for E-Cigarettes", Indoor Air 2016, Belgium, Ghent, July, 2016.

#### **OTHER REPORTS:**

- W.J.Fisk, P.G.Cleary, and F.J.Offermann, "Energy Saving Ventilation with Residential Heat Exchangers," a Lawrence Berkeley Laboratory brochure distributed by the Bonneville Power Administration, 1981.
- F.J.Offermann, J.R.Girman, and C.D.Hollowell, "Midway House Tightening Project: A Study of Indoor Air Quality," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-12777, 1981.
- F.J.Offermann, J.B.Dickinson, W.J.Fisk, D.T.Grimsrud, C.D.Hollowell, D.L.Krinkle, and G.D.Roseme, "Residential Air-Leakage and Indoor Air Quality in Rochester, New York," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-13100, 1982.
- F.J.Offermann, W.J.Fisk, B.Pedersen, and K.L.Revzan, Residential Air-to-Air Heat Exchangers: A Study of the Ventilation Efficiencies of Wall- or Window- Mounted Units," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-14358, 1982.
- F.J.Offermann, W.J.Fisk, W.W.Nazaroff, and R.G.Sextro, "A Review of Portable Air Cleaners for Controlling Indoor Concentrations of Particulates and Radon Progeny," An interim report for the Bonneville Power Administration, 1983.
- W.J.Fisk, K.M.Archer, R.E.Chant, D.Hekmat, F.J.Offermann, and B.S. Pedersen, "Freezing in Residential Air-to-Air Heat Exchangers: An Experimental Study," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-16783, 1983.
- R.G.Sextro, W.W.Nazaroff, F.J.Offermann, and K.L.Revzan, "Measurements of Indoor Aerosol Properties and Their Effect on Radon Progeny," Proceedings of the American Association of Aerosol Research Annual Meeting, April, 1983.
- F.J.Offermann, R.G.Sextro, W.J.Fisk, W.W. Nazaroff, A.V.Nero, K.L.Revzan, and J.Yater, "Control of Respirable Particles and Radon Progeny with Portable Air Cleaners," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-16659, 1984.
- W.J.Fisk, R.K.Spencer, D.T.Grimsrud, F.J.Offermann, B.Pedersen, and R.G.Sextro, "Indoor Air Quality Control Techniques: A Critical Review," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-16493, 1984.
- F.J.Offermann, J.R.Girman, and R.G.Sextro, "Controlling Indoor Air Pollution from Tobacco Smoke: Models and Measurements,", Indoor Air, Proceedings of the 3rd International Conference on Indoor Air Quality and Climate, Vol 1, pp 257-264, Swedish Council for Building Research, Stockholm (1984), Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-17603, 1984.

- R.Otto, J.Girman, F.Offermann, and R.Sextro,"A New Method for the Collection and Comparison of Respirable Particles in the Indoor Environment," Lawrence Berkeley Laboratory, Berkeley, CA, Special Director Fund's Study, 1984.
- A.T.Hodgson and F.J.Offermann, "Examination of a Sick Office Building," Lawrence Berkeley Laboratory, Berkeley, CA, an informal field study, 1984.
- R.G.Sextro, F.J.Offermann, W.W.Nazaroff, and A.V.Nero, "Effects of Aerosol Concentrations on Radon Progeny," Aerosols, Science, & Technology, and Industrial Applications of Airborne Particles, editors B.Y.H.Liu, D.Y.H.Pui, and H.J.Fissan, p525, Elsevier, 1984.
- K.Sexton, S.Hayward, F.Offermann, R.Sextro, and L.Weber, "Characterization of Particulate and Organic Emissions from Major Indoor Sources, Proceedings of the Third International Conference on Indoor Air Quality and Climate, Stockholm, Sweden, August 20-24, 1984.
- F.J.Offermann, "Tracer Gas Measurements of Laboratory Fume Entrainment at a Semi-Conductor Manufacturing Plant," an Indoor Environmental Engineering R&D Report, 1986.
- F.J.Offermann, "Tracer Gas Measurements of Ventilation Rates in a Large Office Building," an Indoor Environmental Engineering R&D Report, 1986.
- F.J.Offermann, "Measurements of Volatile Organic Compounds in a New Large Office Building with Adhesive Fastened Carpeting," an Indoor Environmental Engineering R&D Report, 1986.
- F.J.Offermann, "Designing and Operating Healthy Buildings", an Indoor Environmental Engineering R&D Report, 1986.
- F.J.Offermann, "Measurements and Mitigation of Indoor Spray-Applicated Pesticides", an Indoor Environmental Engineering R&D Report, 1988.
- F.J.Offermann and S. Loiselle, "Measurements and Mitigation of Indoor Mold Contamination in a Residence", an Indoor Environmental Engineering R&D Report, 1989.
- F.J.Offermann and S. Loiselle, "Performance Measurements of an Air Cleaning System in a Large Archival Library Storage Facility", an Indoor Environmental Engineering R&D Report, 1989.
- F.J. Offermann, J.M. Daisey, L.A. Gundel, and A.T. Hodgson, S. A. Loiselle, "Sampling, Analysis, and Data Validation of Indoor Concentrations of Polycyclic Aromatic Hydrocarbons", Final Report, Contract No. A732-106, California Air Resources Board, March, 1990.

- L.A. Gundel, J.M. Daisey, and F.J. Offermann, "A Sampling and Analytical Method for Gas Phase Polycyclic Aromatic Hydrocarbons", Proceedings of the 5th International Conference on Indoor Air Quality and Climate, Indoor Air '90, July 29-August 1990.
- A.T. Hodgson, J.M. Daisey, and F.J. Offermann "Development of an Indoor Sampling and Analytical Method for Particulate Polycyclic Aromatic Hydrocarbons", Proceedings of the 5th International Conference on Indoor Air Quality and Climate, Indoor Air '90, July 29-August, 1990.
- F.J. Offermann, J.O. Sateri, "Tracer Gas Measurements in Large Multi-Room Buildings", Indoor Air '93, Helsinki, Finland, July 4-8, 1993.
- F.J.Offermann, M. T. O'Flaherty, and M. A. Waz "Validation of ASHRAE 129 Standard Method of Measuring Air Change Effectiveness", Final Report of ASHRAE Research Project 891, December 8, 1997.
- S.E. Guffey, F.J. Offermann et. al., "Proceedings of the Workshop on Ventilation Engineering Controls for Environmental Tobacco smoke in the Hospitality Industry", U.S. Department of Labor Occupational Safety and Health Administration and ACGIH, 1998.
- F.J. Offermann, R.J. Fiskum, D. Kosar, and D. Mudaari, "A Practical Guide to Ventilation Practices & Systems for Existing Buildings", <u>Heating/Piping/Air Conditioning Engineering</u> supplement to April/May 1999 issue.
- F.J. Offermann, P. Pasanen, "Workshop 18: Criteria for Cleaning of Air Handling Systems", Healthy Buildings 2000, Espoo, Finland, August 2000.
- F.J. Offermann, Session Summaries: Building Investigations, and Design & Construction, Healthy Buildings 2000, Espoo, Finland, August 2000.
- F.J. Offermann, "The IAQ Top 10", Engineered Systems, November, 2008.
- L. Kincaid and F.J. Offermann, "Unintended Consequences: Formaldehyde Exposures in Green Homes, AIHA Synergist, February, 2010.
- F.J. Offermann, "IAQ in Air Tight Homes", ASHRAE Journal, November, 2010.
- F.J. Offermann, "The Hazards of E-Cigarettes", ASHRAE Journal, June, 2014.

#### **PRESENTATIONS:**

"Low-Infiltration Housing in Rochester, New York: A Study of Air Exchange Rates and Indoor Air Quality," Presented at the International Symposium on Indoor Air Pollution, Health and Energy Conservation, Amherst, MA, October 13-16,1981.

"Ventilation Efficiencies of Wall- or Window-Mounted Residential Air-to-Air Heat Exchangers," Presented at the American Society of Heating, Refrigeration, and Air Conditioning Engineers Summer Meeting, Washington, DC, June, 1983.

"Controlling Indoor Air Pollution from Tobacco Smoke: Models and Measurements," Presented at the Third International Conference on Indoor Air Quality and Climate, Stockholm, Sweden, August 20-24, 1984.

"Indoor Air Pollution: An Emerging Environmental Problem", Presented to the Association of Environmental Professionals, Bar Area/Coastal Region 1, Berkeley, CA, May 29, 1986.

"Ventilation Measurement Techniques," Presented at the Workshop on Sampling and Analytical Techniques, Georgia Institute of Technology, Atlanta, Georgia, September 26, 1986 and September 25, 1987.

"Buildings That Make You Sick: Indoor Air Pollution", Presented to the Sacramento Association of Professional Energy Managers, Sacramento, CA, November 18, 1986.

"Ventilation Effectiveness and Indoor Air Quality", Presented to the American Society of Heating, Refrigeration, and Air Conditioning Engineers Northern Nevada Chapter, Reno, NV, February 18, 1987, Golden Gate Chapter, San Francisco, CA, October 1, 1987, and the San Jose Chapter, San Jose, CA, June 9, 1987.

"Tracer Gas Techniques for Studying Ventilation," Presented at the Indoor Air Quality Symposium, Georgia Tech Research Institute, Atlanta, GA, September 22-24, 1987.

"Indoor Air Quality Control: What Works, What Doesn't," Presented to the Sacramento Association of Professional Energy Managers, Sacramento, CA, November 17, 1987.

"Ventilation Effectiveness and ADPI Measurements of a Forced Air Heating System," Presented at the American Society of Heating, Refrigeration, and Air Conditioning Engineers Winter Meeting, Dallas, Texas, January 31, 1988.

"Indoor Air Quality, Ventilation, and Energy in Commercial Buildings", Presented at the Building Owners & Managers Association of Sacramento, Sacramento, CA, July 21, 1988.

"Controlling Indoor Air Quality: The New ASHRAE Ventilation Standards and How to Evaluate Indoor Air Quality", Presented at a conference "Improving Energy Efficiency and Indoor Air Quality in Commercial Buildings," National Energy Management Institute, Reno, Nevada, November 4, 1988.

"A Study of Diesel Fume Entrainment Into an Office Building," Presented at Indoor Air '89: The Human Equation: Health and Comfort, American Society of Heating, Refrigeration, and Air Conditioning Engineers, San Diego, CA, April 17-20, 1989.

"Indoor Air Quality in Commercial Office Buildings," Presented at the Renewable Energy Technologies Symposium and International Exposition, Santa Clara, CA June 20, 1989.

"Building Ventilation and Indoor Air Quality", Presented to the San Joaquin Chapter of the American Society of Heating, Refrigeration, and Air Conditioning Engineers, September 7, 1989.

"How to Meet New Ventilation Standards: Indoor Air Quality and Energy Efficiency," a workshop presented by the Association of Energy Engineers; Chicago, IL, March 20-21, 1989; Atlanta, GA, May 25-26, 1989; San Francisco, CA, October 19-20, 1989; Orlando, FL, December 11-12, 1989; Houston, TX, January 29-30, 1990; Washington D.C., February 26-27, 1990; Anchorage, Alaska, March 23, 1990; Las Vegas, NV, April 23-24, 1990; Atlantic City, NJ, September 27-28, 1991; Anaheim, CA, November 19-20, 1991; Orlando, FL, February 28 - March 1, 1991; Washington, DC, March 20-21, 1991; Chicago, IL, May 16-17, 1991; Lake Tahoe, NV, August 15-16, 1991; Atlantic City, NJ, November 18-19, 1991; San Jose, CA, March 23-24, 1992.

"Indoor Air Quality," a seminar presented by the Anchorage, Alaska Chapter of the American Society of Heating, Refrigeration, and Air Conditioning Engineers, March 23, 1990.

"Ventilation and Indoor Air Quality", Presented at the 1990 HVAC & Building Systems Congress, Santa, Clara, CA, March 29, 1990.

"Ventilation Standards for Office Buildings", Presented to the South Bay Property Managers Association, Santa Clara, May 9, 1990.

"Indoor Air Quality", Presented at the Responsive Energy Technologies Symposium & International Exposition (RETSIE), Santa Clara, CA, June 20, 1990.

"Indoor Air Quality - Management and Control Strategies", Presented at the Association of Energy Engineers, San Francisco Bay Area Chapter Meeting, Berkeley, CA, September 25, 1990.

"Diagnosing Indoor Air Contaminant and Odor Problems", Presented at the ASHRAE Annual Meeting, New York City, NY, January 23, 1991.

"Diagnosing and Treating the Sick Building Syndrome", Presented at the Energy 2001, Oklahoma, OK, March 19, 1991.

"Diagnosing and Mitigating Indoor Air Quality Problems" a workshop presented by the Association of Energy Engineers, Chicago, IL, October 29-30, 1990; New York, NY, January 24-25, 1991; Anaheim, April 25-26, 1991; Boston, MA, June 10-11, 1991; Atlanta, GA, October 24-25, 1991; Chicago, IL, October 3-4, 1991; Las Vegas, NV, December 16-17, 1991; Anaheim, CA, January 30-31, 1992; Atlanta, GA, March 5-6, 1992; Washington, DC, May 7-8, 1992; Chicago, IL, August 19-20, 1992; Las Vegas,

NV, October 1-2, 1992; New York City, NY, October 26-27, 1992, Las Vegas, NV, March 18-19, 1993; Lake Tahoe, CA, July 14-15, 1994; Las Vegas, NV, April 3-4, 1995; Lake Tahoe, CA, July 11-12, 1996; Miami, Fl, December 9-10, 1996.

"Sick Building Syndrome and the Ventilation Engineer", Presented to the San Jose Engineers Club, May, 21, 1991.

"Duct Cleaning: Who Needs It? How Is It Done? What Are The Costs?" What Are the Risks?, Moderator of Forum at the ASHRAE Annual Meeting, Indianapolis ID, June 23, 1991.

"Operating Healthy Buildings", Association of Plant Engineers, Oakland, CA, November 14, 1991.

"Duct Cleaning Perspectives", Moderator of Seminar at the ASHRAE Semi-Annual Meeting, Indianapolis, IN, June 24, 1991.

"Duct Cleaning: The Role of the Environmental Hygienist," ASHRAE Annual Meeting, Anaheim, CA, January 29, 1992.

"Emerging IAQ Issues", Fifth National Conference on Indoor Air Pollution, University of Tulsa, Tulsa, OK, April 13-14, 1992.

"International Symposium on Room Air Convection and Ventilation Effectiveness", Member of Scientific Advisory Board, University of Tokyo, July 22-24, 1992.

"Guidelines for Contaminant Control During Construction and Renovation Projects in Office Buildings," Seminar paper at the ASHRAE Annual Meeting, Chicago, IL, January 26, 1993.

"Outside Air Economizers: IAQ Friend or Foe", Moderator of Forum at the ASHRAE Annual Meeting, Chicago, IL, January 26, 1993.

"Orientation to Indoor Air Quality," an EPA two and one half day comprehensive indoor air quality introductory workshop for public officials and building property managers; Sacramento, September 28-30, 1992; San Francisco, February 23-24, 1993; Los Angeles, March 16-18, 1993; Burbank, June 23, 1993; Hawaii, August 24-25, 1993; Las Vegas, August 30, 1993; San Diego, September 13-14, 1993; Phoenix, October 18-19, 1993; Reno, November 14-16, 1995; Fullerton, December 3-4, 1996; Fresno, May 13-14, 1997.

"Building Air Quality: A Guide for Building Owners and Facility Managers," an EPA one half day indoor air quality introductory workshop for building owners and facility managers. Presented throughout Region IX 1993-1995.

"Techniques for Airborne Disease Control", EPRI Healthcare Initiative Symposium; San Francisco, CA; June 7, 1994.

"Diagnosing and Mitigating Indoor Air Quality Problems", CIHC Conference; San Francisco, September 29, 1994.

"Indoor Air Quality: Tools for Schools," an EPA one day air quality management workshop for school officials, teachers, and maintenance personnel; San Francisco, October 18-20, 1994; Cerritos, December 5, 1996; Fresno, February 26, 1997; San Jose, March 27, 1997; Riverside, March 5, 1997; San Diego, March 6, 1997; Fullerton, November 13, 1997; Santa Rosa, February 1998; Cerritos, February 26, 1998; Santa Rosa, March 2, 1998.

ASHRAE 62 Standard "Ventilation for Acceptable IAQ", ASCR Convention; San Francisco, CA, March 16, 1995.

"New Developments in Indoor Air Quality: Protocol for Diagnosing IAQ Problems", AIHA-NC; March 25, 1995.

"Experimental Validation of ASHRAE SPC 129, Standard Method of Measuring Air Change Effectiveness", 16th AIVC Conference, Palm Springs, USA, September 19-22, 1995.

"Diagnostic Protocols for Building IAQ Assessment", American Society of Safety Engineers Seminar: 'Indoor Air Quality – The Next Door'; San Jose Chapter, September 27, 1995; Oakland Chapter, 9, 1997.

"Diagnostic Protocols for Building IAQ Assessment", Local 39; Oakland, CA, October 3, 1995.

"Diagnostic Protocols for Solving IAQ Problems", CSU-PPD Conference; October 24, 1995.

"Demonstrating Compliance with ASHRAE 62-1989 Ventilation Requirements", AIHA; October 25, 1995.

"IAQ Diagnostics: Hands on Assessment of Building Ventilation and Pollutant Transport", EPA Region IX; Phoenix, AZ, March 12, 1996; San Francisco, CA, April 9, 1996; Burbank, CA, April 12, 1996.

"Experimental Validation of ASHRAE 129P: Standard Method of Measuring Air Change Effectiveness", Room Vent '96 / International Symposium on Room Air Convection and Ventilation Effectiveness"; Yokohama, Japan, July 16-19, 1996.

"IAQ Diagnostic Methodologies and RFP Development", CCEHSA 1996 Annual Conference, Humboldt State University, Arcata, CA, August 2, 1996.

"The Practical Side of Indoor Air Quality Assessments", California Industrial Hygiene Conference '96, San Diego, CA, September 2, 1996.

- "ASHRAE Standard 62: Improving Indoor Environments", Pacific Gas and Electric Energy Center, San Francisco, CA, October 29, 1996.
- "Operating and Maintaining Healthy Buildings", April 3-4, 1996, San Jose, CA; July 30, 1997, Monterey, CA.
- "IAQ Primer", Local 39, April 16, 1997; Amdahl Corporation, June 9, 1997; State Compensation Insurance Fund's Safety & Health Services Department, November 21, 1996.
- "Tracer Gas Techniques for Measuring Building Air Flow Rates", ASHRAE, Philadelphia, PA, January 26, 1997.
- "How to Diagnose and Mitigate Indoor Air Quality Problems"; Women in Waste; March 19, 1997.
- "Environmental Engineer: What Is It?", Monte Vista High School Career Day; April 10, 1997.
- "Indoor Environment Controls: What's Hot and What's Not", Shaklee Corporation; San Francisco, CA, July 15, 1997.
- "Measurement of Ventilation System Performance Parameters in the US EPA BASE Study", Healthy Buildings/IAQ'97, Washington, DC, September 29, 1997.
- "Operations and Maintenance for Healthy and Comfortable Indoor Environments", PASMA; October 7, 1997.
- "Designing for Healthy and Comfortable Indoor Environments", Construction Specification Institute, Santa Rosa, CA, November 6, 1997.
- "Ventilation System Design for Good IAQ", University of Tulsa 10<sup>th</sup> Annual Conference, San Francisco, CA, February 25, 1998.
- "The Building Shell", Tools For Building Green Conference and Trade Show, Alameda County Waste Management Authority and Recycling Board, Oakland, CA, February 28, 1998.
- "Identifying Fungal Contamination Problems In Buildings", The City of Oakland Municipal Employees, Oakland, CA, March 26, 1998.
- "Managing Indoor Air Quality in Schools: Staying Out of Trouble", CASBO, Sacramento, CA, April 20, 1998.
- "Indoor Air Quality", CSOOC Spring Conference, Visalia, CA, April 30, 1998.
- "Particulate and Gas Phase Air Filtration", ACGIH/OSHA, Ft. Mitchell, KY, June 1998.

- "Building Air Quality Facts and Myths", The City of Oakland / Alameda County Safety Seminar, Oakland, CA, June 12, 1998.
- "Building Engineering and Moisture", Building Contamination Workshop, University of California Berkeley, Continuing Education in Engineering and Environmental Management, San Francisco, CA, October 21-22, 1999.
- "Identifying and Mitigating Mold Contamination in Buildings", Western Construction Consultants Association, Oakland, CA, March 15, 2000; AIG Construction Defect Seminar, Walnut Creek, CA, May 2, 2001; City of Oakland Public Works Agency, Oakland, CA, July 24, 2001; Executive Council of Homeowners, Alamo, CA, August 3, 2001.
- "Using the EPA BASE Study for IAQ Investigation / Communication", Joint Professional Symposium 2000, American Industrial Hygiene Association, Orange County & Southern California Sections, Long Beach, October 19, 2000.
- "Ventilation," Indoor Air Quality: Risk Reduction in the 21<sup>st</sup> Century Symposium, sponsored by the California Environmental Protection Agency/Air Resources Board, Sacramento, CA, May 3-4, 2000.
- "Workshop 18: Criteria for Cleaning of Air Handling Systems", Healthy Buildings 2000, Espoo, Finland, August 2000.
- "Closing Session Summary: 'Building Investigations' and 'Building Design & Construction', Healthy Buildings 2000, Espoo, Finland, August 2000.
- "Managing Building Air Quality and Energy Efficiency, Meeting the Standard of Care", BOMA, MidAtlantic Environmental Hygiene Resource Center, Seattle, WA, May 23<sup>rd</sup>, 2000; San Antonio, TX, September 26-27, 2000.
- "Diagnostics & Mitigation in Sick Buildings: When Good Buildings Go Bad," University of California Berkeley, September 18, 2001.
- "Mold Contamination: Recognition and What To Do and Not Do", Redwood Empire Remodelers Association; Santa Rosa, CA, April 16, 2002.
- "Investigative Tools of the IAQ Trade", Healthy Indoor Environments 2002; Austin, TX; April 22, 2002.
- "Finding Hidden Mold: Case Studies in IAQ Investigations", AIHA Northern California Professionals Symposium; Oakland, CA, May 8, 2002.
- "Assessing and Mitigating Fungal Contamination in Buildings", Cal/OSHA Training; Oakland, CA, February 14, 2003 and West Covina, CA, February 20-21, 2003.

"Use of External Containments During Fungal Mitigation", Invited Speaker, ACGIH Mold Remediation Symposium, Orlando, FL, November 3-5, 2003.

Building Operator Certification (BOC), 106-IAQ Training Workshops, Northwest Energy Efficiency Council; Stockton, CA, December 3, 2003; San Francisco, CA, December 9, 2003; Irvine, CA, January 13, 2004; San Diego, January 14, 2004; Irwindale, CA, January 27, 2004; Downey, CA, January 28, 2004; Santa Monica, CA, March 16, 2004; Ontario, CA, March 17, 2004; Ontario, CA, November 9, 2004, San Diego, CA, November 10, 2004; San Francisco, CA, November 17, 2004; San Jose, CA, November 18, 2004; Sacramento, CA, March 15, 2005.

"Mold Remediation: The National QUEST for Uniformity Symposium", Invited Speaker, Orlando, Florida, November 3-5, 2003.

"Mold and Moisture Control", Indoor Air Quality workshop for The Collaborative for High Performance Schools (CHPS), San Francisco, December 11, 2003.

"Advanced Perspectives In Mold Prevention & Control Symposium", Invited Speaker, Las Vegas, Nevada, November 7-9, 2004.

"Building Sciences: Understanding and Controlling Moisture in Buildings", American Industrial Hygiene Association, San Francisco, CA, February 14-16, 2005.

"Indoor Air Quality Diagnostics and Healthy Building Design", University of California Berkeley, Berkeley, CA, March 2, 2005.

"Improving IAQ = Reduced Tenant Complaints", Northern California Facilities Exposition, Santa Clara, CA, September 27, 2007.

"Defining Safe Building Air", Criteria for Safe Air and Water in Buildings, ASHRAE Winter Meeting, Chicago, IL, January 27, 2008.

"Update on USGBC LEED and Air Filtration", Invited Speaker, NAFA 2008 Convention, San Francisco, CA, September 19, 2008.

"Ventilation and Indoor air Quality in New California Homes", National Center of Healthy Housing, October 20, 2008.

"Indoor Air Quality in New Homes", California Energy and Air Quality Conference, October 29, 2008.

"Mechanical Outdoor air Ventilation Systems and IAQ in New Homes", ACI Home Performance Conference, Kansas City, MO, April 29, 2009.

"Ventilation and IAQ in New Homes with and without Mechanical Outdoor Air Systems", Healthy Buildings 2009, Syracuse, CA, September 14, 2009.

- "Ten Ways to Improve Your Air Quality", Northern California Facilities Exposition, Santa Clara, CA, September 30, 2009.
- "New Developments in Ventilation and Indoor Air Quality in Residential Buildings", Westcon meeting, Alameda, CA, March 17, 2010.
- "Intermittent Residential Mechanical Outdoor Air Ventilation Systems and IAQ", ASHRAE SSPC 62.2 Meeting, Austin, TX, April 19, 2010.
- "Measured IAQ in Homes", ACI Home Performance Conference, Austin, TX, April 21, 2010.
- "Respiration: IEQ and Ventilation", AIHce 2010, How IH Can LEED in Green buildings, Denver, CO, May 23, 2010.
- "IAQ Considerations for Net Zero Energy Buildings (NZEB)", Northern California Facilities Exposition, Santa Clara, CA, September 22, 2010.
- "Energy Conservation and Health in Buildings", Berkeley High SchoolGreen Career Week, Berkeley, CA, April 12, 2011.
- "What Pollutants are Really There?", ACI Home Performance Conference, San Francisco, CA, March 30, 2011.
- "Energy Conservation and Health in Residences Workshop", Indoor Air 2011, Austin, TX, June 6, 2011.
- "Assessing IAQ and Improving Health in Residences", US EPA Weatherization Plus Health, September 7, 2011.
- "Ventilation: What a Long Strange Trip It's Been", Westcon, May 21, 2014.
- "Chemical Emissions from E-Cigarettes: Direct and Indirect Passive Exposures", Indoor Air 2014, Hong Kong, July, 2014.
- "Infectious Disease Aerosol Exposures With and Without Surge Control Ventilation System Modifications", Indoor Air 2014, Hong Kong, July, 2014.
- "Chemical Emissions from E-Cigarettes", IMF Health and Welfare Fair, Washington, DC, February 18, 2015.
- "Chemical Emissions and Health Hazards Associated with E-Cigarettes", Roswell Park Cancer Institute, Buffalo, NY, August 15, 2014.
- "Formaldehyde Indoor Concentrations, Material Emission Rates, and the CARB ATCM", Harris Martin's Lumber Liquidators Flooring Litigation Conference, WQ Minneapolis Hotel, May 27, 2015.

- "Chemical Emissions from E-Cigarettes: Direct and Indirect Passive Exposure", FDA Public Workshop: Electronic Cigarettes and the Public Health, Hyattsville, MD June 2, 2015.
- "Creating Healthy Homes, Schools, and Workplaces", Chautauqua Institution, Athenaeum Hotel, August 24, 2015.
- "Diagnosing IAQ Problems and Designing Healthy Buildings", University of California Berkeley, Berkeley, CA, October 6, 2015.
- "Diagnosing Ventilation and IAQ Problems in Commercial Buildings", BEST Center Annual Institute, Lawrence Berkeley National Laboratory, January 6, 2016.
- "A Review of Studies of Ventilation and Indoor Air Quality in New Homes and Impacts of Environmental Factors on Formaldehyde Emission Rates From Composite Wood Products", AIHce2016, May, 21-26, 2016.
- "Admissibility of Scientific Testimony", Science in the Court, Proposition 65 Clearinghouse Annual Conference, Oakland, CA, September 15, 2016.
- "Indoor Air Quality and Ventilation", ASHRAE Redwood Empire, Napa, CA, December 1, 2016.

## Exhibit B



2656 29<sup>th</sup> Street, Suite 201 Santa Monica, CA 90405

Matt Hagemann, P.G, C.Hg. (949) 887-9013 mhagemann@swape.com

> Paul E. Rosenfeld, PhD (310) 795-2335 prosenfeld@swape.com

January 16, 2020

Michael Lozeau Lozeau | Drury LLP 1939 Harrison Street, Suite 150 Oakland, CA 94612

Subject: Comments on the De Anza Hotel Project (SCH No. 2019079010)

Dear Mr. Lozeau,

We have reviewed the July 2019 Public Review Draft Initial Study ("IS") for the De Anza Hotel Project ("Project") located in the City of Cupertino ("City"). The Project proposes to construct a 129,000 square foot hotel, an 88,000 square foot subterranean parking garage, and an 18,000 square foot driveway and surface parking lot on the 1.29-acre site.

Our review concludes that the IS fails to adequately evaluate the Project's Air Quality, Health Risk, and Greenhouse Gas impacts. As a result, emissions and health risk impacts associated with construction and operation of the proposed Project are underestimated and inadequately addressed. An updated EIR should be prepared to adequately assess and mitigate the potential air quality and health risk impacts that the project may have on the surrounding environment.

### **Air Quality**

### Incorrect Analysis of Project Construction Emissions

The Bay Area Air Quality Management District ("BAAQMD") provides significance thresholds to evaluate air pollutant emissions in the form of pounds per day (lbs/day). In order to compare the Project's air pollutant emissions to these thresholds, the IS states,

"Average daily emissions are based on the annual construction emissions divided by the total number of active construction days" (p. 4-11).

Thus, the IS converted the annual emissions measured in tons per year to pounds per year, and then divided them by the number of workdays of construction. However, this is incorrect. CalEEMod provides three types of output files — winter, summer, and annual. While the annual output files measure emissions in tons per year, both the winter and summer output files provide emissions estimates in pounds per day. Furthermore, CEQA requires the most conservative analysis, and the use of converted annual CalEEMod output files may underestimate emissions. Thus, the IS's conversion from the annual tons per year to pounds per day was unsubstantiated and incorrect. As such, the IS should have provided and utilized the emissions from the winter or summer CalEEMod output files in order to compare to the BAAQMD thresholds.

### Unsubstantiated Input Parameters Used to Estimate Project Emissions

The IS's air quality analysis relies on emissions calculated with CalEEMod.2016.3.2.¹ CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act (CEQA) requires that such changes be justified by substantial evidence.² Once all of the values are inputted into the model, the Project's construction and operational emissions are calculated, and "output files" are generated. These output files disclose to the reader what parameters were utilized in calculating the Project's air pollutant emissions and make known which default values were changed as well as provide justification for the values selected.³

Review of the Project's air modeling, provided in the Revised Appendix A to the IS, demonstrates that the IS underestimates emissions associated with Project activities. As previously stated, the IS air quality analysis relies on air pollutant emissions calculated using CalEEMod. When reviewing the Project's CalEEMod output files, provided as Appendix A to the IS, we found that several of the values inputted into the model were not consistent with information disclosed in the IS. As a result, the Project's construction and operational emissions are underestimated. An updated EIR should be prepared to include an updated air quality analysis that adequately evaluates the impacts that construction and operation of the Project will have on local and regional air quality.

### Underestimated Land Use Sizes

Review of the Project's CalEEMod output files demonstrates that the floor surface area values of the proposed parking lot and hotel land uses were underestimated within the model, and as a result, the model may underestimate the Project's emissions.

<sup>&</sup>lt;sup>1</sup> CAPCOA (November 2017) CalEEMod User's Guide, <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4.

<sup>&</sup>lt;sup>2</sup> CAPCOA (November 2017) CalEEMod User's Guide, <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 1, 9.

<sup>&</sup>lt;sup>3</sup> CAPCOA (November 2017) CalEEMod User's Guide, <a href="http://www.aqmd.gov/docs/default-source/caleemod/01\_user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4">http://www.aqmd.gov/docs/default-source/caleemod/01\_user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4</a>, fn 1, p. 11, 12 – 13. A key feature of the CalEEMod program is the "remarks" feature, where the user explains why a default setting was replaced by a "user defined" value. These remarks are included in the report.

According to the IS, the Project proposes to construct an 18,000-square-foot driveway and surface parking lot (p. 3-25). However, review of the CalEEMod output files reveals that only 860-square-feet of parking lot were included in the model (see excerpt below) (Revised Appendix A, pp. 93, 135). Furthermore, according to the IS, the Project proposes to construct a 129,000-square-foot hotel building (p. 3-25). However, review of the CalEEMod output files reveals that only 122,256-square-feet of hotel were included in the model (see excerpt below) (Revised Appendix A, pp. 93, 135).

#### 1.0 Project Characteristics

#### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	0.86	1000sqft	0.02	860.00	0
Hotel	<b>1</b> 56.00	Room	0.42	122,256.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

As you can see in the excerpt above, the model underestimated the parking lot land use size by approximately 17,140-square-feet and the hotel land use size by approximately 6,744-square-feet. As previously stated, the land use type and size features are used throughout CalEEMod to determine default variable and emission factors that go into the model's calculations. The square footage of a land use is used for certain calculations such as determining the wall space to be painted (i.e., VOC emissions from architectural coatings) and volume that is heated or cooled (i.e., energy impacts). By underestimating the floor surface areas of the proposed parking lot and hotel land uses, the model underestimates the Project's construction and operational emissions and should not be relied upon to determine Project significance.

#### *Unsubstantiated Reduction in Intensity Factors*

Review of the Project's CalEEMod output files demonstrates that the default values for the  $CO_2$ ,  $CH_4$ , and  $N_2O$  intensity factors were manually changed without justification. As a result, the Project's operational emissions may be underestimated.

Review of the Project's CalEEMod output files demonstrates that the model's CO<sub>2</sub> intensity factor was artificially reduced from 641.35 to 10.84, the CH<sub>4</sub> intensity factor was reduced from 0.029 to 0, and the N<sub>2</sub>O intensity factor was reduced from 0.006 to 0 (see excerpt below) (Revised Appendix A, pp. 96, 138).

Table Name	Column Name	Default Value	New Value
tblProjectCharacteristics	CH4IntensityFactor	0.029	0
tblProjectCharacteristics	CO2IntensityFactor	641.35	10.84
tblProjectCharacteristics	N2OIntensityFactor	0.006	0

<sup>&</sup>lt;sup>4</sup> "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* <a href="http://www.aqmd.gov/docs/default-source/caleemod/01\_user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4">http://www.aqmd.gov/docs/default-source/caleemod/01\_user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4</a>, p. 18.

As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified. According to the "User Entered Comments & Non-Default Data" table, the justification provided for this change is: "Carbon Intensity factors adjusted for Silicon Valley Clean Energy Power" (Revised Appendix A, pp. 94, 136). Furthermore, the IS states that Silicon Valley Clean Energy will supply electricity to the Project site (p. 4-30). However, neither the IS nor its associated appendices provide a citation or further justification for the updated carbon intensity factors. As a result, we cannot verify these altered values, and the model may underestimate the Project's emissions.

### Failure to Account for Total Amount of Material Export

Review of the Project's CalEEMod output files demonstrates that the IS's model failed to include the total amount of material export expected to occur during Project construction. As a result, the Project's construction-related emissions may be underestimated.

According to the IS, "[t]he proposed Project would require up to 72,000 cubic yards of cut" (p. 3-25). However, review of the Project's CalEEMod output files demonstrates that only 71,054 cubic yards of material export were included in the model (see excerpt below) (Revised Appendix A, pp. 95, 137).

Table Name	Column Name	Default Value	New Value
tblGrading	MaterialExported	0.00	71,054.00

As you can see in the excerpt above, the model underestimates the amount of material export by 946 cubic yards. This underestimation presents an issue, as the inclusion of the entire amount of material export within the model is necessary to calculate the emissions produced from material movement, including truck loading and unloading, and additional hauling truck trips. Furthermore, despite the fact that the IS states that the Project would require <u>up to</u> 72,000 cubic yards of material export, CEQA requires the most conservative analysis. Thus, the total amount of possible material export should have been included. As a result, emissions generated during Project construction may be underestimated by the model.

### *Unsubstantiated Changes to Pieces of Construction Equipment*

The IS's CalEEMod model includes several unsubstantiated reductions to the numbers of pieces of construction equipment. As a result, the model may underestimate the Project's construction emissions.

Review of the Project's CalEEMod output files demonstrates that the number of several pieces of construction equipment were reduced to zero (Revised Appendix A, pp. 95, 138).

<sup>&</sup>lt;sup>5</sup> CalEEMod User Guide, available at: <a href="http://www.caleemod.com/">http://www.caleemod.com/</a>, p. 2, 9

<sup>&</sup>lt;sup>6</sup> CalEEMod User's Guide, available at: <a href="http://www.aqmd.gov/docs/default-source/caleemod/upgrades/2016.3/01\_user-39-s-guide2016-3-1.pdf?sfvrsn=2">http://www.aqmd.gov/docs/default-source/caleemod/upgrades/2016.3/01\_user-39-s-guide2016-3-1.pdf?sfvrsn=2</a>, p. 3, 26.

Table Name	Column Name	Default Value	New Value
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00

As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified. According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is: "No grading soil haul equipment" (Revised Appendix A, pp. 94, 136). However, this change is not mentioned or justified in the IS and associated appendices. As a result, we cannot verify these reductions, and the model should not be relied upon to determine Project significance.

### *Unsubstantiated Changes to Fleet Mix*

The IS's CalEEMod model includes several unsubstantiated changes to the Project's fleet mix percentage values, and as a result, the model may underestimate the Project's mobile-source operational emissions.

Review of the Project's CalEEMod output files demonstrates that several fleet mix percentage values were manually altered (Revised Appendix A, pp. 95, 137).

Table Name	Column Name	Default Value	New Value
tblFleetMix	HHD	0.02	1.4360e-003
tblFleetMix	LDA	0.61	0.73
tblFleetMix	LDT1	0.04	0.04
tblFleetMix	LDT2	0.18	0.22
tblFleetMix	LHD1	0.01	9.8000e-004
tblFleetMix	LHD2	5.0070e-003	3.4100e-004
tblFleetMix	MCY	5.3120e-003	6.9240e-003
tblFleetMix	MDV	0.11	1.2050e-003
tblFleetMix	MH	7.4000e-004	0.00
tblFleetMix	MHD	0.01	8.5800e-004
tblFleetMix	OBUS	2.1440e-003	0.00
tblFleetMix	SBUS	6.2700e-004	0.00
tblFleetMix	UBUS	1.5480e-003	0.00

As you can see in the excerpt above, the fleet mix for the proposed Project was artificially changed in the model. As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified. According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is: "Refer to CalEEmod inputs fleet mix" (Revised Appendix A, pp. 94). However, the IS and associated appendices fail to mention or justify these changes. As a result, the model may underestimate the Project's mobile-related operational emissions.

<sup>&</sup>lt;sup>7</sup> CalEEMod User Guide, available at: <a href="http://www.caleemod.com/">http://www.caleemod.com/</a>, p. 2, 9

<sup>&</sup>lt;sup>8</sup> CalEEMod User Guide, available at: <a href="http://www.caleemod.com/">http://www.caleemod.com/</a>, p. 2, 9

### *Unsubstantiated Changes to Wastewater Treatment System Percentages*

Review of the Project's CalEEMod output files demonstrates that the wastewater treatment system percentages were manually altered (see excerpt below) (Revised Appendix A, pp. 96, 138, 139).

Table Name	Column Name	Default Value	New Value
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	IndoorWaterUseRate	3,957,216.12	5,694,000.00
tblWater	IndoorWaterUseRate	3,144,609.26	4,158,737.00
tblWater	OutdoorWaterUseRate	439,690.68	7,117,500.00
tblWater	OutdoorWaterUseRate	200,719.74	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00

As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified. According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is: "Refer to CalEEMod inputs" (Revised Appendix A, pp. 94, 136). However, the IS fails to justify this statement or mention the changes. According to the CalEEMod User's Guide, each type of wastewater treatment system is associated with different GHG emission factors. Thus, artificially altering the wastewater treatment system percentages may result in an underestimation of the Project's GHG emissions. As a result, the model should be relied upon to determine Project significance.

### Incorrect Indoor Water Use Rate

The indoor water use rate, used to estimate the proposed Project's GHG emissions associated with the supply and treatment of water, was incorrectly changed from the CalEEMod default value without sufficient justification. <sup>11</sup> As a result, the Project's operational emissions may be underestimated.

According to the IS, "[t]he estimated water demand is 156 hotel rooms x 390 square foot per room x 0.50 gpd/sf for a total of 30,420 gpd" (p. 4-93). Converted, this correlates with an indoor water use rate of 11,103,300 gallons per year (gpy). However, review of the Project's CalEEMod output files demonstrates that only 82,125 gpy were inputted into the model for the hotel land use (see excerpt below) (Revised Appendix A, pp. 138).

<sup>&</sup>lt;sup>9</sup> CalEEMod User Guide, available at: <a href="http://www.caleemod.com/">http://www.caleemod.com/</a>, p. 2, 9

<sup>&</sup>lt;sup>10</sup> CalEEMod User Guide, available at: http://www.caleemod.com/, p. 45

<sup>&</sup>lt;sup>11</sup> "CalEEMod User's Guide." CAPCOA, November 2017, *available at*: <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 44-45.

<sup>&</sup>lt;sup>12</sup> Indoor Water Use Rate = 30,420 gpd x 365 days per year = 11,103,300 gpy

Table Name	Column Name	Default Value	New Value
tblWater	IndoorWaterUseRate	3,957,216.12	82,125.00

As you can see in the excerpt above, the indoor water use rate was underestimated by approximately 11,021,175 gpy. As previously stated, the CalEEMod User's Guide requires that any non-default values inputted must be justified. However, according to the IS, the indoor water use rate should have been 30,420 gpd, or 11,103,300 gpy (p. 4-93). According to the "User Entered Comments & Non-Default Data" table, these changes are justified by stating: "Refer to CalEEMod inputs" (Revised Appendix A, pp. 136). However, this fails to substantiate the changes or justify a different indoor water use rate than was specified in the IS. Thus, the CalEEMod is incorrect and underestimates the hotel land use's indoor water use rate.

Furthermore, while the IS provides data on the hotel land use's indoor water use rate, the IS fails to provide an indoor water use rate for the Project's other proposed land uses. However, review of the Project's CalEEMod output files demonstrates that the indoor water use rate for the Quality Restaurant land use was artificially altered without justification (see excerpt below) (Revised Appendix A, pp. 138).

Table Name	Column Name	Default Value	New Value
tblWater	IndoorWaterUseRate	3,144,609.26	4,158,737.00

As you can see in the excerpt above, the indoor water use rate was manually changed for the proposed Quality Restaurant land use. As previously stated, the CalEEMod User's Guide requires that any non-default values inputted must be justified. <sup>14</sup> However, review of the IS demonstrates that this change was not mentioned or substantiated. As a result, we cannot verify this change and the model may underestimate the Project's water-related operational emissions.

#### *Unsubstantiated Changes to Solid Waste Generation Rates*

The solid waste generation rates, used to estimate the proposed Project's operational greenhouse gas (GHG) emissions associated with the disposal of solid waste into landfills, were artificially changed from the CalEEMod default values without sufficient justification. <sup>15</sup> As a result, the model may underestimate the Project's operational emissions.

Review of the Project's CalEEMod output files demonstrates that the proposed Project's solid waste generation rates were manually changed without adequate justification (see excerpt below) (Revised Appendix A, pp. 138).

<sup>&</sup>lt;sup>13</sup> "CalEEMod User's Guide." CAPCOA, November 2017, *available at*: <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 7, 13.

<sup>&</sup>lt;sup>14</sup> "CalEEMod User's Guide." CAPCOA, November 2017, *available at*: <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 7, 13.

<sup>&</sup>lt;sup>15</sup> CalEEMod User's Guide, *available at*: <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4, p. 46

Table Name	Column Name	Default Value	New Value
tblSolidWaste	SolidWasteGenerationRate	85.41	56.94
tblSolidWaste	SolidWasteGenerationRate	9.45	153.58

As you can see in the excerpt above, the solid waste generation rates were artificially altered from the default values. As previously stated, the CalEEMod User's Guide requires that any non-default values inputted must be justified. According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is: "Refer to CalEEMod inputs" (Revised Appendix A, pp. 136). However, the IS fails to justify or mention these changes. As a result, these changes cannot be verified and we find the Project's air quality model to be unreliable for determining Project significance.

### Unsubstantiated Application of Construction Mitigation Measure

Review of the Project's CalEEMod output files demonstrates that the model includes an unsubstantiated construction mitigation measure, and as a result, the model may underestimate the Project's construction-related emissions.

Review of the Project's CalEEMod output files reveals that the model includes a 9% reduction of particulate matter emissions as a result of the "Clean Paved Roads" mitigation measure (see excerpt below) (Revised Appendix A, pp. 94, 134).

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	CleanPavedRoadPercentReduction	0	9

As you can see in the excerpt above, the model includes a 9% reduction off particulate matter from the mitigation measure "Clean Paved Roads." As previously stated, the CalEEMod User's Guide requires that any non-default values inputted must be justified.<sup>17</sup> While the IS mentions sweeping paved roads, it fails to justify or mention the 9% reduction (p. 4-11). Furthermore, the "User Entered Comments & Non-Default Data" table fails to justify the inclusion of this mitigation measure. Thus, the reduction cannot be verified, and as a result, the model may underestimate the Project's construction emissions.

### Unsubstantiated Application of Water-related Operational Mitigation Measures

Review of the Project's CalEEMod output files reveals that the model included several water-related mitigation measures without sufficient justification, and as a result, the Project's operational emissions may be underestimated.

<sup>&</sup>lt;sup>16</sup> "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 7, 13.

<sup>&</sup>lt;sup>17</sup> CalEEMod User Guide, p. 7, p. 13, available at: <a href="http://www.aqmd.gov/docs/default-source/caleemod/01">http://www.aqmd.gov/docs/default-source/caleemod/01</a> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4 (A key feature of the CalEEMod program is the "remarks" feature, where the user explains why a default setting was replaced by a "user defined" value. These remarks are included in the report.)

The Project's CalEEMod output files demonstrate that the Project's emissions were modeled with several unsubstantiated water-related mitigation measures (see excerpt below) (Revised Appendix A, pp. 129).

# 7.0 Water Detail 7.1 Mitigation Measures Water Install Low Flow Bathroom Faucet Install Low Flow Kitchen Faucet Install Low Flow Toilet

Use Water Efficient Irrigation System

Install Low Flow Shower

As you can see in the excerpt above, the Project's operational emissions were modeled including the following water-related mitigation measures: "Install Low Flow Bathroom Faucet," "Install Low Flow Kitchen Faucet," "Install Low Flow Toilet," and "Install Low Flow Shower" (Revised Appendix A, pp. 129). As previously stated, the CalEEMod User's Guide requires that any non-default values inputted must be justified. However, the "User Entered Comments & Non-Default Data" table fails to mention or provide a justification for the inclusion of these mitigation measures. Additionally, the IS fails to address these mitigation measures. As a result, we cannot verify the inclusion of these measures in the model, and the model should not be relied upon to determine Project significance.

### Diesel Particulate Matter Health Risk Emissions Inadequately Evaluated

The IS conducts a construction health risk assessment (HRA) and determines that, after mitigation, the construction-related health risk posed to the maximally exposed individual receptor (MEIR) would be approximately 5.1 in one million (see excerpt below) (p. 4-16, Table 4-5).

TABLE 4-5	Construction Risk:	SUMMARY — MITIGATED

Receptor	Cancer Risk (per million)	Chronic Hazards	PM <sub>2.5</sub> (μg/m³) <sup>a</sup>
Maximum Exposed Receptor – Offsite Residences	5.1	0.015	0.03
BAAQMD Threshold	10	1.0	0.3
Exceeds Threshold?	No	No	No

Risks incorporate Mitigation Measure AQ-2, which includes using construction equipment with Level 3 Diesel Particulate Filters for equipment over 50 horsepower.

However, the IS's analysis is incorrect, as the construction HRA relies on an unsubstantiated air model that underestimates the Project's emissions. As a result, the IS's construction HRA should not be relied upon to determine the Project's significance.

Note: Cancer risk calculated using 2015 Office of Environmental Health Hazard Assessment Health Risk Assessment guidance.

<sup>&</sup>lt;sup>18</sup> CAPCOA (November 2017) CalEEMod User's Guide, <a href="http://www.aqmd.gov/docs/default-source/caleemod/01\_user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4">http://www.aqmd.gov/docs/default-source/caleemod/01\_user-39-s-guide2016-3-2\_15november2017.pdf?sfvrsn=4</a>, p. 7, 13.

Furthermore, review of the IS demonstrates that the IS failed to conduct a quantified HRA for Project operation, stating:

"[I]mplementation of the proposed project would not result in creation of land uses that would generate substantial concentrations of TACs... Development of the proposed hotel may result in stationary sources of TACs emissions from the restaurant's use of charbroilers, or emergency generators and boilers. However, these sources are not considered to be large emitters...
[H]otel-related truck deliveries would be less than CARB's recommended advisory criteria for distribution centers (100 trucks per day)... [I]mpacts related to TACs are considered *less than significant*." (p. 4-16, 4-17).

However, these justifications and subsequent less than significant impact conclusion are incorrect. By failing to prepare an operational HRA, the IS is inconsistent with recommendations set forth by the Office of Environmental Health and Hazard Assessment's (OEHHA) most recent Risk Assessment Guidelines: Guidance Manual for Preparation of Health Risk Assessments, as cited by the IS (Appendix B, p. 2). The OEHHA guidance document describes the types of projects that warrant the preparation of a health risk assessment. 19 Once construction of the Project is complete, the Project will operate for a long period of time. During operation, the Project will generate vehicle trips, which will generate additional exhaust emissions, thus continuing to expose nearby sensitive receptors to emissions. The OEHHA document recommends that exposure from projects lasting more than 6 months should be evaluated for the duration of the project, and recommends that an exposure duration of 30 years be used to estimate individual cancer risk for the maximally exposed individual resident (MEIR).<sup>20</sup> Even though we were not provided with the expected lifetime of the Project, we can reasonably assume that the Project will operate for at least 30 years, if not more. Therefore, health risks from Project operation should have also been evaluated by the IS, as a 30-year exposure duration vastly exceeds the 6-month requirement set forth by OEHHA. These recommendations reflect the most recent health risk policy, and as such, an updated assessment of health risks posed to nearby sensitive receptors from Project operation should be included in a revised CEQA evaluation for the Project.

Furthermore, the IS fails to sum the cancer risk calculated for each age group. According to OEHHA guidance, "the excess cancer risk is calculated separately for each age grouping and then summed to yield cancer risk at the receptor location." However, review of the construction HRA conducted in the IS demonstrates that the IS failed to sum each age bin to evaluate the total cancer risk over the course of the Project's lifetime. This is incorrect and thus, an updated analysis should quantify the Project's

<sup>&</sup>lt;sup>19</sup> "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, available at: <a href="https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf">https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf</a>

<sup>&</sup>lt;sup>20</sup> "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, available at: <a href="https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf">https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf</a> p. 8-6, 8-15.

<sup>&</sup>lt;sup>21</sup> "Guidance Manual for preparation of Health Risk Assessments." OEHHA, February 2015, *available at:* <a href="https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf">https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf</a> p. 8-4

construction and operational health risks and then sum them to compare to the BAAQMD threshold of 10 in one million.<sup>22</sup>

In an effort to demonstrate the potential risk posed by the Project to nearby sensitive receptors, we prepared a simple screening-level operational HRA. The results of our assessment, as described below, demonstrate that construction and operational DPM emissions may result in a potentially significant health risk impact that was not previously identified or evaluated within the IS.

### Screening-Level Assessment Indicates Significant Impact

In an effort to demonstrate the potential health risk posed by Project construction and operation to nearby sensitive receptors, we prepared a simple screening-level HRA. The results of our assessment, as described below, provide substantial evidence that the Project's construction and operational DPM emissions may result in a potentially significant health risk impact that was not previously identified.

In order to conduct our screening level risk assessment, we relied upon AERSCREEN, which is a screening level air quality dispersion model. <sup>23</sup> The model replaced SCREEN3, and AERSCREEN is included in the OEHHA<sup>24</sup> and the California Air Pollution Control Officers Associated (CAPCOA) <sup>25</sup> guidance as the appropriate air dispersion model for Level 2 health risk screening assessments ("HRSAs"). A Level 2 HRSA utilizes a limited amount of site-specific information to generate maximum reasonable downwind concentrations of air contaminants to which nearby sensitive receptors may be exposed. If an unacceptable air quality hazard is determined to be possible using AERSCREEN, a more refined modeling approach is required prior to approval of the Project.

We prepared a preliminary HRA of the Project's construction and operational health-related impacts to sensitive receptors using the annual PM<sub>10</sub> exhaust estimates from the SWAPE annual CalEEMod output files. According to the IS, there is a residential receptor located approximately 225 feet, or 69 meters, east of the Project site (p. 4-60, Table 4-7). However, review of Google Earth demonstrates that there are sensitive receptors roughly 50 meters east of the Project site. Consistent with recommendations set forth by OEHHA, as cited by the IS, we assumed that residential exposure begins during the third trimester stage of life. The SWAPE construction CalEEMod output files indicate that construction activities will generate approximately 127 pounds of DPM over the approximately 592-day construction period. The AERSCREEN model relies on a continuous average emission rate to simulate maximum downward concentrations from point, area, and volume emission sources. To account for the variability in equipment usage and truck trips over Project construction, we calculated an average DPM emission rate by the following equation:

<sup>&</sup>lt;sup>22</sup> "California Environmental Quality Act Air Quality Guidelines." BAAQMD, May 2017, available at: <a href="http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa guidelines may2017-pdf.pdf?la=en">http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa guidelines may2017-pdf.pdf?la=en</a>
<sup>23</sup> "AERSCREEN Released as the EPA Recommended Screening Model," USEPA, April 11, 2011, available at: <a href="http://www.epa.gov/ttn/scram/guidance/clarification/20110411">http://www.epa.gov/ttn/scram/guidance/clarification/20110411</a> AERSCREEN Release Memo.pdf

<sup>24</sup> "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, available at: <a href="https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf">https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf</a>

<sup>25</sup> "Health Risk Assessments for Proposed Land Use Projects," CAPCOA, July 2009, available at: <a href="https://www.capcoa.org/wp-content/uploads/2012/03/CAPCOA">https://www.capcoa.org/wp-content/uploads/2012/03/CAPCOA</a> HRA LU Guidelines 8-6-09.pdf

Emission Rate 
$$\left(\frac{grams}{second}\right) = \frac{126.6 \ lbs}{592 \ days} \times \frac{453.6 \ grams}{lbs} \times \frac{1 \ day}{24 \ hours} \times \frac{1 \ hour}{3,600 \ seconds} = \mathbf{0.001123} \ \mathbf{g/s}$$

Using this equation, we estimated a construction emission rate of 0.001123 grams per second (g/s). Subtracting the 592-day construction duration from the total residential duration of 30 years, we assumed that after Project construction, the MEIR would be exposed to the Project's operational DPM for an additional 28.4 years approximately. SWAPE's updated operational CalEEMod emissions indicate that operational activities will generate approximately 81 pounds of DPM per year throughout operation. Applying the same equation used to estimate the construction DPM rate, we estimated the following emission rate for Project operation:

$$Emission\ Rate\ \left(\frac{grams}{second}\right) = \frac{80.8\ lbs}{365\ days} \times \frac{453.6\ grams}{lbs} \times \frac{1\ day}{24\ hours} \times \frac{1\ hour}{3,600\ seconds} = \textbf{0.00116}\ g/s$$

Using this equation, we estimated an operational emission rate of 0.00116 g/s. Construction and operational activity was simulated as a 1.29-acre rectangular area source in AERSCREEN with dimensions of 95 meters by 55 meters. A release height of three meters was selected to represent the height of exhaust stacks on operational equipment and other heavy-duty vehicles, and an initial vertical dimension of one and a half meters was used to simulate instantaneous plume dispersion upon release. An urban meteorological setting was selected with model-default inputs for wind speed and direction distribution.

The AERSCREEN model generates maximum reasonable estimates of single-hour DPM concentrations from the Project site. EPA guidance suggests that in screening procedures, the annualized average concentration of an air pollutant be estimated by multiplying the single-hour concentration by 10%. As previously stated, there are residential receptors located approximately 50 meters from the Project boundary. The single-hour concentration estimated by AERSCREEN for Project construction is approximately 5.141 µg/m³ DPM at approximately 50 meters downwind. Multiplying this single-hour concentration by 10%, we get an annualized average concentration of 0.5141 µg/m³ for Project construction at the nearest sensitive receptor. For Project operation, the single-hour concentration estimated by AERSCREEN is 5.321 µg/m³ DPM at approximately 25 meters downwind. Multiplying this single-hour concentration by 10%, we get an annualized average concentration of 0.5321 µg/m³ for Project operation at the nearest sensitive receptor.

We calculated the excess cancer risk to the residential receptors located closest to the Project site using applicable HRA methodologies prescribed by OEHHA and the BAAQMD. Consistent with the construction schedule proposed by the IS's CalEEMod output files, the annualized average concentration for construction was used for the entire third trimester of pregnancy (0.25 years) and the first 1.37 years of the infantile stage of life (0-2 years). The annualized average concentration for operation was used for

12

<sup>&</sup>lt;sup>26</sup> "Screening Procedures for Estimating the Air Quality Impact of Stationary Sources Revised." EPA, 1992, available at: <a href="http://www.epa.gov/ttn/scram/guidance/guide/EPA-454R-92-019\_OCR.pdf">http://www.epa.gov/ttn/scram/guidance/guide/EPA-454R-92-019\_OCR.pdf</a>; see also "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, available at: <a href="https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf">https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf</a> p. 4-36.

the remainder of the 30-year exposure period, which makes up the remainder of the infantile stage of life (2-16 years), child stage of life (2-16 years) and adult stage of life (16-30 years). Consistent with the methodology utilized by the IS, we utilized age sensitivity factors (Appendix B, p. 2). Thus, we multiplied the quantified cancer risk by a factor of ten during the third trimester of pregnancy and during the first two years of life (infant) and by a factor of three during the child stage of life (2 to 16 years). Furthermore, in accordance with guidance set forth by OEHHA, we used the  $95^{th}$  percentile breathing rates for infants. Finally, according to BAAQMD guidance, we used a Fraction of Time At Home (FAH) value of 0.85 for the 3rd trimester and infant receptors, 0.72 for child receptors, and 0.73 for the adult receptors. We used a cancer potency factor of 1.1 (mg/kg-day)<sup>-1</sup> and an averaging time of 25,550 days. Consistent with OEHHA guidance, exposure to the sensitive receptor was assumed to begin in the third trimester to provide the most conservative estimate of air quality hazards. The results of our calculations are shown below.

The C	losest Expos	ed Individual at ar	n Existing Reside	ntial Receptor	
Activity	Duration (years)	Concentration (ug/m3)	Breathing Rate (L/kg- day)	ASF	Cancer Risk with ASFs*
Construction	0.25	0.5141	361	10	5.9E-06
3rd Trimester Duration	0.25			3rd Trimester Exposure	5.9E-06
Construction	1.37	0.5141	1090	10	9.8E-05
Operation	0.63	0.5321	1090	10	4.7E-05
Infant Exposure Duration	2.00			Infant Exposure	1.5E-04
Operation	14.00	0.5321	572	3	1.4E-04
Child Exposure Duration	14.00			Child Exposure	1.4E-04
Operation	14.00	0.5321	261	1	2.1E-05
Adult Exposure  Duration	14.00			Adult Exposure	2.1E-05
Lifetime Exposure Duration	30.00			Lifetime Exposure	3.1E-04

٦-

<sup>&</sup>lt;sup>27</sup> "Supplemental Guidelines for Preparing Risk Assessments for the Air Toxics 'Hot Spots' Information and Assessment Act," June 5, 2015, *available at:* <a href="http://www.aqmd.gov/docs/default-source/planning/risk-assessment/ab2588-risk-assessment-guidelines.pdf?sfvrsn=6">http://www.aqmd.gov/docs/default-source/planning/risk-assessment/ab2588-risk-assessment-guidelines.pdf?sfvrsn=6</a>, p. 19.

<sup>&</sup>quot;Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, available at: https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf

<sup>&</sup>lt;sup>28</sup> "Air Toxics NSR Program Health Risk Assessment (HRA) Guidelines." BAAQMD, January 2016, *available at:* <a href="http://www.baaqmd.gov/~/media/files/planning-and-research/rules-and-regs/workshops/2016/reg-2-5/hraguidelines\_clean\_jan\_2016-pdf.pdf?la=en">http://www.baaqmd.gov/~/media/files/planning-and-research/rules-and-regs/workshops/2016/reg-2-5/hraguidelines\_clean\_jan\_2016-pdf.pdf?la=en</a>

As indicated in the table above, the excess cancer risk posed to adults, children, infants, and during the third trimester of pregnancy at the closest receptor, located approximately 50 meters away, over the course of Project construction and operation, are approximately 21, 140, 150, and 5.9 in one million, respectively. The excess cancer risk over the course of a residential lifetime (30 years) at the closest receptor is approximately 310 in one million, thus resulting in a potentially significant health risk impact not previously addressed or identified by the IS.

An agency must include an analysis of health risks that connects the Project's air emissions with the health risk posed by those emissions. Our analysis represents a screening-level HRA, which is known to be conservative and tends to err on the side of health protection. <sup>29</sup> The purpose of the screening-level construction HRA shown above is to demonstrate the link between the proposed Project's emissions and the potential health risk. Our screening-level HRA demonstrates that construction of the Project could result in a potentially significant health risk impact, when correct exposure assumptions and upto-date, applicable guidance are used. Therefore, since our screening-level construction HRA indicates a potentially significant impact, the City should prepare an EIR with a revised HRA which makes a reasonable effort to connect the Project's air quality emissions and the potential health risks posed to nearby receptors. Thus, the City should prepare an updated, quantified air pollution model as well as an updated, quantified refined health risk assessment which adequately and accurately evaluates health risk impacts associated with both Project construction and operation.

### **Greenhouse Gas**

### Failure to Adequately Evaluate Greenhouse Gas Impacts

The IS concludes that the Project's emissions would exceed the BAAQMD bright line threshold, and subsequently proposes mitigation. Specifically, the IS states:

"Because the project's net increase in long-term emissions of 1,272 MTCO<sub>2</sub>e exceeds BAAQMD's bright-line threshold of 1,100 MTCO<sub>2</sub>e per year... the following mitigation measure is proposed" (p. 4-39).

The IS goes on to state:

"As a result of implementation of Mitigation Measure GHG-1, emissions from the proposed project would not exceed the BAAQMD's bright-line threshold. Therefore, the impact would be less than significant" (p. 4-39).

Finally, the Project evaluates the Project's consistency with the CARB Scoping Plan, the Plan Bay Area 2040, and Cupertino's CAP in order to determine that the Project would have a less than significant impact (p. 4-40). Thus, the IS relies upon the implementation of Mitigation Measure GHG-1 to reduce the Project's GHG impact to a less than significant level, as well as consistency with the abovementioned plans.

<sup>&</sup>lt;sup>29</sup> "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, *available at:* <a href="https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf">https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf</a>, p. 1-5

However, this analysis and subsequent less than significant impact conclusion is incorrect for several reasons.

- (1) The CARB Scoping Plan and the Plan Bay Area cannot be relied upon to determine Project significance;
- (2) The Project fails to demonstrate consistency with the Cupertino CAP;
- (3) The IS's incorrect and unsubstantiated analysis indicates a potentially significant GHG impact; and,
- (4) Updated analysis indicates significant impact.

### (1) The CARB Scoping Plan and Plan Bay Area are not CAPs

The IS determines that the Project demonstrates consistency with the CARB Scoping Plan and Plan Bay Area. However, these policies do not qualify as Climate Action Plans (CAPs). CEQA Guidelines § 15064.4(b)(3) allows a lead agency to consider "[t]he extent to which the project complies with regulations or requirements adopted to implement a statewide, regional, or local plan for the reduction or mitigation of greenhouse gas emissions (see, e.g., section 15183.5(b))." (Emph. added). When adopting this language, the California Natural Resources Agency ("Resources Agency") explained in its 2018 Final Statement of Reasons for Regulatory Action ("2018 Statement of Reason")<sup>30</sup> that it explicitly added referenced to section 15183.5(b) because it was "needed to clarify that lead agencies may rely on plans prepared pursuant to section 15183.5 in evaluating a project's [GHG] emissions ... [and] consistent with the Agency's Final Statement of Reasons for the addition of section 15064.4, which states that 'proposed section 15064.4 is intended to be read in conjunction with . . . proposed section 15183.5. Those sections each indicate that local and regional plans may be developed to reduce GHG emissions."" 2018 Final Statement of Reason, p. 19 (emph. added); see also 2009 Final Statement of Reasons for Regulatory Action, p. 27.31 When read in conjunction, CEQA Guidelines §§ 15064.4(b)(3) and 15183.5(b)(1) make clear qualified GHG reduction plans (also commonly referred to as a Climate Action Plan ["CAP"]) should include the following features:

- (1) **Inventory**: Quantify GHG emissions, both existing and projected over a specified time period, resulting from activities (e.g., projects) within a defined geographic area (e.g., lead agency jurisdiction);
- (2) **Establish GHG Reduction Goal**: Establish a level, based on substantial evidence, below which the contribution to GHG emissions from activities covered by the plan would not be cumulatively considerable;
- (3) **Analyze Project Types**: Identify and analyze the GHG emissions resulting from specific actions or categories of actions anticipated within the geographic area;

<sup>&</sup>lt;sup>30</sup> Resources Agency (Nov. 2018) Final Statement of Reasons For Regulatory Action: Amendments To The State CEQA Guidelines, <a href="http://resources.ca.gov/ceqa/docs/2018">http://resources.ca.gov/ceqa/docs/2018</a> CEQA Final Statement of%20Reasons 111218.pdf.

<sup>&</sup>lt;sup>31</sup> Resources Agency (Dec. 2009) Final Statement of Reasons for Regulatory Action, p. 27 ("Those sections each indicate that local and regional plans may be developed to reduce GHG emissions. If such plans reduce community-wide emissions to a level that is less than significant, a later project that complies with the requirements in such a plan may be found to have a less than significant impact."), <a href="http://resources.ca.gov/ceqa/docs/Final-Statement of Reasons.pdf">http://resources.ca.gov/ceqa/docs/Final-Statement of Reasons.pdf</a>.

- (4) **Craft Performance Based Mitigation Measures**: Specify measures or a group of measures, including performance standards, that substantial evidence demonstrates, if implemented on a project-by-project basis, would collectively achieve the specified emissions level;
- (5) **Monitoring**: Establish a mechanism to monitor the CAP progress toward achieving said level and to require amendment if the plan is not achieving specified levels;

The above-listed CAP features provide the necessary <u>substantial evidence demonstrating a project's incremental contribution is not cumulative considerable</u>, as required under CEQA Guidelines § 15064.4(b)(3).<sup>32</sup> Here, however, the IS fails to demonstrate that the plans and policies include the above-listed requirements to be considered a qualified CAP for the City. As such, the IS leaves an analytical gap showing that compliance with said plans can be used for a project-level significance determination. Thus, the IS's GHG analysis regarding the CARB Scoping Plan and Plan Bay Area should not be relied upon to determine Project significance.

### (2) The Cupertino CAP Cannot be Relied upon to Determine Project Significance;

As discussed above, the IS relies on the Project's consistency with the Cupertino CAP to determine that the Project's GHG impact would be less than significant. Specifically, the IS states,

"Development in the Cupertino, including the proposed project, is required to adhere to City-adopted policy provisions, including those contained in the adopted CAP. The City ensures that the provisions of the Cupertino CAP are incorporated into projects and their permits through development review and applications of conditions of approval as applicable. Therefore, the impact would be *less than significant*" (p. 4-43).

However, the CAP fails to provide specific, project-level measures. Instead, the CAP provides "community-wide" measures with quantified GHG reduction potentials. Regardless, the IS fails to demonstrate consistency with all of the CAP's "community-wide" measures and associated GHG reduction potentials (see table below).

16

<sup>&</sup>lt;sup>32</sup> See Mission Bay Alliance v. Office of Community Investment & Infrastructure (2016) 6 Cal.App.5th 160, 200-201 (Upheld qualitative GHG analysis when based on city's adopted its greenhouse gas strategy that contained "multiple elements" of CEQA Guidelines § 15183.5(b), "quantification of [city's] baseline levels of [GHG] emissions and planned reductions[,]" approved by the regional air district, and "[a]t the heart" of the city's greenhouse gas strategy was "specific regulations" and measures to be implemented on a "project-by-project basis ... designed to achieve the specified citywide emission level.").

Measure	IS Consistency
Cupert	ino CAP
Community-Wide Measures	
Measure C-E-1 Energy Use Data and Analysis  Increase resident and building owner/tenant/operator knowledge about how, when, and where building energy is used.  2035 GHG Reduction Potential: 850 MT CO <sub>2</sub> e/yr	Here, the IS fails to address owner/tenant/operator knowledge about how, when, and where building energy is used. The IS also fails to address any quantified GHG reductions or potential for future reductions.
Measure C-E-2 Retrofit Financing  Promote existing and support development of new private financing options for home and commercial building retrofits and renewable energy development.  2035 GHG Reduction Potential: 10,525 MT CO <sub>2</sub> e/yr	Here, the IS fails to address new or existing private financing options for home and commercial building retrofits and renewable energy development. The IS also fails to address any quantified GHG reductions or potential for future reductions.
Measure C-E-3 Home & Commercial Building Retrofit Outreach  Develop aggressive outreach program to drive voluntary participation in energy- and water- efficiency retrofits.  Supporting Measure	Here, the IS fails to address outreach programs to drive voluntary participation in energy- and water-efficiency retrofits.
Measure C-E-4 Energy Assurance & Resiliency Plan  Develop a long-term community-wide energy conservation plan that considers future opportunities to influence building energy efficiency through additional or enhanced building regulations.  Supporting Measure	Here, the IS fails to address a long-term community-wide energy conservation plan. The IS also fails to mention future opportunities to influence building energy efficiency through additional or enhanced building regulations.

### Measure C-E-5 Community-Wide Solar Photovoltaic Development

Encourage voluntary community-wide solar photovoltaic development through regulatory barrier reduction and public outreach campaigns.

2035 GHG Reduction Potential: 4,400 MT CO₂e/yr

Here, while the IS mentions the potential for solar panels on the roof level, it fails to quantify these emissions or mention voluntary community-wide photovoltaic development through regulatory barrier reduction and public outreach campaigns (p. 3-13). The IS also fails to address any quantified GHG reductions or potential for future reductions.

### Measure C-E-6 Community-Wide Solar Hot Water Development

Encourage communitywide solar hot water development through regulatory barrier reduction and public outreach campaigns.

2035 GHG Reduction Potential: 925 MT CO₂e/yr

Here, the IS fails to mention solar hot water development through regulatory barrier reduction and public outreach campaigns. The IS also fails to address any quantified GHG reductions or potential for future reductions.

### Measure C-E-7 Community Choice Energy Option

Partner with other Santa Clara County jurisdictions to evaluate the development of a regional CCE option, including identification of the geographic scope, potential costs to participating jurisdictions and residents, and potential liabilities.

2035 GHG Reduction Potential: 56,875 MT CO<sub>2</sub>e/yr

Here, the IS fails to mention partnering with other Santa Clara County jurisdictions or evaluating the development of a regional CCE option. The IS also fails to address the identification of the geographic scope, potential costs to participating jurisdictions and residentials, or potential liabilities. The IS also fails to address any quantified GHG reductions or potential for future reductions.

#### Measure C-T-2 Bikeshare Program

Explore feasibility of developing local bikeshare program.

Supporting Measure

Here, while the IS discusses bicycle facilities in the vicinity of the proposed Project and mentions that the Project would not conflict with the City's Bike Plan, the IS fails to address a bikeshare program (p. 4-83).

Measure C-T-3 Transportation Demand Management  Provide informational resources to local businesses subject to SB 1339 transportation demand management program requirements and encourage additional voluntary participation in the program.  2035 GHG Reduction Potential: 2,375 MT CO <sub>2</sub> e/yr	Here, while the IS addresses a TDM program, the IS fails to mention SB 1339, informational resources, or encouraging additional voluntary participation in the program (p. 3-22). The IS also fails to address any quantified GHG reductions or potential for future reductions.
Measure C-T-5 Transit Priority  Improve transit service reliability and speed.  Supporting Measure	Here, while the IS mentions local transit, it fails to discuss any improvements of transit service reliability and speed (p. 4-77).
Measure C-T-6 Transit-Oriented Development  Continue to encourage development that takes advantage of its location near local transit options (e.g., major bus stops) through higher densities and intensities to increase ridership potential.  Supporting Measure	Here, while the IS mentions transit, it fails to discuss encouraging development that takes advantage of its location near local transit options (p. 4-77). The IS also fails to address encouraging higher densities and intensities to increase ridership potential.
Measure C-T-7 Community-Wide Alternative Fuel Vehicles  Encourage community-wide use of alternative fuel vehicles through expansion of alternative vehicle refueling infrastructure.  2035 GHG Reduction Potential: 10,225 MT CO <sub>2</sub> e/yr	Here, the IS fails to mention encouraging community-wide use of alternative fuel vehicles or alternative fuel refueling infrastructure. The IS also fails to address any quantified GHG reductions or potential for future reductions.

### Measure C-SW-2 Food Scrap and Compostable Paper Diversion

Continue to promote the collection of food scraps and compostable paper through the City's organics collection program.

2035 GHG Reduction Potential: 750 MT CO₂e/yr

Here, while the IS mentions the existing composting program, it fails to specifically address food scraps or compostable paper (p. 3-24). The IS also fails to mention the City's organics collection program. Finally, the IS also fails to address any quantified GHG reductions or potential for future reductions.

### Measure C-SW-3 Construction & Demolition Waste Diversion Program

Continue to enforce diversion requirements in City's Construction & Demolition Debris Diversion and Green Building Ordinances.

2035 GHG Reduction Potential: 550 MT CO₂e/yr

Here, the IS states: "[T]he City's Zero Waste Policy also requires that all private construction projects that come through the City's permitting process, and all City projects (through contract requirements), to recover and divert at least 65 percent of the construction waste generated by the project. Compliance with applicable statutes and regulations would ensure that the impact would be *less than significant*, and no mitigation measures would be required" (p. 4-97, 4-98). However, the IS fails to address any quantified GHG reductions. Furthermore, the IS failed to address how the City's policy would be enforced by the Project.

#### Measure C-G-1 Urban Forest Program

Support development and maintenance of a healthy, vibrant urban forest through outreach, incentives, and strategic leadership.

2035 GHG Reduction Potential: 725 MT CO,e/yr

Here, the IS states: "The City recognizes that every tree on both public and private property is an important part of Cupertino's urban forest and contributes significant economic, environmental and aesthetic benefits of the community. All 11 existing trees will remain on the project site as part of the proposed project. The existing tree species are not native to California, nor indigenous to the project site" (p. 4-21). However, the IS fails to address any quantified GHG reductions resulting from this measure. Furthermore, simply maintaining the existing trees on the site does not constitute supporting the development and maintenance of a healthy, vibrant urban forest. Finally, there is no mention of the use of outreach, incentives, or strategic leadership to achieve this measure.

### (3) Incorrect and Unsubstantiated Analysis Demonstrates Significant GHG Impact

As discussed above, the IS reports that the Project would result in annual GHG emissions of 1,272 MT  $CO_2e/year$  (MT  $CO_2e/yr$ ) and concluded that, with the implementation of Mitigation Measure GHG-1,

emissions from the Project would not exceed the BAAQMD bright-line threshold of 1,000 MT CO<sub>2</sub>e/year (p. 4-39). However, this conclusion is incorrect for two reasons.

First, the IS's GHG analysis relies on an incorrect and unsubstantiated air model, as discussed above. This is incorrect, as the model underestimates the Project's GHG emissions.

Second, the IS cannot assume that the implementation of one mitigation measure would reduce the Project's GHG emissions to a less than significant level without quantifying impacts. Without any sort of quantified analysis of the mitigation measure and its associated reductions, the IS cannot claim a less than significant impact simply based on one mitigation measure. Until the City adequately quantifies the Project's GHG emissions, including the implementation of Mitigation Measure GHG-1, and demonstrates that the Project's GHG emissions would not exceed relevant BAAQMD thresholds, there is not substantial evidence that the Project's GHG impact would be less than significant.

### (4) Updated Analysis Indicates Significant Impact

Applicable thresholds and site-specific modeling demonstrate that the Project may result in a potentially significant GHG impact. The updated CalEEMod output files, modeled by SWAPE with Project-specific information, disclose the Project's mitigated emissions, which include approximately 1,046 MT  $CO_2e$  of total construction emissions (sum of emissions from 2020, 2021, and 2022) and approximately 2,248 MT  $CO_2e$ /year of annual operational emissions (sum of area, energy, mobile, stationary, waste, and water-related emissions from both on-site and off-site operations). When we compare the total Project's GHG emissions, including construction emissions amortized over 30 years and operational emissions, to the BAAQMD bright-line threshold of 1,100 MT  $CO_2e$ /year, <sup>33</sup> we find that the Project's GHG emissions exceed the threshold (see table below).

SWAPE Annual Greenhouse Gas Emissions								
Project Phase	Proposed Project (MT CO₂e/year)							
Construction (amortized over 30 years)	34.85							
Area	0.01							
Energy	974.49							
Mobile	1,183.11							
Waste	47.71							
Water	42.52							
Total	2,282.69							
Threshold	1,100							
Exceed?	Yes							

21

<sup>33 &</sup>quot;California Environmental Quality Act Air Quality Guidelines." BAAQMD, May 2017, available at: <a href="http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa\_guidelines\_may2017-pdf.pdf?la=en">http://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa\_guidelines\_may2017-pdf.pdf?la=en</a>, p. 2-4.

As demonstrated in the table above, the proposed Project would generate a total of approximately 2,283 MT CO<sub>2</sub>e/year when modeled correctly, which exceeds the BAAQMD's 1,100 MT CO<sub>2</sub>e/year threshold. Hence, a Tier 4 analysis is warranted. According to CAPCOA's CEQA & Climate Change report, service population is defined as "the sum of the number of residents and the number of jobs supported by the project." Review of the IS demonstratres that the Project would result in no new residents and 78 new jobs (p. 1-4). Thus, the Project is estimated to have a service population of 78. When dividing the Project's GHG emissions by a service population value of 78 people, we find that the Project would emit approximately 29.3 MT CO<sub>2</sub>e/SP/year. This exceeds the BAAQMD 2030 substantial progress threshold of 2.6 MT CO<sub>2</sub>e/SP/year (see table below).

SWAPE Greenhouse Gas Emissions								
Project Phase	Proposed Project (MT CO₂e/year)							
Annual Emissions	2,282.69							
Service Population	78							
Service Population Efficiency	29.3							
Threshold	2.6							
Exceed?	Yes							

As the table above demonstrates, when correct input parameters are used to model Project emissions, the Project's total GHG emissions exceed the "Substantial Progress" efficiency threshold for 2030 of 2.6 MT CO<sub>2</sub>e/SP/year, thus resulting in a significant impact not previously assessed or identified in the IS. As a result, an updated GHG analysis should be prepared in a Project-specific EIR and additional mitigation should be incorporated into the Project.

SWAPE has received limited discovery regarding this project. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

<sup>&</sup>lt;sup>34</sup> CAPCOA (Jan. 2008) CEQA & Climate Change, p. 71-72, <a href="http://www.capcoa.org/wpcontent/uploads/2012/03/CAPCOA-White-Paper.pdf">http://www.capcoa.org/wpcontent/uploads/2012/03/CAPCOA-White-Paper.pdf</a>.

<sup>&</sup>lt;sup>35</sup> Calculated:  $(2,283 \text{ MT CO}_2\text{e/year}) / (78 \text{ service population}) = (29.3 \text{ MT CO}_2\text{e/SP/year}).$ 

Sincerely,

Matt Hagemann, P.G., C.Hg.

Paul Renfeld

m Hurn

Paul E. Rosenfeld, Ph.D.

CalEEMod Version: CalEEMod.2016.3.2 Page 1 of 42 Date: 1/16/2020 12:06 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

### De Anza Construction & Operation 2022 - HRA Mitigation Santa Clara County, Annual

### 1.0 Project Characteristics

### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	18.00	1000sqft	0.41	18,000.00	0
Hotel	156.00	Room	0.42	129,000.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2022
Utility Company	Pacific Gas & Electric Cor	mpany			
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

### 1.3 User Entered Comments & Non-Default Data

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Project Characteristics - See SWAPE comment about intensity factors.

Land Use - Consistent with IS's model. See SWAPE comment about parking lot and hotel land use sizes.

Construction Phase - Consistent with IS's model.

Off-road Equipment - No change. See SWAPE comment about equipment unit amounts.

Trips and VMT - Consistent with IS's model.

Demolition -

Grading - Consistent with IS's model. See SWAPE comment about grading.

Vehicle Trips - Consistent with IS's model.

Energy Use -

Water And Wastewater - See SWAPE comment about water use rates and wastewater treatment system percentages.

Solid Waste - See SWAPE comment about solid waste generation rates.

Land Use Change -

Construction Off-road Equipment Mitigation - See SWAPE comment about construction mitigation measures.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Date: 1/16/2020 12:06 PM

Page 3 of 42

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
		• •	
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstructionPhase	NumDays	10.00	20.00
tblConstructionPhase	NumDays	200.00	350.00
tblConstructionPhase	NumDays	20.00	10.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	2.00	5.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	MaterialExported	0.00	72,000.00
tblLandUse	LandUseSquareFeet	95,920.00	95,923.00
tblLandUse	LandUseSquareFeet	12,860.00	0.00
tblLandUse	LandUseSquareFeet	226,512.00	129,000.00
tblLandUse	LandUseSquareFeet	10,360.00	10,358.00
tblLandUse	LotAcreage	2.20	0.01
tblLandUse	LotAcreage	5.20	0.42
tblTripsAndVMT	HaulingTripNumber	64.00	79.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblVehicleTrips	DV_TP	38.00	0.00
tblVehicleTrips	PB_TP	4.00	0.00
tblVehicleTrips	PR_TP	58.00	100.00
tblVehicleTrips	ST_TR	8.19	10.64
tblVehicleTrips	ST_TR	94.36	0.00

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

tblVehicleTrips	SU_TR	5.95	10.64
tblVehicleTrips	SU_TR	72.16	0.00
tblVehicleTrips	WD_TR	8.17	10.64
tblVehicleTrips	WD_TR	89.95	0.00
tblWater	IndoorWaterUseRate	3,957,216.12	11,103,300.00

### 2.0 Emissions Summary

CalEEMod Version: CalEEMod.2016.3.2 Page 5 of 42 Date: 1/16/2020 12:06 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

### 2.1 Overall Construction <u>Unmitigated Construction</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr								МТ	/yr						
2020	0.1759	2.5658	1.1145	5.5400e- 003	0.2768	0.0591	0.3359	0.1153	0.0558	0.1711	0.0000	518.5810	518.5810	0.0449	0.0000	519.7039
2021	0.2970	2.3722	2.1497	5.3600e- 003	0.1458	0.0913	0.2370	0.0396	0.0881	0.1277	0.0000	469.7131	469.7131	0.0506	0.0000	470.9768
2022	0.7833	0.2583	0.2684	6.3000e- 004	0.0161	0.0101	0.0262	4.3700e- 003	9.7000e- 003	0.0141	0.0000	54.7272	54.7272	6.7700e- 003	0.0000	54.8964
Maximum	0.7833	2.5658	2.1497	5.5400e- 003	0.2768	0.0913	0.3359	0.1153	0.0881	0.1711	0.0000	518.5810	518.5810	0.0506	0.0000	519.7039

### **Mitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr									МТ	/yr					
2020	0.1759	2.5658	1.1145	5.5400e- 003	0.2768	0.0278	0.3046	0.1153	0.0266	0.1418	0.0000	518.5809	518.5809	0.0449	0.0000	519.7038
2021	0.2970	2.3722	2.1497	5.3600e- 003	0.1458	0.0633	0.2091	0.0396	0.0609	0.1005	0.0000	469.7128	469.7128	0.0506	0.0000	470.9765
2022	0.7833	0.2583	0.2684	6.3000e- 004	0.0161	6.3900e- 003	0.0225	4.3700e- 003	6.1600e- 003	0.0105	0.0000	54.7272	54.7272	6.7700e- 003	0.0000	54.8963
Maximum	0.7833	2.5658	2.1497	5.5400e- 003	0.2768	0.0633	0.3046	0.1153	0.0609	0.1418	0.0000	518.5809	518.5809	0.0506	0.0000	519.7038

Page 6 of 42

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Date: 1/16/2020 12:06 PM

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	39.22	10.50	0.00	39.02	19.16	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	8-3-2020	11-2-2020	3.6039	3.6039
2	11-3-2020	2-2-2021	0.7145	0.7145
3	2-3-2021	5-2-2021	0.6506	0.6506
4	5-3-2021	8-2-2021	0.6701	0.6701
5	8-3-2021	11-2-2021	0.6715	0.6715
6	11-3-2021	2-2-2022	0.6551	0.6551
7	2-3-2022	5-2-2022	0.7591	0.7591
		Highest	3.6039	3.6039

CalEEMod Version: CalEEMod.2016.3.2 Page 7 of 42 Date: 1/16/2020 12:06 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

### 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Area	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003	
Energy	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	969.8418	969.8418	0.0329	0.0128	974.4919	
Mobile	0.4132	1.8226	5.1890	0.0186	1.7360	0.0156	1.7516	0.4647	0.0146	0.4793	0.0000	1,702.092 8	1,702.092 8	0.0554	0.0000	1,703.478 1	
Waste						0.0000	0.0000		0.0000	0.0000	19.2557	0.0000	19.2557	1.1380	0.0000	47.7052	
Water	,					0.0000	0.0000		0.0000	0.0000	4.5202	23.0800	27.6002	0.4653	0.0112	42.5641	
Total	1.0826	2.2084	5.5157	0.0209	1.7360	0.0449	1.7809	0.4647	0.0439	0.5086	23.7759	2,695.019 8	2,718.795 7	1.6916	0.0240	2,768.245 0	

CalEEMod Version: CalEEMod.2016.3.2 Page 8 of 42 Date: 1/16/2020 12:06 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

### 2.2 Overall Operational

### **Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Area	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003	
Energy	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	969.8418	969.8418	0.0329	0.0128	974.4919	
Mobile	0.4132	1.8226	5.1890	0.0186	1.7360	0.0156	1.7516	0.4647	0.0146	0.4793	0.0000	1,702.092 8	1,702.092 8	0.0554	0.0000	1,703.478 1	
Waste	,					0.0000	0.0000		0.0000	0.0000	19.2557	0.0000	19.2557	1.1380	0.0000	47.7052	
Water	, : : :					0.0000	0.0000		0.0000	0.0000	4.5202	23.0800	27.6002	0.4653	0.0112	42.5641	
Total	1.0826	2.2084	5.5157	0.0209	1.7360	0.0449	1.7809	0.4647	0.0439	0.5086	23.7759	2,695.019 8	2,718.795 7	1.6916	0.0240	2,768.245 0	

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

### **Construction Phase**

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	8/3/2020	8/14/2020	5	10	
2	Site Preparation	Site Preparation	8/17/2020	8/21/2020	5	5	
3	Grading	Grading	8/24/2020	10/2/2020	5	30	
4	Grading Soil Haul	Grading	8/24/2020	10/2/2020	5	30	
5	Building Construction	Building Construction	10/5/2020	2/4/2022	5	350	
6	Paving	Paving	2/7/2022	2/18/2022	5	10	
7	Architectural Coating	Architectural Coating	2/21/2022	3/18/2022	5	20	

Acres of Grading (Site Preparation Phase): 2.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0.72

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 209,037; Non-Residential Outdoor: 69,679; Striped Parking Area: 6,835 (Architectural Coating – sqft)

OffRoad Equipment

Page 10 of 42

Date: 1/16/2020 12:06 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Graders	1	6.00	187	0.41
Grading	Rubber Tired Dozers	1	6.00	247	0.40
Grading	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Paving	Pavers	1	6.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48
Grading Soil Haul	Graders	1	6.00	187	0.41
Grading Soil Haul	Rubber Tired Dozers	1	6.00	247	0.40
Grading Soil Haul	Tractors/Loaders/Backhoes	1	7.00	97	0.37

## **Trips and VMT**

Page 11 of 42

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Date: 1/16/2020 12:06 PM

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	4.00	79.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	106.00	42.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading Soil Haul	3	8.00	0.00	9,000.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

## 3.1 Mitigation Measures Construction

Use DPF for Construction Equipment

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

#### 3.2 Demolition - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust			 		6.8900e- 003	0.0000	6.8900e- 003	1.0400e- 003	0.0000	1.0400e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0106	0.1047	0.0733	1.2000e- 004		5.7600e- 003	5.7600e- 003		5.3800e- 003	5.3800e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015
Total	0.0106	0.1047	0.0733	1.2000e- 004	6.8900e- 003	5.7600e- 003	0.0127	1.0400e- 003	5.3800e- 003	6.4200e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.2 Demolition - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	-/yr		
Hauling	3.3000e- 004	0.0115	2.3500e- 003	3.0000e- 005	6.7000e- 004	4.0000e- 005	7.1000e- 004	1.8000e- 004	4.0000e- 005	2.2000e- 004	0.0000	3.0127	3.0127	1.4000e- 004	0.0000	3.0161
Vendor	8.0000e- 005	2.2800e- 003	6.1000e- 004	1.0000e- 005	1.3000e- 004	1.0000e- 005	1.4000e- 004	4.0000e- 005	1.0000e- 005	5.0000e- 005	0.0000	0.5229	0.5229	2.0000e- 005	0.0000	0.5235
Worker	2.2000e- 004	1.6000e- 004	1.6300e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4421	0.4421	1.0000e- 005	0.0000	0.4424
Total	6.3000e- 004	0.0139	4.5900e- 003	4.0000e- 005	1.3200e- 003	5.0000e- 005	1.3700e- 003	3.6000e- 004	5.0000e- 005	4.1000e- 004	0.0000	3.9777	3.9777	1.7000e- 004	0.0000	3.9820

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	! !				6.8900e- 003	0.0000	6.8900e- 003	1.0400e- 003	0.0000	1.0400e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0106	0.1047	0.0733	1.2000e- 004		1.7100e- 003	1.7100e- 003		1.6500e- 003	1.6500e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015
Total	0.0106	0.1047	0.0733	1.2000e- 004	6.8900e- 003	1.7100e- 003	8.6000e- 003	1.0400e- 003	1.6500e- 003	2.6900e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.2 Demolition - 2020

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	3.3000e- 004	0.0115	2.3500e- 003	3.0000e- 005	6.7000e- 004	4.0000e- 005	7.1000e- 004	1.8000e- 004	4.0000e- 005	2.2000e- 004	0.0000	3.0127	3.0127	1.4000e- 004	0.0000	3.0161
Vendor	8.0000e- 005	2.2800e- 003	6.1000e- 004	1.0000e- 005	1.3000e- 004	1.0000e- 005	1.4000e- 004	4.0000e- 005	1.0000e- 005	5.0000e- 005	0.0000	0.5229	0.5229	2.0000e- 005	0.0000	0.5235
Worker	2.2000e- 004	1.6000e- 004	1.6300e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4421	0.4421	1.0000e- 005	0.0000	0.4424
Total	6.3000e- 004	0.0139	4.5900e- 003	4.0000e- 005	1.3200e- 003	5.0000e- 005	1.3700e- 003	3.6000e- 004	5.0000e- 005	4.1000e- 004	0.0000	3.9777	3.9777	1.7000e- 004	0.0000	3.9820

## 3.3 Site Preparation - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0145	0.0000	0.0145	7.3800e- 003	0.0000	7.3800e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.0700e- 003	0.0459	0.0193	4.0000e- 005		2.0500e- 003	2.0500e- 003	1 1 1	1.8900e- 003	1.8900e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122
Total	4.0700e- 003	0.0459	0.0193	4.0000e- 005	0.0145	2.0500e- 003	0.0166	7.3800e- 003	1.8900e- 003	9.2700e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.3 Site Preparation - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e- 005	1.1400e- 003	3.0000e- 004	0.0000	7.0000e- 005	1.0000e- 005	7.0000e- 005	2.0000e- 005	1.0000e- 005	2.0000e- 005	0.0000	0.2614	0.2614	1.0000e- 005	0.0000	0.2617
Worker	7.0000e- 005	5.0000e- 005	5.0000e- 004	0.0000	1.6000e- 004	0.0000	1.6000e- 004	4.0000e- 005	0.0000	4.0000e- 005	0.0000	0.1360	0.1360	0.0000	0.0000	0.1361
Total	1.1000e- 004	1.1900e- 003	8.0000e- 004	0.0000	2.3000e- 004	1.0000e- 005	2.3000e- 004	6.0000e- 005	1.0000e- 005	6.0000e- 005	0.0000	0.3975	0.3975	1.0000e- 005	0.0000	0.3979

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0145	0.0000	0.0145	7.3800e- 003	0.0000	7.3800e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	4.0700e- 003	0.0459	0.0193	4.0000e- 005		3.1000e- 004	3.1000e- 004		2.8000e- 004	2.8000e- 004	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122
Total	4.0700e- 003	0.0459	0.0193	4.0000e- 005	0.0145	3.1000e- 004	0.0148	7.3800e- 003	2.8000e- 004	7.6600e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e- 005	1.1400e- 003	3.0000e- 004	0.0000	7.0000e- 005	1.0000e- 005	7.0000e- 005	2.0000e- 005	1.0000e- 005	2.0000e- 005	0.0000	0.2614	0.2614	1.0000e- 005	0.0000	0.2617
Worker	7.0000e- 005	5.0000e- 005	5.0000e- 004	0.0000	1.6000e- 004	0.0000	1.6000e- 004	4.0000e- 005	0.0000	4.0000e- 005	0.0000	0.1360	0.1360	0.0000	0.0000	0.1361
Total	1.1000e- 004	1.1900e- 003	8.0000e- 004	0.0000	2.3000e- 004	1.0000e- 005	2.3000e- 004	6.0000e- 005	1.0000e- 005	6.0000e- 005	0.0000	0.3975	0.3975	1.0000e- 005	0.0000	0.3979

## 3.4 Grading - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0678	0.0000	0.0678	0.0372	0.0000	0.0372	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		0.0103	0.0103		9.4400e- 003	9.4400e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0678	0.0103	0.0780	0.0372	9.4400e- 003	0.0467	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.4 Grading - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e- 004	6.8300e- 003	1.8200e- 003	2.0000e- 005	3.9000e- 004	3.0000e- 005	4.3000e- 004	1.1000e- 004	3.0000e- 005	1.5000e- 004	0.0000	1.5687	1.5687	7.0000e- 005	0.0000	1.5705
Worker	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	6.4000e- 004	7.1200e- 003	4.8200e- 003	3.0000e- 005	1.3400e- 003	4.0000e- 005	1.3900e- 003	3.6000e- 004	4.0000e- 005	4.1000e- 004	0.0000	2.3848	2.3848	9.0000e- 005	0.0000	2.3871

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0678	0.0000	0.0678	0.0372	0.0000	0.0372	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		1.5400e- 003	1.5400e- 003		1.4200e- 003	1.4200e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0678	1.5400e- 003	0.0693	0.0372	1.4200e- 003	0.0387	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e- 004	6.8300e- 003	1.8200e- 003	2.0000e- 005	3.9000e- 004	3.0000e- 005	4.3000e- 004	1.1000e- 004	3.0000e- 005	1.5000e- 004	0.0000	1.5687	1.5687	7.0000e- 005	0.0000	1.5705
Worker	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	6.4000e- 004	7.1200e- 003	4.8200e- 003	3.0000e- 005	1.3400e- 003	4.0000e- 005	1.3900e- 003	3.6000e- 004	4.0000e- 005	4.1000e- 004	0.0000	2.3848	2.3848	9.0000e- 005	0.0000	2.3871

## 3.5 Grading Soil Haul - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	11 11 11				0.0718	0.0000	0.0718	0.0379	0.0000	0.0379	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		0.0103	0.0103		9.4400e- 003	9.4400e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0718	0.0103	0.0821	0.0379	9.4400e- 003	0.0473	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.5 Grading Soil Haul - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0374	1.3058	0.2674	3.5500e- 003	0.0763	4.2400e- 003	0.0805	0.0210	4.0600e- 003	0.0250	0.0000	343.2186	343.2186	0.0157	0.0000	343.6111
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	0.0378	1.3061	0.2704	3.5600e- 003	0.0772	4.2500e- 003	0.0815	0.0212	4.0700e- 003	0.0253	0.0000	344.0348	344.0348	0.0157	0.0000	344.4278

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0718	0.0000	0.0718	0.0379	0.0000	0.0379	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		1.5400e- 003	1.5400e- 003		1.4200e- 003	1.4200e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0718	1.5400e- 003	0.0734	0.0379	1.4200e- 003	0.0393	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.5 Grading Soil Haul - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0374	1.3058	0.2674	3.5500e- 003	0.0763	4.2400e- 003	0.0805	0.0210	4.0600e- 003	0.0250	0.0000	343.2186	343.2186	0.0157	0.0000	343.6111
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	0.0378	1.3061	0.2704	3.5600e- 003	0.0772	4.2500e- 003	0.0815	0.0212	4.0700e- 003	0.0253	0.0000	344.0348	344.0348	0.0157	0.0000	344.4278

# 3.6 Building Construction - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0650	0.4732	0.4220	7.1000e- 004		0.0255	0.0255		0.0246	0.0246	0.0000	58.0935	58.0935	0.0108	0.0000	58.3631
Total	0.0650	0.4732	0.4220	7.1000e- 004		0.0255	0.0255		0.0246	0.0246	0.0000	58.0935	58.0935	0.0108	0.0000	58.3631

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 3.6 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	5.3300e- 003	0.1530	0.0408	3.7000e- 004	8.8400e- 003	7.6000e- 004	9.6000e- 003	2.5600e- 003	7.3000e- 004	3.2800e- 003	0.0000	35.1379	35.1379	1.6100e- 003	0.0000	35.1782
Worker	0.0113	8.1000e- 003	0.0849	2.6000e- 004	0.0269	1.7000e- 004	0.0271	7.1500e- 003	1.6000e- 004	7.3100e- 003	0.0000	23.0707	23.0707	5.7000e- 004	0.0000	23.0848
Total	0.0166	0.1611	0.1257	6.3000e- 004	0.0357	9.3000e- 004	0.0367	9.7100e- 003	8.9000e- 004	0.0106	0.0000	58.2086	58.2086	2.1800e- 003	0.0000	58.2630

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0650	0.4732	0.4220	7.1000e- 004		0.0174	0.0174		0.0168	0.0168	0.0000	58.0934	58.0934	0.0108	0.0000	58.3630
Total	0.0650	0.4732	0.4220	7.1000e- 004		0.0174	0.0174		0.0168	0.0168	0.0000	58.0934	58.0934	0.0108	0.0000	58.3630

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 3.6 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.3300e- 003	0.1530	0.0408	3.7000e- 004	8.8400e- 003	7.6000e- 004	9.6000e- 003	2.5600e- 003	7.3000e- 004	3.2800e- 003	0.0000	35.1379	35.1379	1.6100e- 003	0.0000	35.1782
Worker	0.0113	8.1000e- 003	0.0849	2.6000e- 004	0.0269	1.7000e- 004	0.0271	7.1500e- 003	1.6000e- 004	7.3100e- 003	0.0000	23.0707	23.0707	5.7000e- 004	0.0000	23.0848
Total	0.0166	0.1611	0.1257	6.3000e- 004	0.0357	9.3000e- 004	0.0367	9.7100e- 003	8.9000e- 004	0.0106	0.0000	58.2086	58.2086	2.1800e- 003	0.0000	58.2630

## 3.6 Building Construction - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.2365	1.7795	1.6834	2.8800e- 003		0.0893	0.0893		0.0862	0.0862	0.0000	236.9197	236.9197	0.0423	0.0000	237.9771
Total	0.2365	1.7795	1.6834	2.8800e- 003		0.0893	0.0893		0.0862	0.0862	0.0000	236.9197	236.9197	0.0423	0.0000	237.9771

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.6 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0179	0.5632	0.1499	1.4800e- 003	0.0361	1.2500e- 003	0.0373	0.0104	1.1900e- 003	0.0116	0.0000	141.9740	141.9740	6.1900e- 003	0.0000	142.1287
Worker	0.0426	0.0295	0.3164	1.0000e- 003	0.1097	6.9000e- 004	0.1104	0.0292	6.4000e- 004	0.0298	0.0000	90.8194	90.8194	2.0700e- 003	0.0000	90.8711
Total	0.0605	0.5927	0.4664	2.4800e- 003	0.1458	1.9400e- 003	0.1477	0.0396	1.8300e- 003	0.0414	0.0000	232.7934	232.7934	8.2600e- 003	0.0000	232.9998

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.2365	1.7795	1.6834	2.8800e- 003		0.0614	0.0614		0.0591	0.0591	0.0000	236.9194	236.9194	0.0423	0.0000	237.9768
Total	0.2365	1.7795	1.6834	2.8800e- 003	·	0.0614	0.0614		0.0591	0.0591	0.0000	236.9194	236.9194	0.0423	0.0000	237.9768

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 3.6 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0179	0.5632	0.1499	1.4800e- 003	0.0361	1.2500e- 003	0.0373	0.0104	1.1900e- 003	0.0116	0.0000	141.9740	141.9740	6.1900e- 003	0.0000	142.1287
Worker	0.0426	0.0295	0.3164	1.0000e- 003	0.1097	6.9000e- 004	0.1104	0.0292	6.4000e- 004	0.0298	0.0000	90.8194	90.8194	2.0700e- 003	0.0000	90.8711
Total	0.0605	0.5927	0.4664	2.4800e- 003	0.1458	1.9400e- 003	0.1477	0.0396	1.8300e- 003	0.0414	0.0000	232.7934	232.7934	8.2600e- 003	0.0000	232.9998

# 3.6 Building Construction - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0206	0.1563	0.1591	2.8000e- 004		7.3600e- 003	7.3600e- 003		7.1100e- 003	7.1100e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959
Total	0.0206	0.1563	0.1591	2.8000e- 004		7.3600e- 003	7.3600e- 003		7.1100e- 003	7.1100e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959

CalEEMod Version: CalEEMod.2016.3.2 Page 24 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 3.6 Building Construction - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	1.6000e- 003	0.0510	0.0135	1.4000e- 004	3.4500e- 003	1.0000e- 004	3.5600e- 003	1.0000e- 003	1.0000e- 004	1.1000e- 003	0.0000	13.4689	13.4689	5.7000e- 004	0.0000	13.4831
1	3.8100e- 003	2.5400e- 003	0.0279	9.0000e- 005	0.0105	6.0000e- 005	0.0106	2.7900e- 003	6.0000e- 005	2.8500e- 003	0.0000	8.3832	8.3832	1.8000e- 004	0.0000	8.3876
Total	5.4100e- 003	0.0535	0.0414	2.3000e- 004	0.0140	1.6000e- 004	0.0141	3.7900e- 003	1.6000e- 004	3.9500e- 003	0.0000	21.8521	21.8521	7.5000e- 004	0.0000	21.8707

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0206	0.1563	0.1591	2.8000e- 004		5.0800e- 003	5.0800e- 003		4.8900e- 003	4.8900e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959
Total	0.0206	0.1563	0.1591	2.8000e- 004		5.0800e- 003	5.0800e- 003		4.8900e- 003	4.8900e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.6 Building Construction - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.6000e- 003	0.0510	0.0135	1.4000e- 004	3.4500e- 003	1.0000e- 004	3.5600e- 003	1.0000e- 003	1.0000e- 004	1.1000e- 003	0.0000	13.4689	13.4689	5.7000e- 004	0.0000	13.4831
Worker	3.8100e- 003	2.5400e- 003	0.0279	9.0000e- 005	0.0105	6.0000e- 005	0.0106	2.7900e- 003	6.0000e- 005	2.8500e- 003	0.0000	8.3832	8.3832	1.8000e- 004	0.0000	8.3876
Total	5.4100e- 003	0.0535	0.0414	2.3000e- 004	0.0140	1.6000e- 004	0.0141	3.7900e- 003	1.6000e- 004	3.9500e- 003	0.0000	21.8521	21.8521	7.5000e- 004	0.0000	21.8707

# 3.7 Paving - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	3.4400e- 003	0.0339	0.0440	7.0000e- 005		1.7400e- 003	1.7400e- 003		1.6000e- 003	1.6000e- 003	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9315
,	5.4000e- 004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	3.9800e- 003	0.0339	0.0440	7.0000e- 005		1.7400e- 003	1.7400e- 003		1.6000e- 003	1.6000e- 003	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9315

CalEEMod Version: CalEEMod.2016.3.2 Page 26 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.7 Paving - 2022

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115
Total	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	√yr		
1 :	3.4400e- 003	0.0339	0.0440	7.0000e- 005		3.1000e- 004	3.1000e- 004		2.9000e- 004	2.9000e- 004	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9314
ı	5.4000e- 004		 			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	3.9800e- 003	0.0339	0.0440	7.0000e- 005		3.1000e- 004	3.1000e- 004		2.9000e- 004	2.9000e- 004	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9314

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.7 Paving - 2022 <u>Mitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115
Total	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115

# 3.8 Architectural Coating - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	0.7504					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0500e- 003	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004	1 1 1	8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574
Total	0.7525	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004		8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574

CalEEMod Version: CalEEMod.2016.3.2 Page 28 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 3.8 Architectural Coating - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294
Total	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	0.7504					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0500e- 003	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004	1 1 1	8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574
Total	0.7525	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004		8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574

CalEEMod Version: CalEEMod.2016.3.2 Page 29 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

3.8 Architectural Coating - 2022 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294
Total	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294

# 4.0 Operational Detail - Mobile

# **4.1 Mitigation Measures Mobile**

CalEEMod Version: CalEEMod.2016.3.2 Page 30 of 42 Date: 1/16/2020 12:06 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	0.4132	1.8226	5.1890	0.0186	1.7360	0.0156	1.7516	0.4647	0.0146	0.4793	0.0000	1,702.092 8	1,702.092 8	0.0554	0.0000	1,703.478 1
Unmitigated	0.4132	1.8226	5.1890	0.0186	1.7360	0.0156	1.7516	0.4647	0.0146	0.4793	0.0000	1,702.092 8	1,702.092 8	0.0554	0.0000	1,703.478 1

# **4.2 Trip Summary Information**

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Hotel	1,659.84	1,659.84	1659.84	4,668,392	4,668,392
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Quality Restaurant	0.00	0.00	0.00		
Total	1,659.84	1,659.84	1,659.84	4,668,392	4,668,392

# **4.3 Trip Type Information**

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Hotel	9.50	7.30	7.30	19.40	61.60	19.00	100	0	0
Other Non-Asphalt Surfaces	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Quality Restaurant	9.50	7.30	7.30	12.00	69.00	19.00	38	18	44

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Enclosed Parking with Elevator	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Hotel	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Other Non-Asphalt Surfaces	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Parking Lot	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Quality Restaurant	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740

# 5.0 Energy Detail

Historical Energy Use: N

# **5.1 Mitigation Measures Energy**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	549.9107	549.9107	0.0249	5.1400e- 003	552.0654
Electricity Unmitigated	F)         					0.0000	0.0000		0.0000	0.0000	0.0000	549.9107	549.9107	0.0249	5.1400e- 003	552.0654
NaturalGas Mitigated	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293	       	0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265
	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293	r : : :	0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265

CalEEMod Version: CalEEMod.2016.3.2 Page 32 of 42 Date: 1/16/2020 12:06 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	5.71599e +006	0.0308	0.2802	0.2354	1.6800e- 003		0.0213	0.0213		0.0213	0.0213	0.0000	305.0270	305.0270	5.8500e- 003	5.5900e- 003	306.8396
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	2.15322e +006	0.0116	0.1056	0.0887	6.3000e- 004		8.0200e- 003	8.0200e- 003		8.0200e- 003	8.0200e- 003	0.0000	114.9041	114.9041	2.2000e- 003	2.1100e- 003	115.5869
Total		0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265

CalEEMod Version: CalEEMod.2016.3.2 Page 33 of 42 Date: 1/16/2020 12:06 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# **5.2 Energy by Land Use - NaturalGas**

## **Mitigated**

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	5.71599e +006	0.0308	0.2802	0.2354	1.6800e- 003		0.0213	0.0213		0.0213	0.0213	0.0000	305.0270	305.0270	5.8500e- 003	5.5900e- 003	306.8396
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	2.15322e +006	0.0116	0.1056	0.0887	6.3000e- 004		8.0200e- 003	8.0200e- 003		8.0200e- 003	8.0200e- 003	0.0000	114.9041	114.9041	2.2000e- 003	2.1100e- 003	115.5869
Total		0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	-/yr	
Enclosed Parking with Elevator	562109	163.5239	7.3900e- 003	1.5300e- 003	164.1646
Hotel	982980	285.9602	0.0129	2.6800e- 003	287.0806
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	6300	1.8327	8.0000e- 005	2.0000e- 005	1.8399
Quality Restaurant	338914	98.5939	4.4600e- 003	9.2000e- 004	98.9802
Total		549.9107	0.0249	5.1500e- 003	552.0654

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 5.3 Energy by Land Use - Electricity Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	-/yr	
Enclosed Parking with Elevator	562109	163.5239	7.3900e- 003	1.5300e- 003	164.1646
Hotel	982980	285.9602	0.0129	2.6800e- 003	287.0806
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	6300	1.8327	8.0000e- 005	2.0000e- 005	1.8399
Quality Restaurant	338914	98.5939	4.4600e- 003	9.2000e- 004	98.9802
Total		549.9107	0.0249	5.1500e- 003	552.0654

## 6.0 Area Detail

# **6.1 Mitigation Measures Area**

CalEEMod Version: CalEEMod.2016.3.2 Page 36 of 42 Date: 1/16/2020 12:06 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	-/yr		
Mitigated	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Unmitigated	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003

# 6.2 Area by SubCategory

## <u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr					MT/yr										
Architectural Coating	0.0750					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.5516					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	2.5000e- 004	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Total	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003

CalEEMod Version: CalEEMod.2016.3.2 Page 37 of 42 Date: 1/16/2020 12:06 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 6.2 Area by SubCategory

#### **Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr					MT/yr										
Architectural Coating	0.0750					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.5516			   		0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	2.5000e- 004	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005	1   	1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Total	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003

## 7.0 Water Detail

# 7.1 Mitigation Measures Water

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

	Total CO2	CH4	N2O	CO2e		
Category	MT/yr					
gatou	27.6002	0.4653	0.0112	42.5641		
Jgatou	27.6002	0.4653	0.0112	42.5641		

# 7.2 Water by Land Use <u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e	
Land Use	Mgal	MT/yr				
Enclosed Parking with Elevator	0/0	0.0000	0.0000	0.0000	0.0000	
Hotel	11.1033 / 0.439691	21.4482	0.3626	8.7100e- 003	33.1093	
Other Non- Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000	
Parking Lot	0/0	0.0000	0.0000	0.0000	0.0000	
Quality Restaurant	3.14461 / 0.20072	6.1520	0.1027	2.4700e- 003	9.4549	
Total		27.6002	0.4653	0.0112	42.5642	

CalEEMod Version: CalEEMod.2016.3.2 Page 39 of 42 Date: 1/16/2020 12:06 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# 7.2 Water by Land Use

#### **Mitigated**

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e	
Land Use	Mgal	MT/yr				
Enclosed Parking with Elevator	0/0	0.0000	0.0000	0.0000	0.0000	
Hotel	11.1033 / 0.439691	21.4482	0.3626	8.7100e- 003	33.1093	
Other Non- Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000	
Parking Lot	0/0	0.0000	0.0000	0.0000	0.0000	
Quality Restaurant	3.14461 / 0.20072	6.1520	0.1027	2.4700e- 003	9.4549	
Total		27.6002	0.4653	0.0112	42.5642	

## 8.0 Waste Detail

# 8.1 Mitigation Measures Waste

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

# Category/Year

	Total CO2	CH4	N2O	CO2e			
	MT/yr						
gatea	19.2557	1.1380	0.0000	47.7052			
Jgatea	19.2557	1.1380	0.0000	47.7052			

# 8.2 Waste by Land Use <u>Unmitigated</u>

	Waste Disposed	Total CO2	CH4	N2O	CO2e	
Land Use	tons	MT/yr				
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000	
Hotel	85.41	17.3375	1.0246	0.0000	42.9528	
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000	
Parking Lot	0	0.0000	0.0000	0.0000	0.0000	
Quality Restaurant	9.45	1.9183	0.1134	0.0000	4.7524	
Total		19.2557	1.1380	0.0000	47.7052	

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

Date: 1/16/2020 12:06 PM

## 8.2 Waste by Land Use

#### **Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e		
Land Use	tons	MT/yr					
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		
Hotel	85.41	17.3375	1.0246	0.0000	42.9528		
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		
Quality Restaurant	9.45	1.9183	0.1134	0.0000	4.7524		
Total		19.2557	1.1380	0.0000	47.7052		

# 9.0 Operational Offroad

Equipment Type Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
-----------------------	-----------	-----------	-------------	-------------	-----------

# 10.0 Stationary Equipment

## **Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

#### **Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

CalEEMod Version: CalEEMod.2016.3.2 Page 42 of 42 Date: 1/16/2020 12:06 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Annual

## **User Defined Equipment**

Equipment Type	Number
----------------	--------

# 11.0 Vegetation

CalEEMod Version: CalEEMod.2016.3.2 Page 1 of 35 Date: 1/16/2020 12:07 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# De Anza Construction & Operation 2022 - HRA Mitigation Santa Clara County, Winter

## 1.0 Project Characteristics

#### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	18.00	1000sqft	0.41	18,000.00	0
Hotel	156.00	Room	0.42	129,000.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2022
Utility Company	Pacific Gas & Elec	tric Company			
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

#### 1.3 User Entered Comments & Non-Default Data

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

Project Characteristics - See SWAPE comment about intensity factors.

Land Use - Consistent with IS's model. See SWAPE comment about parking lot and hotel land use sizes.

Construction Phase - Consistent with IS's model.

Off-road Equipment - No change. See SWAPE comment about equipment unit amounts.

Trips and VMT - Consistent with IS's model.

Demolition -

Grading - Consistent with IS's model. See SWAPE comment about grading.

Vehicle Trips - Consistent with IS's model.

Energy Use -

Water And Wastewater - See SWAPE comment about water use rates and wastewater treatment system percentages.

Solid Waste - See SWAPE comment about solid waste generation rates.

Land Use Change -

Construction Off-road Equipment Mitigation - See SWAPE comment about construction mitigation measures.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

Date: 1/16/2020 12:07 PM

Page 3 of 35

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstructionPhase	NumDays	10.00	20.00
tblConstructionPhase	NumDays	200.00	350.00
tblConstructionPhase	NumDays	20.00	10.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	2.00	5.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	MaterialExported	0.00	72,000.00
tblLandUse	LandUseSquareFeet	95,920.00	95,923.00
tblLandUse	LandUseSquareFeet	12,860.00	0.00
tblLandUse	LandUseSquareFeet	226,512.00	129,000.00
tblLandUse	LandUseSquareFeet	10,360.00	10,358.00
tblLandUse	LotAcreage	2.20	0.01
tblLandUse	LotAcreage	5.20	0.42
tblTripsAndVMT	HaulingTripNumber	64.00	79.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblVehicleTrips	DV_TP	38.00	0.00
tblVehicleTrips	PB_TP	4.00	0.00
tblVehicleTrips	PR_TP	58.00	100.00
tblVehicleTrips	ST_TR	8.19	10.64
tblVehicleTrips	ST_TR	94.36	0.00

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

tblVehicleTrips	SU_TR	5.95	10.64
tblVehicleTrips	SU_TR	72.16	0.00
tblVehicleTrips	WD_TR	8.17	10.64
tblVehicleTrips	WD_TR	89.95	0.00
tblWater	IndoorWaterUseRate	3,957,216.12	11,103,300.00

# 2.0 Emissions Summary

CalEEMod Version: CalEEMod.2016.3.2 Page 5 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

#### 2.1 Overall Construction (Maximum Daily Emission)

#### **Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/e	day							lb/d	lay		
2020	5.3075	118.0569	32.0336	0.2645	14.7060	1.6574	16.3634	6.4861	1.5353	8.0214	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15
2021	2.3181	18.1908	16.5975	0.0408	1.1551	0.6994	1.8545	0.3128	0.6750	0.9878	0.0000	3,940.210 2	3,940.210 2	0.4291	0.0000	3,950.937 8
2022	75.3144	16.7953	16.1502	0.0404	1.1551	0.6025	1.7577	0.3128	0.5817	0.8946	0.0000	3,901.599 8	3,901.599 8	0.4162	0.0000	3,912.003 6
Maximum	75.3144	118.0569	32.0336	0.2645	14.7060	1.6574	16.3634	6.4861	1.5353	8.0214	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15

# **Mitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	day		
2020	5.3075	118.0569	32.0336	0.2645	14.7060	0.5736	15.1999	6.4861	0.5518	6.9510	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15
2021	2.3181	18.1908	16.5975	0.0408	1.1551	0.4855	1.6407	0.3128	0.4669	0.7797	0.0000	3,940.210 2	3,940.210 2	0.4291	0.0000	3,950.937 8
2022	75.3144	16.7953	16.1502	0.0404	1.1551	0.4202	1.5754	0.3128	0.4040	0.7168	0.0000	3,901.599 8	3,901.599 8	0.4162	0.0000	3,912.003 6
Maximum	75.3144	118.0569	32.0336	0.2645	14.7060	0.5736	15.1999	6.4861	0.5518	6.9510	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	50.01	7.81	0.00	49.05	14.70	0.00	0.00	0.00	0.00	0.00	0.00

CalEEMod Version: CalEEMod.2016.3.2 Page 7 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	2.2571	10.2404	29.4968	0.1010	9.8751	0.0862	9.9613	2.6359	0.0805	2.7164		10,194.29 14	10,194.29 14	0.3421		10,202.84 36
Total	5.9262	12.3543	31.3022	0.1137	9.8751	0.2469	10.1220	2.6359	0.2413	2.8772		12,730.76 52	12,730.76 52	0.3909	0.0465	12,754.39 43

### **Mitigated Operational**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	2.2571	10.2404	29.4968	0.1010	9.8751	0.0862	9.9613	2.6359	0.0805	2.7164		10,194.29 14	10,194.29 14	0.3421		10,202.84 36
Total	5.9262	12.3543	31.3022	0.1137	9.8751	0.2469	10.1220	2.6359	0.2413	2.8772		12,730.76 52	12,730.76 52	0.3909	0.0465	12,754.39 43

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

#### 3.0 Construction Detail

#### **Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	8/3/2020	8/14/2020	5	10	
2	Site Preparation	Site Preparation	8/17/2020	8/21/2020	5	5	
3	Grading	Grading	8/24/2020	10/2/2020	5	30	
4	Grading Soil Haul	Grading	8/24/2020	10/2/2020	5	30	
5	Building Construction	Building Construction	10/5/2020	2/4/2022	5	350	
6	Paving	Paving	2/7/2022	2/18/2022	5	10	
7	Architectural Coating	Architectural Coating	2/21/2022	3/18/2022	5	20	

Acres of Grading (Site Preparation Phase): 2.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0.72

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 209,037; Non-Residential Outdoor: 69,679; Striped Parking Area: 6,835 (Architectural Coating – sqft)

**OffRoad Equipment** 

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

Date: 1/16/2020 12:07 PM

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	   1	8.00	187	0.41
Site Preparation	Rubber Tired Dozers	   1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	   1	8.00	97	0.37
Grading	Graders	1	6.00	187	0.41
Grading	Rubber Tired Dozers	1	6.00	247	0.40
Grading	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	   1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	   1	6.00	9	0.56
Paving	Pavers	   1	6.00	130	0.42
Paving	Paving Equipment	   1	8.00	132	0.36
Paving	Rollers	   1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	   1	8.00	97	0.37
Architectural Coating	Air Compressors	<u> </u> 1	6.00	78	0.48
Grading Soil Haul	Graders	! 1	6.00	187	0.41
Grading Soil Haul	Rubber Tired Dozers	   1	6.00	247	0.40
Grading Soil Haul	Tractors/Loaders/Backhoes	<del></del> 1	7.00	97	0.37

#### **Trips and VMT**

Page 10 of 35

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

Date: 1/16/2020 12:07 PM

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	4.00	79.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	106.00	42.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading Soil Haul	3	8.00	0.00	9,000.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

#### **3.1 Mitigation Measures Construction**

Use DPF for Construction Equipment

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

#### 3.2 Demolition - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		1.1525	1.1525		1.0761	1.0761		2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	1.1525	2.5306	0.2087	1.0761	1.2848		2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.2 Demolition - 2020
Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0667	2.3013	0.4895	6.1600e- 003	0.1381	7.5200e- 003	0.1456	0.0378	7.1900e- 003	0.0450		657.6093	657.6093	0.0312		658.3887
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0481	0.0339	0.3313	9.7000e- 004	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		96.2606	96.2606	2.3900e- 003		96.3203
Total	0.1311	2.7902	0.9506	8.2000e- 003	0.2719	0.0105	0.2824	0.0740	9.9800e- 003	0.0839		867.4316	867.4316	0.0391		868.4082

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		0.3413	0.3413		0.3298	0.3298	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	0.3413	1.7194	0.2087	0.3298	0.5385	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.2 Demolition - 2020 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0667	2.3013	0.4895	6.1600e- 003	0.1381	7.5200e- 003	0.1456	0.0378	7.1900e- 003	0.0450		657.6093	657.6093	0.0312		658.3887
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003	       	113.6993
Worker	0.0481	0.0339	0.3313	9.7000e- 004	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		96.2606	96.2606	2.3900e- 003	       	96.3203
Total	0.1311	2.7902	0.9506	8.2000e- 003	0.2719	0.0105	0.2824	0.0740	9.9800e- 003	0.0839		867.4316	867.4316	0.0391		868.4082

# 3.3 Site Preparation - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172		0.8210	0.8210		0.7553	0.7553		1,667.4119	1,667.4119	0.5393		1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.8210	6.6205	2.9537	0.7553	3.7090		1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.3 Site Preparation - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172	       	0.1231	0.1231		0.1133	0.1133	0.0000	1,667.4119	1,667.4119	0.5393		1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.1231	5.9227	2.9537	0.1133	3.0670	0.0000	1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

#### 3.4 Grading - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.6844	5.2009	2.4827	0.6296	3.1123		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.4 Grading - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.1027	0.1027		0.0944	0.0944	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.1027	4.6192	2.4827	0.0944	2.5771	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

#### 3.5 Grading Soil Haul - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141	     	0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417	     	1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.6844	5.4724	2.5238	0.6296	3.1534		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.5 Grading Soil Haul - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	2.5324	87.3895	18.5875	0.2341	5.2430	0.2855	5.5285	1.4370	0.2731	1.7101		24,972.50 60	24,972.50 60	1.1839		25,002.10 25
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	     	0.0000
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003	     	59.2740
Total	2.5620	87.4103	18.7914	0.2347	5.3087	0.2859	5.5946	1.4544	0.2735	1.7279		25,031.74 33	25,031.74 33	1.1853		25,061.37 65

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.1027	0.1027	 	0.0944	0.0944	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.1027	4.8906	2.5238	0.0944	2.6182	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.5 Grading Soil Haul - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	2.5324	87.3895	18.5875	0.2341	5.2430	0.2855	5.5285	1.4370	0.2731	1.7101		24,972.50 60	24,972.50 60	1.1839		25,002.10 25
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	2.5620	87.4103	18.7914	0.2347	5.3087	0.2859	5.5946	1.4544	0.2735	1.7279		25,031.74 33	25,031.74 33	1.1853		25,061.37 65

# 3.6 Building Construction - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.6 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1717	4.7777	1.3629	0.0113	0.2844	0.0239	0.3083	0.0819	0.0229	0.1047		1,192.397 2	1,192.397 2	0.0578		1,193.842 3
Worker	0.3919	0.2764	2.7014	7.8800e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		784.8941	784.8941	0.0195		785.3806
Total	0.5636	5.0540	4.0642	0.0192	1.1551	0.0293	1.1845	0.3128	0.0279	0.3407		1,977.291 3	1,977.291 3	0.0773		1,979.222 9

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.5443	0.5443		0.5240	0.5240	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.5443	0.5443		0.5240	0.5240	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.6 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1717	4.7777	1.3629	0.0113	0.2844	0.0239	0.3083	0.0819	0.0229	0.1047		1,192.397 2	1,192.397 2	0.0578		1,193.842 3
Worker	0.3919	0.2764	2.7014	7.8800e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		784.8941	784.8941	0.0195		785.3806
Total	0.5636	5.0540	4.0642	0.0192	1.1551	0.0293	1.1845	0.3128	0.0279	0.3407		1,977.291 3	1,977.291 3	0.0773		1,979.222 9

#### 3.6 Building Construction - 2021

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.6 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1419	4.3078	1.2321	0.0112	0.2844	9.7500e- 003	0.2941	0.0819	9.3200e- 003	0.0912		1,181.336 0	1,181.336 0	0.0544		1,182.697 1
Worker	0.3637	0.2470	2.4660	7.6000e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		757.6542	757.6542	0.0174		758.0891
Total	0.5056	4.5547	3.6982	0.0188	1.1551	0.0150	1.1702	0.3128	0.0142	0.3270		1,938.990 2	1,938.990 2	0.0718		1,940.786 1

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.8125	13.6361	12.8994	0.0221		0.4705	0.4705		0.4527	0.4527	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.4705	0.4705		0.4527	0.4527	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.6 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1419	4.3078	1.2321	0.0112	0.2844	9.7500e- 003	0.2941	0.0819	9.3200e- 003	0.0912		1,181.336 0	1,181.336 0	0.0544		1,182.697 1
Worker	0.3637	0.2470	2.4660	7.6000e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		757.6542	757.6542	0.0174		758.0891
Total	0.5056	4.5547	3.6982	0.0188	1.1551	0.0150	1.1702	0.3128	0.0142	0.3270		1,938.990 2	1,938.990 2	0.0718		1,940.786 1

# 3.6 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Off-Road	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.6 Building Construction - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1324	4.0707	1.1605	0.0111	0.2844	8.4800e- 003	0.2929	0.0819	8.1100e- 003	0.0900		1,169.918 4	1,169.918 4	0.0520	     	1,171.217 6
Worker	0.3399	0.2216	2.2633	7.3200e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		730.1386	730.1386	0.0156	       	730.5280
Total	0.4723	4.2922	3.4238	0.0184	1.1551	0.0137	1.1688	0.3128	0.0129	0.3257		1,900.056 9	1,900.056 9	0.0676		1,901.745 5

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.6487	12.5031	12.7264	0.0221		0.4066	0.4066		0.3911	0.3911	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.4066	0.4066		0.3911	0.3911	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 24 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.6 Building Construction - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1324	4.0707	1.1605	0.0111	0.2844	8.4800e- 003	0.2929	0.0819	8.1100e- 003	0.0900		1,169.918 4	1,169.918 4	0.0520		1,171.217 6
Worker	0.3399	0.2216	2.2633	7.3200e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		730.1386	730.1386	0.0156		730.5280
Total	0.4723	4.2922	3.4238	0.0184	1.1551	0.0137	1.1688	0.3128	0.0129	0.3257		1,900.056 9	1,900.056 9	0.0676		1,901.745 5

# 3.7 Paving - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074	 			       	0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.7 Paving - 2022

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931
Total	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.6877	6.7738	8.8060	0.0135	! !	0.0612	0.0612	i i	0.0572	0.0572	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074	 			 	0.0000	0.0000	i i	0.0000	0.0000			0.0000			0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.0612	0.0612		0.0572	0.0572	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 26 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.7 Paving - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931
Total	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931

# 3.8 Architectural Coating - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	75.0425					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	     	0.0817	0.0817		281.4481	281.4481	0.0183		281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 3.8 Architectural Coating - 2022 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272
Total	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Archit. Coating	75.0425					0.0000	0.0000	 	0.0000	0.0000		i i	0.0000		i i	0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	 	0.0817	0.0817	0.0000	281.4481	281.4481	0.0183	 	281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817	0.0000	281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 28 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

3.8 Architectural Coating - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272
Total	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272

# 4.0 Operational Detail - Mobile

### **4.1 Mitigation Measures Mobile**

CalEEMod Version: CalEEMod.2016.3.2 Page 29 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Mitigated	2.2571	10.2404	29.4968	0.1010	9.8751	0.0862	9.9613	2.6359	0.0805	2.7164		10,194.29 14	10,194.29 14	0.3421		10,202.84 36
Unmitigated	2.2571	10.2404	29.4968	0.1010	9.8751	0.0862	9.9613	2.6359	0.0805	2.7164		10,194.29 14	10,194.29 14	0.3421		10,202.84 36

#### **4.2 Trip Summary Information**

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Hotel	1,659.84	1,659.84	1659.84	4,668,392	4,668,392
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Quality Restaurant	0.00	0.00	0.00		
Total	1,659.84	1,659.84	1,659.84	4,668,392	4,668,392

# **4.3 Trip Type Information**

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Hotel	9.50	7.30	7.30	19.40	61.60	19.00	100	0	0
Other Non-Asphalt Surfaces	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Quality Restaurant	9.50	7.30	7.30	12.00	69.00	19.00	38	18	44

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Enclosed Parking with Elevator	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Hotel	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Other Non-Asphalt Surfaces	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Parking Lot	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Quality Restaurant	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740

# 5.0 Energy Detail

Historical Energy Use: N

# **5.1 Mitigation Measures Energy**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
NaturalGas Mitigated	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
NaturalGas Unmitigated	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606	i i	0.1606	0.1606	, <b></b>	2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 31 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15660.2	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5899.24	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440		0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 32 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

#### **5.2 Energy by Land Use - NaturalGas**

#### **Mitigated**

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	i i	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15.6602	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,       	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,       	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5.89924	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440	1 1 1 1	0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

#### 6.0 Area Detail

# **6.1 Mitigation Measures Area**

CalEEMod Version: CalEEMod.2016.3.2 Page 33 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Mitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Unmitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

# 6.2 Area by SubCategory

# <u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/d	day		
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	3.0226					0.0000	0.0000		0.0000	0.0000		,	0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

CalEEMod Version: CalEEMod.2016.3.2 Page 34 of 35 Date: 1/16/2020 12:07 PM

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

#### 6.2 Area by SubCategory

#### **Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	SubCategory Ib/day										lb/d	day				
Architectural Coating	0.4112					0.0000	0.0000	! !	0.0000	0.0000			0.0000			0.0000
	3.0226					0.0000	0.0000	1 1 1 1	0.0000	0.0000			0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004	1 1 1 1	1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

#### 7.0 Water Detail

#### 7.1 Mitigation Measures Water

#### 8.0 Waste Detail

#### 8.1 Mitigation Measures Waste

#### 9.0 Operational Offroad

E :	NI I	/5	D 4/			F 1.T
Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

# 10.0 Stationary Equipment

#### **Fire Pumps and Emergency Generators**

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Winter

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

#### **Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

#### **User Defined Equipment**

Equipment Type	Number

# 11.0 Vegetation

CalEEMod Version: CalEEMod.2016.3.2 Page 1 of 35 Date: 1/16/2020 12:08 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# De Anza Construction & Operation 2022 - HRA Mitigation Santa Clara County, Summer

#### 1.0 Project Characteristics

#### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	18.00	1000sqft	0.41	18,000.00	0
Hotel	156.00	Room	0.42	129,000.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

#### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2022
Utility Company	Pacific Gas & Electric Co	ompany			
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

#### 1.3 User Entered Comments & Non-Default Data

#### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

Project Characteristics - See SWAPE comment about intensity factors.

Land Use - Consistent with IS's model. See SWAPE comment about parking lot and hotel land use sizes.

Construction Phase - Consistent with IS's model.

Off-road Equipment - No change. See SWAPE comment about equipment unit amounts.

Trips and VMT - Consistent with IS's model.

Demolition -

Grading - Consistent with IS's model. See SWAPE comment about grading.

Vehicle Trips - Consistent with IS's model.

Energy Use -

Water And Wastewater - See SWAPE comment about water use rates and wastewater treatment system percentages.

Solid Waste - See SWAPE comment about solid waste generation rates.

Land Use Change -

Construction Off-road Equipment Mitigation - See SWAPE comment about construction mitigation measures.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	DPF	No Change	Level 3
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

Date: 1/16/2020 12:08 PM

Page 3 of 35

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstructionPhase	NumDays	10.00	20.00
tblConstructionPhase	NumDays	200.00	350.00
tblConstructionPhase	NumDays	20.00	10.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	2.00	5.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	MaterialExported	0.00	72,000.00
tblLandUse	LandUseSquareFeet	95,920.00	95,923.00
tblLandUse	LandUseSquareFeet	12,860.00	0.00
tblLandUse	LandUseSquareFeet	226,512.00	129,000.00
tblLandUse	LandUseSquareFeet	10,360.00	10,358.00
tblLandUse	LotAcreage	2.20	0.01
tblLandUse	LotAcreage	5.20	0.42
tblTripsAndVMT	HaulingTripNumber	64.00	79.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblVehicleTrips	DV_TP	38.00	0.00
tblVehicleTrips	PB_TP	4.00	0.00
tblVehicleTrips	PR_TP	58.00	100.00
tblVehicleTrips	ST_TR	8.19	10.64
tblVehicleTrips	ST_TR	94.36	0.00

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

Date: 1/16/2020 12:08 PM

tblVehicleTrips	SU_TR	5.95	10.64
tblVehicleTrips	SU_TR	72.16	0.00
tblVehicleTrips	WD_TR	8.17	10.64
tblVehicleTrips	WD_TR	89.95	0.00
tblWater	IndoorWaterUseRate	3,957,216.12	11,103,300.00

# 2.0 Emissions Summary

CalEEMod Version: CalEEMod.2016.3.2 Page 5 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

## 2.1 Overall Construction (Maximum Daily Emission)

### **Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	lay		
2020	5.2352	115.9627	30.7353	0.2687	14.7060	1.6527	16.3588	6.4861	1.5309	8.0170	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.571 1
2021	2.2878	18.1080	16.6467	0.0418	1.1551	0.6991	1.8542	0.3128	0.6747	0.9875	0.0000	4,038.1124	4,038.1124	0.4265	0.0000	4,048.775 5
2022	75.3101	16.7235	16.2013	0.0414	1.1551	0.6023	1.7574	0.3128	0.5815	0.8943	0.0000	3,996.934 5	3,996.934 5	0.4137	0.0000	4,007.276 8
Maximum	75.3101	115.9627	30.7353	0.2687	14.7060	1.6527	16.3588	6.4861	1.5309	8.0170	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.57 11

# **Mitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	lay		
2020	5.2352	115.9627	30.7353	0.2687	14.7060	0.5733	15.1953	6.4861	0.5515	6.9466	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.571 1
2021	2.2878	18.1080	16.6467	0.0418	1.1551	0.4852	1.6404	0.3128	0.4666	0.7794	0.0000	4,038.1124	4,038.1124	0.4265	0.0000	4,048.775 5
2022	75.3101	16.7235	16.2013	0.0414	1.1551	0.4199	1.5751	0.3128	0.4037	0.7166	0.0000	3,996.934 5	3,996.934 5	0.4137	0.0000	4,007.276 8
Maximum	75.3101	115.9627	30.7353	0.2687	14.7060	0.5733	15.1953	6.4861	0.5515	6.9466	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.57 11

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	49.95	7.81	0.00	48.99	14.71	0.00	0.00	0.00	0.00	0.00	0.00

CalEEMod Version: CalEEMod.2016.3.2 Page 7 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	2.5901	9.6694	30.2985	0.1084	9.8751	0.0857	9.9608	2.6359	0.0801	2.7160		10,933.50 37	10,933.50 37	0.3417		10,942.04 58
Total	6.2592	11.7833	32.1040	0.1211	9.8751	0.2464	10.1216	2.6359	0.2408	2.8767		13,469.97 75	13,469.97 75	0.3905	0.0465	13,493.59 65

### **Mitigated Operational**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	2.5901	9.6694	30.2985	0.1084	9.8751	0.0857	9.9608	2.6359	0.0801	2.7160		10,933.50 37	10,933.50 37	0.3417		10,942.04 58
Total	6.2592	11.7833	32.1040	0.1211	9.8751	0.2464	10.1216	2.6359	0.2408	2.8767		13,469.97 75	13,469.97 75	0.3905	0.0465	13,493.59 65

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

#### **Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	8/3/2020	8/14/2020	5	10	
2	Site Preparation	Site Preparation	8/17/2020	8/21/2020	5	5	
3	Grading	Grading	8/24/2020	10/2/2020	5	30	
4	Grading Soil Haul	Grading	8/24/2020	10/2/2020	5	30	
5	Building Construction	Building Construction	10/5/2020	2/4/2022	5	350	
6	Paving	Paving	2/7/2022	2/18/2022	5	10	
7	Architectural Coating	Architectural Coating	2/21/2022	3/18/2022	5	20	

Acres of Grading (Site Preparation Phase): 2.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0.72

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 209,037; Non-Residential Outdoor: 69,679; Striped Parking Area: 6,835 (Architectural Coating – sqft)

**OffRoad Equipment** 

Page 9 of 35

Date: 1/16/2020 12:08 PM

De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Graders	1	6.00	187	0.41
Grading	Rubber Tired Dozers	1	6.00	247	0.40
Grading	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Paving	Pavers	1	6.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48
Grading Soil Haul	Graders	1	6.00	187	0.41
Grading Soil Haul	Rubber Tired Dozers	1	6.00	247	0.40
Grading Soil Haul	Tractors/Loaders/Backhoes	1	7.00	97	0.37

# **Trips and VMT**

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	4.00	79.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	106.00	42.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading Soil Haul	3	8.00	0.00	9,000.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

### **3.1 Mitigation Measures Construction**

Use DPF for Construction Equipment

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

### 3.2 Demolition - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		1.1525	1.1525		1.0761	1.0761		2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	1.1525	2.5306	0.2087	1.0761	1.2848		2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.2 Demolition - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Hauling	0.0649	2.2464	0.4549	6.2700e- 003	0.1381	7.4000e- 003	0.1455	0.0378	7.0800e- 003	0.0449		668.9482	668.9482	0.0298		669.6925
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003	       	116.6473
Worker	0.0452	0.0278	0.3575	1.0500e- 003	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		104.7808	104.7808	2.5600e- 003	       	104.8449
Total	0.1256	2.7240	0.9263	8.4200e- 003	0.2719	0.0103	0.2822	0.0740	9.8300e- 003	0.0838		890.2486	890.2486	0.0374		891.1848

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		0.3413	0.3413		0.3298	0.3298	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	0.3413	1.7194	0.2087	0.3298	0.5385	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.2 Demolition - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0649	2.2464	0.4549	6.2700e- 003	0.1381	7.4000e- 003	0.1455	0.0378	7.0800e- 003	0.0449		668.9482	668.9482	0.0298		669.6925
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003	       	116.6473
Worker	0.0452	0.0278	0.3575	1.0500e- 003	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		104.7808	104.7808	2.5600e- 003	     	104.8449
Total	0.1256	2.7240	0.9263	8.4200e- 003	0.2719	0.0103	0.2822	0.0740	9.8300e- 003	0.0838		890.2486	890.2486	0.0374		891.1848

## 3.3 Site Preparation - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172	     	0.8210	0.8210		0.7553	0.7553		1,667.4119	1,667.4119	0.5393	     	1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.8210	6.6205	2.9537	0.7553	3.7090		1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.3 Site Preparation - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172		0.1231	0.1231		0.1133	0.1133	0.0000	1,667.4119	1,667.411 9	0.5393		1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.1231	5.9227	2.9537	0.1133	3.0670	0.0000	1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

## 3.4 Grading - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141	       	0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417	       	1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.6844	5.2009	2.4827	0.6296	3.1123		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.4 Grading - 2020
Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.1027	0.1027		0.0944	0.0944	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.1027	4.6192	2.4827	0.0944	2.5771	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

## 3.5 Grading Soil Haul - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141	       	0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.6844	5.4724	2.5238	0.6296	3.1534		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.5 Grading Soil Haul - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	2.4644	85.3080	17.2727	0.2381	5.2430	0.2809	5.5239	1.4370	0.2688	1.7057		25,403.09 70	25,403.09 70	1.1306		25,431.36 21
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	2.4922	85.3251	17.4928	0.2387	5.3087	0.2813	5.5900	1.4544	0.2691	1.7235		25,467.57 76	25,467.57 76	1.1322		25,495.88 21

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.1027	0.1027		0.0944	0.0944	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.1027	4.8906	2.5238	0.0944	2.6182	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 3.5 Grading Soil Haul - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	2.4644	85.3080	17.2727	0.2381	5.2430	0.2809	5.5239	1.4370	0.2688	1.7057		25,403.09 70	25,403.09 70	1.1306		25,431.36 21
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	       	0.0000
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003	     	64.5200
Total	2.4922	85.3251	17.4928	0.2387	5.3087	0.2813	5.5900	1.4544	0.2691	1.7235		25,467.57 76	25,467.57 76	1.1322		25,495.88 21

# 3.6 Building Construction - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 3.6 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1632	4.7231	1.1962	0.0116	0.2844	0.0235	0.3079	0.0819	0.0225	0.1044		1,223.455 3	1,223.455 3	0.0537	       	1,224.797 1
Worker	0.3684	0.2262	2.9154	8.5700e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		854.3668	854.3668	0.0209	       	854.8895
Total	0.5316	4.9494	4.1115	0.0202	1.1551	0.0290	1.1841	0.3128	0.0275	0.3403		2,077.822 1	2,077.822 1	0.0746		2,079.686 6

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.5443	0.5443	 	0.5240	0.5240	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.5443	0.5443		0.5240	0.5240	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 3.6 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1632	4.7231	1.1962	0.0116	0.2844	0.0235	0.3079	0.0819	0.0225	0.1044		1,223.455 3	1,223.455 3	0.0537		1,224.797 1
Worker	0.3684	0.2262	2.9154	8.5700e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		854.3668	854.3668	0.0209		854.8895
Total	0.5316	4.9494	4.1115	0.0202	1.1551	0.0290	1.1841	0.3128	0.0275	0.3403		2,077.822 1	2,077.822	0.0746		2,079.686 6

# 3.6 Building Construction - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
- Cirricad	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 3.6 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1339	4.2697	1.0761	0.0115	0.2844	9.4400e- 003	0.2938	0.0819	9.0300e- 003	0.0909		1,212.200 9	1,212.200 9	0.0505	     	1,213.463 9
Worker	0.3413	0.2022	2.6712	8.2700e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		824.6915	824.6915	0.0187	       	825.1600
Total	0.4753	4.4719	3.7473	0.0197	1.1551	0.0147	1.1699	0.3128	0.0139	0.3267		2,036.892 4	2,036.892 4	0.0693		2,038.623 8

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.8125	13.6361	12.8994	0.0221		0.4705	0.4705	 	0.4527	0.4527	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.4705	0.4705		0.4527	0.4527	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.6 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1339	4.2697	1.0761	0.0115	0.2844	9.4400e- 003	0.2938	0.0819	9.0300e- 003	0.0909		1,212.200 9	1,212.200 9	0.0505		1,213.463 9
Worker	0.3413	0.2022	2.6712	8.2700e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		824.6915	824.6915	0.0187		825.1600
Total	0.4753	4.4719	3.7473	0.0197	1.1551	0.0147	1.1699	0.3128	0.0139	0.3267		2,036.892 4	2,036.892 4	0.0693		2,038.623 8

# 3.6 Building Construction - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 35 Date: 1/16/2020 12:08 PM

# De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 3.6 Building Construction - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1249	4.0389	1.0135	0.0114	0.2844	8.2000e- 003	0.2926	0.0819	7.8400e- 003	0.0897		1,200.687 6	1,200.687 6	0.0483		1,201.894 0
Worker	0.3181	0.1815	2.4615	7.9700e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		794.7040	794.7040	0.0168		795.1247
Total	0.4430	4.2204	3.4749	0.0193	1.1551	0.0134	1.1685	0.3128	0.0126	0.3254		1,995.391 7	1,995.391 7	0.0651		1,997.018 7

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.6487	12.5031	12.7264	0.0221		0.4066	0.4066		0.3911	0.3911	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.4066	0.4066		0.3911	0.3911	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 24 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.6 Building Construction - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1249	4.0389	1.0135	0.0114	0.2844	8.2000e- 003	0.2926	0.0819	7.8400e- 003	0.0897		1,200.687 6	1,200.687 6	0.0483	       	1,201.894 0
Worker	0.3181	0.1815	2.4615	7.9700e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		794.7040	794.7040	0.0168	       	795.1247
Total	0.4430	4.2204	3.4749	0.0193	1.1551	0.0134	1.1685	0.3128	0.0126	0.3254		1,995.391 7	1,995.391 7	0.0651		1,997.018 7

# 3.7 Paving - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074	 				0.0000	0.0000		0.0000	0.0000			0.0000		       	0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.7 Paving - 2022

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153
Total	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.0612	0.0612		0.0572	0.0572	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074	 			 	0.0000	0.0000		0.0000	0.0000		i i	0.0000			0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.0612	0.0612		0.0572	0.0572	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 26 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.7 Paving - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153
Total	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153

# 3.8 Architectural Coating - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Archit. Coating	75.0425					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	,	0.0817	0.0817		281.4481	281.4481	0.0183	 	281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 3.8 Architectural Coating - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247
Total	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	75.0425					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817	0.0000	281.4481	281.4481	0.0183	       	281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817	0.0000	281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 28 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

3.8 Architectural Coating - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247
Total	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247

# 4.0 Operational Detail - Mobile

# **4.1 Mitigation Measures Mobile**

CalEEMod Version: CalEEMod.2016.3.2 Page 29 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Mitigated	2.5901	9.6694	30.2985	0.1084	9.8751	0.0857	9.9608	2.6359	0.0801	2.7160		10,933.50 37	10,933.50 37	0.3417		10,942.04 58
Unmitigated	2.5901	9.6694	30.2985	0.1084	9.8751	0.0857	9.9608	2.6359	0.0801	2.7160		10,933.50 37	10,933.50 37	0.3417	 	10,942.04 58

## **4.2 Trip Summary Information**

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Hotel	1,659.84	1,659.84	1659.84	4,668,392	4,668,392
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Quality Restaurant	0.00	0.00	0.00		
Total	1,659.84	1,659.84	1,659.84	4,668,392	4,668,392

# **4.3 Trip Type Information**

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Hotel	9.50	7.30	7.30	19.40	61.60	19.00	100	0	0
Other Non-Asphalt Surfaces	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Quality Restaurant	9.50	7.30	7.30	12.00	69.00	19.00	38	18	44

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	МН
Enclosed Parking with Elevator	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Hotel	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Other Non-Asphalt Surfaces	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Parking Lot	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Quality Restaurant	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740

# 5.0 Energy Detail

Historical Energy Use: N

# **5.1 Mitigation Measures Energy**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
NaturalGas Mitigated	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
NaturalGas Unmitigated	0.2325	2.1137	1.7755	0.0127	i i	0.1606	0.1606	 	0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 31 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15660.2	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5899.24	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440		0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 32 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

## **5.2 Energy by Land Use - NaturalGas**

### **Mitigated**

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	i i	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15.6602	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,	0.0000	0.0000	#	0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5.89924	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440	,	0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

## 6.0 Area Detail

# **6.1 Mitigation Measures Area**

CalEEMod Version: CalEEMod.2016.3.2 Page 33 of 35 Date: 1/16/2020 12:08 PM

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Mitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Unmitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

# 6.2 Area by SubCategory

## <u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/d	day		
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	3.0226					0.0000	0.0000		0.0000	0.0000		,	0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

CalEEMod Version: CalEEMod.2016.3.2 Page 34 of 35 Date: 1/16/2020 12:08 PM

### De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

## 6.2 Area by SubCategory

### **Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/d	day		
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
	3.0226					0.0000	0.0000	1   	0.0000	0.0000			0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004	1       	1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

### 7.0 Water Detail

### 7.1 Mitigation Measures Water

### 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

## 9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
						• •

# 10.0 Stationary Equipment

### **Fire Pumps and Emergency Generators**

## De Anza Construction & Operation 2022 - HRA Mitigation - Santa Clara County, Summer

	Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
--	----------------	--------	-----------	------------	-------------	-------------	-----------

### **Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

## **User Defined Equipment**

Equipment Type	Number
_qa.po ) p o	

# 11.0 Vegetation

CalEEMod Version: CalEEMod.2016.3.2 Page 1 of 41 Date: 1/16/2020 12:28 PM

De Anza Construction & Operation 2022 - Santa Clara County, Annual

# De Anza Construction & Operation 2022 Santa Clara County, Annual

# 1.0 Project Characteristics

## 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	18.00	1000sqft	0.41	18,000.00	0
Hotel	156.00	Room	0.42	129,000.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

## 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2022
Utility Company	Pacific Gas & Electric (	Company			
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

### 1.3 User Entered Comments & Non-Default Data

### De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

Project Characteristics - See SWAPE comment about intensity factors.

Land Use - Consistent with IS's model. See SWAPE comment about parking lot and hotel land use sizes.

Construction Phase - Consistent with IS's model.

Off-road Equipment - No change. See SWAPE comment about equipment unit amounts.

Trips and VMT - Consistent with IS's model.

Demolition -

Grading - Consistent with IS's model. See SWAPE comment about grading.

Vehicle Trips - Consistent with IS's model.

Energy Use -

Water And Wastewater - See SWAPE comment about water use rates and wastewater treatment system percentages.

Solid Waste - See SWAPE comment about solid waste generation rates.

Land Use Change -

Construction Off-road Equipment Mitigation - See SWAPE comment about construction mitigation measures.

Mobile Commute Mitigation -

**Energy Mitigation -**

Water Mitigation -

Table Name	Column Name	Default Value	New Value		
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15		
tblConstructionPhase	NumDays	10.00	20.00		
tblConstructionPhase	NumDays	200.00	350.00		
tblConstructionPhase	NumDays	20.00	10.00		
tblConstructionPhase	NumDays	4.00	30.00		
tblConstructionPhase	NumDays	4.00	30.00		
tblConstructionPhase	NumDays	2.00	5.00		
tblGrading	AcresOfGrading	11.25	0.00		
tblGrading	AcresOfGrading	11.25	0.00		

De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

Page 3 of 41

tblGrading	MaterialExported	0.00	72,000.00		
tblLandUse	LandUseSquareFeet	95,920.00	95,923.00		
tblLandUse	LandUseSquareFeet	12,860.00	0.00		
tblLandUse	LandUseSquareFeet	226,512.00	129,000.00		
tblLandUse	LandUseSquareFeet	10,360.00	10,358.00		
tblLandUse	LotAcreage	2.20	0.01		
tblLandUse	LotAcreage	5.20	0.42		
tblTripsAndVMT	HaulingTripNumber	64.00	79.00		
tblTripsAndVMT	VendorTripNumber	0.00	4.00		
tblTripsAndVMT	VendorTripNumber	0.00	4.00		
tblTripsAndVMT	VendorTripNumber	0.00	4.00		
tblVehicleTrips	ST_TR	8.19	10.64		
tblVehicleTrips	ST_TR	94.36	0.00		
tblVehicleTrips	SU_TR	5.95	10.64		
tblVehicleTrips	SU_TR	72.16	0.00		
tblVehicleTrips	WD_TR	8.17	10.64		
tblVehicleTrips	WD_TR	89.95	0.00		
tblWater	IndoorWaterUseRate	3,957,216.12	11,103,300.00		

# 2.0 Emissions Summary

CalEEMod Version: CalEEMod.2016.3.2 Page 4 of 41 Date: 1/16/2020 12:28 PM

## De Anza Construction & Operation 2022 - Santa Clara County, Annual

2.1 Overall Construction
<u>Unmitigated Construction</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr								MT/yr							
2020	0.1759	2.5658	1.1145	5.5400e- 003	0.2768	0.0591	0.3359	0.1153	0.0558	0.1711	0.0000	518.5810	518.5810	0.0449	0.0000	519.7039
2021	0.2970	2.3722	2.1497	5.3600e- 003	0.1458	0.0913	0.2370	0.0396	0.0881	0.1277	0.0000	469.7131	469.7131	0.0506	0.0000	470.9768
2022	0.7833	0.2583	0.2684	6.3000e- 004	0.0161	0.0101	0.0262	4.3700e- 003	9.7000e- 003	0.0141	0.0000	54.7272	54.7272	6.7700e- 003	0.0000	54.8964
Maximum	0.7833	2.5658	2.1497	5.5400e- 003	0.2768	0.0913	0.3359	0.1153	0.0881	0.1711	0.0000	518.5810	518.5810	0.0506	0.0000	519.7039

# **Mitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr									MT/yr						
2020	0.1759	2.5658	1.1145	5.5400e- 003	0.2768	0.0591	0.3359	0.1153	0.0558	0.1711	0.0000	518.5809	518.5809	0.0449	0.0000	519.7038
2021	0.2970	2.3722	2.1497	5.3600e- 003	0.1458	0.0913	0.2370	0.0396	0.0881	0.1277	0.0000	469.7128	469.7128	0.0506	0.0000	470.9765
2022	0.7833	0.2583	0.2684	6.3000e- 004	0.0161	0.0101	0.0262	4.3700e- 003	9.7000e- 003	0.0141	0.0000	54.7272	54.7272	6.7700e- 003	0.0000	54.8963
Maximum	0.7833	2.5658	2.1497	5.5400e- 003	0.2768	0.0913	0.3359	0.1153	0.0881	0.1711	0.0000	518.5809	518.5809	0.0506	0.0000	519.7038

Page 5 of 41

## De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	8-3-2020	11-2-2020	3.6039	3.6039
2	11-3-2020	2-2-2021	0.7145	0.7145
3	2-3-2021	5-2-2021	0.6506	0.6506
4	5-3-2021	8-2-2021	0.6701	0.6701
5	8-3-2021	11-2-2021	0.6715	0.6715
6	11-3-2021	2-2-2022	0.6551	0.6551
7	2-3-2022	5-2-2022	0.7591	0.7591
		Highest	3.6039	3.6039

CalEEMod Version: CalEEMod.2016.3.2 Page 6 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	7/yr		
Area	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Energy	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	969.8418	969.8418	0.0329	0.0128	974.4919
Mobile	0.3619	1.4753	3.8894	0.0129	1.1727	0.0111	1.1838	0.3139	0.0104	0.3243	0.0000	1,182.068 8	1,182.068 8	0.0417	0.0000	1,183.1103
Waste	;	       				0.0000	0.0000		0.0000	0.0000	19.2557	0.0000	19.2557	1.1380	0.0000	47.7052
Water	,	<del></del>				0.0000	0.0000		0.0000	0.0000	4.5202	23.0800	27.6002	0.4653	0.0112	42.5641
Total	1.0313	1.8611	4.2162	0.0152	1.1727	0.0404	1.2131	0.3139	0.0397	0.3536	23.7759	2,174.995 8	2,198.771 7	1.6779	0.0240	2,247.877 1

CalEEMod Version: CalEEMod.2016.3.2 Page 7 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

## 2.2 Overall Operational

#### **Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	7/yr		
Area	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Energy	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	969.8418	969.8418	0.0329	0.0128	974.4919
Mobile	0.3619	1.4753	3.8894	0.0129	1.1727	0.0111	1.1838	0.3139	0.0104	0.3243	0.0000	1,182.068 8	1,182.068 8	0.0417	0.0000	1,183.1103
Waste	;	       	1 1 1			0.0000	0.0000		0.0000	0.0000	19.2557	0.0000	19.2557	1.1380	0.0000	47.7052
Water	,	<del></del>				0.0000	0.0000		0.0000	0.0000	4.5202	23.0402	27.5604	0.4653	0.0112	42.5242
Total	1.0313	1.8611	4.2162	0.0152	1.1727	0.0404	1.2131	0.3139	0.0397	0.3536	23.7759	2,174.956 0	2,198.732 0	1.6779	0.0240	2,247.837

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

#### 3.0 Construction Detail

#### **Construction Phase**

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	8/3/2020	8/14/2020	5	10	
2	Site Preparation	Site Preparation	8/17/2020	8/21/2020	5	5	
3	Grading	Grading	8/24/2020	10/2/2020	5	30	
4	Grading Soil Haul	Grading	8/24/2020	10/2/2020	5	30	
5	Building Construction	Building Construction	10/5/2020	2/4/2022	5	350	
6	Paving	Paving	2/7/2022	2/18/2022	5	10	
7	Architectural Coating	Architectural Coating	2/21/2022	3/18/2022	5	20	

Acres of Grading (Site Preparation Phase): 2.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0.72

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 209,037; Non-Residential Outdoor: 69,679; Striped Parking Area: 6,835 (Architectural Coating – sqft)

OffRoad Equipment

Page 9 of 41

De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Graders	1	6.00	187	0.41
Grading	Rubber Tired Dozers	1	6.00	247	0.40
Grading	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading Soil Haul	Graders	1	6.00	187	0.41
Grading Soil Haul	Rubber Tired Dozers		6.00	247	0.40
Grading Soil Haul	Tractors/Loaders/Backhoes	   1	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets		8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes		6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	   1	6.00	9	0.56
Paving	Pavers	   1	6.00	130	0.42
Paving	Paving Equipment	   1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

#### **Trips and VMT**

Page 10 of 41

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	4.00	79.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading Soil Haul	3	8.00	0.00	9,000.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	106.00	42.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

## **3.1 Mitigation Measures Construction**

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

#### 3.2 Demolition - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					6.8900e- 003	0.0000	6.8900e- 003	1.0400e- 003	0.0000	1.0400e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0106	0.1047	0.0733	1.2000e- 004		5.7600e- 003	5.7600e- 003		5.3800e- 003	5.3800e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015
Total	0.0106	0.1047	0.0733	1.2000e- 004	6.8900e- 003	5.7600e- 003	0.0127	1.0400e- 003	5.3800e- 003	6.4200e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.2 Demolition - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	3.3000e- 004	0.0115	2.3500e- 003	3.0000e- 005	6.7000e- 004	4.0000e- 005	7.1000e- 004	1.8000e- 004	4.0000e- 005	2.2000e- 004	0.0000	3.0127	3.0127	1.4000e- 004	0.0000	3.0161
Vendor	8.0000e- 005	2.2800e- 003	6.1000e- 004	1.0000e- 005	1.3000e- 004	1.0000e- 005	1.4000e- 004	4.0000e- 005	1.0000e- 005	5.0000e- 005	0.0000	0.5229	0.5229	2.0000e- 005	0.0000	0.5235
Worker	2.2000e- 004	1.6000e- 004	1.6300e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4421	0.4421	1.0000e- 005	0.0000	0.4424
Total	6.3000e- 004	0.0139	4.5900e- 003	4.0000e- 005	1.3200e- 003	5.0000e- 005	1.3700e- 003	3.6000e- 004	5.0000e- 005	4.1000e- 004	0.0000	3.9777	3.9777	1.7000e- 004	0.0000	3.9820

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					6.8900e- 003	0.0000	6.8900e- 003	1.0400e- 003	0.0000	1.0400e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0106	0.1047	0.0733	1.2000e- 004		5.7600e- 003	5.7600e- 003	 	5.3800e- 003	5.3800e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015
Total	0.0106	0.1047	0.0733	1.2000e- 004	6.8900e- 003	5.7600e- 003	0.0127	1.0400e- 003	5.3800e- 003	6.4200e- 003	0.0000	10.5338	10.5338	2.7100e- 003	0.0000	10.6015

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.2 Demolition - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	3.3000e- 004	0.0115	2.3500e- 003	3.0000e- 005	6.7000e- 004	4.0000e- 005	7.1000e- 004	1.8000e- 004	4.0000e- 005	2.2000e- 004	0.0000	3.0127	3.0127	1.4000e- 004	0.0000	3.0161
Vendor	8.0000e- 005	2.2800e- 003	6.1000e- 004	1.0000e- 005	1.3000e- 004	1.0000e- 005	1.4000e- 004	4.0000e- 005	1.0000e- 005	5.0000e- 005	0.0000	0.5229	0.5229	2.0000e- 005	0.0000	0.5235
Worker	2.2000e- 004	1.6000e- 004	1.6300e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4421	0.4421	1.0000e- 005	0.0000	0.4424
Total	6.3000e- 004	0.0139	4.5900e- 003	4.0000e- 005	1.3200e- 003	5.0000e- 005	1.3700e- 003	3.6000e- 004	5.0000e- 005	4.1000e- 004	0.0000	3.9777	3.9777	1.7000e- 004	0.0000	3.9820

## 3.3 Site Preparation - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	<sup>-</sup> /yr		
Fugitive Dust					0.0145	0.0000	0.0145	7.3800e- 003	0.0000	7.3800e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	4.0700e- 003	0.0459	0.0193	4.0000e- 005		2.0500e- 003	2.0500e- 003		1.8900e- 003	1.8900e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122
Total	4.0700e- 003	0.0459	0.0193	4.0000e- 005	0.0145	2.0500e- 003	0.0166	7.3800e- 003	1.8900e- 003	9.2700e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.3 Site Preparation - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e- 005	1.1400e- 003	3.0000e- 004	0.0000	7.0000e- 005	1.0000e- 005	7.0000e- 005	2.0000e- 005	1.0000e- 005	2.0000e- 005	0.0000	0.2614	0.2614	1.0000e- 005	0.0000	0.2617
Worker	7.0000e- 005	5.0000e- 005	5.0000e- 004	0.0000	1.6000e- 004	0.0000	1.6000e- 004	4.0000e- 005	0.0000	4.0000e- 005	0.0000	0.1360	0.1360	0.0000	0.0000	0.1361
Total	1.1000e- 004	1.1900e- 003	8.0000e- 004	0.0000	2.3000e- 004	1.0000e- 005	2.3000e- 004	6.0000e- 005	1.0000e- 005	6.0000e- 005	0.0000	0.3975	0.3975	1.0000e- 005	0.0000	0.3979

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0145	0.0000	0.0145	7.3800e- 003	0.0000	7.3800e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.0700e- 003	0.0459	0.0193	4.0000e- 005		2.0500e- 003	2.0500e- 003	1 1 1	1.8900e- 003	1.8900e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122
Total	4.0700e- 003	0.0459	0.0193	4.0000e- 005	0.0145	2.0500e- 003	0.0166	7.3800e- 003	1.8900e- 003	9.2700e- 003	0.0000	3.7816	3.7816	1.2200e- 003	0.0000	3.8122

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e- 005	1.1400e- 003	3.0000e- 004	0.0000	7.0000e- 005	1.0000e- 005	7.0000e- 005	2.0000e- 005	1.0000e- 005	2.0000e- 005	0.0000	0.2614	0.2614	1.0000e- 005	0.0000	0.2617
Worker	7.0000e- 005	5.0000e- 005	5.0000e- 004	0.0000	1.6000e- 004	0.0000	1.6000e- 004	4.0000e- 005	0.0000	4.0000e- 005	0.0000	0.1360	0.1360	0.0000	0.0000	0.1361
Total	1.1000e- 004	1.1900e- 003	8.0000e- 004	0.0000	2.3000e- 004	1.0000e- 005	2.3000e- 004	6.0000e- 005	1.0000e- 005	6.0000e- 005	0.0000	0.3975	0.3975	1.0000e- 005	0.0000	0.3979

#### 3.4 Grading - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	<sup>-</sup> /yr		
Fugitive Dust					0.0678	0.0000	0.0678	0.0372	0.0000	0.0372	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		0.0103	0.0103		9.4400e- 003	9.4400e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0678	0.0103	0.0780	0.0372	9.4400e- 003	0.0467	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.4 Grading - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e- 004	6.8300e- 003	1.8200e- 003	2.0000e- 005	3.9000e- 004	3.0000e- 005	4.3000e- 004	1.1000e- 004	3.0000e- 005	1.5000e- 004	0.0000	1.5687	1.5687	7.0000e- 005	0.0000	1.5705
Worker	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	6.4000e- 004	7.1200e- 003	4.8200e- 003	3.0000e- 005	1.3400e- 003	4.0000e- 005	1.3900e- 003	3.6000e- 004	4.0000e- 005	4.1000e- 004	0.0000	2.3848	2.3848	9.0000e- 005	0.0000	2.3871

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0678	0.0000	0.0678	0.0372	0.0000	0.0372	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		0.0103	0.0103		9.4400e- 003	9.4400e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0678	0.0103	0.0780	0.0372	9.4400e- 003	0.0467	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e- 004	6.8300e- 003	1.8200e- 003	2.0000e- 005	3.9000e- 004	3.0000e- 005	4.3000e- 004	1.1000e- 004	3.0000e- 005	1.5000e- 004	0.0000	1.5687	1.5687	7.0000e- 005	0.0000	1.5705
Worker	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	6.4000e- 004	7.1200e- 003	4.8200e- 003	3.0000e- 005	1.3400e- 003	4.0000e- 005	1.3900e- 003	3.6000e- 004	4.0000e- 005	4.1000e- 004	0.0000	2.3848	2.3848	9.0000e- 005	0.0000	2.3871

#### 3.5 Grading Soil Haul - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	ii ii				0.0718	0.0000	0.0718	0.0379	0.0000	0.0379	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0203	0.2263	0.0968	2.1000e- 004		0.0103	0.0103		9.4400e- 003	9.4400e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0718	0.0103	0.0821	0.0379	9.4400e- 003	0.0473	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7347

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.5 Grading Soil Haul - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/уг		
Hauling	0.0374	1.3058	0.2674	3.5500e- 003	0.0763	4.2400e- 003	0.0805	0.0210	4.0600e- 003	0.0250	0.0000	343.2186	343.2186	0.0157	0.0000	343.6111
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
' '	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	0.0378	1.3061	0.2704	3.5600e- 003	0.0772	4.2500e- 003	0.0815	0.0212	4.0700e- 003	0.0253	0.0000	344.0348	344.0348	0.0157	0.0000	344.4278

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0718	0.0000	0.0718	0.0379	0.0000	0.0379	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0203	0.2263	0.0968	2.1000e- 004		0.0103	0.0103		9.4400e- 003	9.4400e- 003	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346
Total	0.0203	0.2263	0.0968	2.1000e- 004	0.0718	0.0103	0.0821	0.0379	9.4400e- 003	0.0473	0.0000	18.5844	18.5844	6.0100e- 003	0.0000	18.7346

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.5 Grading Soil Haul - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	0.0374	1.3058	0.2674	3.5500e- 003	0.0763	4.2400e- 003	0.0805	0.0210	4.0600e- 003	0.0250	0.0000	343.2186	343.2186	0.0157	0.0000	343.6111
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	4.0000e- 004	2.9000e- 004	3.0000e- 003	1.0000e- 005	9.5000e- 004	1.0000e- 005	9.6000e- 004	2.5000e- 004	1.0000e- 005	2.6000e- 004	0.0000	0.8162	0.8162	2.0000e- 005	0.0000	0.8167
Total	0.0378	1.3061	0.2704	3.5600e- 003	0.0772	4.2500e- 003	0.0815	0.0212	4.0700e- 003	0.0253	0.0000	344.0348	344.0348	0.0157	0.0000	344.4278

## 3.6 Building Construction - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0650	0.4732	0.4220	7.1000e- 004		0.0255	0.0255		0.0246	0.0246	0.0000	58.0935	58.0935	0.0108	0.0000	58.3631
Total	0.0650	0.4732	0.4220	7.1000e- 004		0.0255	0.0255		0.0246	0.0246	0.0000	58.0935	58.0935	0.0108	0.0000	58.3631

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 41 Date: 1/16/2020 12:28 PM

## De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.6 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	5.3300e- 003	0.1530	0.0408	3.7000e- 004	8.8400e- 003	7.6000e- 004	9.6000e- 003	2.5600e- 003	7.3000e- 004	3.2800e- 003	0.0000	35.1379	35.1379	1.6100e- 003	0.0000	35.1782
Worker	0.0113	8.1000e- 003	0.0849	2.6000e- 004	0.0269	1.7000e- 004	0.0271	7.1500e- 003	1.6000e- 004	7.3100e- 003	0.0000	23.0707	23.0707	5.7000e- 004	0.0000	23.0848
Total	0.0166	0.1611	0.1257	6.3000e- 004	0.0357	9.3000e- 004	0.0367	9.7100e- 003	8.9000e- 004	0.0106	0.0000	58.2086	58.2086	2.1800e- 003	0.0000	58.2630

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0650	0.4732	0.4220	7.1000e- 004		0.0255	0.0255		0.0246	0.0246	0.0000	58.0934	58.0934	0.0108	0.0000	58.3630
Total	0.0650	0.4732	0.4220	7.1000e- 004	·	0.0255	0.0255		0.0246	0.0246	0.0000	58.0934	58.0934	0.0108	0.0000	58.3630

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.6 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.3300e- 003	0.1530	0.0408	3.7000e- 004	8.8400e- 003	7.6000e- 004	9.6000e- 003	2.5600e- 003	7.3000e- 004	3.2800e- 003	0.0000	35.1379	35.1379	1.6100e- 003	0.0000	35.1782
Worker	0.0113	8.1000e- 003	0.0849	2.6000e- 004	0.0269	1.7000e- 004	0.0271	7.1500e- 003	1.6000e- 004	7.3100e- 003	0.0000	23.0707	23.0707	5.7000e- 004	0.0000	23.0848
Total	0.0166	0.1611	0.1257	6.3000e- 004	0.0357	9.3000e- 004	0.0367	9.7100e- 003	8.9000e- 004	0.0106	0.0000	58.2086	58.2086	2.1800e- 003	0.0000	58.2630

## 3.6 Building Construction - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.2365	1.7795	1.6834	2.8800e- 003		0.0893	0.0893		0.0862	0.0862	0.0000	236.9197	236.9197	0.0423	0.0000	237.9771
Total	0.2365	1.7795	1.6834	2.8800e- 003		0.0893	0.0893		0.0862	0.0862	0.0000	236.9197	236.9197	0.0423	0.0000	237.9771

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.6 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0179	0.5632	0.1499	1.4800e- 003	0.0361	1.2500e- 003	0.0373	0.0104	1.1900e- 003	0.0116	0.0000	141.9740	141.9740	6.1900e- 003	0.0000	142.1287
Worker	0.0426	0.0295	0.3164	1.0000e- 003	0.1097	6.9000e- 004	0.1104	0.0292	6.4000e- 004	0.0298	0.0000	90.8194	90.8194	2.0700e- 003	0.0000	90.8711
Total	0.0605	0.5927	0.4664	2.4800e- 003	0.1458	1.9400e- 003	0.1477	0.0396	1.8300e- 003	0.0414	0.0000	232.7934	232.7934	8.2600e- 003	0.0000	232.9998

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.2365	1.7795	1.6834	2.8800e- 003		0.0893	0.0893		0.0862	0.0862	0.0000	236.9194	236.9194	0.0423	0.0000	237.9768
Total	0.2365	1.7795	1.6834	2.8800e- 003		0.0893	0.0893		0.0862	0.0862	0.0000	236.9194	236.9194	0.0423	0.0000	237.9768

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.6 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0179	0.5632	0.1499	1.4800e- 003	0.0361	1.2500e- 003	0.0373	0.0104	1.1900e- 003	0.0116	0.0000	141.9740	141.9740	6.1900e- 003	0.0000	142.1287
Worker	0.0426	0.0295	0.3164	1.0000e- 003	0.1097	6.9000e- 004	0.1104	0.0292	6.4000e- 004	0.0298	0.0000	90.8194	90.8194	2.0700e- 003	0.0000	90.8711
Total	0.0605	0.5927	0.4664	2.4800e- 003	0.1458	1.9400e- 003	0.1477	0.0396	1.8300e- 003	0.0414	0.0000	232.7934	232.7934	8.2600e- 003	0.0000	232.9998

#### 3.6 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.0206	0.1563	0.1591	2.8000e- 004		7.3600e- 003	7.3600e- 003		7.1100e- 003	7.1100e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959
Total	0.0206	0.1563	0.1591	2.8000e- 004		7.3600e- 003	7.3600e- 003		7.1100e- 003	7.1100e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 41 Date: 1/16/2020 12:28 PM

## De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.6 Building Construction - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.6000e- 003	0.0510	0.0135	1.4000e- 004	3.4500e- 003	1.0000e- 004	3.5600e- 003	1.0000e- 003	1.0000e- 004	1.1000e- 003	0.0000	13.4689	13.4689	5.7000e- 004	0.0000	13.4831
Worker	3.8100e- 003	2.5400e- 003	0.0279	9.0000e- 005	0.0105	6.0000e- 005	0.0106	2.7900e- 003	6.0000e- 005	2.8500e- 003	0.0000	8.3832	8.3832	1.8000e- 004	0.0000	8.3876
Total	5.4100e- 003	0.0535	0.0414	2.3000e- 004	0.0140	1.6000e- 004	0.0141	3.7900e- 003	1.6000e- 004	3.9500e- 003	0.0000	21.8521	21.8521	7.5000e- 004	0.0000	21.8707

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.0206	0.1563	0.1591	2.8000e- 004		7.3600e- 003	7.3600e- 003		7.1100e- 003	7.1100e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959
Total	0.0206	0.1563	0.1591	2.8000e- 004		7.3600e- 003	7.3600e- 003		7.1100e- 003	7.1100e- 003	0.0000	22.6971	22.6971	3.9500e- 003	0.0000	22.7959

CalEEMod Version: CalEEMod.2016.3.2 Page 24 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.6 Building Construction - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.6000e- 003	0.0510	0.0135	1.4000e- 004	3.4500e- 003	1.0000e- 004	3.5600e- 003	1.0000e- 003	1.0000e- 004	1.1000e- 003	0.0000	13.4689	13.4689	5.7000e- 004	0.0000	13.4831
Worker	3.8100e- 003	2.5400e- 003	0.0279	9.0000e- 005	0.0105	6.0000e- 005	0.0106	2.7900e- 003	6.0000e- 005	2.8500e- 003	0.0000	8.3832	8.3832	1.8000e- 004	0.0000	8.3876
Total	5.4100e- 003	0.0535	0.0414	2.3000e- 004	0.0140	1.6000e- 004	0.0141	3.7900e- 003	1.6000e- 004	3.9500e- 003	0.0000	21.8521	21.8521	7.5000e- 004	0.0000	21.8707

# 3.7 Paving - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	√yr		
	3.4400e- 003	0.0339	0.0440	7.0000e- 005		1.7400e- 003	1.7400e- 003		1.6000e- 003	1.6000e- 003	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9315
	5.4000e- 004		1 1 1 1 1			0.0000	0.0000	       	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	3.9800e- 003	0.0339	0.0440	7.0000e- 005		1.7400e- 003	1.7400e- 003		1.6000e- 003	1.6000e- 003	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9315

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.7 Paving - 2022

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115
Total	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	3.4400e- 003	0.0339	0.0440	7.0000e- 005	! !	1.7400e- 003	1.7400e- 003		1.6000e- 003	1.6000e- 003	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9314
Paving	5.4000e- 004		 		 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	3.9800e- 003	0.0339	0.0440	7.0000e- 005		1.7400e- 003	1.7400e- 003		1.6000e- 003	1.6000e- 003	0.0000	5.8848	5.8848	1.8700e- 003	0.0000	5.9314

CalEEMod Version: CalEEMod.2016.3.2 Page 26 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

3.7 Paving - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115
Total	1.9000e- 004	1.2000e- 004	1.3700e- 003	0.0000	5.2000e- 004	0.0000	5.2000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4113	0.4113	1.0000e- 005	0.0000	0.4115

# 3.8 Architectural Coating - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	0.7504					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0500e- 003	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004		8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574
Total	0.7525	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004		8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.8 Architectural Coating - 2022 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294
Total	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	0.7504					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	2.0500e- 003	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004		8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574
Total	0.7525	0.0141	0.0181	3.0000e- 005		8.2000e- 004	8.2000e- 004		8.2000e- 004	8.2000e- 004	0.0000	2.5533	2.5533	1.7000e- 004	0.0000	2.5574

CalEEMod Version: CalEEMod.2016.3.2 Page 28 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 3.8 Architectural Coating - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294
Total	6.0000e- 004	4.0000e- 004	4.4200e- 003	1.0000e- 005	1.6700e- 003	1.0000e- 005	1.6800e- 003	4.4000e- 004	1.0000e- 005	4.5000e- 004	0.0000	1.3287	1.3287	3.0000e- 005	0.0000	1.3294

## 4.0 Operational Detail - Mobile

## **4.1 Mitigation Measures Mobile**

Implement Trip Reduction Program

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	0.3619	1.4753	3.8894	0.0129	1.1727	0.0111	1.1838	0.3139	0.0104	0.3243	0.0000	1,182.068 8	1,182.068 8	0.0417	0.0000	1,183.1103
Unmitigated	0.3619	1.4753	3.8894	0.0129	1.1727	0.0111	1.1838	0.3139	0.0104	0.3243	0.0000	1,182.068 8	1,182.068 8	0.0417	0.0000	1,183.1103

#### **4.2 Trip Summary Information**

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Hotel	1,659.84	1,659.84	1659.84	3,153,581	3,153,581
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Quality Restaurant	0.00	0.00	0.00		
Total	1,659.84	1,659.84	1,659.84	3,153,581	3,153,581

## **4.3 Trip Type Information**

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Hotel	9.50	7.30	7.30	19.40	61.60	19.00	58	38	4
Other Non-Asphalt Surfaces	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Quality Restaurant	9.50	7.30	7.30	12.00	69.00	19.00	38	18	44

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Enclosed Parking with Elevator	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Hotel	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Other Non-Asphalt Surfaces	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Parking Lot	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Quality Restaurant	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740

# 5.0 Energy Detail

Historical Energy Use: N

# **5.1 Mitigation Measures Energy**

Exceed Title 24

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	<sup>-</sup> /yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	549.9107	549.9107	0.0249	5.1400e- 003	552.0654
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	549.9107	549.9107	0.0249	5.1400e- 003	552.0654
NaturalGas Mitigated	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265
NaturalGas Unmitigated	0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265

CalEEMod Version: CalEEMod.2016.3.2 Page 31 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	5.71599e +006	0.0308	0.2802	0.2354	1.6800e- 003		0.0213	0.0213		0.0213	0.0213	0.0000	305.0270	305.0270	5.8500e- 003	5.5900e- 003	306.8396
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	2.15322e +006	0.0116	0.1056	0.0887	6.3000e- 004		8.0200e- 003	8.0200e- 003		8.0200e- 003	8.0200e- 003	0.0000	114.9041	114.9041	2.2000e- 003	2.1100e- 003	115.5869
Total		0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265

CalEEMod Version: CalEEMod.2016.3.2 Page 32 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# **5.2 Energy by Land Use - NaturalGas Mitigated**

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr		tons/yr									MT/yr					
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	5.71599e +006	0.0308	0.2802	0.2354	1.6800e- 003		0.0213	0.0213	 	0.0213	0.0213	0.0000	305.0270	305.0270	5.8500e- 003	5.5900e- 003	306.8396
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	2.15322e +006	0.0116	0.1056	0.0887	6.3000e- 004		8.0200e- 003	8.0200e- 003	1 1 1 1	8.0200e- 003	8.0200e- 003	0.0000	114.9041	114.9041	2.2000e- 003	2.1100e- 003	115.5869
Total		0.0424	0.3858	0.3240	2.3100e- 003		0.0293	0.0293		0.0293	0.0293	0.0000	419.9311	419.9311	8.0500e- 003	7.7000e- 003	422.4265

## De Anza Construction & Operation 2022 - Santa Clara County, Annual

5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e		
Land Use	kWh/yr	MT/yr					
Enclosed Parking with Elevator	562109	163.5239	7.3900e- 003	1.5300e- 003	164.1646		
Hotel	982980	285.9602	0.0129	2.6800e- 003	287.0806		
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		
Parking Lot	6300	1.8327	8.0000e- 005	2.0000e- 005	1.8399		
Quality Restaurant	338914	98.5939	4.4600e- 003	9.2000e- 004	98.9802		
Total		549.9107	0.0249	5.1500e- 003	552.0654		

CalEEMod Version: CalEEMod.2016.3.2 Page 34 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

5.3 Energy by Land Use - Electricity Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e			
Land Use	kWh/yr	MT/yr						
Enclosed Parking with Elevator	562109	163.5239	7.3900e- 003	1.5300e- 003	164.1646			
Hotel	982980	285.9602	0.0129	2.6800e- 003	287.0806			
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000			
Parking Lot	6300	1.8327	8.0000e- 005	2.0000e- 005	1.8399			
Quality Restaurant	338914	98.5939	4.4600e- 003	9.2000e- 004	98.9802			
Total		549.9107	0.0249	5.1500e- 003	552.0654			

### 6.0 Area Detail

## **6.1 Mitigation Measures Area**

CalEEMod Version: CalEEMod.2016.3.2 Page 35 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	-/yr		
Mitigated	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Unmitigated	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003

# 6.2 Area by SubCategory

## <u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory		tons/yr								MT/yr						
Architectural Coating	0.0750					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.5516					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	2.5000e- 004	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Total	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003

CalEEMod Version: CalEEMod.2016.3.2 Page 36 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

# 6.2 Area by SubCategory Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory		tons/yr								MT/yr						
Architectural Coating	0.0750					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.5516	       	1       			0.0000	0.0000	1 1 1 1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	2.5000e- 004	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005	1 1 1 1	1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003
Total	0.6269	2.0000e- 005	2.7000e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	5.2400e- 003	5.2400e- 003	1.0000e- 005	0.0000	5.5800e- 003

#### 7.0 Water Detail

#### 7.1 Mitigation Measures Water

Use Water Efficient Irrigation System

CalEEMod Version: CalEEMod.2016.3.2 Page 37 of 41 Date: 1/16/2020 12:28 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

	Total CO2	CH4	N2O	CO2e
Category		MT	-/yr	
Mitigated		0.4653	0.0112	42.5242
Jgatou	27.6002	0.4653	0.0112	42.5641

# 7.2 Water by Land Use Unmitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e			
Land Use	Mgal	MT/yr						
Enclosed Parking with Elevator	0/0	0.0000	0.0000	0.0000	0.0000			
Hotel	11.1033 / 0.439691	21.4482	0.3626	8.7100e- 003	33.1093			
Other Non- Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000			
Parking Lot	0/0	0.0000	0.0000	0.0000	0.0000			
Quality Restaurant	3.14461 / 0.20072	6.1520	0.1027	2.4700e- 003	9.4549			
Total		27.6002	0.4653	0.0112	42.5642			

CalEEMod Version: CalEEMod.2016.3.2 Page 38 of 41 Date: 1/16/2020 12:28 PM

## De Anza Construction & Operation 2022 - Santa Clara County, Annual

7.2 Water by Land Use Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e			
Land Use	Mgal	MT/yr						
Enclosed Parking with Elevator	0/0	0.0000	0.0000	0.0000	0.0000			
Hotel	11.1033 / 0.41287	21.4209	0.3626	8.7100e- 003	33.0818			
Other Non- Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000			
Parking Lot	0/0	0.0000	0.0000	0.0000	0.0000			
Quality Restaurant	3.14461 / 0.188476	6.1395	0.1027	2.4700e- 003	9.4424			
Total		27.5604	0.4653	0.0112	42.5242			

#### 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

#### De Anza Construction & Operation 2022 - Santa Clara County, Annual

## Category/Year

	Total CO2	CH4	N2O	CO2e				
	MT/yr							
willigated	19.2557	1.1380	0.0000	47.7052				
Jgatea	19.2557	1.1380	0.0000	47.7052				

# 8.2 Waste by Land Use <u>Unmitigated</u>

	Waste Disposed	Total CO2	CH4	N2O	CO2e			
Land Use	tons	MT/yr						
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000			
Hotel	85.41	17.3375	1.0246	0.0000	42.9528			
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000			
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			
Quality Restaurant	9.45	1.9183	0.1134	0.0000	4.7524			
Total		19.2557	1.1380	0.0000	47.7052			

### De Anza Construction & Operation 2022 - Santa Clara County, Annual

Date: 1/16/2020 12:28 PM

#### 8.2 Waste by Land Use

#### **Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e			
Land Use	tons	MT/yr						
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000			
Hotel	85.41	17.3375	1.0246	0.0000	42.9528			
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000			
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			
Quality Restaurant	9.45	1.9183	0.1134	0.0000	4.7524			
Total		19.2557	1.1380	0.0000	47.7052			

# 9.0 Operational Offroad

Equipment Type Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type	ı
-----------------------	-----------	-----------	-------------	-------------	-----------	---

# 10.0 Stationary Equipment

#### **Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

#### **Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

CalEEMod Version: CalEEMod.2016.3.2 Page 41 of 41 Date: 1/16/2020 12:28 PM

De Anza Construction & Operation 2022 - Santa Clara County, Annual

#### **User Defined Equipment**

Equipment Type	Number
----------------	--------

# 11.0 Vegetation

CalEEMod Version: CalEEMod.2016.3.2 Page 1 of 34 Date: 1/16/2020 12:35 PM

De Anza Construction & Operation 2022 - Santa Clara County, Summer

# De Anza Construction & Operation 2022 Santa Clara County, Summer

# 1.0 Project Characteristics

### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	18.00	1000sqft	0.41	18,000.00	0
Hotel	156.00	Room	0.42	129,000.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2022
Utility Company	Pacific Gas & Electric Cor	mpany			
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

### 1.3 User Entered Comments & Non-Default Data

#### De Anza Construction & Operation 2022 - Santa Clara County, Summer

Date: 1/16/2020 12:35 PM

Project Characteristics - See SWAPE comment about intensity factors.

Land Use - Consistent with IS's model. See SWAPE comment about parking lot and hotel land use sizes.

Construction Phase - Consistent with IS's model.

Off-road Equipment - No change. See SWAPE comment about equipment unit amounts.

Trips and VMT - Consistent with IS's model.

Demolition -

Grading - Consistent with IS's model. See SWAPE comment about grading.

Vehicle Trips - Consistent with IS's model.

Energy Use -

Water And Wastewater - See SWAPE comment about water use rates and wastewater treatment system percentages.

Solid Waste - See SWAPE comment about solid waste generation rates.

Land Use Change -

Construction Off-road Equipment Mitigation - See SWAPE comment about construction mitigation measures.

Mobile Commute Mitigation -

**Energy Mitigation -**

Water Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	10.00	20.00
tblConstructionPhase	NumDays	200.00	350.00
tblConstructionPhase	NumDays	20.00	10.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	2.00	5.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	AcresOfGrading	11.25	0.00

De Anza Construction & Operation 2022 - Santa Clara County, Summer

Date: 1/16/2020 12:35 PM

Page 3 of 34

tblGrading	MaterialExported	0.00	72,000.00
ļ			
tblLandUse	LandUseSquareFeet	95,920.00	95,923.00
tblLandUse	LandUseSquareFeet	12,860.00	0.00
tblLandUse	LandUseSquareFeet	226,512.00	129,000.00
tblLandUse	LandUseSquareFeet	10,360.00	10,358.00
tblLandUse	LotAcreage	2.20	0.01
tblLandUse	LotAcreage	5.20	0.42
tblTripsAndVMT	HaulingTripNumber	64.00	79.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblVehicleTrips	ST_TR	8.19	10.64
tblVehicleTrips	ST_TR	94.36	0.00
tblVehicleTrips	SU_TR	5.95	10.64
tblVehicleTrips	SU_TR	72.16	0.00
tblVehicleTrips	WD_TR	8.17	10.64
tblVehicleTrips	WD_TR	89.95	0.00
tblWater	IndoorWaterUseRate	3,957,216.12	11,103,300.00

# 2.0 Emissions Summary

CalEEMod Version: CalEEMod.2016.3.2 Page 4 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

### 2.1 Overall Construction (Maximum Daily Emission)

### **Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	lay		
2020	5.2352	115.9627	30.7353	0.2687	14.7060	1.6527	16.3588	6.4861	1.5309	8.0170	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.571 1
2021	2.2878	18.1080	16.6467	0.0418	1.1551	0.6991	1.8542	0.3128	0.6747	0.9875	0.0000	4,038.1124	4,038.1124	0.4265	0.0000	4,048.775 5
2022	75.3101	16.7235	16.2013	0.0414	1.1551	0.6023	1.7574	0.3128	0.5815	0.8943	0.0000	3,996.934 5	3,996.934 5	0.4137	0.0000	4,007.276 8
Maximum	75.3101	115.9627	30.7353	0.2687	14.7060	1.6527	16.3588	6.4861	1.5309	8.0170	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.57 11

# **Mitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/c	day		
2020	5.2352	115.9627	30.7353	0.2687	14.7060	1.6527	16.3588	6.4861	1.5309	8.0170	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.571 1
2021	2.2878	18.1080	16.6467	0.0418	1.1551	0.6991	1.8542	0.3128	0.6747	0.9875	0.0000	4,038.1124	4,038.1124	0.4265	0.0000	4,048.775 5
2022	75.3101	16.7235	16.2013	0.0414	1.1551	0.6023	1.7574	0.3128	0.5815	0.8943	0.0000	3,996.934 5	3,996.934 5	0.4137	0.0000	4,007.276 8
Maximum	75.3101	115.9627	30.7353	0.2687	14.7060	1.6527	16.3588	6.4861	1.5309	8.0170	0.0000	28,380.01 43	28,380.01 43	2.0223	0.0000	28,430.57 11

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CalEEMod Version: CalEEMod.2016.3.2 Page 6 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	2.3001	7.8751	22.1764	0.0752	6.6708	0.0609	6.7317	1.7806	0.0569	1.8375		7,588.458 1	7,588.458 1	0.2539		7,594.806 3
Total	5.9692	9.9890	23.9818	0.0879	6.6708	0.2217	6.8925	1.7806	0.2176	1.9982		10,124.93 19	10,124.93 19	0.3027	0.0465	10,146.35 70

### **Mitigated Operational**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	2.3001	7.8751	22.1764	0.0752	6.6708	0.0609	6.7317	1.7806	0.0569	1.8375		7,588.458 1	7,588.458 1	0.2539		7,594.806 3
Total	5.9692	9.9890	23.9818	0.0879	6.6708	0.2217	6.8925	1.7806	0.2176	1.9982		10,124.93 19	10,124.93 19	0.3027	0.0465	10,146.35 70

### Page 7 of 34

#### De Anza Construction & Operation 2022 - Santa Clara County, Summer

Date: 1/16/2020 12:35 PM

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

#### **Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	8/3/2020	8/14/2020	5	10	
2	Site Preparation	Site Preparation	8/17/2020	8/21/2020	5	5	
3	Grading	Grading	8/24/2020	10/2/2020	5	30	
4	Grading Soil Haul	Grading	8/24/2020	10/2/2020	5	30	
5	Building Construction	Building Construction	10/5/2020	2/4/2022	5	350	
6	Paving	Paving	2/7/2022	2/18/2022	5	10	
7	Architectural Coating	Architectural Coating	2/21/2022	3/18/2022	5	20	

Acres of Grading (Site Preparation Phase): 2.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0.72

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 209,037; Non-Residential Outdoor: 69,679; Striped Parking Area: 6,835 (Architectural Coating – sqft)

OffRoad Equipment

De Anza Construction & Operation 2022 - Santa Clara County, Summer

Date: 1/16/2020 12:35 PM

Page 8 of 34

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	<b> </b>   1	8.00	187	0.41
Site Preparation	Rubber Tired Dozers	   1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	<b> </b>   1	8.00	97	0.37
Grading	Graders	<b> </b>   1	6.00	187	0.41
Grading	Rubber Tired Dozers	<b> </b>   1	6.00	247	0.40
Grading	Tractors/Loaders/Backhoes	<b> </b>   1	7.00	97	0.37
Grading Soil Haul	Graders	<b> </b>   1	6.00	187	0.41
Grading Soil Haul	Rubber Tired Dozers	<b> </b>   1	6.00	247	0.40
Grading Soil Haul	Tractors/Loaders/Backhoes	<b> </b>   1	7.00	97	0.37
Building Construction	Cranes	<b> </b>   1	6.00	231	0.29
Building Construction	Forklifts	<b> </b>   1	6.00	89	0.20
Building Construction	Generator Sets	<b> </b>   1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	<b> </b>   1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	<b> </b>   1	6.00	9	0.56
Paving	Pavers	<b> </b>   1	6.00	130	0.42
Paving	Paving Equipment	   1	8.00	132	0.36
Paving	Rollers	   1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	<b> </b>   1	8.00	97	0.37
Architectural Coating	Air Compressors	<b>+</b> 1	6.00	78	0.48

### **Trips and VMT**

Page 9 of 34

Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	4.00	79.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading Soil Haul	3	8.00	0.00	9,000.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	106.00	42.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

# **3.1 Mitigation Measures Construction**

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

### 3.2 Demolition - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		1.1525	1.1525		1.0761	1.0761		2,322.312 7	2,322.312 7	0.5970	       	2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	1.1525	2.5306	0.2087	1.0761	1.2848		2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 10 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.2 Demolition - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0649	2.2464	0.4549	6.2700e- 003	0.1381	7.4000e- 003	0.1455	0.0378	7.0800e- 003	0.0449		668.9482	668.9482	0.0298		669.6925
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0452	0.0278	0.3575	1.0500e- 003	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		104.7808	104.7808	2.5600e- 003		104.8449
Total	0.1256	2.7240	0.9263	8.4200e- 003	0.2719	0.0103	0.2822	0.0740	9.8300e- 003	0.0838		890.2486	890.2486	0.0374		891.1848

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		1.1525	1.1525	 	1.0761	1.0761	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	1.1525	2.5306	0.2087	1.0761	1.2848	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.2 Demolition - 2020 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0649	2.2464	0.4549	6.2700e- 003	0.1381	7.4000e- 003	0.1455	0.0378	7.0800e- 003	0.0449		668.9482	668.9482	0.0298		669.6925
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0452	0.0278	0.3575	1.0500e- 003	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		104.7808	104.7808	2.5600e- 003		104.8449
Total	0.1256	2.7240	0.9263	8.4200e- 003	0.2719	0.0103	0.2822	0.0740	9.8300e- 003	0.0838		890.2486	890.2486	0.0374		891.1848

### 3.3 Site Preparation - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172		0.8210	0.8210		0.7553	0.7553		1,667.4119	1,667.4119	0.5393		1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.8210	6.6205	2.9537	0.7553	3.7090		1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.3 Site Preparation - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172	     	0.8210	0.8210		0.7553	0.7553	0.0000	1,667.4119	1,667.4119	0.5393	     	1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.8210	6.6205	2.9537	0.7553	3.7090	0.0000	1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

### 3.4 Grading - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417	     	1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.6844	5.2009	2.4827	0.6296	3.1123		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.4 Grading - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844	 	0.6296	0.6296	0.0000	1,365.718 3	1,365.718 3	0.4417	       	1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.6844	5.2009	2.4827	0.6296	3.1123	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0155	0.4498	0.1139	1.1000e- 003	0.0271	2.2400e- 003	0.0293	7.8000e- 003	2.1400e- 003	9.9400e- 003		116.5196	116.5196	5.1100e- 003		116.6473
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	0.0434	0.4669	0.3340	1.7500e- 003	0.0928	2.6500e- 003	0.0955	0.0252	2.5200e- 003	0.0278		181.0001	181.0001	6.6900e- 003		181.1673

### 3.5 Grading Soil Haul - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.6844	5.4724	2.5238	0.6296	3.1534		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 34 Date: 1/16/2020 12:35 PM

# De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.5 Grading Soil Haul - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	2.4644	85.3080	17.2727	0.2381	5.2430	0.2809	5.5239	1.4370	0.2688	1.7057		25,403.09 70	25,403.09 70	1.1306		25,431.36 21
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	2.4922	85.3251	17.4928	0.2387	5.3087	0.2813	5.5900	1.4544	0.2691	1.7235		25,467.57 76	25,467.57 76	1.1322		25,495.88 21

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.6844	5.4724	2.5238	0.6296	3.1534	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.5 Grading Soil Haul - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	2.4644	85.3080	17.2727	0.2381	5.2430	0.2809	5.5239	1.4370	0.2688	1.7057		25,403.09 70	25,403.09 70	1.1306		25,431.36 21
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0278	0.0171	0.2200	6.5000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		64.4805	64.4805	1.5800e- 003		64.5200
Total	2.4922	85.3251	17.4928	0.2387	5.3087	0.2813	5.5900	1.4544	0.2691	1.7235		25,467.57 76	25,467.57 76	1.1322		25,495.88 21

# 3.6 Building Construction - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 3.6 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1632	4.7231	1.1962	0.0116	0.2844	0.0235	0.3079	0.0819	0.0225	0.1044		1,223.455 3	1,223.455 3	0.0537		1,224.797 1
Worker	0.3684	0.2262	2.9154	8.5700e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		854.3668	854.3668	0.0209		854.8895
Total	0.5316	4.9494	4.1115	0.0202	1.1551	0.0290	1.1841	0.3128	0.0275	0.3403		2,077.822 1	2,077.822	0.0746		2,079.686 6

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 3.6 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1632	4.7231	1.1962	0.0116	0.2844	0.0235	0.3079	0.0819	0.0225	0.1044		1,223.455 3	1,223.455 3	0.0537	       	1,224.797 1
Worker	0.3684	0.2262	2.9154	8.5700e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		854.3668	854.3668	0.0209	     	854.8895
Total	0.5316	4.9494	4.1115	0.0202	1.1551	0.0290	1.1841	0.3128	0.0275	0.3403		2,077.822 1	2,077.822 1	0.0746		2,079.686 6

# 3.6 Building Construction - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 3.6 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1339	4.2697	1.0761	0.0115	0.2844	9.4400e- 003	0.2938	0.0819	9.0300e- 003	0.0909		1,212.200 9	1,212.200 9	0.0505	       	1,213.463 9
Worker	0.3413	0.2022	2.6712	8.2700e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		824.6915	824.6915	0.0187	     	825.1600
Total	0.4753	4.4719	3.7473	0.0197	1.1551	0.0147	1.1699	0.3128	0.0139	0.3267		2,036.892 4	2,036.892 4	0.0693		2,038.623 8

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.6 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1339	4.2697	1.0761	0.0115	0.2844	9.4400e- 003	0.2938	0.0819	9.0300e- 003	0.0909		1,212.200 9	1,212.200 9	0.0505		1,213.463 9
Worker	0.3413	0.2022	2.6712	8.2700e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		824.6915	824.6915	0.0187		825.1600
Total	0.4753	4.4719	3.7473	0.0197	1.1551	0.0147	1.1699	0.3128	0.0139	0.3267		2,036.892 4	2,036.892 4	0.0693		2,038.623 8

# 3.6 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 3.6 Building Construction - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1249	4.0389	1.0135	0.0114	0.2844	8.2000e- 003	0.2926	0.0819	7.8400e- 003	0.0897		1,200.687 6	1,200.687 6	0.0483		1,201.894 0
Worker	0.3181	0.1815	2.4615	7.9700e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		794.7040	794.7040	0.0168		795.1247
Total	0.4430	4.2204	3.4749	0.0193	1.1551	0.0134	1.1685	0.3128	0.0126	0.3254		1,995.391 7	1,995.391 7	0.0651		1,997.018 7

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.6 Building Construction - 2022 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1249	4.0389	1.0135	0.0114	0.2844	8.2000e- 003	0.2926	0.0819	7.8400e- 003	0.0897		1,200.687 6	1,200.687 6	0.0483	       	1,201.894 0
Worker	0.3181	0.1815	2.4615	7.9700e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		794.7040	794.7040	0.0168	       	795.1247
Total	0.4430	4.2204	3.4749	0.0193	1.1551	0.0134	1.1685	0.3128	0.0126	0.3254		1,995.391 7	1,995.391 7	0.0651		1,997.018 7

# 3.7 Paving - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074		1 1 1 1		       	0.0000	0.0000	i i	0.0000	0.0000			0.0000		i i	0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 24 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.7 Paving - 2022

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153
Total	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074				       	0.0000	0.0000	1 1 1	0.0000	0.0000		 	0.0000		i i	0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

3.7 Paving - 2022

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153
Total	0.0390	0.0223	0.3019	9.8000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		97.4637	97.4637	2.0600e- 003		97.5153

# 3.8 Architectural Coating - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Archit. Coating	75.0425					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	1	0.0817	0.0817		281.4481	281.4481	0.0183	       	281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 26 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 3.8 Architectural Coating - 2022 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247
Total	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Archit. Coating	75.0425					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	       	0.0817	0.0817	0.0000	281.4481	281.4481	0.0183	       	281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817	0.0000	281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 3.8 Architectural Coating - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247
Total	0.0630	0.0360	0.4877	1.5800e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		157.4414	157.4414	3.3300e- 003		157.5247

# 4.0 Operational Detail - Mobile

# **4.1 Mitigation Measures Mobile**

Implement Trip Reduction Program

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Mitigated	2.3001	7.8751	22.1764	0.0752	6.6708	0.0609	6.7317	1.7806	0.0569	1.8375		7,588.458 1	7,588.458 1	0.2539		7,594.806 3
Unmitigated	2.3001	7.8751	22.1764	0.0752	6.6708	0.0609	6.7317	1.7806	0.0569	1.8375		7,588.458 1	7,588.458 1	0.2539		7,594.806 3

### **4.2 Trip Summary Information**

	Ave	age Daily Trip Ra	ite	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Hotel	1,659.84	1,659.84	1659.84	3,153,581	3,153,581
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Quality Restaurant	0.00	0.00	0.00		
Total	1,659.84	1,659.84	1,659.84	3,153,581	3,153,581

# 4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Hotel	9.50	7.30	7.30	19.40	61.60	19.00	58	38	4
Other Non-Asphalt Surfaces	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Quality Restaurant	9.50	7.30	7.30	12.00	69.00	19.00	38	18	44

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Enclosed Parking with Elevator	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Hotel	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Other Non-Asphalt Surfaces	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Parking Lot	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Quality Restaurant	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740

# 5.0 Energy Detail

Historical Energy Use: N

### **5.1 Mitigation Measures Energy**

Exceed Title 24

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
NaturalGas Mitigated	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
NaturalGas Unmitigated	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606	, <b></b>     	2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 30 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15660.2	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5899.24	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440		0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 31 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# **5.2 Energy by Land Use - NaturalGas Mitigated**

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	i i	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15.6602	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5.89924	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440	,	0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

### 6.0 Area Detail

# **6.1 Mitigation Measures Area**

CalEEMod Version: CalEEMod.2016.3.2 Page 32 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Mitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Unmitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

# 6.2 Area by SubCategory

### **Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/d	day		
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	3.0226					0.0000	0.0000		0.0000	0.0000		,	0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

CalEEMod Version: CalEEMod.2016.3.2 Page 33 of 34 Date: 1/16/2020 12:35 PM

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

# 6.2 Area by SubCategory

### **Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/d	day		
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	3.0226					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

### 7.0 Water Detail

### 7.1 Mitigation Measures Water

Use Water Efficient Irrigation System

### 8.0 Waste Detail

# 8.1 Mitigation Measures Waste

# 9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

# 10.0 Stationary Equipment

### De Anza Construction & Operation 2022 - Santa Clara County, Summer

### **Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
<u>Boilers</u>						
Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type	

### **User Defined Equipment**

Equipment Type	Number
=40.6	

# 11.0 Vegetation

CalEEMod Version: CalEEMod.2016.3.2 Page 1 of 34 Date: 1/16/2020 12:33 PM

De Anza Construction & Operation 2022 - Santa Clara County, Winter

# De Anza Construction & Operation 2022 Santa Clara County, Winter

# 1.0 Project Characteristics

### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.92	1000sqft	0.01	95,923.00	0
Other Non-Asphalt Surfaces	12.86	1000sqft	0.30	0.00	0
Parking Lot	18.00	1000sqft	0.41	18,000.00	0
Hotel	156.00	Room	0.42	129,000.00	0
Quality Restaurant	10.36	1000sqft	0.24	10,358.00	0

### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2022
Utility Company	Pacific Gas & Electric	: Company			
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

### 1.3 User Entered Comments & Non-Default Data

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

Date: 1/16/2020 12:33 PM

Project Characteristics - See SWAPE comment about intensity factors.

Land Use - Consistent with IS's model. See SWAPE comment about parking lot and hotel land use sizes.

Construction Phase - Consistent with IS's model.

Off-road Equipment - No change. See SWAPE comment about equipment unit amounts.

Trips and VMT - Consistent with IS's model.

Demolition -

Grading - Consistent with IS's model. See SWAPE comment about grading.

Vehicle Trips - Consistent with IS's model.

Energy Use -

Water And Wastewater - See SWAPE comment about water use rates and wastewater treatment system percentages.

Solid Waste - See SWAPE comment about solid waste generation rates.

Land Use Change -

Construction Off-road Equipment Mitigation - See SWAPE comment about construction mitigation measures.

Mobile Commute Mitigation -

**Energy Mitigation -**

Water Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	10.00	20.00
tblConstructionPhase	NumDays	200.00	350.00
tblConstructionPhase	NumDays	20.00	10.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	4.00	30.00
tblConstructionPhase	NumDays	2.00	5.00
tblGrading	AcresOfGrading	11.25	0.00
tblGrading	AcresOfGrading	11.25	0.00

De Anza Construction & Operation 2022 - Santa Clara County, Winter

Page 3 of 34

Date: 1/16/2020 12:33 PM

tblGrading	MaterialExported	0.00	72,000.00
tblLandUse	LandUseSquareFeet	95,920.00	95,923.00
tblLandUse	LandUseSquareFeet	12,860.00	0.00
tblLandUse	LandUseSquareFeet	226,512.00	129,000.00
tblLandUse	LandUseSquareFeet	10,360.00	10,358.00
tblLandUse	LotAcreage	2.20	0.01
tblLandUse	LotAcreage	5.20	0.42
tblTripsAndVMT	HaulingTripNumber	64.00	79.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblVehicleTrips	ST_TR	8.19	10.64
tblVehicleTrips	ST_TR	94.36	0.00
tblVehicleTrips	SU_TR	5.95	10.64
tblVehicleTrips	SU_TR	72.16	0.00
tblVehicleTrips	WD_TR	8.17	10.64
tblVehicleTrips	WD_TR	89.95	0.00
tblWater	IndoorWaterUseRate	3,957,216.12	11,103,300.00

# 2.0 Emissions Summary

CalEEMod Version: CalEEMod.2016.3.2 Page 4 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

#### 2.1 Overall Construction (Maximum Daily Emission)

#### **Unmitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	day		
2020	5.3075	118.0569	32.0336	0.2645	14.7060	1.6574	16.3634	6.4861	1.5353	8.0214	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15
2021	2.3181	18.1908	16.5975	0.0408	1.1551	0.6994	1.8545	0.3128	0.6750	0.9878	0.0000	3,940.210 2	3,940.210 2	0.4291	0.0000	3,950.937 8
2022	75.3144	16.7953	16.1502	0.0404	1.1551	0.6025	1.7577	0.3128	0.5817	0.8946	0.0000	3,901.599 8	3,901.599 8	0.4162	0.0000	3,912.003 6
Maximum	75.3144	118.0569	32.0336	0.2645	14.7060	1.6574	16.3634	6.4861	1.5353	8.0214	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15

# **Mitigated Construction**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	day		
2020	5.3075	118.0569	32.0336	0.2645	14.7060	1.6574	16.3634	6.4861	1.5353	8.0214	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15
2021	2.3181	18.1908	16.5975	0.0408	1.1551	0.6994	1.8545	0.3128	0.6750	0.9878	0.0000	3,940.210 2	3,940.210 2	0.4291	0.0000	3,950.937 8
2022	75.3144	16.7953	16.1502	0.0404	1.1551	0.6025	1.7577	0.3128	0.5817	0.8946	0.0000	3,901.599 8	3,901.599 8	0.4162	0.0000	3,912.003 6
Maximum	75.3144	118.0569	32.0336	0.2645	14.7060	1.6574	16.3634	6.4861	1.5353	8.0214	0.0000	27,935.97 89	27,935.97 89	2.0757	0.0000	27,987.87 15

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CalEEMod Version: CalEEMod.2016.3.2 Page 6 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	1.9741	8.2505	22.3856	0.0701	6.6708	0.0614	6.7322	1.7806	0.0573	1.8379		7,072.514 3	7,072.514 3	0.2591		7,078.992 1
Total	5.6432	10.3644	24.1911	0.0828	6.6708	0.2221	6.8929	1.7806	0.2181	1.9987		9,608.988 2	9,608.988 2	0.3079	0.0465	9,630.542 8

#### **Mitigated Operational**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Area	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Energy	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Mobile	1.9741	8.2505	22.3856	0.0701	6.6708	0.0614	6.7322	1.7806	0.0573	1.8379		7,072.514 3	7,072.514 3	0.2591		7,078.992 1
Total	5.6432	10.3644	24.1911	0.0828	6.6708	0.2221	6.8929	1.7806	0.2181	1.9987		9,608.988 2	9,608.988 2	0.3079	0.0465	9,630.542 8

Page 7 of 34

Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

#### 3.0 Construction Detail

#### **Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	8/3/2020	8/14/2020	5	10	
2	Site Preparation	Site Preparation	8/17/2020	8/21/2020	5	5	
3	Grading	Grading	8/24/2020	10/2/2020	5	30	
4	Grading Soil Haul	Grading	8/24/2020	10/2/2020	5	30	
5	Building Construction	Building Construction	10/5/2020	2/4/2022	5	350	
6	Paving	Paving	2/7/2022	2/18/2022	5	10	
7	Architectural Coating	Architectural Coating	2/21/2022	3/18/2022	5	20	

Acres of Grading (Site Preparation Phase): 2.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0.72

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 209,037; Non-Residential Outdoor: 69,679; Striped Parking Area: 6,835 (Architectural Coating – sqft)

**OffRoad Equipment** 

Page 8 of 34

De Anza Construction & Operation 2022 - Santa Clara County, Winter

Date: 1/16/2020 12:33 PM

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Graders	1	6.00	187	0.41
Grading	Rubber Tired Dozers	1	6.00	247	0.40
Grading	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading Soil Haul	Graders	1	6.00	187	0.41
Grading Soil Haul	Rubber Tired Dozers	1	6.00	247	0.40
Grading Soil Haul	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Paving	Pavers	1	6.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

#### **Trips and VMT**

Page 9 of 34

Date: 1/16/2020 12:33 PM

	De Anza Construction & O	peration 2022 - Santa	Clara County, Winter
--	--------------------------	-----------------------	----------------------

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	4.00	79.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	8.00	4.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading Soil Haul	3	8.00	0.00	9,000.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	106.00	42.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	21.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

#### 3.1 Mitigation Measures Construction

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

#### 3.2 Demolition - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		1.1525	1.1525		1.0761	1.0761		2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	1.1525	2.5306	0.2087	1.0761	1.2848		2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 10 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.2 Demolition - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0667	2.3013	0.4895	6.1600e- 003	0.1381	7.5200e- 003	0.1456	0.0378	7.1900e- 003	0.0450		657.6093	657.6093	0.0312		658.3887
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0481	0.0339	0.3313	9.7000e- 004	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		96.2606	96.2606	2.3900e- 003		96.3203
Total	0.1311	2.7902	0.9506	8.2000e- 003	0.2719	0.0105	0.2824	0.0740	9.9800e- 003	0.0839		867.4316	867.4316	0.0391		868.4082

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					1.3781	0.0000	1.3781	0.2087	0.0000	0.2087			0.0000			0.0000
Off-Road	2.1262	20.9463	14.6573	0.0241		1.1525	1.1525	 	1.0761	1.0761	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3
Total	2.1262	20.9463	14.6573	0.0241	1.3781	1.1525	2.5306	0.2087	1.0761	1.2848	0.0000	2,322.312 7	2,322.312 7	0.5970		2,337.236 3

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.2 Demolition - 2020 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0667	2.3013	0.4895	6.1600e- 003	0.1381	7.5200e- 003	0.1456	0.0378	7.1900e- 003	0.0450		657.6093	657.6093	0.0312		658.3887
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0481	0.0339	0.3313	9.7000e- 004	0.1068	6.7000e- 004	0.1075	0.0283	6.1000e- 004	0.0289		96.2606	96.2606	2.3900e- 003		96.3203
Total	0.1311	2.7902	0.9506	8.2000e- 003	0.2719	0.0105	0.2824	0.0740	9.9800e- 003	0.0839		867.4316	867.4316	0.0391		868.4082

#### 3.3 Site Preparation - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172	     	0.8210	0.8210		0.7553	0.7553		1,667.4119	1,667.4119	0.5393		1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.8210	6.6205	2.9537	0.7553	3.7090		1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.3 Site Preparation - 2020

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					5.7996	0.0000	5.7996	2.9537	0.0000	2.9537			0.0000			0.0000
Off-Road	1.6299	18.3464	7.7093	0.0172		0.8210	0.8210		0.7553	0.7553	0.0000	1,667.4119	1,667.4119	0.5393		1,680.893 7
Total	1.6299	18.3464	7.7093	0.0172	5.7996	0.8210	6.6205	2.9537	0.7553	3.7090	0.0000	1,667.411 9	1,667.411 9	0.5393		1,680.893 7

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

#### 3.4 Grading - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.6844	5.2009	2.4827	0.6296	3.1123		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.4 Grading - 2020
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	day		
Fugitive Dust	ii ii				4.5166	0.0000	4.5166	2.4827	0.0000	2.4827			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.5166	0.6844	5.2009	2.4827	0.6296	3.1123	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0164	0.4550	0.1298	1.0700e- 003	0.0271	2.2800e- 003	0.0294	7.8000e- 003	2.1800e- 003	9.9700e- 003		113.5616	113.5616	5.5100e- 003		113.6993
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	0.0459	0.4759	0.3337	1.6600e- 003	0.0928	2.6900e- 003	0.0955	0.0252	2.5600e- 003	0.0278		172.7989	172.7989	6.9800e- 003		172.9733

#### 3.5 Grading Soil Haul - 2020

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141	       	0.6844	0.6844		0.6296	0.6296		1,365.718 3	1,365.718 3	0.4417	       	1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.6844	5.4724	2.5238	0.6296	3.1534		1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.5 Grading Soil Haul - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	2.5324	87.3895	18.5875	0.2341	5.2430	0.2855	5.5285	1.4370	0.2731	1.7101		24,972.50 60	24,972.50 60	1.1839		25,002.10 25
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	     	0.0000
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003	     	59.2740
Total	2.5620	87.4103	18.7914	0.2347	5.3087	0.2859	5.5946	1.4544	0.2735	1.7279		25,031.74 33	25,031.74 33	1.1853		25,061.37 65

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					4.7880	0.0000	4.7880	2.5238	0.0000	2.5238			0.0000			0.0000
Off-Road	1.3498	15.0854	6.4543	0.0141		0.6844	0.6844		0.6296	0.6296	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9
Total	1.3498	15.0854	6.4543	0.0141	4.7880	0.6844	5.4724	2.5238	0.6296	3.1534	0.0000	1,365.718 3	1,365.718 3	0.4417		1,376.760 9

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.5 Grading Soil Haul - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	2.5324	87.3895	18.5875	0.2341	5.2430	0.2855	5.5285	1.4370	0.2731	1.7101		24,972.50 60	24,972.50 60	1.1839		25,002.10 25
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0296	0.0209	0.2039	5.9000e- 004	0.0657	4.1000e- 004	0.0661	0.0174	3.8000e- 004	0.0178		59.2373	59.2373	1.4700e- 003		59.2740
Total	2.5620	87.4103	18.7914	0.2347	5.3087	0.2859	5.5946	1.4544	0.2735	1.7279		25,031.74 33	25,031.74 33	1.1853		25,061.37 65

# 3.6 Building Construction - 2020

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688		2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 3.6 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1717	4.7777	1.3629	0.0113	0.2844	0.0239	0.3083	0.0819	0.0229	0.1047		1,192.397 2	1,192.397 2	0.0578		1,193.842 3
Worker	0.3919	0.2764	2.7014	7.8800e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		784.8941	784.8941	0.0195		785.3806
Total	0.5636	5.0540	4.0642	0.0192	1.1551	0.0293	1.1845	0.3128	0.0279	0.3407		1,977.291 3	1,977.291 3	0.0773		1,979.222 9

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7
Total	2.0305	14.7882	13.1881	0.0220		0.7960	0.7960		0.7688	0.7688	0.0000	2,001.159 5	2,001.159 5	0.3715		2,010.446 7

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.6 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1717	4.7777	1.3629	0.0113	0.2844	0.0239	0.3083	0.0819	0.0229	0.1047		1,192.397 2	1,192.397 2	0.0578		1,193.842 3
Worker	0.3919	0.2764	2.7014	7.8800e- 003	0.8708	5.4300e- 003	0.8762	0.2310	5.0000e- 003	0.2360		784.8941	784.8941	0.0195		785.3806
Total	0.5636	5.0540	4.0642	0.0192	1.1551	0.0293	1.1845	0.3128	0.0279	0.3407		1,977.291 3	1,977.291 3	0.0773		1,979.222 9

#### 3.6 Building Construction - 2021

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
- Cirricad	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608		2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 3.6 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1419	4.3078	1.2321	0.0112	0.2844	9.7500e- 003	0.2941	0.0819	9.3200e- 003	0.0912		1,181.336 0	1,181.336 0	0.0544		1,182.697 1
Worker	0.3637	0.2470	2.4660	7.6000e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		757.6542	757.6542	0.0174		758.0891
Total	0.5056	4.5547	3.6982	0.0188	1.1551	0.0150	1.1702	0.3128	0.0142	0.3270		1,938.990 2	1,938.990 2	0.0718		1,940.786 1

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7
Total	1.8125	13.6361	12.8994	0.0221		0.6843	0.6843		0.6608	0.6608	0.0000	2,001.220 0	2,001.220 0	0.3573		2,010.151 7

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.6 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1419	4.3078	1.2321	0.0112	0.2844	9.7500e- 003	0.2941	0.0819	9.3200e- 003	0.0912		1,181.336 0	1,181.336 0	0.0544	       	1,182.697 1
Worker	0.3637	0.2470	2.4660	7.6000e- 003	0.8708	5.2900e- 003	0.8761	0.2310	4.8700e- 003	0.2358		757.6542	757.6542	0.0174	       	758.0891
Total	0.5056	4.5547	3.6982	0.0188	1.1551	0.0150	1.1702	0.3128	0.0142	0.3270		1,938.990 2	1,938.990 2	0.0718		1,940.786 1

#### 3.6 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
- Cirricad	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689		2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 3.6 Building Construction - 2022 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1324	4.0707	1.1605	0.0111	0.2844	8.4800e- 003	0.2929	0.0819	8.1100e- 003	0.0900		1,169.918 4	1,169.918 4	0.0520	       	1,171.217 6
Worker	0.3399	0.2216	2.2633	7.3200e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		730.1386	730.1386	0.0156	     	730.5280
Total	0.4723	4.2922	3.4238	0.0184	1.1551	0.0137	1.1688	0.3128	0.0129	0.3257		1,900.056 9	1,900.056 9	0.0676		1,901.745 5

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
- Cirricad	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1
Total	1.6487	12.5031	12.7264	0.0221		0.5889	0.5889		0.5689	0.5689	0.0000	2,001.542 9	2,001.542 9	0.3486		2,010.258 1

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.6 Building Construction - 2022 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1324	4.0707	1.1605	0.0111	0.2844	8.4800e- 003	0.2929	0.0819	8.1100e- 003	0.0900		1,169.918 4	1,169.918 4	0.0520	       	1,171.217 6
Worker	0.3399	0.2216	2.2633	7.3200e- 003	0.8708	5.1700e- 003	0.8759	0.2310	4.7600e- 003	0.2357		730.1386	730.1386	0.0156	       	730.5280
Total	0.4723	4.2922	3.4238	0.0184	1.1551	0.0137	1.1688	0.3128	0.0129	0.3257		1,900.056 9	1,900.056 9	0.0676		1,901.745 5

# 3.7 Paving - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074	 				0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205		1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 24 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.7 Paving - 2022

<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931
Total	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.6877	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8
Paving	0.1074	 			       	0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7951	6.7738	8.8060	0.0135		0.3474	0.3474		0.3205	0.3205	0.0000	1,297.378 9	1,297.378 9	0.4113		1,307.660 8

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

3.7 Paving - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931
Total	0.0417	0.0272	0.2776	9.0000e- 004	0.1068	6.3000e- 004	0.1074	0.0283	5.8000e- 004	0.0289		89.5453	89.5453	1.9100e- 003		89.5931

# 3.8 Architectural Coating - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	75.0425					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	       	0.0817	0.0817		281.4481	281.4481	0.0183	       	281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 26 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 3.8 Architectural Coating - 2022 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272
Total	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Archit. Coating	75.0425					0.0000	0.0000	i i	0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e- 003		0.0817	0.0817	i i	0.0817	0.0817	0.0000	281.4481	281.4481	0.0183		281.9062
Total	75.2470	1.4085	1.8136	2.9700e- 003		0.0817	0.0817		0.0817	0.0817	0.0000	281.4481	281.4481	0.0183		281.9062

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 3.8 Architectural Coating - 2022 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272
Total	0.0673	0.0439	0.4484	1.4500e- 003	0.1725	1.0200e- 003	0.1735	0.0458	9.4000e- 004	0.0467		144.6501	144.6501	3.0900e- 003		144.7272

# 4.0 Operational Detail - Mobile

# **4.1 Mitigation Measures Mobile**

Implement Trip Reduction Program

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Mitigated	1.9741	8.2505	22.3856	0.0701	6.6708	0.0614	6.7322	1.7806	0.0573	1.8379		7,072.514 3	7,072.514 3	0.2591		7,078.992 1
Unmitigated	1.9741	8.2505	22.3856	0.0701	6.6708	0.0614	6.7322	1.7806	0.0573	1.8379		7,072.514 3	7,072.514 3	0.2591		7,078.992 1

#### **4.2 Trip Summary Information**

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Hotel	1,659.84	1,659.84	1659.84	3,153,581	3,153,581
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Quality Restaurant	0.00	0.00	0.00		
Total	1,659.84	1,659.84	1,659.84	3,153,581	3,153,581

# **4.3 Trip Type Information**

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Hotel	9.50	7.30	7.30	19.40	61.60	19.00	58	38	4
Other Non-Asphalt Surfaces	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Quality Restaurant	9.50	7.30	7.30	12.00	69.00	19.00	38	18	44

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Enclosed Parking with Elevator	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Hotel	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Other Non-Asphalt Surfaces	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Parking Lot	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740
Quality Restaurant	0.610498	0.036775	0.183084	0.106123	0.014413	0.005007	0.012610	0.021118	0.002144	0.001548	0.005312	0.000627	0.000740

# 5.0 Energy Detail

Historical Energy Use: N

# **5.1 Mitigation Measures Energy**

Exceed Title 24

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3
Unmitigated	0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 30 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15660.2	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167		0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5899.24	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440		0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

CalEEMod Version: CalEEMod.2016.3.2 Page 31 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

# **5.2 Energy by Land Use - NaturalGas Mitigated**

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr		lb/day											lb/d	lay		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	i i	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Hotel	15.6602	0.1689	1.5353	1.2897	9.2100e- 003		0.1167	0.1167	,       	0.1167	0.1167		1,842.382 0	1,842.382 0	0.0353	0.0338	1,853.330 3
Other Non- Asphalt Surfaces		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	,	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000	<del></del>	0.0000	0.0000	,	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Quality Restaurant	5.89924	0.0636	0.5784	0.4858	3.4700e- 003		0.0440	0.0440	,	0.0440	0.0440		694.0277	694.0277	0.0133	0.0127	698.1520
Total		0.2325	2.1137	1.7755	0.0127		0.1606	0.1606		0.1606	0.1606		2,536.409 7	2,536.409 7	0.0486	0.0465	2,551.482 3

#### 6.0 Area Detail

#### **6.1 Mitigation Measures Area**

CalEEMod Version: CalEEMod.2016.3.2 Page 32 of 34 Date: 1/16/2020 12:33 PM

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Mitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Unmitigated	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

# 6.2 Area by SubCategory

# <u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory		lb/day lb/day														
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	3.0226					0.0000	0.0000		0.0000	0.0000		,	0.0000			0.0000
Lanascaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004	<del></del> -     	1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

#### 6.2 Area by SubCategory

#### **Mitigated**

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day lb/day															
Architectural Coating	0.4112					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
	3.0226					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.7900e- 003	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684
Total	3.4366	2.7000e- 004	0.0300	0.0000		1.1000e- 004	1.1000e- 004		1.1000e- 004	1.1000e- 004		0.0642	0.0642	1.7000e- 004		0.0684

#### 7.0 Water Detail

#### 7.1 Mitigation Measures Water

Use Water Efficient Irrigation System

#### 8.0 Waste Detail

# 8.1 Mitigation Measures Waste

# 9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

#### **10.0 Stationary Equipment**

#### De Anza Construction & Operation 2022 - Santa Clara County, Winter

#### **Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

#### **Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

#### **User Defined Equipment**

Equipment Type Number
-----------------------

# 11.0 Vegetation

TTTI F .	DΘ	Anza	Construction
	170	All/a	

************	AREA PAF	RAMETERS	******	*****
SOURCE EMISSION RATE:	0.112E-02	g/s	0.891E-02	lb/hr
AREA EMISSION RATE:	0.215E-06	g/(s-m2)	0.171E-05	lb/(hr-m2)
AREA HEIGHT:		meters		feet
AREA SOURCE LONG SIDE:	95.00		311.68	
	55.00		180.45	
INITIAL VERTICAL DIMENSION:		meters	4.92	feet
RURAL OR URBAN:	URBAN			
POPULATION:	60777			
INITIAL PROBE DISTANCE =	5000.	meters	16404.	feet
**********************************	DING DOWNWA	 ASH PARAM	 ETERS ********	 ********
BUILDING DOWNWA	ASH NOT USE	ED FOR NO	N-POINT SOURCES	*****
BUILDING DOWNWA	ASH NOT USE	ED FOR NO	N-POINT SOURCES	*****
BUILDING DOWNWA	ASH NOT USE	ED FOR NO	N-POINT SOURCES	*****
BUILDING DOWNWA  **********  25 meter rece	ASH NOT USE	ED FOR NO  ANALYSIS ing: 1. m	N-POINT SOURCES	*****

MIN/MAX TEMPERATURE: 250.0 / 310.0 (K)

MINIMUM WIND SPEED: 0.5 m/s

ANEMOMETER HEIGHT: 10.000 meters

SURFACE CHARACTERISTICS INPUT: AERMET SEASONAL TABLES

DOMINANT SURFACE PROFILE: Urban

DOMINANT CLIMATE TYPE: Average Moisture

DOMINANT SEASON: Winter

ALBEDO: 0.35 BOWEN RATIO: 1.50

ROUGHNESS LENGTH: 1.000 (meters)

SURFACE FRICTION VELOCITY (U\*) NOT ADUSTED

# METEOROLOGY CONDITIONS USED TO PREDICT OVERALL MAXIMUM IMPACT

YR MO DY JDY HR

10 01 10 10 01

OVERALL MAXIMUM CONCENTRATIONS BY DISTANCE

-----

	MAXIMUM		MAXIMUM
DIST	1-HR CONC	DIST	1-HR CONC
(m)	(ug/m3)	(m)	(ug/m3)
1.00	3.727	2525.00	0.2584E-01

25.00	4.568	2550.00	0.2549E-01
50.00	5.141	2575.00	0.2516E-01
75.00	3.111	2600.00	0.2483E-01
100.00	2.086	2625.00	0.2450E-01
125.00	1.546	2650.00	0.2419E-01
150.00	1.209	2675.00	0.2388E-01
175.00	0.9812	2700.00	0.2358E-01
200.00	0.8187	2725.00	0.2328E-01
225.00	0.6976	2750.00	0.2299E-01
250.00	0.6050	2775.00	0.2271E-01
275.00	0.5312	2800.00	0.2243E-01
300.00	0.4719	2824.99	0.2216E-01
325.00	0.4233	2850.00	0.2189E-01
350.00	0.3827	2875.00	0.2163E-01
375.00	0.3484	2900.00	0.2138E-01
400.00	0.3191	2925.00	0.2113E-01
425.00	0.2939	2950.00	0.2088E-01
450.00	0.2717	2975.00	0.2064E-01
475.00	0.2524	3000.00	0.2041E-01
500.00	0.2353	3025.00	0.2018E-01
525.00	0.2202	3050.00	0.1995E-01
550.00	0.2067	3075.00	0.1973E-01
575.00	0.1946	3100.00	0.1951E-01
600.00	0.1836	3125.00	0.1930E-01
625.00	0.1737	3150.00	0.1909E-01
650.00	0.1646	3175.00	0.1889E-01
675.00	0.1563	3199.99	0.1868E-01
700.00	0.1487	3225.00	0.1849E-01
725.00	0.1417	3250.00	0.1829E-01
750.00	0.1353	3275.00	0.1810E-01
775.00	0.1294	3300.00	0.1791E-01
800.00	0.1239	3325.00	0.1773E-01
825.00	0.1188	3350.00	0.1755E-01
850.00	0.1141	3375.00	0.1737E-01
875.00	0.1097	3400.00	0.1720E-01
900.00	0.1055	3425.00	0.1703E-01
925.00	0.1017	3450.00	0.1686E-01
950.00	0.9806E-01	3475.00	0.1669E-01
975.00	0.9465E-01	3500.00	0.1653E-01
1000.00	0.9201E-01	3525.00	0.1637E-01
1025.00	0.8894E-01	3550.00	0.1621E-01
1050.00	0.8605E-01	3575.00	0.1606E-01
1075.00	0.8331E-01	3600.00	0.1590E-01
1100.00	0.8072E-01	3625.00	0.1575E-01
1125.00	0.7827E-01	3650.00	0.1561E-01
1150.00	0.7594E-01	3675.00	0.1546E-01
1175.00	0.7373E-01	3700.00	0.1532E-01
1200.00	0.7163E-01	3725.00	0.1518E-01
1225.00	0.6963E-01	3750.00	0.1504E-01
1250.00	0.6773E-01	3775.00	0.1490E-01

1275.00	0.6592E-01	3800.00	0.1477E-01
1300.00	0.6418E-01	3825.00	0.1464E-01
1325.00	0.6253E-01	3850.00	0.1451E-01
1350.00	0.6094E-01	3875.00	0.1438E-01
1375.00	0.5943E-01	3900.00	0.1425E-01
1400.00	0.5798E-01	3925.00	0.1413E-01
1425.00	0.5659E-01	3950.00	0.1401E-01
1450.00	0.5525E-01	3975.00	0.1389E-01
1475.00	0.5397E-01	4000.00	0.1377E-01
1500.00	0.5274E-01	4025.00	0.1365E-01
1525.00	0.5156E-01	4050.00	0.1354E-01
1550.00	0.5043E-01	4075.00	0.1342E-01
1574.99	0.4933E-01	4100.00	0.1331E-01
1600.00	0.4828E-01	4125.00	0.1320E-01
1625.00	0.4726E-01	4149.99	0.1309E-01
1650.00	0.4628E-01	4175.00	0.1298E-01
1675.00	0.4534E-01	4200.00	0.1288E-01
1700.00	0.4443E-01	4225.00	0.1278E-01
1725.00	0.4355E-01	4250.00	0.1267E-01
1750.00	0.4270E-01	4275.00	0.1257E-01
1775.00	0.4188E-01	4300.00	0.1247E-01
1800.00	0.4108E-01	4325.00	0.1237E-01
1824.99	0.4031E-01	4350.00	0.1228E-01
1850.00	0.3957E-01	4375.00	0.1218E-01
1875.00	0.3885E-01	4400.00	0.1209E-01
1900.00	0.3815E-01	4425.00	0.1199E-01
1924.99	0.3747E-01	4450.00	0.1190E-01
1950.00	0.3681E-01	4475.00	0.1181E-01
1975.00	0.3618E-01	4500.00	0.1172E-01
2000.00	0.3556E-01	4525.00	0.1163E-01
2025.00	0.3496E-01	4550.00	0.1154E-01
2050.00	0.3438E-01	4575.00	
2075.00	0.3381E-01	4600.00	
2100.00	0.3326E-01	4625.00	0.1129E-01
2125.00	0.3273E-01	4650.00	0.1121E-01
2150.00	0.3221E-01	4675.00	0.1112E-01
2175.00	0.3170E-01	4700.00	0.1104E-01
2200.00	0.3121E-01	4725.00	0.1096E-01
2224.99	0.3073E-01	4750.00	0.1088E-01
2250.00	0.3026E-01	4775.00	0.1081E-01
2275.00	0.2981E-01	4800.00	0.1073E-01
2300.00	0.2936E-01	4825.00	0.1065E-01
2325.00	0.2893E-01	4850.00	0.1058E-01
2350.00	0.2851E-01	4875.00	0.1050E-01
2375.00	0.2810E-01	4899.99	0.1043E-01
2399.99	0.2770E-01	4925.00	0.1036E-01
2425.00	0.2731E-01	4950.00	0.1029E-01
2449.99	0.2693E-01	4975.00	0.1022E-01
2475.00	0.2656E-01	5000.00	0.1015E-01
2500.00	0.2620E-01		

*******	AERSCREEN MAXIMUM	M IMPACT SUMMARY	*******

3-hour, 8-hour, and 24-hour scaled concentrations are equal to the 1-hour concentration as referenced in SCREENING PROCEDURES FOR ESTIMATING THE AIR QUALITY IMPACT OF STATIONARY SOURCES, REVISED (Section 4.5.4) Report number EPA-454/R-92-019 http://www.epa.gov/scram001/guidance\_permit.htm

http://www.epa.gov/scram001/guidance\_permit.htm
under Screening Guidance

CALCULATION PROCEDURE	MAXIMUM 1-HOUR CONC (ug/m3)	SCALED 3-HOUR CONC (ug/m3)	SCALED 8-HOUR CONC (ug/m3)	SCALED 24-HOUR CONC (ug/m3)	SCALED ANNUAL CONC (ug/m3)
FLAT TERRAIN	5.141	5.141	5.141	5.141	N/A
DISTANCE FROM SOURC	E !	50.00 meters			
IMPACT AT THE AMBIENT BOUNDARY	3.727	3.727	3.727	3.727	N/A

DISTANCE FROM SOURCE 1.00 meters

Concentration H0 U* W*									
REF TA HT									
0.37267E+01	1.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.45676E+01	25.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
* 0.51414E+01	50.00 0	.00	15.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.31110E+01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.20861E+01	100.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	425 00 0	00					0.260	4004	1001
0.15458E+01	125.00 0	.00	0.0	- 0	Wir	nter	0-360	1001	.1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	450.00		0 0				0.260	1001	1001
0.12090E+01	150.00 0	.00	0.0	- 0	Wlr	nter	0-360	1001	.1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.98121E+00	175 00 0		0 0		1.14		0.260	1001	1001
-1.30 0.043 -9.000	1/5.00 0	21	0.0	<i>c</i> 0	1 000	iter	0-360	1001	1001
	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.81873E+00	200 00 0		0 0		1.14 .	a+an	0.260	1001	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.69761E+00	225 00 0	00	<b>5</b> 0		ا الله	nton	0 260	1001	1001
-1.30 0.043 -9.000	0 020 -999	21	3.0	6 0	1 000	1 50	0-300 0-35	0 50	10 0
310.0 2.0	0.020 - 555.	۷1,		0.0	1.000	1.50	0.55	0.50	10.0
0.60502E+00	250.00 a	. 00	9.9		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.53118E+00	275.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0		,				_,_,			
0.47191E+00	300.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.42332E+00	325.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000									
310.0 2.0									
0.38268E+00	350.00 0	.00	0.0		Wir	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.34844E+00	375.00 0	.00	0.0		Win	nter	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0

310.0 2.0									
0.31912E+00	400.00	9.99	9.9		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999	21.	0.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.29388E+00	425 00	a aa	a a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.27173E+00	150 00	a aa	a a		Wint	on	0-360	10011	1001
-1.30 0.043 -9.000	0 020 -999	21	0.0	6 A	1 000	1 50	0-300 0-35	0 50	10 0
310.0 2.0	0.020 - 555.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.25239E+00	175 00	a aa	5 0		Wint	on	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	۷1.		0.0	1.000	1.50	0.55	0.50	10.0
0.23531E+00	500 00	a aa	5 0		Wint	on	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 - 555.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.22017E+00	525 00	a aa	a a		Wint	on	0-360	10011	1001
-1.30 0.043 -9.000	0 020 -999	21	0.0	6 0	1 000	1 50	0-300 0-35	0 50	10 0
310.0 2.0	0.020 - 555.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.20667E+00	550 00	a aa	a a		Wint	-or	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 - 555.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.19456E+00	575 00	a aa	a a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0 020 -999	21	0.0	6 0	1 000	1 50	0 300 0 35	0 50	10 0
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.18359E+00	600.00	9.99	9.9		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.17366E+00	625.00	9.99	9.9		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	0.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020				_,,,,	_,,,	0.00		
0.16458E+00	650.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0						_,_,			
0.15629E+00	675.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.14871E+00 -1.30 0.043 -9.000	700.00	0.00	5.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.14175E+00	725.00	0.00	5.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000									
310.0 2.0									
0.13535E+00	750.00	0.00	10.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.12942E+00	775.00	0.00	10.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.12393E+00	800.00	0.00	10.0		Wint	er	0-360	10011	L001

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11883E+00	825.00	0.00	5.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0 0.11409E+00	950 00	0 00	E Q		ldi nt	on	0 260	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.10967E+00	875 00	a aa	5 0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.10555E+00	900.00	0.00	5.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.	3.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.10168E+00	925.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	•••	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020				_,,,,	_,,,	0.00		
0.98055E-01	950.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0						_,,,			
0.94654E-01	975.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.92009E-01	1000.00	0.00	0.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000									
310.0 2.0									
0.88941E-01	1025.00	0.00	0.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.86046E-01	1050.00	0.00	0.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.83310E-01									
-1.30 0.043 -9.000		21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.80721E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.78269E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.75943E-01	1150.00	0.00	5.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	4475 00						0 040	40044	
0.73733E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	1200 00	0.00	F ^		112 - 4		0.360	10044	001
0.71634E-01	T Z M D . M D	טט.ט 21	5.0	6 0	MINT	.er 1 52	0-360 0-25	700TJ	1007
-1.30 0.043 -9.000	0.020 -999.	21.		0.0	1.000	1.50	۵.35	שכ.ש	מ.טב
310.0 2.0									

0.69635E-01	1225 00	0 00	0 0		Winton	0.260	10011001
-1.30 0.043 -9.000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	21	0.0	<i>c</i> 0	1 000 1 E0	0-300	10011001
310.0 2.0	0.020 -333.	21.		0.0	1.000 1.50	0.33	0.50 10.0
0.67731E-01	1250 00	0 00	5 0		Winton	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 - 555.	21.		0.0	1.000 1.50	0.55	0.50 10.0
0.65915E-01	1275 00	a aa	a a		Winter	0-360	10011001
-1.30 0.043 -9.000	0 020 -000	21	0.0	6 a	1 000 1 50	0 35	0 50 10 0
310.0 2.0	0.020 333.	21.		0.0	1.000 1.50	0.55	0.30 10.0
0.64183E-01	1300 00	a aa	5 0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 333.	21,		0.0	1.000 1.50	0.55	0.30 10.0
0.62527E-01	1325 00	a aa	10 O		Winter	0-360	10011001
-1.30 0.043 -9.000	0 020 -999	21	10.0	6 A	1 000 1 50	0 300 0 35	0 50 10 0
310.0 2.0	0.020 333.	21.		0.0	1.000 1.50	0.33	0.30 10.0
0.60944E-01	1350.00	9.99	5.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 333.	21.		0.0	1.000 1.50	0.33	0.30 10.0
0.59429E-01	1375.00	9.99	9.9		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.	0.0	6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	0.020	•		0.0	2.000	0.33	2010
0.57979E-01	1400.00	0.00	5.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.	3.0	6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	0.020				_,,,,	0100	
0.56588E-01	1425.00	0.00	15.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.55254E-01	1450.00	0.00	5.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.53974E-01	1475.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.52745E-01	1500.00	0.00	5.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.51563E-01	1525.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.50426E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.49332E-01	1574.99	0.00	25.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.48278E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.47263E-01	1625.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0

310.0 2.0									
0.46284E-01	1650.00	0.00	20.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	20.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020 333.			0.0	1.000	1.30	0.33	0.50	10.0
0.45340E-01	1675 00	a aa	10 a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 - 555.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.44428E-01	1700 00	0 00	15 0		Wint	on	0 360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.33	0.30	10.0
0.43548E-01	1725 00	0 00	10 0		Wint	on	0 360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.42698E-01	1750 00	0 00	10 0		+مائلا		0.260	10011	1001
-1.30 0.043 -9.000									
	0.020 -999.	21.		0.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	1775 00	0 00	10 0		المرائدان		0.360	10011	1001
0.41876E-01	1//5.00	0.00	10.0	<i>-</i> 0	MTUI	.er	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	1000 00	0 00	25.0		ldi nt		0.260	10011	1001
0.41081E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.40312E-01	1024 00	0 00	15 0		المرائدان		0.360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
3100 / 0									
	1050 00	0 00	10 0				0.260	10011	1004
0.39567E-01									
0.39567E-01 -1.30 0.043 -9.000									
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01	0.020 -999. 1875.00	21. 0.00	10.0	6.0	1.000 Wint	1.50 er	0.35 0-360	0.50 10011	10.0 1001
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00	21. 0.00	10.0	6.0	1.000 Wint	1.50 er	0.35 0-360	0.50 10011	10.0 1001
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999.	21. 0.00 21.	10.0	6.0	1.000 Wint 1.000	1.50 er 1.50	0.35 0-360 0.35	0.50 10011 0.50	10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01	0.020 -999. 1875.00 0.020 -999. 1900.00	21. 0.00 21. 0.00	10.0	6.0	1.000 Wint 1.000 Wint	1.50 er 1.50	0.35 0-360 0.35 0-360	0.50 10011 0.50 10011	10.0 10.0 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1900.00	21. 0.00 21. 0.00	10.0	6.0	1.000 Wint 1.000 Wint	1.50 er 1.50	0.35 0-360 0.35 0-360	0.50 10011 0.50 10011	10.0 10.0 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999.	21. 0.00 21. 0.00 21.	10.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99	21. 0.00 21. 0.00 21. 0.00	10.0 10.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360	0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99	21. 0.00 21. 0.00 21. 0.00	10.0 10.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360	0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.3617E-01	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00	10.0 10.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00	10.0 10.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01	0.020 -999. 1875.00 0.020 -999. 1900.00 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999. 1975.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01	0.020 -999.  1875.00 0.020 -999.  1900.00 0.020 -999.  1924.99 0.020 -999.  1950.00 0.020 -999.  1975.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0 5.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01 -1.30 0.043 -9.000	0.020 -999.  1875.00 0.020 -999.  1900.00 0.020 -999.  1924.99 0.020 -999.  1950.00 0.020 -999.  1975.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0 5.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01	0.020 -999.  1875.00 0.020 -999.  1900.00 0.020 -999.  1924.99 0.020 -999.  1950.00 0.020 -999.  2000.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0 5.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01 -1.30 0.043 -9.000 310.0 2.0 0.34959E-01	0.020 -999.  1875.00 0.020 -999.  1900.00 0.020 -999.  1924.99 0.020 -999.  1975.00 0.020 -999.  2000.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0 5.0 35.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01 -1.30 0.043 -9.000 310.0 2.0 0.35959E-01 -1.30 0.043 -9.000	0.020 -999.  1875.00 0.020 -999.  1900.00 0.020 -999.  1924.99 0.020 -999.  1975.00 0.020 -999.  2000.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0 5.0 35.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
0.39567E-01 -1.30 0.043 -9.000 310.0 2.0 0.38846E-01 -1.30 0.043 -9.000 310.0 2.0 0.38148E-01 -1.30 0.043 -9.000 310.0 2.0 0.37470E-01 -1.30 0.043 -9.000 310.0 2.0 0.36814E-01 -1.30 0.043 -9.000 310.0 2.0 0.36177E-01 -1.30 0.043 -9.000 310.0 2.0 0.35559E-01 -1.30 0.043 -9.000 310.0 2.0 0.34959E-01	0.020 -999.  1875.00 0.020 -999.  1900.00 0.020 -999.  1924.99 0.020 -999.  1950.00 0.020 -999.  2000.00 0.020 -999.  2025.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 10.0 5.0 0.0 5.0 35.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.33810E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.33260E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.32725E-01	2125.00	0.00	5.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.32205E-01	2150 00	a aa	30 A		Wint	er	0-360	10011	aa1
-1.30 0.043 -9.000	0.020 -999	21	30.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.33	0.30	10.0
0.31699E-01	2175.00	0.00	5.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.31207E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.30728E-01	2224 00	0 00	15 0		luli n±		0.260	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.30261E-01	2250.00	0.00	15.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0									
0.29806E-01	2275.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.29364E-01	2300.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.28932E-01	2225 00	0 00	0 0		المراث الما		0.260	10011	001
-1.30 0.043 -9.000									
310.0 2.0		21.		0.0	1.000	1.50	0.55	0.50	10.0
0.28511E-01		a aa	25 0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020	•		0.0	2.000	2.30	0.33	0.50	20.0
0.28101E-01	2375.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.27701E-01	2399.99	0.00	35.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.27311E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	2440 00	0.00	25.0		112		0.360	10011	001
0.26930E-01 -1.30 0.043 -9.000	2449.99	0.UU	25.0	6 0	wint	er 1 FA	0-360 0-35	10011	10 0
	0.020 -999.	21.		0.0	1.000	1.50	Ø.35	0.50	10.0
310.0 2.0									

0.26558E-01	2475.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.	50	0.35	0.50	10.0
0.26195E-01	2500.00	0.00	15.0		Winter		0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0									
0.25841E-01	2525.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.	50	0.35	0.50	10.0
0.25495E-01	2550.00	0.00	10.0		Winter		0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0									
0.25156E-01	2575.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.	50	0.35	0.50	10.0
0.24826E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	50	0.35	0.50	10.0
310.0 2.0									
0.24503E-01	2625.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	.50	0.35	0.50	10.0
310.0 2.0 0.24187E-01	2650 00	0 00	a a		Winton		0 260	10011	001
-1.30 0.043 -9.000	0 020 -000	21	0.0	6 A	1 000 1	50	0-300 0 35	0 50	10 0
310.0 2.0	0.020 - 555.	21.		0.0	1.000 1.	. 50	0.33	0.50	10.0
0.23878E-01	2675.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0									
0.23576E-01	2700.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	.50	0.35	0.50	10.0
310.0 2.0									
0.23280E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	.50	0.35	0.50	10.0
310.0 2.0 0.22991E-01	2750 00	a aa	a a		Winter		0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000 1.	. 50	0.55	0.50	10.0
0.22708E-01	2775.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	.50	0.35	0.50	10.0
310.0 2.0									
0.22431E-01	2800.00	0.00	0.0		Winter		0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	. 50	0.35	0.50	10.0
310.0 2.0									
0.22160E-01	2824.99	0.00	35.0		Winter		0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	.50	0.35	0.50	10.0
310.0 2.0	2050 00	0 00	0 0		lui nt on		0.260	10011	001
0.21894E-01 -1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	۷1.		0.0	1.000 1.	. 50	0.55	0.50	10.0
0.21634E-01	2875.00	0.00	0.0		Winter		0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.	.50	0.35	0.50	10.0

210 0 2 0							
310.0 2.0 0.21379E-01	2000 00	0 00	г о		مماد الماد	0.260	10011001
-1.30 0.043 -9.000	2900.00	0.00	5.6	<i>c</i> 0	MTHICEL.	0-360	10011001
	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2025 00	0 00	10 0		112	0.360	10011001
0.21129E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2052 22	0 00	- 0			0.260	40044004
0.20885E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2075 00	0 00	0 0		112	0.360	10011001
0.20645E-01	29/5.00	0.00	0.0		winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2000 00	0.00				0.260	40044004
0.20410E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2025 00	0 00				0.260	40044004
0.20179E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2050 00	0 00	0 0		112	0.360	10011001
0.19953E-01 -1.30 0.043 -9.000							
	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2075 00	0 00	0 0		112	0.360	10011001
0.19731E-01 -1.30 0.043 -9.000	30/5.00	0.00	0.0	6 0	MTHICEL.	0-360	10011001
	0.020 -999.	21.		0.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2100 00	0 00	F 0		ldinton	0.260	10011001
0.19514E-01 -1.30 0.043 -9.000							
310.0 2.0	0.020 -999.	21.		0.0	1.000 1.50	0.33	0.50 10.0
0.19300E-01	2125 00	0 00	0 0		Winton	0 360	10011001
-1.30 0.043 -9.000	0 020 -000	21	0.0	6 A	1 000 1 50	0-300	0 50 10 0
310.0 2.0	0.020 -333.	21.		0.0	1.000 1.50	0.55	0.50 10.0
0.19091E-01	3150 00	a aa	a a		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 333.	21.		0.0	1.000 1.50	0.33	0.30 10.0
0.18886E-01	3175.00	9.99	9.9		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020	•		0.0	2.000 2.30	0.33	20.0
0.18684E-01	3199.99	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.18486E-01	3225.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.18292E-01	3250.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.18101E-01	3275.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.17914E-01	3300.00	0.00	0.0		Winter	0-360	10011001
******							

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.17730E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.17549E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.17371E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.17197E-01	3400.00	0.00	20.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.17025E-01	3425.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.16857E-01	3450.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000									
310.0 2.0									
0.16691E-01	3475.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.16528E-01	3500 00	0 00	a a		Wint	on	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.16368E-01	3525.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.16210E-01	3550.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.16055E-01	2575 00	0 00	0 0		Wint	on	0 360	10011	001
-1.30 0.043 -9.000									
310.0 2.0		21.		0.0	1.000	1.50	0.33	0.50	10.0
0.15903E-01		0.00	15.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000									
310.0 2.0									
0.15753E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	3650.00	0.00	0.0				0.260	10011	001
0.15606E-01 -1.30 0.043 -9.000	3650.00	0.00	0.0	6 0	WINT	er	0-360	10011	100
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.35	0.50	10.0
0.15461E-01	3675.00	9.99	9.9		Wint	er	0-360	10011	991
-1.30 0.043 -9.000									
310.0 2.0	3.020 333.					,_	3.33	3.50	
0.15318E-01	3700.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									

0.15177E-01	3725.00	0.00	15.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.15039E-01	3750.00	0.00	0.0	<i>c</i> 0	Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.14903E-01	3775.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.14769E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	2005 00					0.060	10011001
0.14637E-01	3825.00	0.00	0.0	<i>c</i> 0	Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.14507E-01	3850 00	a aa	a a		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020					0.00	2170
0.14379E-01	3875.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.14253E-01	3900.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.14129E-01	3025 00	0 00	0 0		Winton	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 333.	21.		0.0	1.000 1.50	0.55	0.30 10.0
0.14007E-01	3950.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13887E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	4000 00	0 00	1		ld otom	0.360	10011001
0.13768E-01 -1.30 0.043 -9.000							
310.0 2.0	0.020 -999.	21.		0.0	1.000 1.50	0.33	0.50 10.0
0.13651E-01	4025.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13536E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13423E-01	4075.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.13311E-01	1100 00	a aa	a a		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0		•		•	2.30	3.23	20.0
0.13201E-01	4125.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0

210 0 2 0							
310.0 2.0	4140 00	0 00	20.0		11å neter om	0.360	10011001
0.13092E-01	4149.99	0.00	20.0	- 0	winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	4475 00	0 00				0.260	10011001
0.12985E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12879E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12775E-01	4225.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12672E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12571E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12471E-01	4300.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12373E-01	4325.00	0.00	5.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12276E-01	4350.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12180E-01	4375.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12085E-01	4400.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.11992E-01	4425.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0					T.000 T.00	0.00	
					1.000 1.30	0.55	
	4450.00	0.00					
0.11900E-01	4450.00 0.020 -999.	0.00	0.0		Winter	0-360	10011001
0.11900E-01 -1.30 0.043 -9.000	4450.00 0.020 -999.	0.00 21.	0.0		Winter	0-360	10011001
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.	0.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01	0.020 -999. 4475.00	21. 0.00	0.0	6.0	Winter 1.000 1.50 Winter	0-360 0.35 0-360	10011001 0.50 10.0 10011001
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000	0.020 -999. 4475.00	21. 0.00	0.0	6.0	Winter 1.000 1.50 Winter	0-360 0.35 0-360	10011001 0.50 10.0 10011001
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 4475.00 0.020 -999.	21. 0.00 21.	0.0	6.0	Winter 1.000 1.50 Winter 1.000 1.50	0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0 0.11719E-01	0.020 -999. 4475.00 0.020 -999. 4500.00	21. 0.00 21. 0.00	0.0 0.0	6.0	Winter 1.000 1.50 Winter 1.000 1.50 Winter	0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0 10011001
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0 0.11719E-01 -1.30 0.043 -9.000	0.020 -999. 4475.00 0.020 -999. 4500.00	21. 0.00 21. 0.00	0.0 0.0	6.0	Winter 1.000 1.50 Winter 1.000 1.50 Winter	0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0 10011001
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0 0.11719E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 4475.00 0.020 -999. 4500.00 0.020 -999.	21. 0.00 21. 0.00 21.	0.0 0.0 10.0	6.0 6.0	Winter 1.000 1.50 Winter 1.000 1.50 Winter 1.000 1.50	0-360 0.35 0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0 10011001 0.50 10.0
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0 0.11719E-01 -1.30 0.043 -9.000 310.0 2.0 0.11631E-01	0.020 -999. 4475.00 0.020 -999. 4500.00 0.020 -999. 4525.00	21. 0.00 21. 0.00 21.	0.0 0.0 10.0	6.0 6.0 6.0	Winter 1.000 1.50  Winter 1.000 1.50  Winter 1.000 1.50  Winter	0-360 0.35 0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0 10011001 0.50 10.0
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0 0.11719E-01 -1.30 0.043 -9.000 310.0 2.0 0.11631E-01 -1.30 0.043 -9.000	0.020 -999. 4475.00 0.020 -999. 4500.00 0.020 -999. 4525.00	21. 0.00 21. 0.00 21.	0.0 0.0 10.0	6.0 6.0 6.0	Winter 1.000 1.50  Winter 1.000 1.50  Winter 1.000 1.50  Winter	0-360 0.35 0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0 10011001 0.50 10.0
0.11900E-01 -1.30 0.043 -9.000 310.0 2.0 0.11809E-01 -1.30 0.043 -9.000 310.0 2.0 0.11719E-01 -1.30 0.043 -9.000 310.0 2.0 0.11631E-01	0.020 -999. 4475.00 0.020 -999. 4500.00 0.020 -999. 4525.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	<ul><li>0.0</li><li>0.0</li><li>10.0</li><li>0.0</li></ul>	6.0 6.0 6.0	Winter 1.000 1.50  Winter 1.000 1.50  Winter 1.000 1.50  Winter 1.000 1.50	0-360 0.35 0-360 0.35 0-360 0.35	10011001 0.50 10.0 10011001 0.50 10.0 10011001 0.50 10.0 10011001 0.50 10.0

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11457E-01									
-1.30 0.043 -9.000 310.0 2.0									
0.11372E-01	4600.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11288E-01	4625.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11205E-01	4650.00	0.00	25.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0									
0.11123E-01	4675.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11043E-01	4700.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0									
0.10963E-01	4725.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.10884E-01	4750.00	0.00	5.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0									
0.10806E-01	4775.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.10729E-01	4800.00	0.00	0.0		Wint	ter	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0									
0.10653E-01	4825.00	0.00	0.0		Wint	ter	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0		21.		6.0	1.000	1.50	0.35	0.50	10.0
0.10578E-01		0.00	0.0		Wint	ter	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.10504E-01	4875.00	0.00	0.0		Wint	ter	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0									
0.10431E-01	4899.99	0.00	35.0		Wint	ter	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.10359E-01	4925.00	0.00	0.0		Wint	ter	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0									
0.10287E-01	4950.00	0.00	0.0		Wint	ter	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0

0.10216E-01 4975.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.10147E-01 5000.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0

TTTLF:	De	Anza	Operation	ı
	$\nu$	71124	OPCI actor	

**********	AREA PAI	RAMETERS	**********	*****
SOURCE EMISSION RATE:	0.116E-02	g/s	0.922E-02	lb/hr
AREA EMISSION RATE:	0.222E-06	g/(s-m2)	0.177E-05	lb/(hr-m2)
AREA HEIGHT:	3.00	meters	9.84	feet
AREA SOURCE LONG SIDE:	95.00	meters	311.68	feet
AREA SOURCE SHORT SIDE:	55.00	meters	180.45	
INITIAL VERTICAL DIMENSION:	1.50	meters	4.92	feet
RURAL OR URBAN:	URBAN			
POPULATION:	60777			
INITIAL PROBE DISTANCE =	5000.	meters	16404.	feet
**************************************			 ETERS ********* 	 *********
BUILDING DOWNWA	SH NOT USI	ED FOR NO	N-POINT SOURCES	*****
BUILDING DOWNWA	SH NOT USI	ED FOR NO	N-POINT SOURCES	*****
BUILDING DOWNWA	SH NOT USI	ED FOR NO	N-POINT SOURCES	*****
BUILDING DOWNWA  **********  25 meter rece  MAXIMUM IMPACT RECEPTOR  Zo SURFACE 1-HR CC	SH NOT USI	ED FOR NO  ANALYSIS ing: 1. m	N-POINT SOURCES  *********** eters - 5000. met	*****
BUILDING DOWNWA  **********  25 meter rece  MAXIMUM IMPACT RECEPTOR	SH NOT USI	ED FOR NO  ANALYSIS ing: 1. m	N-POINT SOURCES  ************ eters - 5000. met	*****

MIN/MAX TEMPERATURE: 250.0 / 310.0 (K)

MINIMUM WIND SPEED: 0.5 m/s

ANEMOMETER HEIGHT: 10.000 meters

SURFACE CHARACTERISTICS INPUT: AERMET SEASONAL TABLES

DOMINANT SURFACE PROFILE: Urban

DOMINANT CLIMATE TYPE: Average Moisture

DOMINANT SEASON: Winter

ALBEDO: 0.35 BOWEN RATIO: 1.50

ROUGHNESS LENGTH: 1.000 (meters)

SURFACE FRICTION VELOCITY (U\*) NOT ADUSTED

# METEOROLOGY CONDITIONS USED TO PREDICT OVERALL MAXIMUM IMPACT

YR MO DY JDY HR
-- -- -- -10 01 10 10 01

OVERALL MAXIMUM CONCENTRATIONS BY DISTANCE

\_\_\_\_\_\_

	MAXIMUM		MAXIMUM
DIST	1-HR CONC	DIST	1-HR CONC
(m)	(ug/m3)	(m)	(ug/m3)
1.00	3.857	2525.00	0.2674E-01

25.00	4.727	2550.00	0.2638E-01
50.00	5.321	2575.00	0.2603E-01
75.00	3.220	2600.00	0.2569E-01
100.00	2.159	2625.00	0.2536E-01
125.00	1.600	2650.00	0.2503E-01
150.00	1.251	2675.00	0.2471E-01
175.00	1.015	2700.00	0.2440E-01
200.00	0.8473	2725.00	0.2409E-01
225.00	0.7220	2750.00	0.2379E-01
250.00	0.6261	2775.00	0.2350E-01
275.00	0.5497	2800.00	0.2321E-01
300.00	0.4884	2825.00	0.2293E-01
325.00	0.4381	2850.00	0.2266E-01
350.00	0.3960	2875.00	0.2239E-01
375.00	0.3606	2900.00	0.2213E-01
400.00	0.3303	2925.00	0.2187E-01
425.00	0.3041	2950.00	0.2161E-01
450.00	0.2812	2975.00	0.2137E-01
475.00	0.2612	3000.00	0.2112E-01
500.00	0.2435	3025.00	0.2088E-01
525.00	0.2279	3050.00	0.2065E-01
550.00	0.2139	3075.00	0.2042E-01
575.00	0.2013	3100.00	0.2019E-01
600.00	0.1900	3125.00	0.1997E-01
625.00	0.1797	3150.00	0.1976E-01
650.00	0.1703	3175.00	0.1954E-01
675.00	0.1617	3200.00	0.1934E-01
700.00	0.1539	3225.00	0.1913E-01
725.00	0.1467	3250.00	0.1893E-01
750.00	0.1401	3275.00	0.1873E-01
775.00	0.1339	3300.00	0.1854E-01
800.00	0.1283	3325.00	0.1835E-01
825.00	0.1230	3350.00	0.1816E-01
850.00	0.1181	3375.00	0.1798E-01
875.00	0.1135	3400.00	0.1780E-01
900.00	0.1092	3425.00	0.1762E-01
925.00	0.1052	3450.00	0.1744E-01
950.00	0.1015	3475.00	0.1727E-01
975.00	0.9796E-01	3500.00	0.1710E-01
1000.00	0.9522E-01	3525.00	0.1694E-01
1025.00	0.9205E-01	3550.00	0.1678E-01
1050.00	0.8905E-01	3575.00	0.1662E-01
1075.00	0.8622E-01	3600.00	0.1646E-01
1100.00	0.8354E-01	3625.00	0.1630E-01
1125.00	0.8100E-01	3650.00	0.1615E-01
1150.00	0.7859E-01	3675.00	0.1600E-01
1175.00	0.7631E-01	3700.00	0.1585E-01
1200.00	0.7413E-01	3724.99	0.1571E-01
1225.00	0.7207E-01	3750.00	0.1556E-01
1250.00	0.7009E-01	3775.00	0.1542E-01

1275.00	0.6822E-01	3800.00	0.1528E-01
1300.00	0.6642E-01	3825.00	0.1515E-01
1325.00	0.6471E-01	3850.00	0.1501E-01
1350.00	0.6307E-01	3875.00	0.1488E-01
1375.00	0.6150E-01	3900.00	0.1475E-01
1400.00	0.6000E-01	3925.00	0.1462E-01
1425.00	0.5856E-01	3950.00	0.1450E-01
1450.00	0.5718E-01	3975.00	0.1437E-01
1475.00	0.5586E-01	4000.00	0.1425E-01
	0.5459E-01		
1500.00		4025.00	0.1413E-01
1525.00	0.5336E-01	4050.00	0.1401E-01
1550.00	0.5219E-01	4075.00	
1574.99	0.5105E-01	4100.00	0.1378E-01
1600.00	0.4996E-01	4125.00	0.1366E-01
1625.00	0.4891E-01	4150.00	0.1355E-01
1650.00	0.4790E-01	4175.00	0.1344E-01
1675.00	0.4692E-01	4200.00	0.1333E-01
1700.00	0.4598E-01	4225.00	0.1322E-01
1725.00	0.4507E-01	4250.00	0.1311E-01
1750.00	0.4419E-01	4275.00	0.1301E-01
1775.00	0.4334E-01	4300.00	0.1291E-01
1800.00	0.4251E-01	4325.00	0.1280E-01
1824.99	0.4172E-01	4350.00	0.1270E-01
1850.00	0.4095E-01	4375.00	0.1260E-01
1875.00	0.4020E-01	4400.00	
1899.99	0.3948E-01	4425.00	0.1241E-01
1924.99	0.3878E-01	4450.00	0.1232E-01
1950.00	0.3810E-01	4475.00	0.1222E-01
1975.00	0.3744E-01	4500.00	0.1213E-01
2000.00	0.3680E-01	4525.00	0.1204E-01
2025.00	0.3618E-01	4550.00	
2050.00		4575.00	
	0.3499E-01	4600.00	
	0.3442E-01	4625.00	
2125.00	0.3387E-01	4650.00	0.1160E-01
2150.00	0.3333E-01	4675.00	0.1151E-01
2175.00	0.3281E-01	4700.00	0.1143E-01
2200.00	0.3230E-01	4725.00	0.1135E-01
2224.99	0.3180E-01	4750.00	0.1126E-01
2250.00	0.3132E-01	4775.00	0.1118E-01
2275.00	0.3085E-01	4800.00	0.1110E-01
2300.00	0.3039E-01	4825.00	0.1103E-01
2325.00	0.2994E-01	4850.00	0.1095E-01
2350.00	0.2951E-01	4875.00	0.1087E-01
2375.00	0.2908E-01	4900.00	0.1079E-01
2399.99	0.2867E-01	4925.00	0.1072E-01
2425.00	0.2826E-01	4950.00	0.1065E-01
2449.99	0.2787E-01	4975.00	0.1057E-01
2475.00	0.2749E-01	5000.00	0.1050E-01
2500.00	0.2711E-01		

*******	AERSCREEN MAXIMUN	IMPACT SUMMARY	*******

3-hour, 8-hour, and 24-hour scaled concentrations are equal to the 1-hour concentration as referenced in SCREENING PROCEDURES FOR ESTIMATING THE AIR QUALITY IMPACT OF STATIONARY SOURCES, REVISED (Section 4.5.4) Report number EPA-454/R-92-019 http://www.epa.gov/scram001/guidance\_permit.htm

http://www.epa.gov/scram001/guidance\_permit.htm
under Screening Guidance

DISTANCE FROM SOURCE 1.00 meters

	MAXIMUM	SCALED	SCALED	SCALED	SCALED
	1-HOUR	3-HOUR	8-HOUR	24-HOUR	ANNUAL
CALCULATION	CONC	CONC	CONC	CONC	CONC
PROCEDURE	(ug/m3)	(ug/m3)	(ug/m3)	(ug/m3)	(ug/m3)
FLAT TERRAIN	5.321	5.321	5.321	5.321	N/A
DISTANCE FROM SOURCE	CE 5	0.00 meters			
IMPACT AT THE AMBIENT BOUNDARY	3.857	3.857	3.857	3.857	N/A

H0 U* W* DT/DZ ZICNV ZIMCH M-O LEN Z0 BOWEN ALBEDO REF WS HT  REF TA HT  0.38567E+01 1.00 0.00 0.0 Winter 0-360 10011∪01  -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0  310.0 2.0  0.47270E+01 25.00 0.00 0.0 Winter 0-360 10011∪01  -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0  310.0 2.0  * 0.53208E+01 50.00 0.00 15.0 Winter 0-360 10011∪01  -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0  310.0 2.0  * 0.53208E+01 50.00 0.00 25.0 Winter 0-360 10011∪01  -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0  310.0 2.0  0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011∪01  -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0 0.47270E+01 25.00 0.00 0.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0 * 0.53208E+01 50.00 0.00 15.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0 0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0 0.47270E+01 25.00 0.00 0.0 Winter 0-360 10011001   -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0   310.0 2.0   * 0.53208E+01 50.00 0.00 15.0 Winter 0-360 10011001   -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0   310.0 2.0   0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001   -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
0.47270E+01
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0   * 0.53208E+01 50.00 0.00 15.0 Winter 0-360 10011001   -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0   0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001   -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0 * 0.53208E+01 50.00 0.00 15.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0 0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0 0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0 0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
0.32196E+01 75.00 0.00 25.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
лаа та
310.0 2.0 0.21589E+01 100.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.15998E+01 125.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.12512E+01 150.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.10155E+01 175.00 0.00 0.0 Winter 0-360 10011001 -1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0
0.84730E+00 200.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.72196E+00 225.00 0.00 5.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.62614E+00 250.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.48838E+00 300.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.43810E+00 325.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.39604E+00 350.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0 310.0 2.0
0.36061E+00 375.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0

310.0 2.0									
0.33026E+00	400.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020				_,,,,	_,,,			
0.30414E+00	425.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020				_,,,,	_,,,			
0.28122E+00	450.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	0.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020				_,,,,	_,,,			
0.26120E+00	475.00	0.00	5.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020				_,,,,	_,,,			
0.24352E+00	500.00	0.00	5.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0									
0.22785E+00	525.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.21389E+00	550.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0									
0.20135E+00	575.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.19000E+00	600.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0									
0.17972E+00	625.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.17032E+00	650.00	0.00	0.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6 0	1 000	4 = 0			
310.0 2.0				0.0	1.000	1.50	0.35	0.50	10.0
				0.0	1.000	1.50	0.35	0.50	10.0
0.16174E+00			0.0		Wint	er	0-360	0.50 10011	1001
			0.0		Wint	er	0-360	0.50 10011	1001
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.	0.0	6.0	Wint 1.000	er 1.50	0-360 0.35	0.50 10011 0.50	1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.	0.0	6.0	Wint 1.000	er 1.50	0-360 0.35	0.50 10011 0.50	1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000	0.020 -999.	21.	0.0	6.0	Wint 1.000	er 1.50	0-360 0.35	0.50 10011 0.50	1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 700.00 0.020 -999.	21. 0.00 21.	0.0 5.0	6.0	Wint 1.000 Wint 1.000	1.50 er 1.50	0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50	1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000	0.020 -999. 700.00 0.020 -999.	21. 0.00 21.	0.0 5.0	6.0	Wint 1.000 Wint 1.000	1.50 er 1.50	0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50	1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 700.00 0.020 -999. 725.00	21. 0.00 21. 0.00	<ul><li>0.0</li><li>5.0</li></ul>	6.0	Wint 1.000 Wint 1.000	1.50 er 1.50	0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50	1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 700.00 0.020 -999. 725.00 0.020 -999.	21. 0.00 21. 0.00 21.	<ul><li>0.0</li><li>5.0</li><li>5.0</li></ul>	6.0 6.0	Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50	1001 10.0 1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0 0.14007E+00	0.020 -999. 700.00 0.020 -999. 725.00 0.020 -999. 750.00	21.  0.00 21.  0.00 21.  0.00	<ul><li>0.0</li><li>5.0</li><li>5.0</li><li>10.0</li></ul>	6.0 6.0 6.0	Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	1001 10.0 1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0 0.14007E+00 -1.30 0.043 -9.000	0.020 -999. 700.00 0.020 -999. 725.00 0.020 -999. 750.00	21.  0.00 21.  0.00 21.  0.00	<ul><li>0.0</li><li>5.0</li><li>5.0</li><li>10.0</li></ul>	6.0 6.0 6.0	Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	1001 10.0 1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0 0.14007E+00 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 700.00 0.020 -999. 725.00 0.020 -999. 750.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	<ul><li>0.0</li><li>5.0</li><li>5.0</li><li>10.0</li></ul>	6.0 6.0 6.0	Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50	1001 10.0 1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0 0.14007E+00 -1.30 0.043 -9.000 310.0 2.0 0.13394E+00	0.020 -999. 700.00 0.020 -999. 725.00 0.020 -999. 750.00 0.020 -999. 775.00	21. 0.00 21. 0.00 21. 0.00 21.	<ul><li>0.0</li><li>5.0</li><li>5.0</li><li>10.0</li></ul>	6.0 6.0 6.0	Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35 0-360	0.50 10011 0.50 10011 0.50 10011 0.50 10011	1001 10.0 1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0 0.14007E+00 -1.30 0.043 -9.000 310.0 2.0 0.13394E+00 -1.30 0.043 -9.000	0.020 -999. 700.00 0.020 -999. 725.00 0.020 -999. 750.00 0.020 -999. 775.00	21. 0.00 21. 0.00 21. 0.00 21.	<ul><li>0.0</li><li>5.0</li><li>5.0</li><li>10.0</li></ul>	6.0 6.0 6.0	Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35 0-360	0.50 10011 0.50 10011 0.50 10011 0.50 10011	1001 10.0 1001 10.0 1001 10.0
0.16174E+00 -1.30 0.043 -9.000 310.0 2.0 0.15390E+00 -1.30 0.043 -9.000 310.0 2.0 0.14669E+00 -1.30 0.043 -9.000 310.0 2.0 0.14007E+00 -1.30 0.043 -9.000 310.0 2.0 0.13394E+00	0.020 -999.  700.00 0.020 -999.  725.00 0.020 -999.  750.00 0.020 -999.  775.00 0.020 -999.	21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.	<ul><li>0.0</li><li>5.0</li><li>10.0</li></ul>	6.0 6.0 6.0 6.0	Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50	0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	1001 10.0 1001 10.0 1001 10.0 1001 10.0

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.12297E+00	825 00	a aa	5 0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.11807E+00	850 00	a aa	5 0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.11350E+00	875.00	0.00	5.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.10923E+00	900.00	0.00	5.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	3.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.10522E+00	925.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	•••	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0,020				_,,,,	_,,,	0.00		
0.10148E+00	950.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020			0.0		2.50	0.55	0.50	20.0
0.97957E-01	975.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0,070				_,,,,	_,,,	0.00		
0.95220E-01	1000.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0									
0.92045E-01	1025.00	0.00	0.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.89049E-01	1050.00	0.00	0.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.86217E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.83538E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.81000E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.78593E-01	1150.00	0.00	5.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.76307E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.74134E-01	1200.00	0.00	5.0		Wint	er	0-360	10011	L001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									

0.72065E-01 -1.30 0.043 -9.000	1225.00 0.020 -999.	0.00 21.	0.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
310.0 2.0 0.70095E-01 -1.30 0.043 -9.000							
310.0 2.0 0.68216E-01 -1.30 0.043 -9.000	1275.00 0.020 -999.	0.00	0.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
310.0 2.0 0.66422E-01 -1.30 0.043 -9.000							
310.0 2.0 0.64709E-01	1325.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0 0.63071E-01							
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.61503E-01 -1.30 0.043 -9.000 310.0 2.0	1375.00 0.020 -999.	0.00 21.	0.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
0.60002E-01 -1.30 0.043 -9.000 310.0 2.0	1400.00 0.020 -999.	0.00 21.	5.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
0.58563E-01 -1.30 0.043 -9.000							
310.0 2.0 0.57183E-01 -1.30 0.043 -9.000	1450.00 0.020 -999.	0.00 21.	5.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
310.0 2.0 0.55858E-01 -1.30 0.043 -9.000	1475.00 0.020 -999.	0.00 21.	10.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
310.0 2.0 0.54585E-01 -1.30 0.043 -9.000							
310.0 2.0 0.53362E-01	1525.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0 0.52186E-01							
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.51054E-01 -1.30 0.043 -9.000 310.0 2.0							
0.49963E-01 -1.30 0.043 -9.000 310.0 2.0							
0.48912E-01 -1.30 0.043 -9.000							

310.0 2.0									
0.47899E-01	1650.00	0.00	20.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.	20.0	6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	0.020 333.			0.0	1.000	1.50	0.33	0.50	10.0
0.46922E-01	1675 00	a aa	10 a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.45979E-01	1700 00	0 00	10 0		Wint	on	0 360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.33	0.30	10.0
0.45068E-01	1725 00	0 00	10 0		Wint	on	0 360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.44188E-01	1750 00	0 00	10 0		1.1 <b>.</b> n.+	- 0 10	0.260	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.35	0.50	10.0
	1775 00	0 00	10 0		المراث الما		0.360	10011	1001
0.43337E-01	1//5.00	0.00	10.0	<i>-</i> 0	MTUI	.er	0-360	1001	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.42515E-01	1000 00	0 00	25.0		l.li n+	- 0 10	0.260	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.41719E-01	1024 00	0 00	15 0		المراث الما		0.360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
	1050 00	0 00	10.0		1124		0.360	10011	1001
0.40948E-01									
0.40948E-01 -1.30 0.043 -9.000									
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01	0.020 -999. 1875.00	21. 0.00	10.0	6.0	1.000 Wint	1.50 er	0.35 0-360	0.50 10011	10.0 1001
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00	21. 0.00	10.0	6.0	1.000 Wint	1.50 er	0.35 0-360	0.50 10011	10.0 1001
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999.	21. 0.00 21.	10.0	6.0	1.000 Wint 1.000	1.50 er 1.50	0.35 0-360 0.35	0.50 10011 0.50	10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01	0.020 -999. 1875.00 0.020 -999. 1899.99	21. 0.00 21. 0.00	10.0	6.0	1.000 Wint 1.000 Wint	1.50 er 1.50	0.35 0-360 0.35 0-360	0.50 10011 0.50 10011	10.0 10.0 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1899.99	21. 0.00 21. 0.00	10.0	6.0	1.000 Wint 1.000 Wint	1.50 er 1.50	0.35 0-360 0.35 0-360	0.50 10011 0.50 10011	10.0 10.0 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999.	21. 0.00 21. 0.00 21.	10.0 25.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99	21. 0.00 21. 0.00 21. 0.00	10.0 25.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360	0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99	21. 0.00 21. 0.00 21. 0.00	10.0 25.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360	0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 eer 1.50 eer 1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00	10.0 25.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00	10.0 25.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999. 1975.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.36800E-01	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999. 1975.00 0.020 -999. 2000.00	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0 5.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000	0.020 -999. 1875.00 0.020 -999. 1899.99 0.020 -999. 1924.99 0.020 -999. 1950.00 0.020 -999. 1975.00 0.020 -999. 2000.00	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0 5.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.36800E-01 -1.30 0.043 -9.000 310.0 2.0 0.36800E-01	0.020 -999.  1875.00 0.020 -999.  1899.99 0.020 -999.  1924.99 0.020 -999.  1950.00 0.020 -999.  2000.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0 5.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.36800E-01 -1.30 0.043 -9.000 310.0 2.0 0.36879E-01	0.020 -999.  1875.00 0.020 -999.  1899.99 0.020 -999.  1924.99 0.020 -999.  1975.00 0.020 -999.  2000.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0 5.0 35.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.36800E-01 -1.30 0.043 -9.000 310.0 2.0 0.36879E-01 -1.30 0.043 -9.000	0.020 -999.  1875.00 0.020 -999.  1899.99 0.020 -999.  1924.99 0.020 -999.  1975.00 0.020 -999.  2000.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	10.0 25.0 5.0 0.0 5.0 35.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50 10011	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
0.40948E-01 -1.30 0.043 -9.000 310.0 2.0 0.40202E-01 -1.30 0.043 -9.000 310.0 2.0 0.39479E-01 -1.30 0.043 -9.000 310.0 2.0 0.38778E-01 -1.30 0.043 -9.000 310.0 2.0 0.38098E-01 -1.30 0.043 -9.000 310.0 2.0 0.37439E-01 -1.30 0.043 -9.000 310.0 2.0 0.36800E-01 -1.30 0.043 -9.000 310.0 2.0 0.36879E-01	0.020 -999.  1875.00 0.020 -999.  1899.99 0.020 -999.  1924.99 0.020 -999.  1950.00 0.020 -999.  2000.00 0.020 -999.  2025.00 0.020 -999.	21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.	10.0 25.0 5.0 5.0 35.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50 10011 0.50	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.34990E-01 -1.30 0.043 -9.000									
310.0 2.0 0.34421E-01									
-1.30 0.043 -9.000 310.0 2.0									
0.33867E-01 -1.30 0.043 -9.000									
310.0 2.0 0.33329E-01	2150.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0									
0.32805E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.	5.0	6.0	Wint 1.000	1.50	0-360 0.35	10011 0.50	10.0
0.32296E-01 -1.30 0.043 -9.000									
310.0 2.0 0.31800E-01	2224.99	0.00	15.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0									
0.31317E-01 -1.30 0.043 -9.000 310.0 2.0									
0.30847E-01	2275.00	0.00	5.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.30388E-01	2300.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0									
0.29942E-01 -1.30 0.043 -9.000									
310.0 2.0									
0.29507E-01 -1.30 0.043 -9.000									
310.0 2.0 0.29082E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.28668E-01	2399.99	0.00	35.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.28264E-01									
-1.30 0.043 -9.000 310.0 2.0									
0.27870E-01	2449.99	0.00	25.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0

0.27485E-01	2475.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.27110E-01	2500.00	0.00	15.0		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0							
0.26743E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.26385E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0						0 0 0 0	10011001
0.26034E-01	25/5.00	0.00	25.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.25692E-01	2600 00	0 00	0 0		ld nt on	0.260	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 -999.	21.		0.0	1.000 1.50	0.35	0.50 10.0
0.25358E-01	2625 00	a aa	20 a		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 333.			0.0	1.000 1.30	0.33	0.30 10.0
0.25031E-01	2650.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.24711E-01	2675.00	0.00	25.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.24399E-01	2700.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.24093E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	.==					0 0 0 0	10011001
0.23793E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.23500E-01	2775 00	0 00	0 0		Winton	0 260	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 -333.	21.		0.0	1.000 1.50	0.55	0.50 10.0
0.23214E-01	2800.00	9.99	9.9		Winter	0-360	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020						2120
0.22933E-01	2825.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.22658E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.22389E-01	2875.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0

310.0 2.0									
0.22125E-01	2900.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0						_,_,			
0.21867E-01	2925.00	0.00	10.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020				_,,,,	_,,,			
0.21613E-01	2950.00	0.00	0.0		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020			0.0		2.50	0.33	0.50	20.0
0.21365E-01	2975.00	9.99	9.9		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.21122E-01	3000 00	a aa	a a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.33	0.50	10.0
0.20883E-01	3025 00	a aa	1a a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0 020 - 999	21	10.0	6 a	1 000	1 50	0-300	0 50	10 0
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.20649E-01	3050 00	0 00	5 0		Wint	on	0-360	10011	1001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.20420E-01	3075 00	a aa	a a		Wint	er	0-360	10011	1001
-1.30 0.043 -9.000	0 020 -999	21	0.0	6 a	1 000	1 50	0-300	0 50	10 0
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
	2400 00								
		ואו או	ממ		lul i n +	- O IO	a 26a	1 (2(2)11	1 (1111)
0.20195E-01									
-1.30 0.043 -9.000									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01	0.020 -999. 3125.00	21. 0.00	0.0	6.0	1.000 Wint	1.50 er	0.35 0-360	0.50 1001	10.0 1001
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000	0.020 -999. 3125.00	21. 0.00	0.0	6.0	1.000 Wint	1.50 er	0.35 0-360	0.50 1001	10.0 1001
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 3125.00 0.020 -999.	21. 0.00 21.	0.0	6.0	1.000 Wint 1.000	1.50 er 1.50	0.35 0-360 0.35	0.50 10013 0.50	10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01	0.020 -999. 3125.00 0.020 -999. 3150.00	21. 0.00 21. 0.00	0.0	6.0	1.000 Wint 1.000 Wint	1.50 er 1.50	0.35 0-360 0.35 0-360	0.50 10013 0.50 10013	10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000	0.020 -999. 3125.00 0.020 -999. 3150.00	21. 0.00 21. 0.00	0.0	6.0	1.000 Wint 1.000 Wint	1.50 er 1.50	0.35 0-360 0.35 0-360	0.50 10013 0.50 10013	10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 3125.00 0.020 -999. 3150.00 0.020 -999.	21. 0.00 21. 0.00 21.	0.0 0.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01	0.020 -999. 3125.00 0.020 -999. 3150.00 0.020 -999. 3175.00	21. 0.00 21. 0.00 21. 0.00	0.0 0.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360	0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000	0.020 -999. 3125.00 0.020 -999. 3150.00 0.020 -999. 3175.00	21. 0.00 21. 0.00 21. 0.00	0.0 0.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000	1.50 eer 1.50 eer 1.50	0.35 0-360 0.35 0-360 0.35 0-360	0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 3125.00 0.020 -999. 3150.00 0.020 -999. 3175.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999. 3125.00 0.020 -999. 3150.00 0.020 -999. 3175.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000	0.020 -999. 3125.00 0.020 -999. 3150.00 0.020 -999. 3175.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0	6.0 6.0 6.0	1.000 Wint 1.000 Wint 1.000 Wint 1.000	1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00	0.0 0.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360	0.50 10013 0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00	0.0 0.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint	1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360	0.50 10013 0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	<ul><li>0.0</li><li>0.0</li><li>0.0</li><li>0.0</li></ul>	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0 0.18930E-01	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.  3225.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50 10013 10013	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0 0.18930E-01 -1.30 0.043 -9.000	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.  3225.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0 0.0	6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50 10013 10013	10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0 0.18930E-01 -1.30 0.043 -9.000 310.0 2.0 0.18930E-01	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.  3225.00 0.020 -999.	21. 0.00 21. 0.00 21. 0.00 21. 0.00 21. 0.00 21.	0.0 0.0 0.0 0.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0 0.18930E-01 -1.30 0.043 -9.000 310.0 2.0 0.18733E-01	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.  3250.00 0.020 -999.  3250.00 0.020 -999.	21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.	0.0 0.0 0.0 0.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50 10013 0.50 10013	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0 0.18733E-01 -1.30 0.043 -9.000	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.  3250.00 0.020 -999.  3250.00 0.020 -999.	21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.	0.0 0.0 0.0 0.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50 10013 0.50 10013	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0
-1.30 0.043 -9.000 310.0 2.0 0.19974E-01 -1.30 0.043 -9.000 310.0 2.0 0.19757E-01 -1.30 0.043 -9.000 310.0 2.0 0.19545E-01 -1.30 0.043 -9.000 310.0 2.0 0.19336E-01 -1.30 0.043 -9.000 310.0 2.0 0.19131E-01 -1.30 0.043 -9.000 310.0 2.0 0.18930E-01 -1.30 0.043 -9.000 310.0 2.0 0.18733E-01	0.020 -999.  3125.00 0.020 -999.  3150.00 0.020 -999.  3175.00 0.020 -999.  3200.00 0.020 -999.  3250.00 0.020 -999.  3275.00 0.020 -999.	21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.  0.00 21.	0.0 0.0 0.0 0.0	6.0 6.0 6.0 6.0 6.0	1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000  Wint 1.000	1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50 er 1.50	0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35 0-360 0.35	0.50 10013 0.50 10013 0.50 10013 0.50 10013 0.50 10013 0.50	10.0 1001 10.0 1001 10.0 1001 10.0 1001 10.0

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.18348E-01	3325.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0									
0.18161E-01									
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.17977E-01	3375.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.17797E-01	3400 00	a aa	a a		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0 020 -999	21	0.0	6 A	1 000	1 50	0-300 0-35	0 50	10 A
310.0 2.0	0.020 333.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.17619E-01	3425.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.17445E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.17273E-01	3475.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	2500 00						0 0 0 0	40044	
0.17105E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.16939E-01	2525 00	0 00	25.0		المراث الما		0.260	10011	001
-1.30 0.043 -9.000	3525.00	0.00	25.0	6 0	W1NT	er	0-360 0-35	10011	100
310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.16776E-01	3550 00	0 00	25 0		Wint	on	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 - 555.	21.		0.0	1.000	1.50	0.55	0.50	10.0
0.16616E-01	3575.00	0.00	15.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000									
310.0 2.0									
0.16458E-01		0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000									
310.0 2.0									
0.16303E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.16150E-01	3650.00	0.00	0.0		Wint	er	0-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	2475 22		<b>.</b> -						001
0.16000E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	2700 00	0.00	0 0				0.350	10011	001
0.15852E-01	3/00.00	0.00	0.0	<i>-</i> -	Wint	er	Ø-360	10011	.001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									

0.15707E-01 -1.30 0.043 -9.000	3724.99 0.020 -999.	0.00	20.0	6.0	Winter 1.000 1.50	0-360 0.35	10011001 0.50 10.0
310.0 2.0 0.15564E-01							
-1.30 0.043 -9.000 310.0 2.0							
0.15423E-01							
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.15284E-01	3800.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.15148E-01	2025 00	0 00	F 0		l.linton	0.260	10011001
-1.30 0.043 -9.000	3825.00 0 020 -000	21	5.0	6 0	1 000 1 50	0-360 0-35	0 50 10 0
310.0 2.0							
0.15014E-01	3850.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.14881E-01	2075 00	0 00	0 0		l.linton	0.260	10011001
-1.30 0.043 -9.000	0 020 -000	21	0.0	6 0	1 000 1 50	0-300 0-35	0 50 10 0
310.0 2.0	0.020 - 555.	21.		0.0	1.000 1.50	0.55	0.50 10.0
0.14751E-01	3900.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.14622E-01	3925.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.14496E-01	2050 00	0 00	0 0		Winton	0 360	10011001
-1.30 0.043 -9.000	0 020 -000	21	0.0	6 0	1 000 1 50	0-300 0 35	0 50 10 0
310.0 2.0	0.020 333.	21.		0.0	1.000 1.50	0.33	0.50 10.0
0.14371E-01	3975.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.14249E-01	4000.00	0.00	10.0	<i>-</i> 0	Winter	0-360	10011001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
0.14128E-01	4025.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.14009E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0 0.13891E-01	1075 00	0 00	0 0		Winton	0 260	10011001
-1.30 0.043 -9.000							
310.0 2.0	0.020 333.			0.0	1.000 1.50	0.33	0.30 10.0
0.13775E-01	4100.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	44.25 .02	0.00				0.355	40044004
0.13661E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	Ø.35	0.50 10.0

210 0 2 0							
310.0 2.0	4150 00	0 00	10 0		مرم الحصورة الما	0.260	10011001
0.13549E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0	4175 00	0 00	0 0		114	0.360	10011001
0.13438E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13329E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13221E-01	4225.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13115E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.13010E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12907E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12805E-01	4325.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12704E-01	4350.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12605E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12507E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12410E-01	4425.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12315E-01	4450.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12221E-01							
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12128E-01	4500.00	0.00	10.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.12037E-01	4525.00	0.00	0.0		Winter	0-360	10011001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000 1.50	0.35	0.50 10.0
310.0 2.0							
0.11946E-01	4550.00	0.00	0.0		Winter	0-360	10011001

-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11857E-01	4575.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000 310.0 2.0	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
0.11769E-01	4600.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11682E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11596E-01	4650.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11512E-01	4675.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11428E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11345E-01	4725.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11264E-01									
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11183E-01	4775.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0									
0.11104E-01	4800.00	0.00	0.0		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0	4005 00	0.00					0.260	40044	004
0.11025E-01									
-1.30 0.043 -9.000		21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0		0.00	0 0		المراثان		0.260	10011	001
0.10947E-01	4850.00	0.00	0.0	<i>-</i> 0	MINT	er 1 FO	0-360	10011	100
-1.30 0.043 -9.000	0.020 -999.	21.		6.0	1.000	1.50	0.35	0.50	10.0
310.0 2.0 0.10871E-01	4075 00	0 00	0 0		+ ما الما		0.260	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -999.	21.		0.0	1.000	1.50	0.35	0.50	10.0
	1000 00	0 00	0 0		luli n+	on	0 260	10011	001
0.10795E-01 -1.30 0.043 -9.000	0 020 000	21	0.0	6 A	1 000	1 50	0-300 0-35	0 E0	10 0
310.0 2.0	0.020 -333.	21.		0.0	1.000	1.50	0.33	0.30	10.0
0.10720E-01	1925 00	a aa	a a		Wint	er	0-360	10011	001
-1.30 0.043 -9.000									
310.0 2.0	0.020 -333.	<b>41.</b>		0.0	1.000	1.70	0.55	0.50	10.0
0.10646E-01	4950 00	9.99	a a		Wint	er	0-360	10011	001
-1.30 0.043 -9.000	0.020 -999	21	0.0	6.0	1,000	1.50	0.35	0.50	10.0
310.0 2.0	3.020 333.	•		0.0		1.50	J. JJ	3.30	10.0
220.0 2.0									

0.10573E-01 4975.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0
0.10501E-01 5000.00 0.00 0.0 Winter 0-360 10011001
-1.30 0.043 -9.000 0.020 -999. 21. 6.0 1.000 1.50 0.35 0.50 10.0
310.0 2.0



1640 5<sup>th</sup> St.., Suite 204 Santa Santa Monica, California 90401 Tel: (949) 887-9013

Email: mhagemann@swape.com

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

Geologic and Hydrogeologic Characterization Industrial Stormwater Compliance Investigation and Remediation Strategies Litigation Support and Testifying Expert CEOA Review

## **Education:**

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984. B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

## **Professional Certifications:**

California Professional Geologist
California Certified Hydrogeologist
Qualified SWPPP Developer and Practitioner

## **Professional Experience:**

Matt has 25 years of experience in environmental policy, assessment and remediation. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) while also working with permit holders to improve hydrogeologic characterization and water quality monitoring.

Matt has worked closely with U.S. EPA legal counsel and the technical staff of several states in the application and enforcement of RCRA, Safe Drinking Water Act and Clean Water Act regulations. Matt has trained the technical staff in the States of California, Hawaii, Nevada, Arizona and the Territory of Guam in the conduct of investigations, groundwater fundamentals, and sampling techniques.

#### Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 present);
- Geology Instructor, Golden West College, 2010 2014;
- Senior Environmental Analyst, Komex H2O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989– 1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 1998);
- Instructor, College of Marin, Department of Science (1990 1995);
- Geologist, U.S. Forest Service (1986 1998); and
- Geologist, Dames & Moore (1984 1986).

# **Senior Regulatory and Litigation Support Analyst:**

With SWAPE, Matt's responsibilities have included:

- Lead analyst and testifying expert in the review of over 100 environmental impact reports since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, Valley Fever, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at industrial facilities.
- Manager of a project to provide technical assistance to a community adjacent to a former Naval shippard under a grant from the U.S. EPA.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.
- Expert witness on two cases involving MTBE litigation.
- Expert witness and litigation support on the impact of air toxins and hazards at a school.
- Expert witness in litigation at a former plywood plant.

# With Komex H2O Science Inc., Matt's duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

•	Expert witness testimony in a case of oil production-related contamination in Mississippi. Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.

• Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

## **Executive Director:**

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

## **Hydrogeology:**

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities
  through designation under the Safe Drinking Water Act. He prepared geologic reports,
  conducted public hearings, and responded to public comments from residents who were very
  concerned about the impact of designation.

 Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed
  the basis for significant enforcement actions that were developed in close coordination with U.S.
  EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nationwide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

#### **Policy:**

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9. Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the
  potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking
  water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, Oxygenates in Water: Critical Information and Research Needs.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific principles into the policy-making process.
- Established national protocol for the peer review of scientific documents.

#### **Geology:**

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aguifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

#### **Teaching:**

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt taught physical geology (lecture and lab and introductory geology at Golden West College in Huntington Beach, California from 2010 to 2014.

#### **Invited Testimony, Reports, Papers and Presentations:**

**Hagemann, M.F.**, 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

**Hagemann, M.F.**, 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

**Hagemann, M.F.,** 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Coloradao.

**Hagemann, M.F.,** 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

**Hagemann, M.F.**, 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

**Hagemann, M.F.,** 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

**Hagemann, M.F.,** 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

**Hagemann, M.F.**, 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

**Hagemann, M.F.**, 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal repesentatives, Parker, AZ.

**Hagemann, M.F.**, 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

**Hagemann, M.F.**, 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

**Hagemann, M.F.**, 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

**Hagemann, M.F.**, 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

**Hagemann, M.F.**, 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

**Hagemann, M.F.**, 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

**Hagemann, M.F.**, 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

**Hagemann, M.F.**, 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

**Hagemann, M.F.**, 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

**Hagemann, M.F.**, 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

**Hagemann, M.F.**, 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

**Hagemann**, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F**. 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

**Hagemann**, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

**Hagemann, M.F.**, 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

**Hagemann, M.F.**, and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

**Hagemann, M.F.**, Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii Water Works Association Annual Meeting, Maui, October 1996.

**Hagemann, M. F.**, Fukanaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

**Hagemann**, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

**Hagemann, M.**F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

**Hagemann, M.F.**, 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

**Hagemann, M.F.**, 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

#### Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examination, 2009-2011.



#### SOIL WATER AIR PROTECTION ENTERPRISE

2656 29th Street, Suite 201 Santa Monica, California 90405 Attn: Paul Rosenfeld, Ph.D. Mobil: (310) 795-2335 Office: (310) 452-5555 Fax: (310) 452-5550

Email: prosenfeld@swape.com

#### Paul Rosenfeld, Ph.D.

Chemical Fate and Transport & Air Dispersion Modeling

Principal Environmental Chemist

Risk Assessment & Remediation Specialist

#### **Education:**

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on VOC filtration. M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics. B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

#### **Professional Experience:**

Dr. Rosenfeld is the Co-Founder and Principal Environmental Chemist at Soil Water Air Protection Enterprise (SWAPE). His focus is the fate and transport of environmental contaminants, risk assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from unconventional oil drilling, oil spills, boilers, incinerators and other industrial and agricultural sources relating to nuisance and personal injury. His project experience ranges from monitoring and modeling of pollution sources as they relate to human and ecological health. Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing petroleum, chlorinated solvents, pesticides, radioactive waste, PCBs, PAHs, dioxins, furans, volatile organics, semi-volatile organics, perchlorate, heavy metals, asbestos, PFOA, unusual polymers, MtBE, fuel oxygenates and odor. Dr. Rosenfeld has evaluated greenhouse gas emissions using various modeling programs recommended by California Air Quality Management Districts.

#### **Professional History:**

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner

UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)

UCLA School of Public Health; 2003 to 2006; Adjunct Professor

UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator

UCLA Institute of the Environment, 2001-2002; Research Associate

Komex H<sub>2</sub>O Science, 2001 to 2003; Senior Remediation Scientist

National Groundwater Association, 2002-2004; Lecturer

San Diego State University, 1999-2001; Adjunct Professor

Anteon Corp., San Diego, 2000-2001; Remediation Project Manager

Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager

Bechtel, San Diego, California, 1999 – 2000; Risk Assessor

King County, Seattle, 1996 – 1999; Scientist

James River Corp., Washington, 1995-96; Scientist

Big Creek Lumber, Davenport, California, 1995; Scientist

Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist

Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Bureau of Land Management, Kremmling Colorado 1990; Scientist

#### **Publications**:

Chen, J. A., Zapata, A R., Sutherland, A. J., Molmen, D. R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.,** Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermod and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). The Risks of Hazardous Waste. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & Rosenfeld, P.E. (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & Rosenfeld, P.E. (2010). Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & Rosenfeld, P.E. (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P**. (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K.., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K.., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*, 105, 194-197.

**Rosenfeld, P.E.,** J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

**Rosenfeld, P. E.,** M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., Rosenfeld, P.E. (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities*. Boston Massachusetts: Elsevier Publishing,

Rosenfeld P.E., and Suffet, I.H. (Mel) (2007). Anatomy of an Odor Wheel. Water Science and Technology.

**Rosenfeld, P.E.,** Clark, J.J.J., Hensley A.R., Suffet, I.H. (Mel) (2007). The use of an odor wheel classification for evaluation of human health risk criteria for compost facilities. *Water Science And Technology*.

October 2015 2 Rosenfeld CV

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*, 49(9),171-178.

**Rosenfeld P. E.,** J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC)* 2004. New Orleans, October 2-6, 2004.

**Rosenfeld, P.E.,** and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

**Rosenfeld, P.E.,** and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

**Rosenfeld, P. E.**, Grey, M. A., Sellew, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

**Rosenfeld, P.E.,** Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS–6), Sacramento, CA Publication #442-02-008.

**Rosenfeld, P.E.**, and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

**Rosenfeld, P.E.,** and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

**Rosenfeld, P.E.,** and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

**Rosenfeld, P.E.,** and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld.** (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. Heritage Magazine of St. Kitts, 3(2).

**Rosenfeld, P. E.** (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

**Rosenfeld, P. E.** (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

**Rosenfeld, P. E.** (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

**Rosenfeld, P. E.** (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

October 2015 3 Rosenfeld CV

#### **Presentations:**

- **Rosenfeld, P.E.,** Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. 44th Western Regional Meeting, American Chemical Society. Lecture conducted from Santa Clara, CA.
- Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.
- Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.
- **Rosenfeld, P.E.** (April 19-23, 2009). Perfluoroctanoic Acid (PFOA) and Perfluoroactane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. 2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting, Lecture conducted from Tuscon, AZ.
- **Rosenfeld, P.E.** (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States" Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. 2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting. Lecture conducted from Tuscon, AZ.
- Wu, C., Tam, L., Clark, J., **Rosenfeld, P**. (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.
- **Rosenfeld, P. E.** (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23<sup>rd</sup> Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.
- **Rosenfeld, P. E.** (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23<sup>rd</sup> Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.
- **Rosenfeld, P. E.** (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The 23<sup>rd</sup> Annual International Conferences on Soils Sediment and Water. Lecture conducted from University of Massachusetts, Amherst MA.
- **Rosenfeld P. E.** (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.
- **Rosenfeld P. E.** (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.
- Hensley A.R., Scott, A., **Rosenfeld P.E.,** Clark, J.J.J. (August 21 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

October 2015 4 Rosenfeld CV

Hensley A.R., Scott, A., Rosenfeld P.E., Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

**Paul Rosenfeld Ph.D**. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

**Paul Rosenfeld Ph.D**. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

**Paul Rosenfeld Ph.D**. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

**Paul Rosenfeld Ph.D**. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

**Paul Rosenfeld Ph.D**. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

**Paul Rosenfeld Ph.D**. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. 2005 National Groundwater Association Ground Water And Environmental Law Conference. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

**Paul Rosenfeld Ph.D**. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. 2005 National Groundwater Association Ground Water and Environmental Law Conference. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

**Paul Rosenfeld, Ph.D.** and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

**Paul Rosenfeld, Ph.D.** (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

**Paul Rosenfeld, Ph.D.** (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference Orlando, FL.

**Paul Rosenfeld, Ph.D.** and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants.*. Lecture conducted from Hyatt Regency Phoenix Arizona.

**Paul Rosenfeld, Ph.D.** (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

**Paul Rosenfeld, Ph.D.** (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

October 2015 5 Rosenfeld CV

- **Rosenfeld, P.E.** and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.
- **Rosenfeld, P.E**. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.
- **Rosenfeld, P.E.** and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..
- **Rosenfeld, P.E**. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.
- **Rosenfeld. P.E.** (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.
- **Rosenfeld. P.E.** (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.
- **Rosenfeld, P.E.** (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.
- **Rosenfeld, P.E.**, C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.
- **Rosenfeld, P.E.**, and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.
- **Rosenfeld, P.E.**, C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.
- **Rosenfeld, P.E.**, C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest*. Lecture conducted from Lake Chelan, Washington.
- **Rosenfeld, P.E,** C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.
- **Rosenfeld, P.E.**, C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

#### **Teaching Experience:**

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

#### **Academic Grants Awarded:**

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993.

#### **Deposition and/or Trial Testimony:**

In The Superior Court of the State of California, County of Alameda

Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants

Case No.: RG14711115

Rosenfeld Deposition, September, 2015

In The Iowa District Court In And For Poweshiek County

Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants

Case No.: LALA002187

Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County

Jerry Dovico, et al., Plaintiffs vs. Valley View Sine LLC, et al., Defendants

Law No,: LALA105144 - Division A Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County

Doug Pauls, et al., et al., Plaintiffs vs. Richard Warren, et al., Defendants

Law No,: LALA105144 - Division A Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia

Robert Andrews, et al. v. Antero, et al.

Civil Action No. 14-C-30000

Rosenfeld Deposition, June 2015

In The Third Judicial District County of Dona Ana, New Mexico

Betty Gonzalez, et al. Plaintiffs vs. Del Oro Dairy, Del Oro Real Estate LLC, Jerry Settles and Deward

DeRuyter, Defendants

Rosenfeld Deposition: July 2015

In The Iowa District Court For Muscatine County

Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant

Case No 4980

Rosenfeld Deposition: May 2015

In the Circuit Court of the 17<sup>th</sup> Judicial Circuit, in and For Broward County, Florida

Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.

Case Number CACE07030358 (26) Rosenfeld Deposition: December 2014

In the United States District Court Western District of Oklahoma

Tommy McCarty, et al., Plaintiffs, v. Oklahoma City Landfill, LLC d/b/a Southeast Oklahoma City

Landfill, et al. Defendants. Case No. 5:12-cv-01152-C Rosenfeld Deposition: July 2014

In the County Court of Dallas County Texas

Lisa Parr et al, Plaintiff, vs. Aruba et al, Defendant.

Case Number cc-11-01650-E

Rosenfeld Deposition: March and September 2013

Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio

October 2015 8 Rosenfeld CV

John Michael Abicht, et al., Plaintiffs, vs. Republic Services, Inc., et al., Defendants

Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)

Rosenfeld Deposition: October 2012

In the Court of Common Pleas for the Second Judicial Circuit, State of South Carolina, County of Aiken

David Anderson, et al., Plaintiffs, vs. Norfolk Southern Corporation, et al., Defendants.

Case Number: 2007-CP-02-1584

In the Circuit Court of Jefferson County Alabama

Jaeanette Moss Anthony, et al., Plaintiffs, vs. Drummond Company Inc., et al., Defendants

Civil Action No. CV 2008-2076

Rosenfeld Deposition: September 2010

In the Ninth Judicial District Court, Parish of Rapides, State of Louisiana

Roger Price, et al., Plaintiffs, vs. Roy O. Martin, L.P., et al., Defendants.

Civil Suit Number 224,041 Division G Rosenfeld Deposition: September 2008

In the United States District Court, Western District Lafayette Division

Ackle et al., Plaintiffs, vs. Citgo Petroleum Corporation, et al., Defendants.

Case Number 2:07CV1052 Rosenfeld Deposition: July 2009

In the United States District Court for the Southern District of Ohio

Carolyn Baker, et al., Plaintiffs, vs. Chevron Oil Company, et al., Defendants.

Case Number 1:05 CV 227 Rosenfeld Deposition: July 2008

In the Fourth Judicial District Court, Parish of Calcasieu, State of Louisiana

Craig Steven Arabie, et al., *Plaintiffs*, vs. Citgo Petroleum Corporation, et al., *Defendants*.

Case Number 07-2738 G

In the Fourteenth Judicial District Court, Parish of Calcasieu, State of Louisiana

Leon B. Brydels, *Plaintiffs*, vs. Conoco, Inc., et al., *Defendants*.

Case Number 2004-6941 Division A

In the District Court of Tarrant County, Texas, 153<sup>rd</sup> Judicial District

Linda Faust, Plaintiff, vs. Burlington Northern Santa Fe Rail Way Company, Witco Chemical Corporation

A/K/A Witco Corporation, Solvents and Chemicals, Inc. and Koppers Industries, Inc., Defendants.

Case Number 153-212928-05

Rosenfeld Deposition: December 2006, October 2007

Rosenfeld Trial: January 2008

In the Superior Court of the State of California in and for the County of San Bernardino

Leroy Allen, et al., *Plaintiffs*, vs. Nutro Products, Inc., a California Corporation and DOES 1 to 100, inclusive, *Defendants*.

John Loney, Plaintiff, vs. James H. Didion, Sr.; Nutro Products, Inc.; DOES 1 through 20, inclusive, *Defendants*.

Case Number VCVVS044671

Rosenfeld Deposition: December 2009

Rosenfeld Trial: March 2010

In the United States District Court for the Middle District of Alabama, Northern Division

James K. Benefield, et al., *Plaintiffs*, vs. International Paper Company, *Defendant*.

Civil Action Number 2:09-cv-232-WHA-TFM

Rosenfeld Deposition: July 2010, June 2011

October 2015 9 Rosenfeld CV

In the Superior Court of the State of California in and for the County of Los Angeles

Leslie Hensley and Rick Hensley, *Plaintiffs*, vs. Peter T. Hoss, as trustee on behalf of the Cone Fee Trust; Plains Exploration & Production Company, a Delaware corporation; Rayne Water Conditioning, Inc., a California Corporation; and DOES 1 through 100, *Defendants*.

Case Number SC094173

Rosenfeld Deposition: September 2008, October 2008

In the Superior Court of the State of California in and for the County of Santa Barbara, Santa Maria Branch Clifford and Shirley Adelhelm, et al., all individually, *Plaintiffs*, vs. Unocal Corporation, a Delaware Corporation; Union Oil Company of California, a California corporation; Chevron Corporation, a California corporation; ConocoPhillips, a Texas corporation; Kerr-McGee Corporation, an Oklahoma corporation; and DOES 1 though 100, *Defendants*.

Case Number 1229251 (Consolidated with case number 1231299)

Rosenfeld Deposition: January 2008

In the United States District Court for Eastern District of Arkansas, Eastern District of Arkansas

Harry Stephens Farms, Inc, and Harry Stephens, individual and as managing partner of Stephens Partnership, *Plaintiffs*, vs. Helena Chemical Company, and Exxon Mobil Corp., successor to Mobil Chemical Co., *Defendants*.

Case Number 2:06-CV-00166 JMM (Consolidated with case number 4:07CV00278 JMM)

Rosenfeld Deposition: July 2010

In the United States District Court for the Western District of Arkansas, Texarkana Division

Rhonda Brasel, et al., *Plaintiffs*, vs. Weyerhaeuser Company and DOES 1 through 100, *Defendants*.

Civil Action Number 07-4037 Rosenfeld Deposition: March 2010 Rosenfeld Trial: October 2010

In the District Court of Texas 21<sup>st</sup> Judicial District of Burleson County

Dennis Davis, Plaintiff, vs. Burlington Northern Santa Fe Rail Way Company, Defendant.

Case Number 25,151 Rosenfeld Trial: May 2009

In the United States District Court of Southern District of Texas Galveston Division

Kyle Cannon, Eugene Donovan, Genaro Ramirez, Carol Sassler, and Harvey Walton, each Individually and on behalf of those similarly situated, *Plaintiffs*, vs. BP Products North America, Inc., *Defendant*.

Case 3:10-cv-00622

Rosenfeld Deposition: February 2012

Rosenfeld Trial: April 2013

In the Circuit Court of Baltimore County Maryland

Philip E. Cvach, II et al., Plaintiffs vs. Two Farms, Inc. d/b/a Royal Farms, Defendants

Case Number: 03-C-12-012487 OT Rosenfeld Deposition: September 2013

October 2015 10 Rosenfeld CV

## Exhibit C



CALIFORNIA WASHINGTON NEW YORK

15 January 2020

Michael Lozeau, Esq. Lozeau Drury LLP 1939 Harrison Street, Suite 150 Oakland, CA 94612

Subject: The De Anza Hotel Project Public Review Draft Initial Study

Review and Comment on Noise Analysis

Dear Mr. Lozeau,

Per your request, Wilson Ihrig has reviewed *The De Anza Hotel Project Public Review Draft Initial Study* ("DIS", July 2, 2019). In this letter, we offer comments on the noise analysis and proposed mitigation measures.

#### **Comments on Construction Noise Analysis**

The pertinent Cupertino Municipal Code for the control of construction noise is § 10.48.053 – *Grading, Construction and Demolition*. The DIS summarizes the quantitative requirements of this code as:

"... construction activities [may] not exceed 80 dBA at the nearest affected property or individual equipment items do not exceed 87 dBA at 25 feet. Only one of these two criteria must be met." [DIS at p 4-59]

Of the two options, the DIS utilizes the first one and presents estimates of construction noise at the two nearest property lines shared with noise-sensitive receptors (an apartment complex and a hotel). However, the DIS treats the 80 dBA limit as a limit for the average noise level (technically denoted " $L_{eq}$ "). There is no indication in § 10.48.053 that that is the intent of the code. Rather, given that people are more likely to complain about short-duration, high noise levels than the long-term average noise level and that most noise ordinances specify maximum allowable noise levels, it is more likely that the 80 dBA limit is intended to be a maximum for noise levels from the construction activities. To that point, § 10.48.053 specifically exempts construction noise from § 10.48.040 which

6001 SHELLMOUND STREET, SUITE 400

EMERYVILLE, CA 94608

(510) 658-6719

WWW.WILSONIHRIG.COM

<sup>&</sup>lt;sup>1</sup> The "maximum" noise level is typically the highest reading from a sound level meter using the "slow" meter response.



specifies the maximum allowable noise levels from non-construction activities at residential and non-residential properties.

The DIS utilizes the Federal Highway Administration Roadway Construction Noise Model, and data output from the model are provided in Appendix C of the DIS. In particular, these sheets show the maximum ( $L_{max}$ ) noise levels for the various construction phases at a distance of 200 ft. However, the construction equipment will be closer than this to the Cupertino Hotel property line.<sup>2</sup> Using the attenuation with distance factor used by the DIS and the closest approach point to the Cupertino Hotel property line, the maximum noise levels on the Cupertino Hotel property may be easily calculated.<sup>3</sup> These are shown in Table I. Also shown is the distance the loudest piece of equipment in each phase will need to be from the property to produce a maximum noise level of 80 dBA. For the demolition and grading phases, the distance is nearly half the width of the project site indicating that the 80 dBA limit will be exceeded half of the time during these phases.

TABLE I Maximum Construction Noise Levels		
<b>Construction Phase</b>	Lmax	Distance to 80 dBA Lmax
Demolition	93 dBA	150 ft
Site Preparation	88 dBA	89 ft
Grading	93 dBA	150 ft
Building Construction	87 dBA	80 ft
Paving	87 dBA	80 ft

In conclusion on this point, we believe the DIS misinterprets the intent of the construction noise limits provided in § 10.48.053 of the Cupertino Municipal Code. If the limits are interpreted as we believe they should be – as maximum, not average, noise levels – then construction noise levels during the five stages shown in Table I would create a significant noise impact at the Cupertino Hotel.

<sup>&</sup>lt;sup>2</sup> The DIS uses the center of the project site for the purpose of calculating the average noise level. This is reasonable because the equipment will, in the long-term, move all around the site and will, on average, be in the center. This is not appropriate for determining the maximum sound level, however, because this will clearly occur when the equipment is at its closest approach point. Note that the maximum noise level is determined by the single loudest piece of equipment in each phase, not a summation of the noise levels from all equipment as is appropriate and as was done for the average noise level calculations.

<sup>&</sup>lt;sup>3</sup> The attenuation rate is 6 dB per doubling of distance [DIS at p 4-59], and the closest distance is 34 feet (across driveway) [DIS at p 3-1].



#### Comments on Mitigation Measure NOISE-2

Mitigation Measure NOISE-2 pertains to the operational noise from mechanical equipment once the project is put into service.

The DIS notes that the emergency generator will have to be run for routine testing up to 50 hours per year. [DIS at p 4-62] The DIS goes on to provide noise estimates both with and without sound attenuation at the nearest receptors to the west (commercial) and to the east (apartment buildings).<sup>4</sup> In both instances, the DIS concludes that the noise levels at both the commercial buildings and the apartment buildings could exceed the applicable criterion, and states, "Therefore, this impact would be potentially significant." [DIS at p4-63] The DIS then goes on to say, "With implementation of Mitigation Measure NOISE-2, project-related operational noise impacts would be *less than significant.*" [DIS at p 4-63; no emphasis added].

A review of Mitigation Measure NOISE-2 indicates that it does not, in fact, provide a substantive analysis that feasible mitigation is possible. Rather, it simply states that, in the future, a qualified acoustician will "determine specific noise reduction measures necessary to reduce noise to comply with the City's noise level requirements." [DIS at p 4-63] In other words, the mitigation measure is simply to assert that the equipment will be selected and designed to meet the adopted threshold of significance rather than provide a substantive description and analysis of what would need to be done to accomplish this.

To add an element of reality to this point, Wilson Ihrig was recently asked to review a situation in which an EIR asserted that an emergency generator would be selected and designed to meet that projects threshold of significance, exactly as is being done here. However, when the project developers set out to meet this requirement, they found that, due to the proximity of the generator to noise-sensitive receptors, the mitigation measures could cost up to \$200,000, an amount they were not prepared to spend. As noted previously, the De Anza DIS estimates noise levels from the generator including "a Level II sound enclosure" and still finds that the noise levels exceeded the adopted criteria. [DIS at p 4-63]. If anything, this provides more impetus for additional analysis to demonstrate that feasible mitigation is possible or to determine that the impact is significant.

#### **Comments on Traffic Noise Analysis**

The traffic noise analysis utilizes a relative, "audible" threshold of significance, stating, "Only 'audible' changes in noise levels at sensitive receptor locations (i.e., 3 dB or more) are considered potentially significant." [DIS at p 4-58]

The fundamental problem with using a relative threshold of significance, e.g., a change of 3 dBA or greater, is that, over time, there will effectively be no limit. If the noise level today is 65.0 dBA and an increase to 67.9 dBA is found to be a less than significant impact, then the next project will take

<sup>&</sup>lt;sup>4</sup> As an aside, the emergency generator noise does not seem to have been assessed at the Cupertino Hotel.



67.9 dBA as the baseline, and an increase to 70.8 dBA will be found to be a less than significant impact. The total increase would be 5.8 dBA, which would be deemed a significant impact if brought about by either project individually, but would not be in the two-project scenario because the baseline for the second project will be the noise level resulting from the first project. At each step, the noise level increase would be characterized as "inaudible", although the net increase would be characterized as "audible".

While it is appropriate to use relative impact criteria, in order to keep noise levels from increasing continually without limit over time, absolute criteria should be utilized, as well. For this project, an appropriate source for absolute criteria is the *Cupertino General Plan – Community Vision 2015 – 2040*. Chapter 7, Health and Safety Element, contains Land Use Compatibility for Community Noise Environments, cast in terms of either the Day-Night Equivalent Level ( $L_{dn}$ ) or the Community Noise Equivalent Level (CNEL), both 24-hour weighted average noise levels. [General Plan, Figure HS-8]. For various types of land uses, Figure HS-8 indicates if a particular noise exposure is "normally acceptable", "conditionally acceptable", "normally unacceptable", or "clearly unacceptable".

A very reasonable, absolute threshold of significance would be if the noise level changed from on classification to another, regardless of the amount of the increase. For example, Residential – Multi-Family land use is normally acceptable up to CNEL 65 and conditionally acceptable up to CNEL 70. If the existing noise environment at, for example, the Aviare apartment complex is CNEL 69, and the project causes it to increase to CNEL 71 – thereby transforming the area from one that is conditionally acceptable for the use to one that is normally unacceptable – that should be determined to be a significant noise impact even though the increase is only 2 dBA and characterized as "inaudible".

Finally on this point, the above analysis would necessarily be based on measurements of the existing noise environment around the project site, something the DIS did not do. As such, even though the DIS states that the traffic noise increase due to the project will be up to 2.0 dBA, it is not possible to ascertain whether or not that increase will cause any of the noise-sensitive receptors to transition from one land use classification to another, lower quality one.

\* \* \* \* \*

Please contact us if you have any questions about our comments on the De Anza Hotel Project Draft Initial Study noise analysis.

Very truly yours,

WILSON IHRIG

Derek L. Watry

Principal

L. Watuf



#### **DEREK WATRY**

Principal

Mr. Watry is experienced in all aspects of environmental noise issues, having conducted extensive field measurements, prepared EIR/EIS sections, helped resolve complex community noise issue, established acceptability criteria, and studied meteorological effects on sound transmission. He is well versed in the requirements of CEQA and NEPA. His experience includes responding to community noise complaints that can be miles from transit noise, construction noise, and low-frequency music noise. He has made numerous presentations at public meetings, conducted technical seminars on outdoor noise propagation, and served as the acoustical expert for several legal actions. These experiences have given him a thorough understanding of the technical, public relations, and political aspects of environmental noise and vibration compliance work.

#### **Education**

- M.B.A., Saint Mary's College of California, Moraga, California
- M.S. Mechanical Engineering, University of California at Berkeley
- B.S. Mechanical Engineering, University of California at San Diego

#### **Relevant Project Experience**

#### San Francisco Department of Public Works, Environmental Services On-Call

Several task orders with prime consultant. Recent projects have been the Northshore Main Improvement Project, design noise mitigation for a recently constructed SOMA West Skate Park, and a variety of other construction noise and vibration monitoring tasks.

#### City of Fremont Environmental Services On Call (Since 2004)

Providing oversight of and acoustical analysis for a variety of task orders. Work tasks primarily focus on noise insulation and vibration control design compliance for new residential projects and peer review other consultant's projects.

#### King City Silva Ranch Annexation EIR

Conducted the noise portion of the EIR and assessed the suitability of the project areas for the intended development. Work included a reconnaissance of existing noise sources and receptors in and around the project areas, and long-term noise measurements at key locations.

#### Loch Lomond Marina EIR, San Rafael

Examined traffic noise impacts on existing residences. Provided the project with acoustical analyses and reports to satisfy the requirements of Title 24.

#### Mare Island Dredge and Material Disposal, Vallejo

EIR/EIS analysis of noise from planned dredged material off-loading operations.

#### San Francisco Clean Water Program - Richmond Transport Tunnel

Environmental compliance monitoring of vibration during soft tunnel mining and boring, cut-and-cover trenching for sewer lines, hard rock tunnel blasting and site remediation. Work involved long-term monitoring of general construction activity, special investigations of groundborne vibration from pumps and bus generated ground vibration, and interaction with the public (homeowners). Construction methods monitored included tunneling, pile driving, heavy equipment operation, and rock blasting.



#### San Francisco Department of Public Works, 525 Golden Gate Avenue Demolition

Noise and vibration monitoring and consultation during demolition of a multi-story office building next to Federal, State, and Municipal Court buildings.

#### San Francisco Department of Public Works, 9-1-1 Emergency Communications Center

Technical assistance on issues relating to the demolition and construction work including vibration monitoring, developing specification and reviewing/recommending appropriate methods and equipment for demolition of Old Emergency Center.

#### Patterson Ranch EIR, Fremont

Conducted noise and vibration portion of the EIR.

#### Tyco Electronics Annual Noise Compliance Study, Menlo Park

Conducted annual noise compliance monitoring. Provided letter critiquing the regulatory requirements and recommending improvements.

#### BART SFO Extension - Construction Vibration and Noise Monitoring

Environmental compliance monitoring of noise and vibration during cut-and-cover construction of BART subway structure. Work included extensive monitoring of ground vibration at buildings and structures in close proximity to vibratory pile driving activity to ascertain compliance with construction specification limits.

#### Golden Gate Park Concourse Underground Garage, San Francisco

Noise and vibration testing during underground garage construction to monitor for residences and an old sandstone statue during pile driving.

#### Fourth Street Bridge Rehabilitation, San Francisco

Construction noise, vibration, and underwater monitoring and support. Work included underwater noise measurements during pile driving and subsequent lab analysis, and ground-to-water transfer mobility measurements and subsequent analysis to predict underwater acoustic pressure levels during concrete abutment demolition.

#### Caltrain Centralized Equipment Maintenance and Operations Facility, San Jose

Noise study of impacts for new maintenance and operations facility built next to existing residential neighborhood.

#### **Relevant Expert Consultant Experience**

Expert consultant review of the noise studies for the following projects:

Star Concrete Batch Plant Project
Mountain Peak Winery Expansion Project
The Shops at Austin Creek Development
Monterey Downs and Monterey Horse Park Development
Atascadero Del Rio Road Commercial Area Development
WinCo Vallejo Development
Walmart Tehachapi Development
Riverwalk Marketplace, Phase II, Development
Walmart Rohnert Park Expansion

# Exhibit D

T 510.836.4200 F 510.836.4205 1939 Harrison Street, Ste. 150 Oakland, CA 94612

www.lozeaudrury.com michael@lozeaudrury.com

Via Email and U.S. Mail

August 1, 2019

Gian Paolo Martire, Associate Planner City of Cupertino Community Development Department Planning Division 10300 Torre Avenue Cupertino, CA 95014 gianm@cupertino.org

Grace Schmidt, City Clerk City of Cupertino City Clerk's Office 10300 Torre Avenue Cupertino, CA 95014

cityclerk@cupertino.org

Benjamin Fu, Planning Manager City of Cupertino Community Development Department Planning Division 10300 Torre Avenue Cupertino, CA 95014 benjaminf@cupertino.org

Re: CEQA and Land Use Notice Request for the Project known as De Anza Hotel

Dear Mr. Martire, Mr. Fu and Ms. Schmidt:

I am writing on behalf of the Laborers International Union of North America, Local Union 270 and its members living in the City of Cupertino ("LiUNA"), regarding the project known as De Anza Hotel, including all actions related or referring to the construction of a new seven-story hotel with up to 156 rooms, a rooftop terrace, lounge, and bar and ground-floor conference facilities and restaurant with four levels of belowgrade parking located at 10931 North De Anza Boulevard in the City of Cupertino ("Project").

We hereby request that City of Cupertino ("City") send by electronic mail, if possible or U.S. Mail to our firm at the address below notice of any and all actions or hearings related to activities undertaken, authorized, approved, permitted, licensed, or certified by the City and any of its subdivisions, and/or supported, in whole or in part, through contracts, grants, subsidies, loans or other forms of assistance from the City, including, but not limited to the following:

- Notice of any public hearing in connection with the project as required by California Planning and Zoning Law pursuant to Government Code Section 65091.
- Any and all notices prepared pursuant to the California Environmental Quality Act ("CEQA"), including, but not limited to:
  - Notices of any public hearing held pursuant to CEQA.
  - Notices of determination that an Environmental Impact Report ("EIR") or supplemental EIR is required for the project, prepared pursuant to Public Resources Code Section 21080.4.

- Notices of any scoping meeting held pursuant to Public Resources Code Section 21083.9.
- Notices of preparation of an EIR or a negative declaration for the project, prepared pursuant to Public Resources Code Section 21092.
- Notices of availability of an EIR or a negative declaration for the project, prepared pursuant to Public Resources Code Section 21152 and Section 15087 of Title 14 of the California Code of Regulations.
- Notices of approval and/or determination to carry out the project, prepared pursuant to Public Resources Code Section 21152 or any other provision of law.
- Notices of approval or certification of any EIR or negative declaration, prepared pursuant to Public Resources Code Section 21152 or any other provision of law.
- Notices of determination that the project is exempt from CEQA, prepared pursuant to Public Resources Code section 21152 or any other provision of law.
- Notice of any Final EIR prepared pursuant to CEQA.
- Notice of determination, prepared pursuant to Public Resources Code Section 21108 or Section 21152.

Please note that we are requesting notices of CEQA actions and notices of any public hearings to be held under any provision of Title 7 of the California Government Code governing California Planning and Zoning Law. This request is filed pursuant to Public Resources Code Sections 21092.2 and 21167(f), and Government Code Section 65092, which requires agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency's governing body.

In addition, we request that the City send to us via email or U.S. Mail a copy of all Planning Commission, Environmental Review Committee and City Council meeting and/or hearing agendas.

Please send notice by electronic mail, if possible or U.S. Mail to:

Michael Lozeau
Hannah Hughes
Komal Toor
Lozeau Drury LLP
1939 Harrison Street, Ste 150
Oakland, CA 94612
510 836-4200
michael@lozeaudrury.com
hannah@lozeaudrury.com
komal@lozeaudrury.com

Please call if you have any questions. Thank you for your attention to this matter.

Hannah Hughes

Sincerely,

Legal Assistant

Lozeau | Drury LLP

#### Attachment B



17901 Von Karman Ave, Suite 600 Irvine, CA 92614 (949) 556-8714

www.better-neighborhoods.com/

January 21, 2020

Kirsten Squarcia, MMC
City Clerk for the City of Cupertino
City Council Members of the City of Cupertino
10300 Torre Avenue
Cupertino, CA 95014
Email: cityclerk@cupertino.org

Re: De Anza Hotel Project – Cupertino

Members of the City Council,

This letter is submitted by Better Neighborhoods as a request that the City Council deny approval of the Project and remand consideration of the Project to the Planning Commission for further study and analysis to comply with the requirements of CEQA.

Better Neighborhoods is an organization established to help people have a voice in local development decisions as prominent as that of planners and developers. Our aim is to encourage smart growth consistent with the needs of the community while protecting the natural environment and places of historic and aesthetic significance, supporting California's need for affordable housing and balancing the desire for growth with the need for features that make cities livable.

The proposed Project is a seven-story, 156-room hotel with rooftop bar and lounge and related parking and other facilities, called the De Anza Hotel Project (the "Project").

The Planning Commission considered and approved the Project. In doing so they reviewed and approved the Initial Study/Mitigated Negative Declaration (the "MND"). Better Neighborhoods submitted a comment letter regarding several aspects of the MND. The staff submitted to the Planning Commission a reply memorandum prepared by Placeworks, dated December 5, 2019.

The Placeworks memorandum (the "Response Memo") purports to address all of the comments raised by Better Neighborhoods. However, most of the comments by Placeworks in the memorandum are either dismissive of the comments we have made, or are evasive or incorrect responses, none of which address the fundamental CEQA issues raised by Better Neighborhoods.

We write this letter to the City Council in the hopes of explaining more fully our concerns with the inadequate CEQA analysis undertaken for the proposed Project.

In the prior comment letter submitted to the Planning Commission and in this letter, Better Neighborhoods provides substantial evidence for this administrative record that supports a fair argument that the proposed Project might have a significant environmental impact not previously considered. Accordingly, the City Council should deny the Project approval and remand the Project to the Planning Commission for further and more complete CEQA review.

#### **Hazards and Hazardous Materials**

The subject property very likely has an underground storage tank ("UST") that contains waste oil. In the MND, the Applicant admits that the geophysical survey was performed only "within accessible areas of the site". A substantial surface area of the site was ignored, and no borings were performed, due to limited accessibility. This is discussed in Section VIII, Hazards and Hazardous Materials, on page 4-44 and page 4-47 of the MND. As a result of this limited investigation, the applicant has not found the location of the UST.

Nonetheless, the Environmental Data Resources (EDR) records show that the UST was installed at the project site in 1973. There is no record of the UST removal. Therefore, one can and should conclude that a UST remains buried somewhere on the site.

The Response Memo attempts to avoid this issue by claiming that the chances of finding the UST are low. It continues by stating that even if the UST is discovered during grading of the site, the developer will simply comply with California law and sample the soil, remove the tank, clean up any toxins, and proceed with the project.

We know that the project will have four levels of subterranean parking. The massive hole that must be created to allow for this underground garage is certain to come upon the UST. Before the digging begins, we must understand the nature and extent of the contamination.

There is substantial evidence that the UST exists now. CEQA does not allow the City to defer the nature, type and specification of a mitigation measure. In this case, if the UST has leaked and contaminated surrounding soil and possibly groundwater, the whole cleanup process will be an unknown new project. For this reason, the City should require as much additional boring and testing as may be required until the UST is identified. Then, the soils samples should be taken to confirm whether or not contamination has occurred. Then, when the facts are known, the City can require an appropriate mitigation measure.

#### **General Plan Amendment**

The Project site, a 1.29-acre parcel at 10931 North De Anza Boulevard, is currently developed with a one-story Goodyear Auto Service Center. The site is now designated under the General Plan as Commercial/Residential, General Commercial (CG) with special development regulations (rg), referred to as CG-rg.

This Project is in conflict with the General Plan. Simply Amending the General Plan to accommodate this Project is improper.

The Vision for the Homestead Special Area is "The Homestead Villa neighborhood is largely developed and is *not anticipated to change in character*."

This General Plan Amendment is the worst sort of "spot zoning." The staff report clearly states that "It should be noted that the General Plan amendments would only apply to the proposed hotel." In *Foothill Communities Coalition v. County of Orange*, the court of appeal concluded that spot zoning can be found where an isolated parcel is zoned *less* restrictively than surrounding property. This project is exactly this sort of impermissible spot zoning. The developer has not suggested, and there is no reason why this Project should justify a General Plan Amendment. There is no substantial public need for this hotel here, at this location in the City and this hotel project certainly is not in the public interest.

Also, the City should not attempt to allocate hotel rooms across Special Areas within the General Plan and change the height limitations within this Homestead Special Area – unless the City conducts an exhaustive and thoughtful analysis of what the future will likely bring for development across the City if this Project is approved. There are many, many unintended consequences of this General Plan Amendment. For example, if this Project is approved, there will be increased pressure and demand to densify properties near this Project site, and the City will have set a precedent with this particular approval, thus making it much more likely that additional General Plan Amendments will be approved for intense uses and for taller and more prominent buildings – thus further changing the essential character of this area of the City. Also, if hotel rooms are moved out of other Special Areas and placed into the Homestead area, the City has done nothing more that create pressure for future plan amendment requests in the other Special Areas that are now losing allocated hotel rooms.

The General Plan was approved after a very long and information rich process. Now, the CG zoning district is intended to provide a means of guiding development to establish retail, office and services "that ensure the maximum compatibility <u>with surrounding residential areas</u>." This Project is directly contradictory to this. The City should not be whimsical to alter the General Plan just to accommodate one developer's desire to build a hotel where it does not belong.

#### Compatibility with the General Plan

The MND fails to analyze and explain why this hotel Project should be approved, notwithstanding all of the many inconsistencies with the General Plan.

Staff reports that "Staff has evaluated the proposed General Plan Amendments and concludes that based on the net positive fiscal impacts of the project (see Attachment 7) and minimal environmental impacts of the project, the proposed amendment supports several of the City's other General Plan goals including:..." However, staff fails entirely to comply with CEQA and identify, analyze and explain all of *inconsitiencies* that the Project creates with the General Plan. The MND is practically silent on all of the many inconsistencies between this Project and the General Plan.

There are many, many examples of this, but just a few are instructive:

First, Page PA-3 of the General Plan, regarding Special Areas, states that "[The Special Areas] should be enhanced with more pedestrian, bicycle and transit facilities; supported by focused development standards." This Project does the opposite, including ignoring the development standards that have been developed for this area.

Second, Page LU-12 of the General Plan (LU-1.3.1: Commercial and Residential Uses), regarding Land Use Allocations, states that "All mixed-use areas with commercial zoning will require retail as a substantial component.". The Staff was a bit disingenuous when they refer to the compatibility of the Project with Goal LU-1.3 – that encourages mixed use areas in certain circumstances. However, the specific strategies for achieving this goal seem to preclude putting a hotel in the middle of this residential area.

For this reason alone, the MND fails to comply with CEQA. The City should deny the approvals of this Project and have the CEQA document updated to explore the General Plan inconsistencies. In fact, Better Neighborhoods believes that CEQA requires a full environmental impact report to be completed if the General Plan is to be amended.

We urge the City to deny the approvals and require that a full environmental impact report be created, so that the requirements of CEQA can be met for a General Plan Amendment.

#### **Greenhouse Gas Emissions**

IN our prior letter, Better Neighborhoods raises several questions about the GHG analysis in the MND. The Response Memo attempts to respond to all of these comments, but does so inadequately. First, we think the GHG analysis does not take into account all of the sensitive receptors that will surround the Project. The City acknowledges that prior to mitigation, there will be construction air quality impacts. The Response Memo sates that causing the large construction equipment to use heavy duty air filters should bring the total GHG impacts to a level of less than

significant. We would like to see the arithmetic of how this was confirmed. Also, does this merely create a smeared average of GHG toxins, but in fact result in some nearby sensitive receptors actually receiving a large dose of the bad gases?

Also, Mitigation Measure GHG-1 for buying GHG "credits" or "offsets" is not a proper mitigation measure. Even though the local air quality board may allow it, in fact this does nothing for the neighbors that will be harmed by the bad GHG that the Project creates. We urge the City to reject GHG offset credits, and instead require the developer to actually reduce the GHG emissions – not simply pay to pretend they are not harmful. Al Gore may buy offsets so that he can fly in a private jet with a clear conscience, but this is not a proper use of the City's power to protect its citizens.

#### **Noise and Light Nuisance**

The Response Memo indicates that the noise study contemplated the decibel impact of multiple human conversations from the roof top bar.

Better Neighborhoods primary noise concern about the rooftop bar relates to large events and amplified sound. We require that to protect the surrounding sensitive receptors, the Hotel Project should include a condition of approval that prohibits amplified sound (speakers, music, megaphones, etc.) entirely. Also, it should prohibit more than a certain number of persons on the rooftop at one time, based on the cumulative noise levels that could be created by a crowd.

In addition to the Noise issue, there is no analysis of light and glare impacts that will be created when events occur on the bar rooftop area. We urge the City to deny the approvals, and require a full analysis of all lighting fixtures, glare and colored, blinking or other lighting that will be visible from surrounding properties.

We also require that to protect the surrounding sensitive receptors, the Hotel Project should include a condition of approval that prohibits any bright lights, strobe lights, colored lighting or other obnoxious use of light – if it can be seen from the surrounding neighborhood.

#### **Light, Glare and Shadow**

Better Neighborhoods previously asked for a shadow study. The Response Memo states that there are no thresholds of significance, and that shadow studies are only conducted for impacts on public spaces. This is not correct.

If there is no threshold of significance, then the City is obligated to use one that is otherwise applicable, and possibly from another city.

The shadow impact we are concerned with is the shadow this overly tall building will throw onto surrounding residential uses. Please complete a shadow study to show that nearby residences will

Page 6

not use the reasonable use of their front yards and back yards – especially during the summer months. We can recommend the thresholds of significance established by the City of Los Angeles for shade and shadow impacts on residential properties.

#### **Development Agreement**

The City intends to enter into a Development Agreement with the applicant. The developer will obtain substantial benefits under this agreement – not the least of which is a General Plan Amendment that rezones their property and allows for this dense and incompatible project.

The only significant consideration provided by the applicant is a one-time \$500,000 Community Amenity Funding payment. In the context of a project that will cost perhaps \$15 million or \$20 million to complete, this fee is a paltry sum. Many cities negotiate Development Agreements that result in much more favorable benefits for the City. The City and we citizens are entitled to receive park fees, traffic mitigation fees, school fees and other benefits – that would justify the substantial value being transferred to this developer.

We urge the City Council to deny this Development Agreement and return the negotiation to the City Manager and the Planning Commission to come up with a Development Agreement that is not a naked charity gift to this developer.

This letter provides substantial evidence for this administrative record that supports a fair argument that the proposed Project might have a significant environmental impact not previously considered. Accordingly, the City Council should deny the Project approval and remand the Project to the Planning Commission for further and more complete CEQA review.

Sincerely,

Better Neighborhoods, Inc.

By: J. Michael Goolsby, Michael Goolsby, President

#### **Attachment C**



#### COMMUNITY DEVELOPMENT DEPARTMENT

CITY HALL 10300 TORRE AVENUE • CUPERTINO, CA 95014-3255 TELEPHONE: (408) 777-3308 • FAX: (408) 777-3333

#### AFFIDAVIT OF MAILING

#### Notice of Intent for the ISMND, De Anza Hotel

Beth Ebben, Deputy Board Clerk, declares as follows:

10300 Torre Avenue Cupertino, CA 95014 (408) 777-3308

Affected Agencies and Interested Agencies (40 addresses)



#### COMMUNITY DEVELOPMENT DEPARTMENT

CITY HALL 10300 TORRE AVENUE • CUPERTINO, CA 95014-3255

TELEPHONE: (408) 777-3205 www.cupertino.org

## NOTICE OF INTENT TO ADOPT A MITIGATED NEGATIVE DECLARATION DE ANZA HOTEL PROJECT

NOTICE IS HEREBY GIVEN that the City of Cupertino (the City) has prepared an Initial Study to evaluate the environmental impacts of the proposed De Anza Hotel Project, described below, and intends to adopt a Mitigated Negative Declaration in accordance with the California Environmental Quality Act. The Initial Study concludes that the proposed project would not have a significant adverse effect on the environment if the mitigation measures identified in the Initial Study are adopted and made conditions of approval of the proposed project.

FROM:

City of Cupertino, Community Development Department

10300 Torre Avenue Cupertino, CA 95014

Contact: Gian Martire, Associate Planner (408-777-3319 or GianM@cupertino.org)

#### **PUBLIC REVIEW PERIOD:**

The Initial Study and Proposed Mitigated Negative Declaration are available for public review at the following location:

Cupertino Library 10800 Torre Avenue Cupertino, CA

The Initial Study and proposed Mitigated Negative Declaration are available for a 30-day review period beginning Friday, June 28, 2019 and ending Monday, July 29, 2019. Comments on the Mitigated Negative Declaration must be submitted in writing within the 30-day review period and may be sent by mail, fax or email (highly encouraged) to:

City of Cupertino Planning Division

Attn: Gian Martire, Associate Planner

10300 Torre Avenue Cupertino, CA 95014 Fax: 408-777-3319

E-mail: GianM@cupertino.org

Project Webpage: www.cupertino.org/deanzahotel

#### **PUBLIC MEETINGS:**

Tentative meeting dates at which actions will be undertaken are listed below. The Cupertino City Council is the decision-making body responsible for adopting the proposed Mitigated Negative Declaration and approving the proposed project.

Environmental Review Committee August 1, 2019 at 9:30 am 10300 Torre Avenue, Conference Room C Cupertino, CA 95014 Planning Commission Hearing TBD

City Council Hearing
TBD

Please note that agendas are subject to change. Please contact the Planning Department at 408-777-3308 or the City's website at www.cupertino.org/agenda to confirm the hearing dates.

#### LOCATION OF PROJECT:

10931 North De Anza Boulevard Assessor's Parcel Number (APN) 326-10-061

#### SUMMARY PROJECT DESCRIPTION:

The project applicant is proposing the De Anza Hotel Project which would construct a hotel on a 1.29-acre site currently developed with commercial land uses. The project would also involve demolition of the existing Goodyear Tire commercial building on the site. The development would be a new six-story, 156-room hotel, which would include a rooftop terrace, lounge, and bar, as well as ground floor conference facilities and a restaurant.

Please contact Gian Matire, Associate Planner, at 408-777-3319 or GianM@cupertino.org if you have questions regarding this notice.

Santa Clara County, Sheriff's Dept. Attn: Captain Rich Urena 1601 S De Anza Blvd Cupertino, Ca. 95014

City of Santa Clara Attn: Reena Brilliot or Current 1500 Warburton Ave Santa Clara, Ca. 95050

California Water Service Company Attn: Ron Richardson 949 B Street Los Altos, Ca. 94024

Santa Clara Valley Water District Attn: Lisa Brancatelli or Current 5750 Almaden Expressway San Jose, Ca. 95118

Fremont Union High School District Attn: Christine Mallery, CBO 589 W. Fremont Ave. Sunnyvale, Ca. 94087

CA State Dept.of Transportation Office of Transit & Comm. Planning Attn: Erik Alm or Current 111 Grand Ave MS 10-D Oakland, Ca. 94623-0660

RWQCB 1515 Clay Street, Suite 1400 Oakland, CA 94612

U.S. Post Office Attn: Post Master 21701 Stevens Creek Blvd. Cupertino, Ca. 95014

PlaceWorks Attn: Terri McCracken 1625 Shattuck Ave., Suite 300 Berkeley, Ca. 94709

SCC Rds & Airpts: Planning Div Attn: Dawn Cameron 101 Skyport Dr San Jose, Ca. 95110 SCC Department of Environmental Health Services Attn: Richard Fuchs or current 1555 Berger Dr. #300 San Jose, Ca. 95112

San Jose Water Company Attn: Jim Bariteau 110 W Taylor St. San Jose, Ca. 95110

SCC Fire Protection District Attn: Tracy Staiger or Current 16795 Lark Ave. #200 Los Gatos, Ca. 95030

BAAQMD Attn: Planning Department 375 Beale St. San Francisco, Ca. 94105

Recology Attn: John Zirelli or Current 650 Martin Ave. Santa Clara, Ca. 95050

Cupertino Union School District Attn: Chris Jew or Current 1309 S Mary Ave Sunnyvale, Ca. 94087

Santa Clara VTA Attn: Environmental Services Dept 3331 North First Street San Jose, CA 95134

Foothill/DeAnza Community College District 12345 El Monte Los Altos, Ca. 94022

N. CA Carpenters Regional Council Alex Lantsberg Research Department 265 Hegenberger Road, Suite 220 Oakland, CA 94621

SCC Rds & Airpts: Engineering Attn: Masoud Akbarzadeh 101 Skyport Dr San Jose, Ca. 95110 City of San Jose Attn: Planning Division 200 E Santa Clara St Tower, 3<sup>rd</sup> Floor San Jose, Ca. 95113

City of Sunnyvale Attn: Andrew Miner, Planning Dept 456 West Olive Ave Sunnyvale, Ca. 94086

Cupertino Sanitary District Attn: Richard Tanaka 20863 Stevens Creek Blvd. #100 Cupertino, Ca. 95014

Pacific Gas & Electric Attn: Erin Straub or Current 10900 N Blaney Ave Cupertino, Ca. 95014

Santa Clara Unified School District Attn: Bobbie Plough or Current 1889 Lawrence Rd. Santa Clara, Ca. 95051

Mid-Peninsula Open Space District 330 Distel Circle Los Altos, Ca. 94022

Santa Clara County Planning Department 70 W Hedding St. East Wing 7<sup>th</sup> Flr San Jose, Ca. 95110

City of Saratoga Attn: Planning Department 13777 Fruitvale Ave Saratoga, Ca. 95070

Hexagon Attn: Gary Black 111 W. St. John Street San Jose, Ca. 95113

Santa Clara County Habitat Agency Attn: Edmund Sullivan or Current 535 Alkire Ave. #100 Morgan Hill, Ca. 95037 City of Los Altos Attn: Community Development 1 North San Antonio Road Los Altos, Ca. 94022

Caltrans – District 4 Attn: Nick Saleh, District Div. Chief 111 Grand Avenue Oakland, Ca. 94612

Silicon Valley Leadership Group Attn: John Louis Martin Policy Coordinator, Hsng & Land Use 2001 Gateway Place, Suite 101E San Jose, CA 95110 West Valley-Mission Community College District Attn: Ed Maduli or Current 14000 Fruitvale Ave Saratoga, Ca. 95070

State of California
Native American Heritage Comm.
Environmental and Cultural Dept.
1550 Harbor Blvd #100
West Sacramento, Ca. 95691

Shute, Mihaly & Weinberger LLP Attn: Ellen J. Garber 396 Hayes Street San Francisco, Ca. 94102-4421 Metropolitan Transportation Commission 375 Beale St #800 San Francisco, Ca. 94105

City of Sunnyvale
Water Pollution Control Plant
Attn: Cameron Kostigen-Mumper
c/o 221 Commercial St
Sunnyvale, Ca. 94086
Adams, Broadwell, Joseph &
Cardozo
Attn: Janet Laurain
601 Gateway Blvd #1000
South San Francisco, Ca. 94080

Lozeau Drury, LLP Attn: Theresa Rettinghouse 1939 Harrison St #150 Oakland, Ca. 94612

### CC 3-3-20

# #12 Mid-Year Financial Report

Written Communications

From: To: Jeonghee Yi
City Council

Cc:

Deborah L. Feng

Subject:

Agenda Item #12 CC Meeting on 3/3/2020 (written communication)

Date:

Tuesday, March 3, 2020 10:16:16 AM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

#### Dear Cupertino Council Members:

Regarding a midyear budget adjustment, I request the city council allocate additional budget to the Regnart Creek Trail project specifically for providing better privacy and security protections.

The current budget of \$365,000 for 82 homes directed impacted by the trail is not enough for the city to provide proper protection to the impacted residents. The wooden fences the city is planning to providing is not adequate to mitigate privacy and security issues the residents along the trail would face, especially for those abutting the trail that live as close as only 2 feet from the trail.

The followings are what the affected residents including myself request:

- 1. Concrete sound wall similar to the wall along the entrance to Creekside Park, or some alternative material comparable to the concrete wall in terms of the noise and privacy protection for the residents abutting the trail. Taller height (8~9 feet) than currently offered by the city (7 feet) would be needed for better noise reduction and privacy protection.
- 2. Gate closures at night
- 3. Proper privacy protection for Lozano Lane residents that faces the trail from their front yard.
- 4. Taller fences and privacy screens for the residents on the other side of the trail with lower grading.

You consideration of the requests during the agenda item 12 and allocation of additional funding for proper protection of the impacted residents would be highly appreciated.

Thank you,

Jeonghee Yi

Cupertino resident abutting Regnart Creek Trail

 From:
 benaifer dastoor

 To:
 City Council

 Cc:
 Deborah L. Feng

Subject: Written Communications Agenda Item #12 03/03/2020 CC Meeting

Date: Monday, March 2, 2020 11:34:01 PM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

#### Council Members,

This email is in reference to Agenda Item #12 City Council Meeting 03/3/2020.

The City is asking for a midyear budget adjustment. In September 2019, the Council allocated ~2.2M dollars for Regnart Creek Trail Project which only included \$365,000 towards privacy and security protections for 82 homes. This does not inlcude \$813,000 payable to HMH for design and environmental services. The Council has allocated ~12% of project cost for privacy fencing of 82 homes. This is not adequate to provide proper protection for residents who live as close as 2 feet from the trail.

So we the residents are requesting for additional allocation of funds for better protections for the neighborhood residents that includes the following.

- 1. Most residences abutting the trail want a concrete wall (similar to creekside park) or alternate low cost material which provides equivalent protection for security and noise (other than replacing our own wooden fences) It is possible to provide non contiguous walls options for most residences who want them. For example, Homes on Bollinger, San Tomas Aquino have mix of walls and fences.
- 2. The residences on the other side of the trail with lower grading, request for taller fences and privacy screens.
- 3. Gate closures from Dusk to Dawn requested by all the residents.
- 4. Proper privacy protections for residences (Lozano lane) in front of the trail.

AS per the General Plan, POLICY HS-8.5: NEIGHBORHOODS, "Review residents' needs for convenience and safety and prioritize them over the convenient movement of commute or through traffic where practical"

We request the City Council to discuss this during the agenda Item 12 and allocate additional funding for proper protection of the adjacent residents .

Thank you,

Cupertino Residents adjacent to Regnart Trail.